proposal_category	[table]	
proposal_category_id	int4 not null	#○€
proposal_category_name	varchar	
proposal_category_description	varchar	
created_at	timestamp	
updated_at	timestamp	

proposal	[table]
proposal_id	varchar not null
group_id	varchar
pi_first_name	varchar
pi_last_name	varchar
pi_middle_name	varchar
rank	float8(17, 17)
grade	varchar
allocated_time	float8(17, 17)
proposal_category_id	int4
created_at	timestamp
updated_at	timestamp

target_type	[table]
target_type_id	int4 not null
target_type_name	varchar
target_type_description	varchar
created_at	timestamp
updated_at	timestamp

input_catalog	[table]
input_catalog_id	int4 not null
input_catalog_name	varchar
input_catalog_description	varchar
created_at	timestamp
updated_at	timestamp

	target	[table]
	target_id	bigserial not null
		auto-incremented
₹	proposal_id	varchar
	obj_id	int8
	ra	float8(17, 17)
	"dec"	float8(17, 17)
	epoch	varchar
	tract	int4
	patch	int4
	target_type_id	int4
4	input_catalog_id	int4
	fiber_mag_g 	float8(17, 17)
	fiber_mag_r 	float8(17, 17)
	fiber_mag_i 	float8(17, 17)
	fiber_mag_z	float8(17, 17)
	fiber_mag_y	float8(17, 17)
	fiber_mag_j	float8(17, 17)
	psf_mag_g	float8(17, 17)
	psf_mag_r	float8(17, 17)
	psf_mag_i	float8(17, 17)
	psf_mag_z	float8(17, 17)
	psf_mag_y ·	float8(17, 17)
	psf_mag_j	float8(17, 17)
	psf_flux_g	float8(17, 17)
	psf_flux_r	float8(17, 17)
	psf_flux_i	float8(17, 17)
	psf_flux_z	float8(17, 17)
	psf_flux_y	float8(17, 17)
	psf_flux_j	float8(17, 17)
	priority	float8(17, 17)
	effective_exptime	float8(17, 17)
	is_medium_resolution	bool
	qa_relative_throughput	float8(17, 17)
	qa_relative_noise	float8(17, 17)
	qa_reference_lambda	float8(17, 17)
	prob_f_star	float8(17, 17)
	created_at	timestamp timestamp
	updated_at	umesiamp

PFS Target Database (Prototype)

generated by SchemaCrawler 16.15.7 generated on 2021-11-19 09:51:58