Integration of External git as customer managed git to Adobe cloud manager's own provisioned git

Integrating Bitbucket as a customer-managed Git repository with Adobe Cloud Manager's provisioned Git repository involves connecting Adobe Cloud Manager to your Bitbucket repository as the primary source.

Adobe Cloud Manager typically integrates with Adobe's own Git repository by default, but it also supports external repositories like Bitbucket through webhooks and some configuration adjustments.

Git clone the created repo in bitbucket to local machine.

Git remote -v to know where it is pointed as of now.

And then do git remote add adobe with URI of cloud manager repo.which CSC or (Adobe contact will provide)



And then again you can check where it is pointed by giving again git remote -v



As you can see now it will be showing both customer managed and adobe managed repos.

And then git fetch –all

To fetch everything from both,

```
origin  git@git.corp.adobe.com:aem-technical-marketing/cmtechmarketing.git (push)
dgordon-OSX:cmtechmarketing dgordon$ git fetch --all
Fetching origin
Fetching adobe
From https://git.cloudmanager.adobe.com/cmtechmarketing/cmtechmarketing
 * [new branch]      master                     -> adobe/master
 * [new tag]         2019.820.223437.0000007252 -> 2019.820.223437.0000007252
 * [new tag]         2019.822.224913.0000007355 -> 2019.822.224913.0000007355
 * [new tag]         2019.822.231427.0000007304 -> 2019.822.231427.0000007304
 * [new tag]         2019.823.243333.0000007305 -> 2019.823.243333.0000007305
 * [new tag]         2019.828.10646.0000007402  -> 2019.828.10646.0000007402
 * [new tag]         2019.828.201254.0000007452 -> 2019.828.201254.0000007452
dgordon-OSX:cmtechmarketing dgordon$ _
```

And importing the code repo to particular IDE to work with you can see the git of both repo..



And after the code changes you can push it to the origin you needed. Like customer managed and adobe cloud managed.



Add external repositories in Cloud Manager in our case we are assuming our customer managed repo will be bitbucket repo.

Configuration of an external repository in Cloud Manager consists of three steps:

- Add an external repository to a selected program.
- Provide an access token to the external repository.
- Validate ownership of the external repository.

Steps:

Step 1: Set Up Bitbucket Repository

Create a Repository: Make sure your Bitbucket repository is set up with the codebase you wish to deploy through Adobe Cloud Manager.

Grant Access: Provide access to any necessary users or service accounts that Adobe Cloud Manager will use to interact with this repository.

Step 2: Generate Access Tokens

Create Access Tokens: Create Bitbucket access tokens for Adobe Cloud Manager to pull code from the Bitbucket repository. Generate these tokens from the Bitbucket settings page.

Store Tokens Securely: You will need to securely manage this token, as it will be used by Cloud Manager to connect to Bitbucket.

Step 3: Configure Adobe Cloud Manager to Use Bitbucket Repository

Log in to Adobe Cloud Manager: Access the Adobe Cloud Manager console.

Go to Program Setup , under Services, select Folder icon Repositories.



Near the upper-right corner of the Repositories page, click **Add Repository.**

In the Add Repository dialog box, select Private Repository to link an external Git repository to your program.



In each respective field, provide the following details about your repository:

Select Custom Repository: Instead of using Adobe's managed Git, select the option for "Customer Managed Repository" or "External Git."

Add Repository Details:

Enter the Bitbucket repository URL.

Input the access token generated earlier, or provide credentials for Adobe Cloud Manager to connect to Bitbucket.



Step 4: Configure Webhooks in Bitbucket

Navigate to Webhooks Settings in Bitbucket:
In your Bitbucket repository, go to Settings > Webhooks.
Add New Webhook: Create a webhook that triggers on push events.
Set URL to Adobe Cloud Manager:
Adobe will provide a specific endpoint URL for webhook triggers. Enter this URL to ensure Bitbucket notifies Cloud Manager on any new pushes.
Save Webhook: Save the webhook, ensuring it's active and set to trigger on push events.

Step 5: Validate the Setup

Push a Test Commit: Make a simple change to the Bitbucket repository, and push it to the main branch.
Monitor Adobe Cloud Manager: Check Adobe Cloud Manager to confirm it receives the push and initiates any associated build or deployment processes.

Link a validated external repository to a pipeline.