

Documentation of Avinash Group

For a developer new to `avinashgroup_app`. Read **Start Here** first (the mental model and where things live), then use the **Reports** catalog and the **Customizations & Portal** section as a reference. Everything below reflects the current code.

How to read this: - **Reports** are short — What / Source / Filters / PDF, plus a ⚠ gotcha when there is one. - **Customizations & Portal** are fuller — Purpose / How it works / Files / gotcha — because these are the parts you actually have to understand and change. - The shared conventions (company scoping, BS dates, number format, PDF patterns) live once in **Start Here**, so the per-item entries stay short.

Start Here

Where things live

Area	Path	What's there
Reports	<code>avinash_group_app/report/<name>/</code>	Each has <code>.py</code> (query/rows), <code>.js</code> (filters + print), <code>.json</code> (config), and often <code><name>_pdf.html</code> (PDF template).
Portal pages	<code>templates/pages/<name>.py + .html</code>	Customer/supplier-facing web pages (e.g. Customer Statement).
Shared business logic	<code>custom_code/</code>	Server-side handlers grouped by area: <code>common/</code> (taxes), <code>SalesInvoice/</code> , <code>purchase_invoice/</code> , <code>Override/</code> (ERPNext overrides), <code>globalfilter/</code> , <code>workflow*</code> .
Client scripts	<code>public/js/</code>	Form behaviour (VAT/TDS calc, warehouse, numbering, print helpers).
Custom fields / doctypes	<code>avinash_group_app/doctype/</code> and <code>avinash_group_app/custom/*.json</code>	New doctypes + custom fields on core doctypes.
Wiring (the glue)	<code>hooks.py</code>	<code>app_include_js</code> , <code>doctype_js</code> , <code>doc_events</code> , <code>override_whitelisted_methods</code> , <code>override_doctype_class</code> , <code>before_request</code> . Start here to see how a feature is connected.

Conventions every report/feature shares

- **Reports are Script Reports** (`execute(filters)` builds rows in Python). Most build their own bold total rows (`add_total_row = 0`). All run **synchronously** (`prepared_report = 0`).

⚠ Frappe auto-switches a report to background (prepared) mode if one `execute()` takes

15s. Heavy queries are written to stay under that (e.g. hit indexed columns first).

- **Company scoping:** filter dropdowns come from whitelisted helpers — `get_company_customers`, `get_company_suppliers`, `get_company_items`, `get_company_customer_groups`, `get_company_party_groups`, `get_company_bank_accounts` — scoped via the master's `custom_company` field.
- **Nepali (BS) dates:** the "Miti" column comes from custom fields (`custom_invoice_miti`, `custom_nepali_miti`, `custom_posting_miti`), usually `SUBSTRING_INDEX(..., ' ', 1)`.
- **Numbers:** `_fmt_inr` = Indian lakh/crore grouping (`en_IN`, fallback `{:, .2f}`); `_fmt_qty` = 3 dp; currency labelled NPR.

PDF / Print — three patterns

Pattern	Used by	How it works
A — custom template	Party Ledger, Party Ledger Summary, Sales/ Purchase Register, Receipt Register, Sales Analysis x3	Whitelisted <code>download_pdf</code> re-runs <code>execute</code> , paginates in Python, renders <code>*_pdf.html</code> , <code>get_pdf</code> . In-body Page X of Y (works on plain wkhtmltopdf). Print is overridden to call <code>download_pdf (view=1, inline) → Print and</code>

Pattern	Used by	How it works
		Download give the same PDF. "Pick Columns" supported.
B — shared helper	Advance Tax TDS, Loan Summary	No local template. <code>public/js/report_print_orientation.js</code> (loaded globally) adds the orientation dialog + portrait CSS + PDF styling.
C — stock Frappe	One Lakh Above	Built-in query-report Print / PDF / Export.

Reports — Quick Reference

#	Report	Source	Purpose
1	Party Ledger	GL Entry	Tally-style party statement: opening → txns → closing.
2	Party Ledger Summary	GL Entry	One line/party: opening / debit / credit / closing.
3	Sales Register	Sales Invoice	Per-invoice VAT register (tax-free / export / taxable / VAT).
4	Purchase Register	Purchase Invoice	Per-invoice VAT register (tax-free / taxable / import / capitalized).
5	Receipt Register	Payment Entry	Customer receipts in 3 views.
6	SA — Customer Summary	Sales Invoice	Per-customer qty/value, optional returns/net.
7	SA — Customer Details	Sales Invoice	Per customer → product (UOM).
8	SA — Product Details	Sales Invoice	Per product → invoice → customer.
9	Advance Tax TDS	Purchase Invoice	Supplier TDS withholding by category.
10	Loan Summary	GL Entry	Company-wise loan closing balances.
11	One Lakh Above	SI + PI	Parties with totals ≥ NPR 100,000.

* = required filter. PDF patterns A/B/C are defined in **Start Here**.

Reports

1. Party Ledger

- **What:** Ledger for one party, or grouped multi-party when 0 / 2+ selected. Powers `/customer_statement`.
- **Source:** `tabGL Entry ( is_cancelled=0 , company, party_type); LEFT JOIN SI/PI for description`. Running balance computed in Python; rows merged per voucher.
- **Filters:** `company*`, `party_type`, `party (1→flat, 0/2+→grouped)`, `account`, `from*/to*`, `voucher_no (LIKE)`, `show_remarks`, `show_balance`, `detailed_mapping`, `show_contract_form (default ON)`.
- **PDF:** A — `party_ledger_pdf.html`, default Landscape.
- **Account exclusion (gated):** accepts optional `exclude_account_patterns ( account_name LIKE list) → gle.account NOT IN (matching accounts)`, applied to opening + period rows. The desk report never sets it; the Customer Statement portal uses it to hide deposit/security accounts.

⚠ One row per voucher × party → large for wide ranges. Enrichment (Miti, remarks, names) is batched in `IN` chunks of 500 to avoid N+1.

2. Party Ledger Summary

- **What:** One aggregate line/party. Modes: **Super Summary** (flat + grand total) / **Group Wise** (per-group subtotals).
- **Source:** `tabGL Entry GROUP BY party ; opening = SUM(debit-credit) WHERE posting_date < from_date OR is_opening='Yes'`.

- **Filters:** `report_type*`, `company*`, `party_type*`, `party_group`, `party`, `from*/to*`, `show_zero_balance`, `closing_drcr` (DB/CR).
- **PDF:** A — default Portrait. Excel export overridden (Opening/Closing as magnitude + Dr/Cr column).

3. Sales Register

- **What:** One row / submitted Sales Invoice; VAT split tax-free / export / taxable / VAT. Returns view (`abs()`).
- **Source:** `SI` $\bowtie$ `SII` $\bowtie$ `Customer`, `GROUP BY si.name`. Buckets = conditional `SUM` over `sii.custom_vat_apply_on` + `c.territory`.
- **Filters:** `company`, `from*/to*`, `customer`, `is_return`.
- **PDF:** A — Landscape, Pick-Columns.

⚠ `company` / `customer` are string-interpolated into the SQL; dates are bound params.

4. Purchase Register

- **What:** One row / Purchase Invoice; buckets tax-free / taxable / import / capitalized + VAT + qty.
- **Source:** `PI` $\bowtie$ `PII` $\bowtie$ `Supplier` $\bowtie$ `Item`, `GROUP BY pi.name`. Buckets via `custom_vat_apply_on` + `is_fixed_asset` + `custom_territory`.
- **Filters:** `company`, `from*/to*`, `supplier`, `purchase_type`, `is_return`.
- **PDF:** A — Landscape; shares the "Pick Columns" patch with Sales Register.

5. Receipt Register

- **What:** Customer receipts (Payment Entry, `payment_type='Receive'`). 3 views: Date Wise / Customer Wise / Summary.
- **Source:** `tabPayment Entry` only; `docstatus=1`, `party_type='Customer'`.
- **Filters:** `view*`, `company*`, `from*/to*`, `customer`, `bank`.
- **PDF:** A — orientation auto per view.

⚠ "GL Code" column is an unfinalized placeholder; cheque no "1" is suppressed.

6. Sales Analysis — Customer Summary

- **What:** Per-customer qty + gross value (incl. excise); optional returns/net.
- **Source:** `SI` $\bowtie$ `SII` $\bowtie$ `Customer`, `GROUP BY customer`; `value = SUM(amount + custom_excise_value)`; returns negated to positive.
- **Filters:** `company`, `from*/to*`, `customer`, `customer_group`, `item_code`, `include_return`.
- **PDF:** A — Landscape.

⚠ `item_code` narrows lines but grouping stays per customer.

7. Sales Analysis — Customer Details

- **What:** Per customer → product (UOM): qty / value / VAT / total-incl-VAT + rollups.
- **Source:** `SII` $\bowtie$ `SI` $\bowtie$ `Item` $\bowtie$ `Customer`, `GROUP BY customer, item_code, uom, is_return`.
- **Filters:** `company`, `from*/to*`, `customer`, `item_code`, `include_return`.
- **PDF:** A — Portrait.

⚠ Granularity customer × item × UOM → row count can grow large.

8. Sales Analysis — Product Details

- **What:** Per product → customer → Invoice/Return rows, with rollups. Used by the `/product_wise_invoice_details` portal page (without Agent rows).
- **Source:** `GROUP BY item_code, uom, customer, si.name, is_return`. `build_rows(filters, include_return, include_agent)` builds the grouped layout.
- **Filters:** `company`, `from*/to*`, `customer`, `item_code`, `include_return`.
- **PDF:** A — Landscape.

⚠ No agent data source → "No Agent" label (suppressed when `include_agent=False`). Unchecked `include_return` never reaches the server (Frappe drops falsy filters → treated OFF).

9. Advance Tax TDS Details

- **What:** Supplier TDS withholding statement by category (Devanagari headers); per-section + grand totals.
- **Source:** `PI ⋈ PII ⋈ Supplier`; `turnover = SUM(amount WHERE apply_tds=1)`, `tds = SUM(custom_tds_amount)`, `GROUP BY supplier, category, tax_id`. Category string regex-parsed → rate / khata / title.
- **Filters:** `company*`, `from*` / `to*`.
- **PDF:** B — shared helper + Prepared/Checked/Verified signature footer (print only).

10. Loan Summary

- **What:** Company-wise loan closing balances (short/long-term borrowings); ratio row; `Show Details` expands sub-accounts.
- **Source:** `tabAccount` (nested-set, CoA groups) → `tabGL Entry: SUM(credit-debit) WHERE posting_date <= to_date`.
- **Filters:** `company`, `to_date*`, `show_details`.
- **PDF:** B — shared helper.

⚠ `from_date` is collected but **never used** — balances are cumulative to To Date, not a range.

11. One Lakh Above Transactions

- **What:** Parties (customers + suppliers) with taxable/exempt totals ≥ NPR 100,000.
- **Source:** SI and PI queries concatenated; `taxable = SUM(ABS(amount)) WHERE custom_vat_amount!=0`; `HAVING ≥ 100000` (+ re-checked in Python).
- **Filters:** `company*`, `from*` / `to*`.
- **PDF:** C — stock Frappe print.

⚠ `trade_name_type` hardcoded 'E'; no totals row.

Customizations & Portal

Each entry: **Purpose** (why) → **How it works** (the flow) → **Files** (where) → ⚠ gotcha.

Branch-wise Warehouse Auto-fetch

Purpose: Auto-set the line Warehouse on buying/selling docs to the correct branch warehouse — one item can have different warehouses per branch (and buying vs selling). **How it works:** Mapping is on the **Item** child table `custom_branch_wise_warehouse` (`custom_branch`, `custom_buying_warehouse`, `custom_selling_warehouse`); Item-level fields are the fallback. Resolution per item-add: branch row (matching the doc's `custom_branch`) → Item-level fallback → leave ERPNext's value. **Selling** (SI + Quotation/SO/DN): on `item_code`, temporarily wraps `frappe.call` so ERPNext's `get_item_details` response warehouse is replaced before it's written (avoids a race), plus a `before_save` sweep. **Buying** (Material Request): overrides `frm.events.get_item_data`. **Files:** `doctype/branch_wise_warehouse/` · `public/js/sales_invoice.js`, `sales_warehouse_common.js`, `material_request.js` · `hooks.py`.

⚠ Only sets the warehouse when a mapping exists — a manually chosen warehouse is preserved.

Place Order — Customer Portal (`/place_order`)

Purpose: A logged-in customer places a Sales Order for **LP Gas** online. **How it works:** Guests → `/login`; needs `Customer` role. The customer is resolved from the `Portal User` table (scoped to their linked customers). Fixed LP Gas item, UOM limited to cylinder sizes. Rates via `get_item_price` (Item Price); client computes amount + VAT (13% / 0% / manual) + totals. `create_sales_order` re-validates, builds and submits a **Sales Order** (`ignore_permissions`, `owner` = session user) → `redirect /orders`. **Files:** `templates/pages/place_order.py` (whitelisted `create_sales_order`, `get_customer_defaults`, `get_item_price`, `search_*`) · `place_order.html` (inline `PlaceOrder` JS).

Customer Statement — Customer Portal (/customer_statement)

Purpose: A logged-in customer views their own account statement (Party-Ledger ledger) and downloads a Portrait PDF. **How it works:** Customer role required. `_get_portal_customers` + `_get_allowed_companies` drive the company/customer controls. **Every AJAX call goes through `_resolve_request`** — rejects companies/customers outside the user's set, and fills the party list with the user's own customers when none are chosen (empty party = "all parties" in Party Ledger → would leak data). `get_statement` reuses Party Ledger's `execute`; one customer → flat layout (+ PAN/VAT), >1 → grouped. PDF reuses Party Ledger's `download_pdf` (Portrait, `capacity_override=76`). **Excluded accounts:** passes `exclude_account_patterns` to Party Ledger so deposit/security accounts never show or affect the balance — Deposit Customers Cylinders (I) (313101), Record of Deposit Cylinders (1013) (313102), Security Deposit from Dealers (313201); matched on `Account.account_name` LIKE (company-agnostic). **Files:** `templates/pages/customer_statement.py` (`_resolve_request`, `get_statement`, `download_pdf`, `EXCLUDE_ACCOUNT_PATTERNS`) · `customer_statement.html` · reuses `report/party_ledger/`.

⚠ Dual AD + Nepali BS date pickers — AD is the source of truth; debounced reload (~350 ms).

Product Wise Invoice Details — Customer Portal (/product_wise_invoice_details)

Purpose: A logged-in customer views the Product-wise Invoice Details for their own customer(s) — product → customer → Invoice/Return rows — **with returns, no Agent rows**. **How it works:** Same security as Customer Statement (reuses `_get_portal_customers`, `_get_allowed_companies`, `_resolve_request`). `get_data` builds filters (`company=[company]`, `scoped_customer`, `dates`, `include_return`) and calls the report's `build_rows(filters, include_return, include_agent=False)` — `include_agent=False` drops the No Agent / Agent rows. Rows are flattened by `_shape` (product / customer / section / invoice / summary) for an HTML table. Filters: Company (defaults to Nepal Gas Karnali), AD (YYYY-MM-DD) + BS dates, Include Return toggle (default on). **Files:** `templates/pages/product_wise_invoice_details.py` (`get_data`, `_shape`) · `product_wise_invoice_details.html` · reuses `report/sales_analysis_product_wise_invoice_details/`.

⚠ Default company prefers Nepal Gas Karnali; if a customer's company has no sales you'll see "No invoices found" — switch company.

Request for Quotation — Supplier Portal override (/rfq/<name>)

Purpose: A supplier submits a Supplier Quotation with VAT / discount / attachments that ERPNext's default doesn't capture. **How it works:** `get_context` delegates to ERPNext (local `rfq.html`). `hooks.py` maps ERPNext's `create_supplier_quotation` → the local override, which additionally copies document-level discounts, sets per-line VAT custom fields (guarded by `item_meta.has_field`), runs `calculate_taxes_and_totals`, and re-links uploaded Files to the new quotation. **Files:** `templates/pages/rfq.py` (`create_supplier_quotation`, `_add_items`, `upload_portal_item_attachment`) · `rfq.html` · `hooks.py` (`override_whitelisted_methods`).

Company-wise Filtering

Purpose: Restrict Link-field dropdowns (incl. child-table & Dynamic Link) to the document's company; block cross-company saves. **How it works:** Company Filter Config (`doctype_name`, `company_field`) + child Company Filter Field define what to filter. `get_filter_config` (Redis-cached) serves it. `company_filter.js` applies `frm.set_query()` per field (Dynamic Link → server query `search_link_by_company`); on company change, mismatched values are cleared. Server-side, `validate_company_matching` throws "Company Mismatch". Cache cleared on Config/Field save. **Files:** `custom_code/globalfilter/globalfilter.py` · `public/js/company_filter.js`, `global_filter.js` · `doctypes` Company Filter Config / Field · `hooks.py`.

Credit Control (Sales Invoice)

Purpose: Block new invoices for customers over their credit limits (overdue days, outstanding amount, unpaid-bill count). **How it works:** Reads Customer limits. On customer change → days + bill-count check (outstanding from Customer Ledger Summary). On `before_save` → adds the amount check (existing outstanding + this invoice's total vs limit). The client shows a warning dialog and rejects the save promise when blocked. **Files:** `custom_code/SalesInvoice/salesinvoice_customer.py` (`whitelisted check_customer_credit_limit_on_load` / `_on_save`) · `public/js/si.js`.

⚠ Enforced via the client `before_save` path — the SI `validate` `doc_event` points at the taxes handler, not the credit `validate`. An unused `credit_control.py` variant exists.

Automatic Due Date (Sales Invoice)

Purpose: `due_date = posting_date + Customer.custom_days_limit`. **How it works:** Client-side. `set_due_date_from_customer` runs on new-invoice refresh and on `customer / posting_date` change (wrapped in `setTimeout(...,0)` so it wins over ERPNext's handler). No `custom_days_limit` → 0 days. **Files:** `public/js/sales_invoice.js`.

Selling VAT & Tax Handling

Purpose: Consistent VAT + excise across SI / Quotation / SO / DN, default 13%. **How it works:** Per line `custom_vat_apply_on` $\in$ { VAT 13%, VAT 0%, Amount }. `custom_total` = `base_net_amount` + `custom_excise_value`. VAT: 13% computed, 0% zeroed, Amount manual. `update_taxes_table` finds Excise (acct prefix 348204) + VAT (prefix VAT), writes Actual rows, then `calculate_taxes_and_totals`. Returns: `qty` + `custom_vat_amount` forced negative. **Files:** `custom_code/common/selling_taxes_handler.py`, `custom_code/SalesInvoice/salesinvoice_taxes.py` · `public/js/selling_taxes_common.js`, `sales_invoice.js` · `hooks.py` `doc_events`.

Purchase VAT & TDS Handling

Purpose: VAT + Excise + TDS on PI / PO / PR / Supplier Quotation; warehouse defaulting on MR / RFQ. **How it works:** VAT as on the selling side. **TDS** via `custom_tds_apply_on` (Percentage / Amount), only when `custom_tax_withholding_category_custom` is set AND the row's `apply_tds` is checked (rate from the Tax Withholding Category). `update_taxes_table` adds Excise/VAT (Add) + TDS (Deduct). Cross-document field mapping (SQ→PO→PR/PI) via `purchase_taxes_mapper.py`. Uses a **separate** `custom_tax_withholding_category_custom` field so ERPNext's native TDS engine stays out. **Files:** `custom_code/common/purchase_taxes_handler.py`, `purchase_taxes_mapper.py` · `public/js/purchase_taxes_common.js`, `pi.js` · `hooks.py` `doc_events`.

Automatic Document Numbering (Voucher Number Settings)

Purpose: Human-facing `custom_document_no` + composite `custom_name` (e.g. SGU-RC-000006-82/83), auto or manual per transaction type. **How it works:** `AUTO_NUMBER_CONFIG` (discriminator field + qualifying types) decides auto vs manual. Next number = `max(matching custom_document_no) + 1`, matched by a `custom_name` LIKE pattern. Zero-pad width from **Voucher Number Settings** **Item** (`doctype_name` → `voucher_no_digits`, default 6). Client (`auto_update_document_no.js`) previews via whitelisted `get_next_custom_document_no`; server re-runs authoritatively via `audit_file_manager` dispatchers. **Files:** `custom_code/0override/naming_series.py` · `public/js/auto_update_document_no.js` · `utils/audit_file_manager.py` · `doctype Voucher Number Settings` (+ child `Item`).

Item Price Company Auto-assignment

Purpose: Stamp `company` on Item Price records auto-created by ERPNext, so price lists stay company-scoped. **How it works:** Monkey-patches `erpnext.stock.get_item_details.insert_item_price`, preserving standard behaviour but writing `company` (and/or `custom_company`) from the transaction `args`. One-time guard; wired via `before_request`. **Files:** `custom_code/0override/auto_insert_item_price.py` · `hooks.py` (`before_request`).

Workflow Reject Reason

Purpose: Force a written reason on the workflow **Reject** action (audit trail). **How it works:** `before_workflow_action` opens a mandatory "Rejection Reason" dialog only for Reject; on submit calls whitelisted `set_reject_reason` → writes `custom_reason` (if the field exists, e.g. Purchase Order) else a document comment. `approval_workflow_auto.js` auto-binds it to any Dynamic-Approval doctype. **Files:** `custom_code/workflow.py`, `workflow_material_request.py` · `public/js/approval_workflow_common.js`, `approval_workflow_auto.js` · `custom/purchase_order.json` (`custom_reason`).