

Cucumber Report

17-Aug-2026, 10:21:01 pm

Start : Aug 17, 10:18:59.781 pm

End : Aug 17, 10:20:59.788 pm

Duration : 2 m 0.007 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 18
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 98




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User</u>	1 m 5.796 s	6	0	6	0	48	0	0	48
<u>Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality</u>	1 m 52.904 s	5	0	5	0	20	0	0	20
<u>Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality</u>	56.251 s	7	0	7	0	30	0	0	30


#	Feature Name	Scenario Name
1	<u>Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User</u>	<u>Verify error message when email field is empty</u>
2		<u>Verify error message when invalid email is entered</u>
3		<u>Verify external payment successfully</u>
4		<u>Verify external payment creation and cancellation</u>
5		<u>Verify error message when zero amount is entered</u>
6		<u>Verify error message when amount field is empty</u>
7	<u>Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality</u>	<u>Verify ascending order functionality</u>
8		<u>Verify business directory grid view functionality using data table</u>
9		<u>Verify business directory list view functionality using csv</u>
10		<u>Verify keyword search functionality using excel</u>
11		<u>Verify descending order functionality</u>
12	<u>Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality</u>	<u>Verify validation message for blank user field</u>

#	Feature Name	Scenario Name
13	<u>Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality</u>	<u>Verify Payment Confirmation using pay now functionality</u>
14		<u>Verify validation message when payment amount exceeds available limit</u>
15		<u>Verify validation message when payment amount exceeds available limit</u>
16		<u>Verify scheduled payment functionality</u>
17		<u>Verify recurring payment scheduling functionality</u>
18		<u>Verify user can schedule monthly installment payment</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Shobana	18	0	18	0	3	0	3	0




#	Feature Name	T	P	F	S	Duration
1	<u>Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User</u>	6	0	6	0	1 m 5.796 s
2	<u>Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality</u>	5	0	5	0	1 m 52.904 s
3	<u>Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality</u>	7	0	7	0	56.251 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay *</u>	<u>Verify error message when email field is empty</u>	7	0	0	7	1 m 4.464 s
2		<u>Verify error message when invalid email is entered</u>	6	0	0	6	1 m 5.335 s
3		<u>Verify external payment successfully</u>	8	0	0	8	1 m 4.680 s
4		<u>Verify external payment creation and cancellation</u>	13	0	0	13	1 m 5.679 s
5		<u>Verify error message when zero amount is entered</u>	6	0	0	6	1 m 3.586 s
6		<u>Verify error message when amount field is empty</u>	8	0	0	8	1 m 4.048 s
7	<u>Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality</u>	<u>Verify ascending order functionality</u>	4	0	0	4	1 m 4.220 s
8		<u>Verify business directory grid view functionality using data table</u>	4	0	0	4	1 m 5.367 s
9		<u>Verify business directory list view functionality using csv</u>	4	0	0	4	1 m 3.254 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>Verify keyword search functionality using excel</u>	4	0	0	4	1 m 5.393 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality</u>	<u>Verify descending order functionality</u>	4	0	0	4	49.534 s
12	<u>Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality</u>	<u>Verify validation message for blank user field</u>	4	0	0	4	56.251 s
13		<u>Verify Payment Confirmation using pay now functionality</u>	4	0	0	4	52.051 s
14		<u>Verify validation message when payment amount exceeds available limit</u>	5	0	0	5	51.301 s
15		<u>Verify validation message when payment amount exceeds available limit</u>	5	0	0	5	52.235 s
16		<u>Verify scheduled payment functionality</u>	4	0	0	4	51.399 s
17		<u>Verify recurring payment scheduling functionality</u>	4	0	0	4	54.157 s
18		<u>Verify user can schedule monthly installment payment</u>	4	0	0	4	46.104 s


Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User

FAILED	DURATION - 1 m 5.796 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 48 Pass - 0 Fail - 0 Skip - 48	
/ 10:18:59.781 pm // 10:20:05.577 pm /					


Verify error message when email field is empty

FAILED	DURATION - 1 m 4.464 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:18:59.790 pm // 10:20:04.254 pm /				
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef4de5fd5567bfc69880e2128c44a709, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53443}, goog:processID: 34392, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53443/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef4de5fd5567bfc69880e2128c44a709 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	58.389 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)						
1	Given User should login successfully	SKIPPED	0.001 s				
2	When User clicks pay user option	SKIPPED	0.000 s				
3	And User clicks external payments option	SKIPPED	0.001 s				
4	And User clicks pay external user option	SKIPPED	0.001 s				
5	And User leaves email field empty	SKIPPED	0.001 s				
6	And User enters amount and description	SKIPPED	0.010 s				
	<table><tr><td>amount</td><td>description</td></tr><tr><td>100</td><td>example</td></tr></table>	amount	description	100	example		
amount	description						
100	example						
7	Then User should validate email error message "This field is required"	SKIPPED	0.000 s				
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	5.936 s				
	Failure Screenshot						
							

Verify error message when invalid email is entered

FAILED	DURATION - 1 m 5.335 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 10:18:59.887 pm // 10:20:05.222 pm /				
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1 m 1.474 s
	java.lang.RuntimeException: Browser setup failed		

#	Step / Hook Details	Status	Duration						
	at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c9e84a0fa458cd1ff2d1b0c43c22777, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55475}, goog:processID: 31028, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55475/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3c9e84a0fa458cd1ff2d1b0c43c22777 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)								
1	Given User should login successfully	SKIPPED	0.000 s						
2	When User clicks pay user option	SKIPPED	0.006 s						
3	And User clicks external payments option	SKIPPED	0.001 s						
4	And User clicks pay external user option	SKIPPED	0.001 s						
5	And User enters external payment details	SKIPPED	0.002 s						
	<table><tr><td>email</td><td>amount</td><td>description</td></tr><tr><td>h</td><td>100</td><td>example</td></tr></table>	email	amount	description	h	100	example		
email	amount	description							
h	100	example							
6	Then User should validate invalid email error message	SKIPPED	0.001 s						
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.787 s						
	Failure Screenshot								
									


Verify external payment successfully

FAILED DURATION - 1 m 4.680 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 10:18:59.890 pm // 10:20:04.570 pm /			
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User			
@Shobana			


#	Step / Hook Details	Status	Duration			
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3d07eab35fe7ffb100051dc47b69d73, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53440}, goog:processID: 32416, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53440/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3d07eab35fe7ffb100051dc47b69d73 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)	FAILED	1 m 0.620 s			
1	Given User should login successfully	SKIPPED	0.002 s			
2	When User clicks pay user option	SKIPPED	0.001 s			
3	And User clicks external payments option	SKIPPED	0.004 s			
4	And User clicks pay external user option	SKIPPED	0.000 s			
5	And User enters external payment details	SKIPPED	0.000 s			
	<table><tr><td>email</td><td>amount</td><td>description</td></tr></table>	email	amount	description		
email	amount	description				

#	Step / Hook Details	Status	Duration
	shobs@gmail.com 10 hi		
6	Then User should navigate to payment confirmation page	SKIPPED	0.000 s
7	When User clicks confirm button	SKIPPED	0.000 s
8	Then External payment should complete successfully	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.992 s
	Failure Screenshot		
			


Verify external payment creation and cancellation

FAILED	DURATION - 1 m 5.679 s		Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	
/ 10:18:59.898 pm // 10:20:05.577 pm /				
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	59.730 s
	<pre>java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d9809684b630c3cf1b39ba275da9d57, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53441}, goog:processID: 4704, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53441/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d9809684b630c3cf1b39ba275da9d57 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)</pre>		

#	Step / Hook Details	Status	Duration						
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)								
1	Given User should login successfully	SKIPPED	0.001 s						
2	When User clicks pay user option	SKIPPED	0.001 s						
3	And User clicks external payments option	SKIPPED	0.001 s						
4	And User clicks pay external user option	SKIPPED	0.001 s						
5	And User enters external payment details	SKIPPED	0.003 s						
	<table><tr><td>email</td><td>amount</td><td>description</td></tr><tr><td>shobs@gmail.com</td><td>10</td><td>Cancel Test</td></tr></table>	email	amount	description	shobs@gmail.com	10	Cancel Test		
email	amount	description							
shobs@gmail.com	10	Cancel Test							
6	Then User should navigate to payment confirmation page	SKIPPED	0.000 s						
7	When User clicks confirm button	SKIPPED	0.001 s						
8	Then External payment should complete successfully	SKIPPED	0.001 s						
9	When User opens the payment with description "Cancel Test"	SKIPPED	0.001 s						
10	And User clicks "Cancel this external payment"	SKIPPED	0.001 s						
11	And User enters cancellation comment "Cancelled by automation"	SKIPPED	0.002 s						
12	And User clicks Confirm	SKIPPED	0.001 s						
13	Then External payment should be cancelled successfully	SKIPPED	0.000 s						
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	5.892 s						
	Failure Screenshot								
									


Verify error message when zero amount is entered

FAILED DURATION - 1 m 3.586 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 10:18:59.917 pm // 10:20:03.503 pm /			
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User			
@Shobana			


#	Step / Hook Details	Status	Duration						
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ba54fcbc2658eeb27b6effcebb89a84, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55472}, goog:processID: 35548, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55472/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ba54fcbc2658eeb27b6effcebb89a84 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)	FAILED	37.284 s						
1	Given User should login successfully	SKIPPED	0.004 s						
2	When User clicks pay user option	SKIPPED	0.001 s						
3	And User clicks external payments option	SKIPPED	0.001 s						
4	And User clicks pay external user option	SKIPPED	0.001 s						
5	And User enters external payment details	SKIPPED	0.111 s						
	<table><tr><td>email</td><td>amount</td><td>description</td></tr><tr><td></td><td></td><td></td></tr></table>	email	amount	description					
email	amount	description							

#	Step / Hook Details	Status	Duration
	demo@gmail.com 0.00 Zero amount test		
6	Then User should validate positive amount error message "Amount must be a positive number."	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	24.554 s
	Failure Screenshot		
			

Verify error message when amount field is empty

FAILED	DURATION - 1 m 4.048 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 10:18:59.922 pm // 10:20:03.970 pm /				
Shobana_25/05/2026(13-08-26,17-08-2026 updated)_Error_Slayers_Pay External User				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	59.873 s
	<pre>java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [414c319634b52178ffb995b74dff4ca5, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53442}, goog:processID: 29492, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53442/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 414c319634b52178ffb995b74dff4ca5 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29) </pre>		
1	Given User should login successfully	SKIPPED	0.001 s
2	When User clicks pay user option	SKIPPED	0.005 s
3	And User clicks external payments option	SKIPPED	0.001 s
4	And User clicks pay external user option	SKIPPED	0.000 s
5	And User enters external payment email	SKIPPED	0.002 s
	email demo@gmail.com		
6	And User leaves amount field empty	SKIPPED	0.002 s
7	And User enters description "Blank amount test"	SKIPPED	0.001 s
8	Then User should validate amount required error message "This field is required"	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	4.122 s
	Failure Screenshot		
			


Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality

FAILED	DURATION - 1 m 52.904 s	Scenarios		Steps	
/ 10:18:59.867 pm // 10:20:52.771 pm /		Total - 5		Total - 20	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 20	


Verify ascending order functionality

FAILED DURATION - 1 m 4.220 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:18:59.867 pm // 10:20:04.087 pm /				
Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72d159fd6f5408b0136a4044c4428a65, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62142}, goog:processID: 25188, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62142/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72d159fd6f5408b0136a4044c4428a65 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)	FAILED	59.305 s
1	Given User logs into the cyclos application for business directory	SKIPPED	0.001 s
2	When User navigates to business directory page	SKIPPED	0.001 s
3	When User selects ascending order from orders dropdown	SKIPPED	0.001 s
4	Then Business records should display in ascending order	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Failure Screenshot	PASSED	4.852 s

#	Step / Hook Details	Status	Duration
			


Verify business directory grid view functionality using data table

FAILED DURATION - 1 m 5.367 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:18:59.870 pm // 10:20:05.237 pm /				
Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c6b7f25556e39eb7a5f653b74fd519b, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55474}, goog:processID: 28536, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55474/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6c6b7f25556e39eb7a5f653b74fd519b at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374)	FAILED	1 m 1.533 s

#	Step / Hook Details	Status	Duration
	<pre>at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)</pre>		
1	Given User logs into the cyclos application for business directory	SKIPPED	0.015 s
2	When User navigates to business directory page	SKIPPED	0.000 s
3	When User selects tiled view option	SKIPPED	0.000 s
	view tile		
4	Then Business records should display in tiled view	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.776 s
	Failure Screenshot		
			


Verify business directory list view functionality using csv


FAILED DURATION - 1 m 3.254 s / 10:18:59.900 pm // 10:20:03.154 pm / Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality @Shobana		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	---	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1 m 1.459 s
	<pre>java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b5aa7cb70987438588153baf37c66e74, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55473}, goog:processID: 4212, networkConnectionEnabled: false, pageLoadStrategy:</pre>		


#	Step / Hook Details	Status	Duration
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55473/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b5aa7cb70987438588153baf37c66e74 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)		
1	Given User logs into the cyclos application for business directory	SKIPPED	0.005 s
2	When User navigates to business directory page	SKIPPED	0.026 s
3	When User selects list view option using csv	SKIPPED	0.015 s
4	Then Business records should display in list view	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.711 s
	Failure Screenshot		
			

Verify keyword search functionality using excel


FAILED	DURATION - 1 m 5.393 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:18:59.911 pm // 10:20:05.304 pm /				
Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality				
@Shobana				

#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ffc69b80bd881442459e25ebe78d17aa, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51339}, goog:processID: 7928, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51339/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ffc69b80bd881442459e25ebe78d17aa at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)	FAILED	59.371 s
1	Given User logs into the cyclos application for business directory	SKIPPED	0.000 s
2	When User navigates to business directory page	SKIPPED	0.001 s
3	When User enters keyword from excel	SKIPPED	0.000 s
4	Then Matching business records should be displayed	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Failure Screenshot 	PASSED	6.007 s

Verify descending order functionality

FAILED DURATION - 49.534 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:20:03.237 pm // 10:20:52.771 pm /				
Shobana_16/05/2026_Error_SlayersBusiness Directory Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) <pre> java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32fb1f7fd809fd2c7eacf85b2c82cd5e, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50474}, goog:processID: 27944, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50474/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32fb1f7fd809fd2c7eacf85b2c82cd5e at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29) </pre>	FAILED	25.863 s
1	Given User logs into the cyclos application for business directory	SKIPPED	0.000 s
2	When User navigates to business directory page	SKIPPED	0.000 s
3	When User selects descending order from orders dropdown	SKIPPED	0.001 s
4	Then Business records should display in descending order	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Failure Screenshot	PASSED	23.656 s

#	Step / Hook Details	Status	Duration
			


Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality

FAILED	DURATION - 56.251 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 30 Pass - 0 Fail - 0 Skip - 30	
/ 10:20:03.537 pm // 10:20:59.788 pm /					


Verify validation message for blank user field

FAILED	DURATION - 56.251 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:20:03.537 pm // 10:20:59.788 pm /				
Shobana_14/05/2026_Error_Slayers_PaymentToUser_Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	55.607 s
	java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c9addb8bb0bcc1168395ed2548eb974, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50574}, goog:processID: 10736, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50574/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6c9addb8bb0bcc1168395ed2548eb974 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)		
1	Given User should be logged into application and must on home page	SKIPPED	0.001 s
2	When User clicks the payment to user button	SKIPPED	0.001 s
3	When User gives the empty user field ""	SKIPPED	0.001 s
4	Then User clicks the next button and should validate the error message is displayed	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.630 s
	Failure Screenshot		
			


Verify Payment Confirmation using pay now functionality

FAILED DURATION - 52.051 s / 10:20:04.003 pm // 10:20:56.054 pm / Shobana_14/05/2026_Error_Slayers_PaymentToUser_- Functionality @Shobana		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
---	--	--	---


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	50.675 s

#	Step / Hook Details	Status	Duration				
	java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd3ff465297be5d219f4eecdcd067eba, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54388}, goog:processID: 3656, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54388/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd3ff465297be5d219f4eecdcd067eba at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)						
1	Given User should be logged into application and must on home page	SKIPPED	0.002 s				
2	When User clicks the payment to user button	SKIPPED	0.000 s				
3	When User enters payment details	SKIPPED	0.002 s				
	<table><tr><td>username</td><td>amount</td></tr><tr><td>Active Walking</td><td>100</td></tr></table>	username	amount	Active Walking	100		
username	amount						
Active Walking	100						
4	Then User should successfully complete the payment	SKIPPED	0.000 s				
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.362 s				
	Failure Screenshot						
							


Verify validation message when payment amount exceeds available limit

FAILED	DURATION - 51.301 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:20:04.104 pm // 10:20:55.405 pm /				
Shobana_14/05/2026_Error_Slayers_PaymentToUser_-Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3cbd70058a75346f91818ea6d635e42a, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54386}, goog:processID: 12416, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54386/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3cbd70058a75346f91818ea6d635e42a at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)	FAILED	28.781 s
1	Given User should be logged into application and must on home page	SKIPPED	0.001 s
2	When User clicks the payment to user button	SKIPPED	0.000 s
3	And User enters valid user "Active Walking"	SKIPPED	0.000 s
4	And User enters amount "999999"	SKIPPED	0.000 s
5	Then User clicks the next button and should validate limit exceeded message "Amount must be less or equal to 500,00 IU's."	SKIPPED	0.000 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	20.726 s

#	Step / Hook Details	Status	Duration
	Failure Screenshot 		


Verify validation message when payment amount exceeds available limit

FAILED	DURATION - 52.235 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:20:04.270 pm // 10:20:56.505 pm /				
Shobana_14/05/2026_Error_Slayers_PaymentToUser_-Functionality				
@Shobana				


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a1043558c1f58e567a8d4a2e046c01d, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56353}, goog:processID: 11508, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56353/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a1043558c1f58e567a8d4a2e046c01d at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)	FAILED	51.215 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)		
1	Given User should be logged into application and must on home page	SKIPPED	0.000 s
2	When User clicks the payment to user button	SKIPPED	0.001 s
3	And User enters valid user "The Bakery shop"	SKIPPED	0.001 s
4	And User enters amount "0.00"	SKIPPED	0.001 s
5	Then User clicks the next button and should validate limit exceeded message "Amount must be a positive number."	SKIPPED	0.001 s
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.012 s
	Failure Screenshot		
			

Verify scheduled payment functionality

FAILED DURATION - 51.399 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:20:04.602 pm // 10:20:56.001 pm /			
Shobana_14/05/2026_Error_Slayers_PaymentToUser_ - Functionality			
@Shobana			


#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	50.144 s
	java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee5ce2e68412e976a391e33a5f5de198, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56086}, goog:processID: 32100, networkConnectionEnabled: false, pageLoadStrategy:		

#	Step / Hook Details	Status	Duration										
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56086/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ee5ce2e68412e976a391e33a5f5de198 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)												
1	Given User should be logged into application and must on home page	SKIPPED	0.001 s										
2	When User clicks the payment to user button	SKIPPED	0.000 s										
3	When User enters scheduled payment details	SKIPPED	0.009 s										
	<table><tr><th>username</th><th>amount</th><th>type</th><th>date</th><th>description</th></tr><tr><td>Active Walking</td><td>150</td><td>Scheduled</td><td>20-05-2026</td><td>Scheduled payment</td></tr></table>	username	amount	type	date	description	Active Walking	150	Scheduled	20-05-2026	Scheduled payment		
username	amount	type	date	description									
Active Walking	150	Scheduled	20-05-2026	Scheduled payment									
4	Then User should successfully schedule the payment	SKIPPED	0.004 s										
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.222 s										
	Failure Screenshot												
													


Verify recurring payment scheduling functionality

FAILED	DURATION - 54.157 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:20:05.254 pm // 10:20:59.411 pm /				
Shobana_14/05/2026_Error_Slayers_PaymentToUser_- Functionality				
@Shobana				

#	Step / Hook Details	Status	Duration								
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario) <pre> java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [721e1e284910b10261979ada3664a7e9, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64608}, goog:processID: 19520, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64608/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 721e1e284910b10261979ada3664a7e9 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29) </pre>	FAILED	53.469 s								
1	Given User should be logged into application and must on home page	SKIPPED	0.000 s								
2	When User clicks the payment to user button	SKIPPED	0.000 s								
3	When User enters recurring payment details	SKIPPED	0.002 s								
	<table border="1"> <thead> <tr> <th>username</th><th>amount</th><th>type</th><th>description</th></tr> </thead> <tbody> <tr> <td>Active Walking</td><td>200</td><td>Recurring payments</td><td>Recurring monthly payment</td></tr> </tbody> </table>	username	amount	type	description	Active Walking	200	Recurring payments	Recurring monthly payment		
username	amount	type	description								
Active Walking	200	Recurring payments	Recurring monthly payment								
4	Then Recurring payment should be scheduled successfully	SKIPPED	0.003 s								

#	Step / Hook Details	Status	Duration
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.660 s
	Failure Screenshot		
			

Verify user can schedule monthly installment payment

FAILED	DURATION - 46.104 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:20:05.285 pm // 10:20:51.389 pm /				
Shobana_14/05/2026_Error_Slayers_PaymentToUser_F - Functionality				
@Shobana				

#	Step / Hook Details	Status	Duration
	BEFORE - com.StepDefinitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	31.170 s
	<pre>java.lang.RuntimeException: Browser setup failed at com.StepDefinitions.Hooks.setUp(Hooks.java:33) Caused by: org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=151.0.7922.138) Build info: version: '4.43.0', revision: 'dd0f534' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74c75300ebc0b0376654fb4fb8984bc3, get {url=https://demo.cyclos.org/ui/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 151.0.7922.138, chrome: {chromedriverVersion: 151.0.7922.138 (41fa8244239..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59822}, goog:processID: 14616, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59822/devtoo..., se:cdpVersion: 151.0.7922.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 74c75300ebc0b0376654fb4fb8984bc3 at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:223) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</pre>		

#	Step / Hook Details	Status	Duration										
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:374) at com.Utilities.HelperClass.openPage(HelperClass.java:106) at com.StepDefinitions.Hooks.setUp(Hooks.java:29)												
1	Given User should be logged into application and must on home page	SKIPPED	0.001 s										
2	When User clicks the payment to user button	SKIPPED	0.000 s										
3	When User enters monthly installment payment details	SKIPPED	0.005 s										
	<table><tr><td>username</td><td>amount</td><td>type</td><td>installments</td><td>description</td></tr><tr><td>Active Walking</td><td>200</td><td>Monthly installments</td><td>5</td><td>Monthly installment payment</td></tr></table>	username	amount	type	installments	description	Active Walking	200	Monthly installments	5	Monthly installment payment		
username	amount	type	installments	description									
Active Walking	200	Monthly installments	5	Monthly installment payment									
4	Then Monthly installment payment should be scheduled successfully	SKIPPED	0.001 s										
	AFTER - com.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	14.910 s										
	Failure Screenshot												
	