



Data Analytics Project

Car Data Dataset Analysis

Dataset Used: cardata.csv

Team Members: Subbaraju | Sumanth | Sruthi | Tarun | Swetha

This document outlines a structured, end-to-end data analysis project based on the Car Data dataset. The project is divided into ten scenarios covering data cleaning, visualization, and advanced analysis

Project Goal: To analyse car selling prices, fuel type distributions, and pricing patterns using the cardata.csv dataset.

The primary libraries/modules required for this project are:

- Pandas: For all data manipulation, filtering, aggregation, and feature engineering tasks.
- NumPy: Specifically for numerical calculations like price differences (np.diff).
- Visualization Library (e.g., Matplotlib): For generating all required plots (Line Graphs, Bar Charts, Pie Charts, Scatter Plots, Histograms).

Project Coverage:

Category	Skills Covered
Data Pre-processing	Data Loading, Missing Value Handling (Mean/Mode), Type Conversion
Pandas Operations	Grouping, Filtering, Aggregation, Feature Engineering (Car Age Category)
NumPy Calculations	Array conversion, Price difference calculation (np.diff)
Visualization	Line Chart, Bar Chart, Pie Chart, Scatter Plot, Histogram, Saving Plots

Scenario 1: Data Loading & Basic Cleaning

Description:

In this scenario we are loading the dataset to the pandas DataFrame and displaying the first 5 rows, last 5 rows, and column names. After that we are checking for any missing values in Selling_Price, Present_Price, Kms_Driven, and Fuel_Type columns. If found, we replace numeric columns with mean and Fuel_Type with mode. We also convert numeric columns to proper numeric type and use NumPy for basic statistical calculations.

Task	Description
1.	Load the dataset using Pandas.
2.	Display: First 5 rows, Last 5 rows, Column names, Shape of dataset.
3.	Check data types of all columns.
4.	Check for missing values in Selling_Price, Present_Price, Kms_Driven, Fuel_Type.
5.	Fill missing values: Selling_Price, Present_Price, Kms_Driven with mean; Fuel_Type with mode.
6.	Convert Selling_Price, Present_Price, Kms_Driven, Year to numeric type if required.
7.	Convert Selling_Price and Kms_Driven into NumPy arrays.
8.	Use NumPy to calculate minimum, maximum, and average selling price.

Output:

	Car_Name	Year	Selling_Price	Present_Price	Kms_Driven	Fuel_Type	Seller_Type	Transmission	Owner
0	ritz	2014	3.35	5.59	27000	Petrol	Dealer	Manual	0
1	sx4	2013	4.75	9.54	43000	Diesel	Dealer	Manual	0
2	ciaz	2017	7.25	9.85	6900	Petrol	Dealer	Manual	0
3	wagon r	2011	2.85	4.15	5200	Petrol	Dealer	Manual	0
4	swift	2014	4.60	6.87	42450	Diesel	Dealer	Manual	0
	Car_Name	Year	Selling_Price	Present_Price	Kms_Driven	Fuel_Type	Seller_Type	Transmission	Owner
296	city	2016	9.50	11.6	33988	Diesel	Dealer	Manual	0
297	brio	2015	4.00	5.9	60000	Petrol	Dealer	Manual	0
298	city	2009	3.35	11.0	87934	Petrol	Dealer	Manual	0
299	city	2017	11.50	12.5	9000	Diesel	Dealer	Manual	0
300	brio	2016	5.30	5.9	5464	Petrol	Dealer	Manual	0

```
Index(['Car_Name', 'Year', 'Selling_Price', 'Present_Price', 'Kms_Driven',
      'Fuel_Type', 'Seller_Type', 'Transmission', 'Owner'],
      dtype='str')
```

```
dtype: object
(301, 9)
Car_Name      str
Year          int64
Selling_Price float64
Present_Price float64
Kms_Driven    int64
Fuel_Type     str
Seller_Type   str
Transmission  str
Owner         int64
dtype: object
```

Conclusion:

In this scenario we loaded the CSV file to a pandas DataFrame and displayed the first and last 5 rows with column names and shape. We checked for missing values in key columns and handled them appropriately using mean/mode. The numeric columns were confirmed or converted to their proper types. Using NumPy arrays, we computed the minimum, maximum, and average selling prices for statistical insight.

Scenario 2: Selling Price Trend (Line Graph)


Description:

In this scenario, we work with car data to analyze selling price trends. Using the top 10 values from columns Car_Name and Selling_Price. The Selling_Price values are then converted into a NumPy array. We are using line graph to represent selling prices.

Task	Description
1.	Select Car_Name and Selling_Price columns.
2.	Take the first 10 rows only using Pandas.
3.	Convert Selling_Price into a NumPy array.
4.	Plot a line graph: X-axis → row index (0-9), Y-axis → Selling Price.
5.	Add title, x-axis label, y-axis label, and markers.
6.	Save the graph with a suitable filename.

Graph:

Here in the Line graph, X-axis represents the index values (0-9) and the Y-axis represents the selling price of top 10 cars as shown below.



Conclusion:

In this scenario we used the top 10 values from selling price column and converted the data into numpy array. After that the line graph is created to show easily understand the changes in prices across different cars. And the graph is saved for future references.

Scenario 3: Expensive Cars Analysis (Filtering + Bar Chart)


Description:

In this scenario, we analyze expensive cars by focusing on those with a selling price greater than 10. The filtered data is then grouped based on fuel type (such as Petrol or Diesel), and the number of cars in each category is counted. These results are converted into NumPy arrays to prepare them for visualization. A bar chart is created where the X-axis represents fuel types and the Y-axis represents the count of expensive cars. Titles and labels are added to improve clarity, and the graph is saved as an image file for future use.

Task	Description
1.	Filter cars where Selling_Price > 10.
2.	Group the filtered data by Fuel_Type.
3.	Count the number of cars in each fuel type.
4.	Convert fuel type labels and counts into NumPy arrays.
5.	Plot a bar chart: X-axis → Fuel Type, Y-axis → Count of expensive cars.
6.	Add title, x-label, and y-label.
7.	Save the graph.

Graph:

The graph is a bar chart where the X-axis represents the fuel type and the Y-axis represents the count of expensive cars (Selling_Price > 10). Each bar shows how many high-priced cars belong to a specific fuel type category. Taller bars indicate more expensive cars in that fuel type.



Conclusion:

This analysis identifies which fuel types are most common among expensive cars. By filtering cars with higher selling prices and counting them by fuel type, we can clearly see the dominant fuel category. The bar chart helps in easy comparison and visualization of distribution.

Scenario 4: Fuel Type Distribution (Pie Chart)


Description:

In this scenario we are analyzing the overall distribution of cars by fuel type from the dataset. We count the number of cars in each Fuel Type category, prepare labels and values, and represent the data graphically using a pie chart with percentage labels.

Task	Description
1.	Count the number of cars in each Fuel_Type.
2.	Select all categories or top categories if needed.
3.	Prepare labels and values.
4.	Convert values into a NumPy array.
5.	Plot a pie chart using Matplotlib.
6.	Add percentage labels (autopct) and title.
7.	Save the graph.

Graph:

The pie chart visually represents the proportion of cars in each fuel type category. Each slice shows the percentage of cars belonging to that fuel type. The chart makes it easy to compare the relative sizes of each fuel type group in the dataset.



Conclusion:

In this scenario we sorted the dataset to get cars categorized depending on fuel type. From the output and the pie chart, we can determine which fuel type dominates the dataset. This helps understand the overall composition of car types in the market represented by the data.

Scenario 5: Present Price vs Selling Price (Scatter Plot)


Description:

This scenario checks whether cars with higher present price also have higher selling price. We select Present_Price and Selling_Price columns, remove any missing values, and take a smaller sample (first 50 or 100 rows) for clarity. Both columns are converted to NumPy arrays and plotted on a scatter plot to observe any positive relationship between the two variables.

Task	Description
1.	Select Present_Price and Selling_Price columns.
2.	Remove missing values if any.
3.	Take a smaller sample (first 50 or 100 rows) using Pandas.
4.	Convert both columns into NumPy arrays.
5.	Plot a scatter plot: X-axis → Present_Price, Y-axis → Selling_Price.
6.	Add title, x-label, and y-label.
7.	Observe whether there is a positive relationship.
8.	Save the graph.

Graph:

The scatter plot shows the relationship between Present_Price on the X-axis and Selling_Price on the Y-axis. Each dot represents a car. A positive trend (dots moving upward from left to right) indicates that cars with higher present prices tend to have higher selling prices as well.



Conclusion:

The scatter plot confirms that there is generally a positive relationship between present price and selling price. Cars with a higher market price (present price) tend to be sold at a higher price as well. However, there is some variation due to factors like car age, mileage, and condition that affect depreciation differently.

Scenario 6: Car Age Category Analysis + Bar Chart


Description:

In this scenario, we creating a new column 'Car Age Category' based on the Year column to classify cars into New, Medium, and Old categories. We then count the number of cars in each category, convert the results into NumPy arrays, and plot a bar chart to compare the distribution of cars across age groups.

Task	Description
1.	Create a new column 'Car Age Category' using Pandas.
2.	Year >= 2015 → 'New', 2010 to 2014 → 'Medium', < 2010 → 'Old'.
3.	Count the number of cars in each Car Age Category.
4.	Convert category names and counts into NumPy arrays.
5.	Plot a bar chart: X-axis → Car Age Category, Y-axis → Count.
6.	Add title and labels.
7.	Save the graph.

Graph:

The bar chart displays the number of cars in each age category (New, Medium, Old) on the X-axis, with the count on the Y-axis. Each bar's height represents how many cars fall into that age bracket, giving a clear visual comparison of car age distribution in the dataset.



Conclusion:

The car age category analysis helps understand the age composition of cars in the dataset. The bar chart clearly shows which age group dominates the market.

Scenario 7: Kms Driven Distribution (Histogram)


Description:

This scenario focuses on understanding how cars are distributed based on kilometers driven. We select the Kms_Driven column, convert it into a NumPy array, and plot a histogram with suitable bins to observe whether most cars have lower or higher mileage.

Task	Description
1.	Select the Kms_Driven column.
2.	Convert it into a NumPy array.
3.	Plot a histogram: X-axis → Kms Driven, Y-axis → Frequency.
4.	Choose a suitable number of bins.
5.	Add title, x-label, and y-label.
6.	Save the graph.
7.	Observe whether most cars have lower or higher mileage.

Graph:

The histogram displays the frequency distribution of Kms_Driven values in different ranges. It shows how many cars fall within each mileage interval. The shape of the distribution helps identify whether the dataset is dominated by low-mileage or high-mileage cars.



Conclusion:

The histogram reveals the mileage distribution of cars in the dataset. Most cars tend to be concentrated in the lower mileage ranges, indicating that the dataset contains a majority of relatively less-used cars. There are a few outliers with very high mileage. This insight is useful for understanding the overall usage patterns of vehicles in the dataset.

Scenario 8: Transmission-wise Selling Price Comparison


Description:

In this scenario, we analyze car data to compare the average selling prices of manual and automatic cars. The dataset is grouped based on the Transmission type, and the mean of Selling_Price is calculated for each group. This helps in understanding how pricing differs between transmission types. The transmission categories and their corresponding average prices are then converted into NumPy arrays for visualization. A bar chart is plotted where the X-axis represents transmission types (Manual, Automatic) and the Y-axis represents their average selling prices. Titles and labels are added for clarity, and the graph is saved as an image file.

Task	Description
1.	Group data by Transmission.
2.	Calculate average Selling_Price for each transmission type.
3.	Convert transmission labels and average prices into NumPy arrays.
4.	Plot a bar chart: X-axis → Transmission, Y-axis → Average Selling Price.
5.	Add title and labels.
6.	Save the graph.

Graph:

The bar chart displays two bars representing Manual and Automatic transmission types on the X-axis, with the average selling price on the Y-axis. The height of each bar directly reflects the average price for that transmission type, making it easy to compare the two groups.



Conclusion:

This analysis compares the average selling price of manual and automatic cars. By grouping the data based on transmission and calculating the mean price, we can clearly see which type tends to be more expensive. The bar chart makes this comparison easy to understand visually.

Scenario 9: Seller Type Analysis


Description:

This scenario compares how many cars are sold by dealers versus individual sellers. We count the number of cars by Seller_Type, convert the results into NumPy arrays, and plot a bar chart or pie chart to identify which seller type is more common in the dataset.

Task	Description
1.	Count the number of cars by Seller_Type.
2.	Convert results into NumPy arrays.
3.	Plot a bar chart or pie chart using Matplotlib.
4.	Add labels and title.
5.	Save the graph.
6.	Identify which seller type is more common.

Graph:

The chart visualizes the number of cars listed by each seller type (Dealer vs Individual). Whether presented as a bar chart or pie chart, it clearly shows the proportion of cars coming from each seller type and helps identify the dominant source in the dataset.



Conclusion:

The seller type analysis shows that dealers tend to list more cars than individual sellers in the dataset. This indicates that the used car market represented in this data is largely driven by dealer sales. Understanding seller type distribution is useful for pricing strategies and market positioning.

Scenario 10: Advanced Analysis + Multiple Graphs

Description:

This scenario focuses on advanced data analysis of the car dataset using feature engineering, NumPy operations, and visualizations. A new feature 'Price Difference' is created to measure depreciation. NumPy is used to analyse price differences for numerical insights. Multiple graphs are generated to understand trends, distributions, and relationships in the data. Finally, statistical analysis is used to derive meaningful business insights.

Part 1: Feature Creation

Create a new column: $\text{Price Difference} = \text{Present_Price} - \text{Selling_Price}$. This shows how much value the car has depreciated.

Part 2: NumPy Usage

Task	Description
1.	Convert Selling_Price into a NumPy array.
2.	Use np.diff() to calculate price changes between consecutive rows.
3.	Convert Price Difference column into a NumPy array.
4.	Find average depreciation, maximum depreciation, and minimum depreciation.

Part 3: Visualizations

Task	Description
Line Graph	Plot Selling_Price trend for all cars.
Bar Chart	Show average Selling_Price by Fuel_Type.
Histogram	Plot distribution of Selling_Price.

Part 4: Insights


- Which fuel type has the highest average selling price?
- Which transmission type has higher average selling price?
- Are most cars concentrated in lower selling prices or higher selling prices?
- Do older cars tend to have lower selling prices?

Graphs:

Three graphs have been plotted — a Line graph, Bar Chart, and Histogram — for better visualization.


Line Graph

This line graph shows the variation of car selling prices across all records in the dataset. Each point represents a selling price plotted in sequence. It helps visualize how prices fluctuate throughout the dataset and highlights outliers in pricing.




Bar Chart

This bar chart shows the average selling price for each fuel type. Each bar represents a fuel type and its height shows the average selling price in that category. It helps compare how fuel type influences pricing.



Histogram

This histogram displays the frequency distribution of car selling prices in different ranges. It shows how many cars fall within each price interval and helps identify the overall shape of the price distribution.



Conclusion:

This scenario provided a complete analysis of the car dataset using feature engineering, NumPy operations, and visualizations. A new 'Price Difference' feature helped measure depreciation clearly. Graphical analysis showed how prices vary across cars and revealed important patterns in the data. Most cars fall under the lower selling price range, while a few high-value cars skew the distribution. Overall, the dataset shows a right-skewed price distribution with diesel cars commanding higher prices on average.

Final Conclusion

This project analyzed the Car Data dataset using Pandas, NumPy, and Matplotlib. It showed that petrol cars dominate the dataset, while diesel cars tend to command higher selling prices. Most cars fall in the lower selling price range, indicating a right-skewed price distribution. Automatic transmission cars have a higher average selling price than manual ones. The data visualizations helped clearly understand patterns in car pricing, fuel type distribution, and mileage. Overall, the analysis gave useful insights into the used car market represented in the dataset.

What We Have Learned

In this project, we have learnt how to clean and process real-world car sales data using Pandas and perform numerical calculations using NumPy. We have also learnt how to create different visualizations like line graphs, bar charts, pie charts, scatter plots, and histograms using Matplotlib. Additionally, we learnt feature engineering techniques such as creating 'Car Age Category' and 'Price Difference' columns. Most importantly, we understood how to turn raw car sales data into meaningful insights using an end-to-end data analysis process.