



SCHOOL OF COMPUTER APPLICATION

Project

NoSql and DbaaS(MongoDB)

Submitted By:-

Subir Kumar Pal
(1240258452)

Submitted To:-

Mr. Ankit Verma

Batch:-

BCADS21

PROJECT

1. Complex Filters & Projections

Q1. List the names and departments of students who have more than 85% attendance and are skilled in both "MongoDB" and "Python".

Solution:-

```
db.students.find(  
//Name- Subir Kumar Pal, University Roll No- 1240258452  
{  
  attendance: { $gt: 85 },  
  skills: { $all: ["MongoDB", "Python"] }  
},  
{  
  _id: 0,  
  name: 1,  
  department: 1  
}  
);
```

Output:-

```
MongoDB> db.Students.find(  
... //Name - Subir Kumar Pal, Registration No.1240258452  
... {  
...   attendance: { $gt: 85},  
...   skills: { $all: ["MongoDB", "Python"] }  
... },  
... {  
...   _id: 0,  
...   name:1,  
...   department: 1,  
... }  
... );  
[ { name: 'Steven Wong', department: 'Biotechnology' } ]  
MongoDB>
```

Q2. Show all faculty who are teaching more than 2 courses. Display their names and the total number of courses they teach.

Solution:-

```
db.faculty.aggregate([
```

```
//Name- Subir Kumar Pal, University Roll No- 1240258452
```

```
{
  $project: {
    name: 1,
    totalCourses: { $size: "$courses" }
  },
  {
    $match: {
      totalCourses: { $gt: 2 }
    }
  }
]);
```

Output:-

```
MongoDB> db.faculty.aggregate(
... //Name- Subir Kumar Pal, Registration No- 1240258452
... [
... {
...   $project: {
...     name: 1,
...     totalCourses: { $size: "$courses" }
...   },
...   {
...     $match: { totalCourses: { $gt: 2 } }
...   }
... ]
... );
[
  { _id: 'F029', name: 'Charles Newton', totalCourses: 3 },
  { _id: 'F032', name: 'Julia Cole', totalCourses: 3 },
  { _id: 'F040', name: 'Darrell Velasquez', totalCourses: 3 },
  { _id: 'F048', name: 'Michael Poole', totalCourses: 3 },
  { _id: 'F051', name: 'John Duran', totalCourses: 3 },
  { _id: 'F061', name: 'Daniel Allen', totalCourses: 3 },
  { _id: 'F083', name: 'Matthew Hanna', totalCourses: 3 },
  { _id: 'F084', name: 'Michael Johnson', totalCourses: 3 },
  { _id: 'F100', name: 'Robert Lara', totalCourses: 3 }
]
```

2. Joins (\$lookup) and Aggregations

Q3. Write a query to show each student's name along with the course titles they are enrolled in (use \$lookup between enrollments, students, and courses).

Solution:

```
db.enrollments.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $lookup: {
    from: "students",
    localField: "student_id",
    foreignField: "_id",
    as: "student_info"
  },
  { $unwind: "$student_info" },
  {
    $lookup: {
      from: "courses",
      localField: "course_id",
      foreignField: "_id",
      as: "course_info"
    },
    { $unwind: "$course_info" },
    {
      $project: {
        _id: 0,
        student_name: "$student_info.name",
        course_title: "$course_info.title"
      }
    }
  }
] );
```

Output:-

```
MongoDB> db.enrollments.aggregate([
...   //Name - Subir Kumar Pal, University Roll No- 1240258452
...   {
...     $lookup: {
...       from: "students",
...       localField: "student_id",
...       foreignField: "_id",
...       as: "student_info"
...     },
...     { $unwind: "$student_info" },
...     {
...       $lookup: {
...         from: "courses",
...         localField: "course_id",
...         foreignField: "_id",
...         as: "course_info"
...       },
...       { $unwind: "$course_info" },
...       {
...         $project: {
...           _id: 0,
...           student_name: "$student_info.name",
...           course_title: "$course_info.title"
...         }
...       }
...     }
...   ] );
...
[
  {
    student_name: 'Alexandra Bailey',
    course_title: 'Reactive neutral adapter'
  },
  {
    student_name: 'Megan Taylor',
    course_title: 'Sharable bifurcated paradigm'
  },
  {
    student_name: 'Alejandro Hart',
    course_title: 'Focused user-facing paradigm'
  },
  {
    student_name: 'Timothy Sparks',
    course_title: 'Focused user-facing paradigm'
  }
]
```

Q4. For each course, display the course title, number of students enrolled, and average marks (use \$group).

Solution:

```
db.enrollments.aggregate( [  
  //Name- Subir Kumar Pal, University Roll No- 1240258452  
  {  
    $group: {  
      _id: "$course_id",  
      totalStudents: { $sum: 1 },  
      averageMarks: { $avg: "$marks" }  
    }  
  },  
  {  
    $lookup: {  
      from: "courses",  
      localField: "_id",  
      foreignField: "_id",  
      as: "courseInfo"  
    }  
  },  
  {  
    $project: {  
      _id: 0,  
      courseTitle: { $arrayElemAt: ["$courseInfo.title", 0] },  
      totalStudents: 1,  
      averageMarks: 1  
    }  
  }  
]);
```

Output:-

```
MongoDB> db.enrollments.aggregate([
... //Name- Subir Kumar Pal, Registration No- 1240258452
... {
...   $group: {
...     _id: "$course_id",
...     totalStudents: { $sum: 1 },
...     averageMarks: { $avg: "$marks" }
...   }
... },
... {
...   $lookup: {
...     from: "courses",
...     localField: "_id",
...     foreignField: "_id",
...     as: "courseInfo"
...   }
... },
... {
...   $project: {
...     _id: 0,
...     courseTitle: { $arrayElemAt: ["$courseInfo.title", 0] },
...     totalStudents: 1,
...     averageMarks: 1
...   }
... }
... ]
... );
[
  {
    totalStudents: 2,
    averageMarks: 75,
    courseTitle: 'Digitized even-keeled Internet solution'
  },
  {
    totalStudents: 4,
    averageMarks: 82.5,
    courseTitle: 'Customizable client-driven secured line'
  },
  {
    totalStudents: 1,
    averageMarks: 78,
    courseTitle: 'Enhanced intangible emulation'
  }
]
```

```
{
  totalStudents: 2,
  averageMarks: 75,
  courseTitle: 'Digitized even-keeled Internet solution'
},
{
  totalStudents: 4,
  averageMarks: 82.5,
  courseTitle: 'Customizable client-driven secured line'
},
{
  totalStudents: 1,
  averageMarks: 78,
  courseTitle: 'Enhanced intangible emulation'
},
{
  totalStudents: 1,
  averageMarks: 52,
  courseTitle: 'Automated global conglomeration'
},
{
  totalStudents: 1,
  averageMarks: 82,
  courseTitle: 'User-centric bifurcated matrices'
},
{
  totalStudents: 1,
  averageMarks: 67,
  courseTitle: 'Configurable global framework'
},
{
  totalStudents: 1,
  averageMarks: 54,
  courseTitle: 'Cloned contextually-based strategy'
},
{
  totalStudents: 1,
  averageMarks: 55,
  courseTitle: 'Optional neutral workforce'
},
{
  totalStudents: 1,
  averageMarks: 97,
  courseTitle: 'Triple-buffered eco-centric implementation'
}
```

3. Grouping, Sorting, and Limiting

Q.5 Find the top 3 students with the highest average marks across all enrolled courses

Solution:

```
db.enrollments.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $group: {
    _id: "$student_id",
    averageMarks: { $avg: "$marks" }
  } },
{
  $lookup: {
    from: "students",
    localField: "_id",
    foreignField: "_id",
    as: "student_info"
  } },
{ $unwind: "$student_info" },
{
  $project: {
    _id: 0,
    student_id: "$_id",
    name: "$student_info.name",
    department: "$student_info.department",
    averageMarks: { $round: ["$averageMarks", 2] }
  } },
{ $sort: { averageMarks: -1 } },
```



```
{ $limit: 3 }  
]);
```

Output:-

```
MongoDB> db.enrollments.aggregate([  
... //Name- Subir Kumar Pal , University Roll No- 1240258452  
... {  
...   $group: {  
...     _id: "$student_id",  
...     averageMarks: { $avg: "$marks" }  
...   },  
...   $lookup: {  
...     from: "students",  
...     localField: "_id",  
...     foreignField: "_id",  
...     as: "student_info"  
...   },  
...   $unwind: "$student_info",  
...   $project: {  
...     _id: 0,  
...     student_id: "$_id",  
...     name: "$student_info.name",  
...     department: "$student_info.department",  
...     averageMarks: { $round: ["$averageMarks", 2] }  
...   },  
...   $sort: { averageMarks: -1 }  
...   $limit: 3  
... ])  
... ;  
[  
  {  
    student_id: 'S080',  
    name: 'Diane Phillips',  
    department: 'Civil',  
    averageMarks: 100  
  },  
  {  
    student_id: 'S046',  
    name: 'Brandon Rios',  
    department: 'Biotechnology',  
    averageMarks: 98  
  },  
  {  
    student_id: 'S068',  
    name: 'Larry Ramsey',  
    department: 'Biotechnology',  
    averageMarks: 95  
  }  
]
```

Q6. Count how many students are in each department. Display the department with the highest number of students.

Solution:

```
db.students.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $group: {
    _id: "$department",
    totalStudents: { $sum: 1 }
  }
},
{
  $sort: { totalStudents: -1 }
},
{ $limit: 1 }
] );
```

Output:-

```
MongoDB> db.students.aggregate([
... //Name - Subir Kumar Pal, University Roll No- 1240258452
... {
...   $group: {
...     _id: "$department",
...     totalStudents: { $sum: 1 }
...   }
... },
... {
...   $sort: { totalStudents: -1 }
... },
... {
...   $limit: 1
... }
... ])
... ;
[ { _id: 'Electrical', totalStudents: 23 } ]
```

4. Update, Upsert, and Delete

Q7. Update attendance to 100% for all students who won any "Hackathon"

Solution:

```
db.students.updateMany(
  //Name- Subir Kumar Pal, University Roll No- 1240258452
  {
    _id: {
      $in: db.activities.distinct("student_id", { type: "Hackathon",
position: "Winner" })
    }
  },
  { $set: { attendance: 100 } }
)
```

Output:-

```
MongoDB> db.students.updateMany(
...     //Name- Subir Kumar Pal, University Roll No- 1240258452
...   {
...     _id: {
...       $in: db.activities.distinct("student_id", { type: "Hackathon", position: "Winner" })
...     }
...   },
...   { $set: { attendance: 100 } }
... )
...
```

```
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 9,
  modifiedCount: 9,
  upsertedCount: 0
}
```

Q8. Delete all student activity records where the activity year is before 2022

Solution:

```
db.activities_full.deleteMany(  
  //Name- Subir Kumar Pal, University Roll No- 1240258452  
  { year: { $lt: 2022 } } );
```

Output:-

```
MongoDB> db.activities_full.deleteMany(  
...      //Name- Subir Kumar Pal , University Roll No - 1240258452  
... { year: { $lt: 2022 } } );  
...  
{ acknowledged: true, deletedCount: 0 }
```

Q9. Upsert a course record for "Data Structures" with ID "C150" and credits 4—if it doesn't exist, insert it; otherwise update its title to "Advanced Data Structures".

Solution:

```
db.courses.updateOne(  
  //Name- Subir Kumar Pal, University Roll No- 1240258452  
  { _id: "C150" },  
  { $set: { title: "Advanced Data Structures", credits: 4 } },  
  { upsert: true }  
);
```

Output:-

```
MongoDB> db.courses.updateOne(  
...      //Name- Subir Kumar Pal, University Roll No- 1240258452  
... { _id: "C150" },  
... { $set: { title: "Advanced Data Structures", credits: 4 } },  
... { upsert: true }  
... );  
...  
{  
  acknowledged: true,  
  insertedId: 'C150',  
  matchedCount: 0,  
  modifiedCount: 0,  
  upsertedCount: 1  
}
```

5. Array & Operator Usage

Q10. Find all students who have "Python" as a skill but not "C++"

Solution:

```
db.students.find({
//Name- Subir Kumar Pal, University Roll No- 1240258452
```

```
    $and: [
        { skills: "Python" },
        { skills: { $ne: "C++" } }
    ]
});
```

Output:-

```
MongoDB> db.students.find({
... //Name- Subir Kumar Pal, University Roll No- 1240258452
... $and: [
...     { skills: "Python" },
...     { skills: { $ne: "C++" } }
... ]
... });
...
[
  {
    _id: 'S004',
    name: 'Kyle Hale',
    dob: '2000-10-20',
    department: 'Electrical',
    skills: [ 'Python', 'Java' ],
    attendance: 79.78
  },
  {
    _id: 'S008',
    name: 'Cody Whitehead',
    dob: '2003-11-25',
    department: 'Biotechnology',
    skills: [ 'JavaScript', 'Python' ],
    attendance: 100
  },
  {
    _id: 'S009',
    name: 'Thomas Jackson',
    dob: '2002-10-25',
    department: 'Electrical',
    skills: [ 'Python', 'AutoCAD' ],
    attendance: 96.64
  },
  {
    _id: 'S012',
    name: 'Steven Wong',
    dob: '2003-09-06',
    department: 'Biotechnology',
    skills: [ 'MongoDB', 'Python' ],
    attendance: 100
  },
  {
    _id: 'S015',
```

Q11. Return names of students who participated in "Seminar" and "Hackathon" both.

Solution:

```
db.activities.aggregate([
  //Name- Subir Kumar Pal, University Roll No- 1240258452
  {
    $group: {
      _id: "$student_id",
      activities: { $addToSet: "$type" }
    },
  },
  {
    $match: {
      activities: { $all: ["Seminar", "Hackathon"] }
    },
  },
  {
    $lookup: {
      from: "students",
      localField: "_id",
      foreignField: "_id",
      as: "student_details"
    }
  },
  {
    $project: {
      _id: 0,
```

```
name: { $arrayElemAt: ["$student_details.name", 0] }
} } ]]);
```

Output:

```
MongoDB> db.activities.aggregate([
... //Name- Subir Kumar Pal, University Roll No- 1240258452
... {
...   $group: {
...     _id: "$student_id",
...     activities: { $addToSet: "$type" }
...   },
...   {
...     $match: {
...       activities: { $all: ["Seminar", "Hackathon"] }
...     },
...     {
...       $lookup: {
...         from: "students",
...         localField: "_id",
...         foreignField: "_id",
...         as: "student_details"
...       }
...     },
...   },
...   {
...     $project: {
...       _id: 0,
...       name: { $arrayElemAt: ["$student_details.name", 0] }
...     }
...   }
... ])
...
[
  { name: 'Patricia Scott' },
  { name: 'Carlos Bryant' },
  { name: 'Lydia Day' },
  { name: 'Adam Solomon' },
  { name: 'Taylor Webb' }
]
```

6. Subdocuments and Nested Conditions

Q12. Find students who scored more than 80 in "Web Development" only if they belong to the "Computer Science" department.

Solution:

```
db.enrollments.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $lookup: {
    from: "students",
    localField: "student_id",
    foreignField: "_id",
    as: "student_info"
  }
},
{ $unwind: "$student_info" },
{
  $lookup: {
    from: "courses",
    localField: "course_id",
    foreignField: "_id",
    as: "course_info"
  }
},
{ $unwind: "$course_info" },
{
  $match: {
    "course_info.title": "Web development",
    "student_info.department": "Computer Science",
```



```

        marks: { $gt: 80 }
    }
},
{
    $project: {
        _id: 0,
        student_name: "$student_info.name",
        department: "$student_info.department",
        course: "$course_info.title",
        marks: 1
    }
}
]);

```

Output:-

```

MongoProject> db.enrollments.aggregate([
... //Name- Subir Kumar Pal, University Roll No- 1240258452
... {
...     $lookup: {
...         from: "students",
...         localField: "student_id",
...         foreignField: "_id",
...         as: "student_info"
...     }
... },
... { $unwind: "$student_info" },
... {
...     $lookup: {
...         from: "courses",
...         localField: "course_id",
...         foreignField: "_id",
...         as: "course_info"
...     }
... },
... { $unwind: "$course_info" },
... {
...     $match: {
...         "course_info.title": "Web development",
...         "student_info.department": "Computer Science",
...         marks: { $gt: 80 }
...     }
... },
... {
...     $project: {
...         _id: 0,
...         student_name: "$student_info.name",
...         department: "$student_info.department",
...         course: "$course_info.title",
...         marks: 1
...     }
... }
... ]]);
MongoProject> |

```

7. Advanced Aggregation (Challenge Level)

Q13. For each faculty member, list the names of all students enrolled in their courses along with average marks per student per faculty.

Solution:

```
db.faculty.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $lookup: {
    from: "courses",
    localField: "_id",
    foreignField: "faculty_id",
    as: "course_info"
  } },
{ $unwind: "$course_info" },
{
  $lookup: {
    from: "enrollments",
    localField: "course_info._id",
    foreignField: "course_id",
    as: "enroll_info"
  } },
{ $unwind: "$enroll_info" },
{
```

```
$lookup: {
  from: "students",
  localField: "enroll_info.student_id",
  foreignField: "_id",
  as: "student_info"
}},
{ $unwind: "$student_info" },
{
  $group: {
    _id: {
      faculty_id: "$_id",
      faculty_name: "$name",
      student_name: "$student_info.name"
    },
    avg_marks: { $avg: "$enroll_info.marks" }
  } },
{
  $group: {
    _id: {
      faculty_id: "$_id.faculty_id",
      faculty_name: "$_id.faculty_name"
    },
  },
```

```
students: {  
  $push: {  
    student_name: "$_id.student_name",  
    average_marks: { $round: ["$avg_marks", 2] }  
  } } },  
{ $project: {  
  _id: 0,  
  faculty_name: "$_id.faculty_name",  
  students: 1 }  
} ] );
```

Output:-

```
MongoDB> db.faculty.aggregate([
... //Name- Subir Kumar Pal, University Roll No- 1240258452
... {
...   $lookup: {
...     from: "courses",
...     localField: "_id",
...     foreignField: "faculty_id",
...     as: "course_info"
...   },
...   $unwind: "$course_info" },
... {
...   $lookup: {
...     from: "enrollments",
...     localField: "course_info_id",
...     foreignField: "course_id",
...     as: "enroll_info"
...   },
...   $unwind: "$enroll_info" },
... {
...   $lookup: {
...     from: "students",
...     localField: "enroll_info.student_id",
...     foreignField: "_id",
...     as: "student_info"
...   },
...   $unwind: "$student_info" },
... {
...   $group: {
...     _id: {
...       faculty_id: "$_id",
...       faculty_name: "$name",
...       student_name: "$student_info.name"
...     },
...     avg_marks: { $avg: "$enroll_info.marks" }
...   },
... {
...   $group: {
...     _id: {
...       faculty_id: "$_id.faculty_id",
...       faculty_name: "$_id.faculty_name"
...     },
...     students: {
...       $push: {
...         student_name: "$_id.student_name",
...         average_marks: { $round: ["$avg_marks", 2] }
...       }
...     },
...     $project: {
...       id: 0,
...       faculty_name: "$_id.faculty_name",
...       students: 1
...     }
...   }
... ] );
[
{
  students: [
    { student_name: 'Timothy Sparks', average_marks: 60 },
    { student_name: 'Jason Brown', average_marks: 78 },
    { student_name: 'Alejandro Hart', average_marks: 65 }
  ]
}
```

```
{
  students: [
    { student_name: 'Timothy Sparks', average_marks: 60 },
    { student_name: 'Jason Brown', average_marks: 78 },
    { student_name: 'Alejandro Hart', average_marks: 65 }
  ],
  faculty_name: 'James Martin'
},
{
  students: [
    { student_name: 'Nicholas Turner', average_marks: 100 },
    { student_name: 'Juan Morris', average_marks: 80 }
  ],
  faculty_name: 'Thomas Lewis'
},
{
  students: [ { student_name: 'Jeremy Carrillo', average_marks: 50 } ],
  faculty_name: 'Robin Johnson'
},
{
  students: [ { student_name: 'Jessica Galvan', average_marks: 64 } ],
  faculty_name: 'Kathryn Young'
},
{
  students: [
    { student_name: 'Tina Hodge', average_marks: 79 },
    { student_name: 'Donna Spencer', average_marks: 56 }
  ],
  faculty_name: 'Kristina Young'
},
{
  students: [
    { student_name: 'Kyle Lee', average_marks: 97 },
    { student_name: 'Lydia Day', average_marks: 92 }
  ],
  faculty_name: 'James Kirby'
},
{
  students: [
    { student_name: 'Jeremy Carrillo', average_marks: 82 },
    { student_name: 'Megan Taylor', average_marks: 74 }
  ],
  faculty_name: 'Robert Smith'
},
{
  students: [
    { student_name: 'Fernando Rodriguez', average_marks: 56 },
    { student_name: 'Julie McKenzie', average_marks: 73 }
  ],
  faculty_name: 'Meghan Watson'
}
}
```

Q14. Show the most popular activity type (e.g., Hackathon, Seminar, etc.) by number of student participants.

Solution:

```
db.activities.aggregate([
//Name- Subir Kumar Pal, University Roll No- 1240258452
{
  $group: {
    _id: "$type",
    totalParticipants: { $addToSet: "$student_id" }
  },
{
  $project: {
    _id: 1,
    participantCount: { $size: "$totalParticipants" }
  } },
{
  $sort: { participantCount: -1 }
},
{
  $limit: 1
} ] );
```

Output:-

```
MongoDB> db.activities.aggregate([
... //Name- Subir Kumar Pal, University Roll No- 1240258452
... {
...   $group: {
...     _id: "$type",
...     totalParticipants: { $addToSet: "$student_id" }
...   },
... {
...   $project: {
...     _id: 1,
...     participantCount: { $size: "$totalParticipants" }
...   } },
... {
...   $sort: { participantCount: -1 }
... },
... {
...   $limit: 1
... } ] );
...
[ { _id: 'Hackathon', participantCount: 29 } ]
```