

AGENTIA PROMO BRIEF

Step-by-step setup, use, and integration guide

Prepared for the Agentia Promo Brief MVP | October 2026

QUICK STATUS: This project currently analyzes a normalized promotion JSON file. It does not yet connect directly to Agentia, Copado, Salesforce, or a deployment pipeline. Treat its result as a review aid, not an automated deployment approval.

1. What this tool is for

Agentia Promo Brief is a command-line pre-promotion risk checker for Salesforce metadata changes. It reads a snapshot describing one promotion and returns an explainable verdict: go, review, or hold. The output lists triggered rule IDs, affected components, evidence, and why each finding matters.

Typical use case: before a release manager or deployment agent promotes a change set to production, run this check to surface destructive metadata, access-control changes, active Flow changes, Apex classes without a matching test class, failed tests, or missing test results. A human remains responsible for reviewing the evidence and following the organization's release approvals.

What it does today

- Reads a local JSON snapshot and a YAML rules file.
- Checks the configured promotion-risk rules and computes a weighted risk score.
- Prints a readable Markdown brief or machine-readable JSON.
- Includes a portable agent instruction file at skills/promo-brief/SKILL.md.

What it does not do today

- It does not log in to Salesforce, Agentia, or Copado, and does not fetch promotion data by itself.
- It does not create, approve, or execute a deployment.
- It does not install itself into Agentia automatically; the exact skill/tool registration depends on the Agentia version and its supported extension mechanism.
- A "go" means only that the configured checks found no risk flags. It is not a safety guarantee.

2. Prerequisites

1. Windows PowerShell or another terminal.
2. Node.js 20 or later, with npm. Check using `node --version` and `npm --version`.
3. The project folder, either downloaded from the repository or cloned from <https://github.com/Subha222/agentia-promo-brief>.

If Node.js is not installed, install the current Node.js LTS release from the official Node.js website, then close and reopen the terminal before checking the versions again.

3. Install and verify the project

1. Open PowerShell and go to the project folder:

```
cd "D:\Desktop\agentia-promo-brief"
```

2. Install the project dependencies:

```
npm install
```

3. Run the automated tests:

```
npm test
```

The test command should finish successfully. If it reports failures, do not rely on the tool until they are investigated.

4. Build the TypeScript CLI:

```
npm run build
```

5. Run the included sample promotion:

```
node dist\src\cli.js --input sample\promotion.json
```

The sample is intentionally risk-bearing and should produce a HOLD verdict because it contains risk-triggering metadata such as an active Flow and a PermissionSet. Inspect the findings rather than treating the sample result as a clean promotion.

4. Prepare a promotion snapshot

Create a UTF-8 text file such as promotion.json. Include the promotion ID and a components array. Use field names and values from an official export or a trusted internal source; do not guess that a field means something different from its source system.

```
{
  "promotionId": "PROMO-1042",
  "name": "Customer onboarding updates",
  "source": "UAT",
  "target": "Production",
  "components": [
    { "type": "ApexClass", "name": "OnboardingService", "action": "modified" },
    { "type": "ApexClass", "name": "OnboardingServiceTest", "action": "added" },
    { "type": "Flow", "name": "Customer_Onboarding", "active": true },
    { "type": "PermissionSet", "name": "Customer_Success_Access" }
  ],
  "tests": { "status": "passed", "passed": 128, "failed": 0, "total": 128 }
}
```

Input fields

Field	Required?	Meaning / accepted shape
promotionId	Yes	Non-empty string identifying the promotion.

name, source, target	No	Optional descriptive strings.
components	Yes	Array of objects. Each object must have non-empty string type and name.
components[].action	No	String describing the change. delete, deleted, remove, removed, destroy, or destroyed triggers the destructive-change rule.
components[].active	No	Boolean. A Flow with active=true triggers active-flow-change.
components[].testsFor	No	Array of strings linking a test component to Apex class names.
tests	No	Object containing optional status and non-negative integer passed, failed, total fields. Missing or unusable results raise a review flag.

Apex test matching uses the conventional <ClassName>Test name or an explicit testsFor list on a test component. Do not include credentials, access tokens, secrets, or unnecessary customer data in a snapshot.

5. Run the checker on your own promotion

Save the snapshot, for example as D:\Desktop\agentia-promo-brief\promotion.json. Then run:

```
cd "D:\Desktop\agentia-promo-brief"
node dist\src\cli.js --input promotion.json
```

To save a Markdown brief:

```
node dist\src\cli.js --input promotion.json --out brief.md
```

To save a JSON result for another tool or agent:

```
node dist\src\cli.js --input promotion.json --format json --out brief.json
```

The JSON output uses schemaVersion "1" and includes the promotion ID, verdict, risk score, summary, and flags. The command writes errors to stderr and exits with a non-zero code when input or configuration is invalid.

6. Understand the verdict

Verdict	Interpretation	Recommended response
go	No configured risks were detected.	Continue normal release controls; this is not a guarantee.
review	One or more review-level findings exist.	Have a responsible human inspect the flags and approve or resolve them.
hold	A high-severity/critical finding or configured score threshold was reached.	Stop; resolve blocking evidence before considering promotion.

With the default rules, any critical or high finding causes HOLD; a risk score of 8 or more also causes HOLD. Remaining medium/low findings cause REVIEW. Rule severity, weights, and thresholds are configurable in rules/default.yml. An organization should validate and approve any rule changes before relying on them.

Default checks

Rule ID	Default severity	What it detects
destructive-change	critical	A component action representing deletion or removal.
permission-change	high	Profile, PermissionSet, or PermissionSetGroup metadata.
active-flow-change	medium	A Flow marked active.
apex-without-test	high	An Apex class without an in-snapshot matching test class or testsFor association.

test-not-ready	critical	Failed or non-passing test execution.
test-results-missing	medium	Missing or incomplete test execution data.

7. How to connect it to Agentia

There are two different meanings of "connect?": an agent can follow the included skill instructions, or an automated integration can fetch promotion data and invoke the CLI. The current repository provides the CLI and portable instructions, but not a version-specific Agentia plugin manifest or a live data connector.

A. Use the skill with an Agentia version that supports local skills/tools

1. Confirm in the official Agentia documentation or with your Agentia administrator how your installed version registers local skills, tools, or command-line programs. Do not assume a directory, manifest format, or permission setting that is not documented for your version.
2. Make the promo-brief project available on the machine or runner where the Agentia agent can execute commands. Install dependencies and build it using the steps in section 3.
3. Register the instructions from skills/promo-brief/SKILL.md using the supported Agentia mechanism. Ensure the agent can invoke the CLI and can read the sanitized snapshot and resulting output.
4. Provide a promotion snapshot from an official export or a trusted internal adapter. The required input contract is described in section 4.
5. Ask the agent to run promo-brief --input <snapshot.json> --format json, read every flag, and report the verdict and evidence. The skill instructs the agent to stop on HOLD and request human review for REVIEW.
6. Test in a non-production environment with known examples, including a clean case and each risk case. Confirm Agentia presents errors and does not silently convert a failed check into GO.

Exact click paths, configuration filenames, authentication policies, and agent runtime commands cannot be prescribed here because they depend on the Agentia release and deployment environment. Use the matching official Agentia documentation before enabling command execution.

B. Build a real automated integration

For a real end-to-end connection, implement a small adapter around this CLI:

1. Use a supported, documented Copado/Salesforce/Agentia export API or CLI to retrieve the promotion and test data. Keep authentication in the approved secret store; never hard-code tokens in this repository or JSON.
2. Map the retrieved fields into the normalized JSON schema in section 4. Validate the mapping and preserve enough source evidence to explain each field.
3. Invoke the CLI with --format json from a controlled runner or Agentia tool, passing the snapshot as a file or secure input. Capture both the process exit status and output.
4. Give the agent the complete JSON result and require it to report verdict, riskScore, and each flag's ruleId, component, evidence, and whyItMatters.
5. Keep the deployment decision separate: require normal human approval and release controls. Do not automatically deploy because this tool says GO.

Before implementing the adapter, verify API availability, permitted data fields, rate limits, authentication, and whether promotion test results are accessible. This project intentionally avoids calling undocumented APIs.

8. Safe operating checklist

- Use an official, current export; verify it describes the intended promotion and target environment.
- Provide actual test results when available. Missing test information is a REVIEW risk, not a pass.
- Treat HOLD as a stop signal and REVIEW as requiring human inspection.
- Review custom rules with release/security owners. The defaults are examples, not a complete Salesforce governance policy.
- Do not paste tokens, passwords, private keys, or sensitive customer data into snapshots or agent prompts.
- Keep deployment approval and execution in the organization's established workflow.

9. Troubleshooting

Symptom	What to check
node/npm is not recognized	Install Node.js 20+ and reopen PowerShell; check node --version and npm --version.
Cannot find module or dist/src/cli.js	From the project folder run npm install, then npm run build.
Missing required promotionId/components error	Check that promotion.json is valid JSON and includes a non-empty promotionId string and components array.
Component must have type/name	Every components[] entry needs a non-empty type and name string.
Invalid tests count	passed/failed/total must be non-negative integers.
Agentia cannot run promo-brief	Check the agent runner's working directory, executable path, permissions, and the Agentia version's documented command-tool support.
Agentia cannot access the snapshot	Place the sanitized file where the runner can read it or implement a secure input handoff. Do not assume the user desktop path is visible to a hosted agent.

10. Command quick reference

```
npm install
```

```
npm test
```

```
npm run build
```

```
node dist\src\cli.js --input sample\promotion.json
```

```
node dist\src\cli.js --input promotion.json --format json --out brief.json
```

```
node dist\src\cli.js --help
```

Project references: README.md, rules/default.yml, and skills/promo-brief/SKILL.md in the repository.

Repository: <https://github.com/Subha222/agentia-promo-brief>