

Reasoning

Inequality - Coded Inequality for Mains

Level-1

Q1 Directions: In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statement: $D < B \leq \# = F < 9 < O$

Conclusions:

I. $\# < O$

II. $B \leq F$

- (A) only conclusion I follows
- (B) only conclusion II follows
- (C) Both conclusions I and II follow
- (D) Neither conclusion I nor II follows
- (E) Either conclusion I or II follows

Q2 Directions: Answer the questions based on the information given below.

Statement: $@ \leq \& \leq 7 = \% > 1 < \#$

Conclusions:

I. $7 \geq @$

II. $7 > 1$

- (A) only conclusion I follows
- (B) only conclusion II follows
- (C) Both conclusion I and II follow
- (D) Neither conclusion I nor II follows
- (E) Either I or II follows

Q3 Directions: Study the questions based on the information given below.

Statement: $E < S \leq \infty = \% < Y < @$

Conclusions:

I. $Y \geq S$

II. $Y > E$

- (A) Only conclusion I follows
- (B) Only conclusion II follows
- (C) Both conclusion I and II follow
- (D) Neither I nor II follows
- (E) None of the above

Q4 Directions: Study the questions based on the information given below.

Statement: $P = G < Q, E < L \geq U, K \leq G = R > L$

Conclusions:

I. $E < Q$

II. $G \geq E$

- (A) only conclusion I follows
- (B) only conclusion II follows
- (C) Both conclusion I and II follow
- (D) Neither conclusion I nor II follows
- (E) either conclusion I or II follows

Q5 Directions: Study the questions based on the information given below.

Statement: $X = B < N, B < O \geq A, K \leq O = M > B$

Conclusions:

I. $B < K$

II. $M > B$

- (A) only conclusion I follows
- (B) only conclusion II follows
- (C) Both conclusion I and II follow
- (D) Neither conclusion I nor II follows
- (E) either conclusion I or II follows

Q6 Directions: Study the questions based on the information given below.



Statement: $X = U < T, U < S \geq I, K \leq S = M > U$

Conclusions:

I. $U < K$

II. $M > K$

(A) Only conclusion 1 follows

(B) Only conclusion 2 follows

(C) Either conclusion 1 nor 2 follows

(D) Neither conclusion 1 nor 2 follows

Q7 Directions: Analyze the data carefully and answer the questions accordingly.

Statements: $C < N < R > S, N < P$

Conclusions:

I. $P > S$

II. $R > C$

(A) If only conclusion I follows

(B) If only conclusion II follows

(C) If either conclusion I or II follows

(D) If neither conclusion I nor II follows

(E) If both conclusions I and II follow

Q8 Directions: Analyze the data carefully and answer the questions accordingly.

Statements: $F < P > Q = W, F \leq Y, P > U$

Conclusions:

I. $Q > U$

II. $Y > W$

(A) If only conclusion I follows

(B) If only conclusion II follows

(C) If either conclusion I or II follows

(D) If neither conclusion I nor II follows

(E) If both conclusions I and II follow

Q9 Directions: Analyze the data carefully and answer the questions accordingly.

Statements: $G > I = J > K = L \leq M$

Conclusions:

I. $I > L$

II. $M \geq K$

(A) If only conclusion I follows

(B) If only conclusion II follows

(C) If either conclusion I or II follows

(D) If neither conclusion I nor II follows

(E) If both conclusions I and II follow

Q10 Directions: In the following question assuming the given statements to be true, find which of the interpretation among given interpretation is/are definitely true and then give your reaction accordingly.

Statements: $M < N = O > P, Q > R < M, S \leq P$

Conclusions:

I. $Q > P$

II. $N > S$

III. $R < O$

IV. $R \geq O$

(A) None is true

(B) Only IV is true

(C) Both II and III are true

(D) Either I or III and IV are true

(E) All are true

Q11 Directions: In the following question assuming the given statements to be true, find which of the interpretation among given interpretation is/are definitely true and then give your reaction accordingly.

Statements: $E \geq U = D; R < A < F; W \leq D; W > F$

Conclusions:

I. $U < R$

II. $E = W$

III. $E > W$

(A) Only II is True Inequality

(B) Only III is True

(C) Only I and II are True

(D) Either I or II is true

(E) Either II or III is true



Q12 Directions: In the following question assuming the given statements to be true, find which of the interpretation among given interpretation is/are definitely true and then give your reaction accordingly.

Statements: $T \geq C \geq F$; $E = A < D$; $X > T$; $D < F = T$

Conclusions:

I. $F < E$

II. $C = F$

III. $A > T$

(A) Only I is True

(B) Only II is True

(C) Only III is True

(D) Only I and III are True

(E) None is true

Q13 Directions: In the following question assuming the given statements to be true, find which of the interpretation among given interpretation is/are definitely true and then give your reaction accordingly.

Statements: $Z > Y \geq X \geq K$; $K = L \geq M$; Which of the following are definitely true?

(A) $X > L$

(B) $Z > L$

(C) $K = Z$

(D) $K < Y$

(E) None of these

Q14 Directions: In the following question assuming the given statements to be True, find which of the conclusion among given conclusions is/are definitely true and then give your answers accordingly.

Statements: $P < Q \geq G$; $G \geq I \geq E$; $C \leq P$; $C > U$

Conclusions:

I. $U > I$

II. $P \leq E$

(A) Both I and II follow

(B) Either I or II follows

(C) Only I follows

(D) Only II follows

(E) Neither I nor II follow



Level-2

Q1 If the expression $B < C < A < D, E > F > D > H = M$ is definitely true then, which of the following expressions will be false?

- (A) $A < E$ (B) $F > C$
 (C) $H < B$ (D) $E > C$
 (E) None of these

Q2 If the expression $R = F < I < T < B \leq G < A > V > M$ is definitely true then, which of the following expressions will be true?

- (A) $A > B$
 (B) $R < V$
 (C) $G > F$
 (D) $G > M$
 (E) Both (a) and (c)

Q3 If the expression $X > B > Z > K > H = M < J < Y$ is definitely true then, which of the following expressions will be false?

- (A) $H < X$ (B) $B > M$
 (C) $Z > M$ (D) $A > K$
 (E) Both b) and d)

Q4 If the expression, $M > K = B > L > E > X, A < B \leq Z$ is definitely true then, which of the following expressions will be true?

- (A) $X > A$ (B) $Z > E$
 (C) $M > A$ (D) Both b) and c)
 (E) Both a) and c)

Q5 Directions: In each question below are given statements followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance with commonly known facts. Read the statements and then decide which of the given conclusions logically follows from the

given statements, disregarding commonly known facts.

Statement

$T < J \leq M = W > F \geq S$

Conclusion:-

- i) $T > F$
 ii) $W > S$
 (A) Only conclusion I follows
 (B) Only conclusion II follows
 (C) Neither I nor II follow
 (D) Both I and II follow
 (E) Either I or II follow

Q6 Directions: Study the following data carefully and answer the questions accordingly.

What will come in _ , _ respectively to make the expression

$* < \$$ and $\$ > @$ are definitely true?

$\$ > \& \geq \# _ ; (\geq * _ \% \geq ! \geq @$

- (A) $>, \leq$ (B) $\leq, >$
 (C) $=, <$ (D) $>, \geq$
 (E) None of these

Q7 Directions: In each of the following questions, the relationship between different elements is shown in the statements followed by conclusions. Find the conclusion which logically follows.

Statements:

$X \geq N > R = A$

$P \leq D < L < X$

$P > S = Z$

Conclusions:

I: $S < X$

II: $X > A$

III: $D < N$



- (A) Only I follows.
 (B) Only II follows.
 (C) Only III follows.
 (D) Only I & II follow.
 (E) Only II & III follow

Q8 Directions: Analyze the data carefully and answer the questions accordingly.

Statements: $H \geq L > M \leq R > I \geq P = U \leq T < B$

Conclusion:

I. $I \leq L$

II. $R > U$

- (A) If only conclusion I follows
 (B) If only conclusion II follows
 (C) If either conclusion I or II follows
 (D) If neither conclusion I nor II follows
 (E) If both conclusions I and II follow

Q9 Directions: In each of the following questions, the relationship between different elements is shown in the statements followed by three conclusions. Find the conclusion which logically follows.

Statements:

$A \geq M > T$

$P < O < R < T$

$P > N = Z$

Conclusions:

I: $A > Z$

II: $N < M$

III: $T \geq P$

- (A) Only I follows.
 (B) Only II follows.
 (C) Only III follows.
 (D) Only I & II follow.
 (E) Only II & III follow.

Q10 Directions: In each of the following questions, the relationship between different elements is

shown in the statements followed by conclusions. Find the conclusion which is true.

Statements:

$L > P \leq M \leq R$

$H > M \geq Q$

$P \leq K > Y$

Conclusions:

I: $R > Y$

II: $Q < K$

III: $K \leq Q$

- (A) Only I and II are true.
 (B) Only I is true.
 (C) Either II or III is true.
 (D) Only I and either II or III are true.
 (E) None is true

Q11 Directions: Analyze the data carefully and answer the questions accordingly.

Statements: $A \geq Y > G < R = Q > O \leq P = I > H$

Conclusion:

I. $R > O$

II. $O \geq Y$

- (A) If only conclusion I follows
 (B) If only conclusion II follows
 (C) If either conclusion I or II follows
 (D) If neither conclusion I nor II follows
 (E) If both conclusions I and II follow

Q12 For each of the following questions, there are statements that show the relationship between different elements, followed by three possible conclusions. Determine the conclusion that logically follows.

Statement:

$G \geq P > S = M > L = N$

$Y \leq T < V < U < R < O$

$I > K = J > R = L$

Conclusion:



I. $I > V$

II. $N > P$

III. $L > Y$

(A) Only I follows

(B) Only II follows

(C) Only III follows

(D) Both I and III follow

(E) Both II and III follow

Q13 Directions: Study the following data carefully and answer the questions accordingly.

Statement:

$\$ > * > ^ = \&; \& < \% < @$

Conclusion:

1. $\$ \geq \%$

2. $@ > ^$

(A) Only conclusion I follow

(B) Only conclusion II follow

(C) Either conclusion I or II follow

(D) Neither conclusion I nor II follow

(E) None of these

Q14 For each of the following questions, there are statements that show the relationship between different elements, followed by three possible conclusions. Determine the conclusion that logically follows.

Statement:

$D \leq N < R < W$

$T > Y \geq Z < D$

$J < G < T$

Conclusion:

I. $G < W$

II. $T < R$

III. $Y > N$

(A) Only I follows

(B) Only II follows

(C) Both I and III follow

(D) Either I or III follow

(E) None follows

Q15 Directions: In each of the following questions, the relationship between different elements is shown in the statements followed by conclusions. Find the conclusion which logically follows.

Statements:

$M \leq G < V > R$

$T \geq P > R > L$

$A < B = T$

Conclusions:

I: $B > L$

II: $G < P$

(A) If only conclusion I follows.

(B) If only conclusion II follows.

(C) If either conclusion I or II follows.

(D) If neither conclusion I nor II follows.

(E) If both Conclusion I and II follow

Q16 In each of the following questions, the relationship between different elements is shown in the statements followed by three conclusions. Find the conclusion which logically follows.

Statements:

$D \leq M < R < Y$

$P > C \geq Z < D$

$K < G < P$

Conclusions:

I: $G < Y$

II: $P < R$

III: $C > M$

(A) Only I follows.

(B) Only II follows.

(C) Only I and III follow.

(D) Either I or III follows.



(E) None follows

Q17 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statement:- $B > D = A < R < T \leq Z > M$

Conclusion:- 1. $D < Z$ 2. $M > A$

- (A) If only conclusion I follows.
- (B) If only conclusion II follows.
- (C) If either conclusion I or II follows.
- (D) If neither conclusion I nor II follows.
- (E) If both conclusion I and II follows

Q18 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statement:- $D > R \geq T = W > H \leq S < B$

Conclusion:- 1. $R > W$ 2. $R = W$

- (A) If only conclusion I follows.
- (B) If only conclusion II follows.
- (C) If either conclusion I or II follows.
- (D) If neither conclusion I nor II follows.
- (E) If both conclusion I and II follows

Q19 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statements: $C < O \leq D = S > A \geq P \geq Q$

Conclusions:

- I. $Q < D$
- II. $C < A$

- (A) If only conclusion I follow
- (B) If only conclusion II follow
- (C) If either conclusion I or II follow
- (D) If neither conclusion I nor II follow
- (E) If both conclusion I and II follow

Q20 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statements: $C \leq L = E \leq R \leq K = P \geq O$

Conclusions:

- I. $P = C$
- II. $C < P$
- (A) If only conclusion I follow
- (B) If only conclusion II follow
- (C) If either conclusion I or II follow
- (D) If neither conclusion I nor II follow
- (E) If both conclusion I and II follow

Q21 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statements: $F \leq B = I \leq C = A \geq S > E$

Conclusions:

- I. $S \geq B$
- II. $F > E$
- (A) If only conclusion I follow
- (B) If only conclusion II follow
- (C) If either conclusion I or II follow
- (D) If neither conclusion I nor II follow
- (E) If both conclusion I and II follow

Q22 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions



numbered I and II. Read the statements and give the answer.

Statements: $I \geq N = T \geq E > L \geq G > M$

Conclusions:

I. $G < N$

II. $I \geq L$

- (A) If only conclusion I follow
- (B) If only conclusion II follow
- (C) If either conclusion I or II follow
- (D) If neither conclusion I nor II follow
- (E) If both conclusion I and II follow

Q23 In each of the question, relationships between some elements are shown in the statements. These statements are followed by conclusions numbered I and II. Read the statements and give the answer.

Statements: $W > A = S \geq H < I \leq N \leq G$

Conclusions:

I. $H < W$

II. $G > H$

- (A) If only conclusion I follow
- (B) If only conclusion II follow
- (C) If either conclusion I or II follow
- (D) If neither conclusion I nor II follow
- (E) If both conclusion I and II follow

Q24 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I, II, III and IV is/are definitely true and give your answer accordingly.

Statements:

$A > B \geq C > D \leq E \leq F < H$

Conclusions:

I. $A > D$

II. $H > D$

III. $E < H$

IV. $B > F$

- (A) Only I, II and III are true.
- (B) Only II is true
- (C) Only I and II are true.
- (D) Only I and either II or IV are true.
- (E) All I, II, III and IV are true.

Q25 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I, II, III and IV is/are definitely true and give your answer accordingly.

Statements:

$N > F > O \leq M; O \geq B > Z$

Conclusions:

I. $B < M$

II. $N > M$

III. $M = B$

IV. $N > Z$

- (A) Only IV is true.
- (B) Only IV and either I or III are true.
- (C) Only I and III are true.
- (D) Only I is true.

Q26 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$L \geq M < N \leq O = P < Q$

Conclusions:

I. $L \geq O$

II. $M < Q$

- (A) Only conclusion I true
- (B) Only conclusion II true
- (C) Either conclusion I or conclusion II true
- (D) Neither conclusion I nor conclusion II true



(E) Both conclusion I and conclusion II true

Q27 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$$N \leq M \leq I = Q < P = O$$

Conclusions:

I. $Q > N$

II. $N = Q$

(A) Only conclusion I true

(B) Only conclusion II true

(C) Either conclusion I or conclusion II true

(D) Neither conclusion I nor conclusion II true

(E) Both conclusion I and conclusion II true

Q28 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$$O \geq U > P = K < J \leq V < E$$

Conclusions:

I. $K \geq E$

II. $K < O$

(A) Only conclusion I true

(B) Only conclusion II true

(C) Either conclusion I or conclusion II true

(D) Neither conclusion I nor conclusion II true

(E) Both conclusion I and conclusion II true

Q29 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are

definitely true and give your answer accordingly.

Statements:

$$P \leq Q \leq R = S \geq T > U$$

Conclusions:

I. $P \leq S$

II. $R > U$

(A) Only conclusion I true

(B) Only conclusion II true

(C) Either conclusion I or conclusion II true

(D) Neither conclusion I nor conclusion II true

(E) Both conclusion I and conclusion II true

Q30 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$$Q > Z < J \leq C \leq K = G \leq S$$

Conclusions:

I. $S \geq J$

II. $Z < G$

(A) Only conclusion I true

(B) Only conclusion II true

(C) Both conclusion I and conclusion II are true

(D) Neither conclusion I nor conclusion II true

Q31 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$$R \geq W \leq U = P > F$$

Conclusions:

I. $R \geq F$

II. $R < F$

(A) Only conclusion I true



- (B) Only conclusion II true
 (C) Either conclusion I or conclusion II true
 (D) Neither conclusion I nor conclusion II true
 (E) Both conclusion I and conclusion II true

Q32 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statement:

$$Z \leq Y \leq X = W \geq U > T$$

Conclusions:

I. $W > Z$

II. $T < X$

- (A) Only conclusion I true
 (B) Only conclusion II true
 (C) Both conclusion I and conclusion II true
 (D) Neither conclusion I nor conclusion II true

Q33 In the given questions, assuming the given statements to be true. Find which of the given two conclusions number I and II is/are definitely true and give your answer accordingly.

Statements:

$$Z \geq Y > X < W \geq V$$

Conclusions:

I. $V \leq Z$

II. $Z < V$

- (A) Only conclusion I true
 (B) Only conclusion II true
 (C) Either conclusion I or conclusion II true
 (D) Neither conclusion I nor conclusion II true
 (E) Both conclusion I and conclusion II true

Q34 Directions: Study the following data carefully and answer the questions accordingly.

Statement:

$$\text{\$} > \wedge = \% > *; @ = \& < *$$

Conclusion:

1. $\text{\$} > \&$

2. $@ > *$

- (A) Only conclusion I follow
 (B) Only conclusion II follow
 (C) Either conclusion I or II follow
 (D) Neither conclusion I nor II follow
 (E) None of these



Level-3

Q1 Answer the questions based on the information given below:

'X \$ B' means 'X is neither smaller than nor equal to B',

'X # B' means 'X is neither greater than nor smaller than B',

'X @ B' means 'X is not smaller than B',

'X % B' means 'X is not greater than B',

'X * B' means 'X is neither greater than nor equal to B'.

In the question, assuming the given statements to be true, find which of the conclusion (s) among given two conclusions is/are definitely true and then give your answer accordingly.

Statements: D @ C # A; C * K # H @ E; K * M % N

Conclusions:

I. C \$ N

II. C * M

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q2 Answer the questions based on the information given below:

'X \$ B' means 'X is neither smaller than nor equal to B',

'X # B' means 'X is neither greater than nor smaller than B',

'X @ B' means 'X is not smaller than B',

'X % B' means 'X is not greater than B',

'X * B' means 'X is neither greater than nor equal to B'.

In the question, assuming the given statements to be true, find which of the conclusion (s) among given two conclusions is/are definitely true and then give your answer accordingly.

Statements: O % Y # B % A # Q; Z @ T \$ P # Q; O \$ R # S * V

Conclusions:

I. Z @ B

II. V \$ O

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q3 Answer the questions based on the information given below:

'X \$ B' means 'X is neither smaller than nor equal to B',

'X # B' means 'X is neither greater than nor smaller than B',

'X @ B' means 'X is not smaller than B',

'X % B' means 'X is not greater than B',

'X * B' means 'X is neither greater than nor equal to B'.

In the question, assuming the given statements to be true, find which of the conclusion (s) among given two conclusions is/are definitely true and then give your answer accordingly.

Statements: Z @ M @ N; V % O * K % P # N; V \$ A # R \$ S

Conclusions:

I. K % Z

II. R \$ K



- (A) Only I is true
 (B) Only II is true
 (C) Either I or II is true
 (D) Neither I nor II is true
 (E) Both I and II are true

Q4 In each of the following questions relationships between different elements are given in the statement followed by three sets of conclusions. Study the following information carefully and decide which of the following conclusions follows logically.

"P @ Q" means "P is greater than Q".

"P % Q" means "P is not greater than Q".

"P # Q" means "P is less than Q".

"P & Q" means "P is not less than Q".

"P ^ Q" means "P is neither greater than nor less than Q".

Statement:

R # Q & M # H; Q ^ L # W & B; M @ T % S ^ F;

Conclusions:

I. R # W

II. H @ F

III. L % S

- (A) Only II and III Follows
 (B) Only I Follows
 (C) Only II Follows
 (D) Only I and III Follows
 (E) Only III follows

Q5 In each of the following questions relationships between different elements are given in the statement followed by three sets of conclusions. Study the following information carefully and decide which of the following conclusions follows logically.

"P @ Q" means "P is greater than Q".

"P % Q" means "P is not greater than Q".

"P # Q" means "P is less than Q".

"P & Q" means "P is not less than Q".

"P ^ Q" means "P is neither greater than nor less than Q".

Statement:

W ^ G % K; H # F ^ K; W @ T ^ P; F # B ^ M;

Conclusions:

I. M @ H

II. W # B

III. K & P

- (A) Only II and III Follows
 (B) All I, II and III Follows
 (C) Only II Follows
 (D) Only I and II Follows
 (E) None follows

Q6 In each of the following questions, the relationship between different elements are given in the statement followed by two sets of conclusions. Study the following information carefully and decide which of the following conclusions logically follows.

"A @ B" means "A is greater than B"

"A % B" means "A is not greater than B"

"A # B" means "A is less than B"

"A & B" means "A is not less than B"

"A ^ B" means "A is neither greater than nor less than B"

Statements:

L @ Q & M ^ P; R % N ^ G % P

Conclusions:

I) Q @ R

II) R ^ Q

- (A) If only conclusion I follow.
 (B) If only conclusion II follows.



- (C) If either conclusion I or II follows.
 (D) If neither conclusion I nor II follows.
 (E) If both conclusion I and II follow

Q7 In each of the following questions, the relationship between different elements are given in the statement followed by two sets of conclusions. Study the following information carefully and decide which of the following conclusions logically follows.

"A @ B" means "A is greater than B"

"A % B" means "A is not greater than B"

"A # B" means "A is less than B"

"A & B" means "A is not less than B"

"A ^ B" means "A is neither greater than nor less than B"

Statements:

M%T#S^Z#A; M&X&Y^C

Conclusions:

I) C%T

II) A@Y

- (A) If only conclusion I follow.
 (B) If only conclusion II follows.
 (C) If either conclusion I or II follows.
 (D) If neither conclusion I nor II follows.
 (E) If both conclusion I and II follow

Q8 In each of the following questions, the relationship between different elements are given in the statement followed by two sets of conclusions. Study the following information carefully and decide which of the following conclusions logically follows.

"A @ B" means "A is greater than B"

"A % B" means "A is not greater than B"

"A # B" means "A is less than B"

"A & B" means "A is not less than B"

"A ^ B" means "A is neither greater than nor less than B"

Statements:

N#M&P^W@V; S%J#Q@W

Conclusions:

I) M@J

II) N#S

- (A) If only conclusion I follow.
 (B) If only conclusion II follows.
 (C) If either conclusion I or II follows.
 (D) If neither conclusion I nor II follows.
 (E) If both conclusions I and II follow

Q9 In the following questions, the symbols \$, *, #, @ and % are used with the following meaning as illustrated below: Give answer:

E@F means E is neither greater than nor equal to F

E%F means E is neither smaller than nor equal to F

E\$F means E is neither smaller than nor greater than F

E#F means E is not smaller than F

E*F means E is not greater than F

Statements: B\$L; F#O; L@F

Conclusions:

I) B\$O

II) B@O

- (A) If only conclusion I follows.
 (B) If only conclusion II follows.
 (C) If either conclusion I or II follows.
 (D) If neither conclusion I nor II follows.
 (E) If both conclusions I and II follow

Q10 In the following questions, the symbols \$, *, #, @ and % are used with the following meaning as illustrated below: Give answer:



E@F means E is neither greater than nor equal to F

E%F means E is neither smaller than nor equal to F

E\$F means E is neither smaller than nor greater than F

E#F means E is not smaller than F

E*F means E is not greater than F

Statements: H@C; X#A; C%X

Conclusions:

I) H@A

II) A@C

(A) If only conclusion I follows.

(B) If only conclusion II follows

(C) If either conclusion I or II follows.

(D) If neither conclusion I nor II follows.

(E) If both conclusion I and II follow

Q11 In these questions, certain symbols have been used to indicate relationships between elements as follows. Find the conclusion which is definitely true.

"A@B" means "A is neither greater than nor smaller than B"

"A#B" means "A is not greater than B"

"A&B" means "A is neither smaller than nor equal to B"

"A*B" means "A is not smaller than B"

A@B" means "A is neither greater than nor equal to B"

Statements:

D@S#T@R; W@Y@L; D&E#V; T#X&H; X*V@B&S

Conclusions:

(A) R@E#B

(B) V*S&H

(C) R@T&H

(D) T*D&E

(E) X*S&V

Q12 In these questions, certain symbols have been used to indicate relationships between elements as follows. Find the conclusion which is definitely true.

"A@B" means "A is neither greater than nor smaller than B"

"A#B" means "A is not greater than B"

"A&B" means "A is neither smaller than nor equal to B"

"A*B" means "A is not smaller than B"

A@B" means "A is neither greater than nor equal to B"

Statements:

L&S*K#A@O; J*I&L*N@R; A@W#H&M; L#C@G

Conclusions:

(A) L*A*H

(B) R#S&W

(C) O*L&J

(D) G*L*R

(E) H*N&C

Q13 In these questions, certain symbols have been used to indicate relationships between elements as follows. Find the conclusion which is definitely true.

"A@B" means "A is neither greater than nor smaller than B"

"A#B" means "A is not greater than B"

"A&B" means "A is neither smaller than nor equal to B"

"A*B" means "A is not smaller than B"

A@B" means "A is neither greater than nor equal to B"

Statements:

Y#U&C*A; T#M@J&Y; Z&A*L@H; Y*D@K*O

Conclusions:



- (A) U*H@Z
 (B) L@U*K
 (C) Z*J@T
 (D) M&C#O
 (E) Both option (b) and (d)

Q14 In these questions, certain symbols have been used to indicate relationships between elements as follows. Find the conclusion which is definitely true.

"A@B" means "A is neither greater than nor smaller than B"

"A#B" means "A is not greater than B"

"A&B" means "A is neither smaller than nor equal to B"

"A*B" means "A is not smaller than B"

A@B" means "A is neither greater than nor equal to B"

Statements:

T@B#U&H@Q; E@N#H@I#O; G@I@U*R;
 A#L@Z@U

Conclusions:

- (A) R@Q*G (B) O*U*L
 (C) E@H&T (D) N&I*A
 (E) G@U&A

Q15 In these questions, certain symbols have been used to indicate relationships between elements as follows. Find the conclusion which is definitely true.

"A@B" means "A is neither greater than nor smaller than B"

"A#B" means "A is not greater than B"

"A&B" means "A is neither smaller than nor equal to B"

"A*B" means "A is not smaller than B"

A@B" means "A is neither greater than nor equal to B"

Statements:

N#F@J@E*Q; I#X&L@J#M; A*C*X#O@G;
 K@B&M*Z

Conclusions:

- (A) G&X*N (B) O*J@B
 (C) Q#M*L (D) O@J*B
 (E) None of these

Q16 Directions: In these questions, certain symbols have been used to indicate the relationships between different elements as follows:

"P\$Q" means "P is not less than Q"

"P#Q" means "P is not greater than Q"

"P@Q" means "P is neither less than nor equal to Q"

"P&Q" means "P is neither greater than nor equal to Q"

"P%Q" means "P is neither greater than nor less than Q"

Statements:

D#R\$E@M#H; E@A\$V%T; Y#K&P@T

Conclusions:

- I) R@T
 II) Y#H
 (A) Only conclusion I is true
 (B) Only conclusion II is true
 (C) Either conclusion I or II is true
 (D) Neither conclusion I nor II is true
 (E) Both conclusions I and II are true

Q17 Directions: Study the questions based on the information given below.

A \$ B means 'A is smaller than B'

A # B means 'A is greater than B'

A @ B means 'A is either smaller than or equal to B'



A ! B means 'A is either greater than or equal to B'

A % B means 'A is equal to B'

Conclusions: I. F # K

II. J @ B

(A) J \$ K @ T, F ! B ! T

(B) B % F # P, K \$ J % P

(C) F # J @ H, K \$ J, H @ B

(D) K @ B @ J \$ Q, F ! Q

(E) None of these

Q18 Directions: Study the questions based on the information given below.

A \$ B means 'A is smaller than B'

A # B means 'A is greater than B'

A @ B means 'A is either smaller than or equal to B'

A ! B means 'A is either greater than or equal to B'

A % B means 'A is equal to B'

Conclusions: I. H @ G

II. A # S

(A) S @ H @ T, G % A # T

(B) A # G ! P, H \$ S % P

(C) A # H % F, S \$ F @ G

(D) Q ! H # S, A # Q % G

(E) None of these

Q19 Directions: Study the questions based on the information given below.

A \$ B means 'A is smaller than B'

A # B means 'A is greater than B'

A @ B means 'A is either smaller than or equal to B'

A ! B means 'A is either greater than or equal to B'

A % B means 'A is equal to B'

Conclusions: I. I \$ P

II. T # Y

(A) T ! P, I \$ T, P ! Y

(B) P \$ S @ Y, I ! S # T

(C) P ! Y, T # P, I \$ T

(D) Y # P # F, I @ T @ P

(E) None of these

Q20 Directions: Study the questions based on the information given below.

A \$ B means 'A is smaller than B'

A # B means 'A is greater than B'

A @ B means 'A is either smaller than or equal to B'

A ! B means 'A is either greater than or equal to B'

A % B means 'A is equal to B'

Conclusions: I. T ! N

II. X @ V

(A) V ! N % G, T ! X % G

(B) X \$ O ! N, V ! O % T

(C) V @ A @ T % X \$ S % P # N

(D) N % F @ H # X, T % V ! F

(E) None of these

Q21 Directions: Study the questions based on the information given below.

A \$ B means 'A is smaller than B'

A # B means 'A is greater than B'

A @ B means 'A is either smaller than or equal to B'

A ! B means 'A is either greater than or equal to B'

A % B means 'A is equal to B'

Conclusions: I. T ! U

II. R @ W

(A) T % P ! R, W # P ! U

(B) K % W, K ! T ! R, U % W

(C) K @ T ! R, K ! W, U @ W

(D) K % W, K % T ! R, W ! U

(E) None of these

Q22



Directions:In the following questions, the symbols #, \$, %, &, and @ are used with the following meaning as illustrated below:

'Q # P' means 'Q is not greater than P'.

'Q \$ P' means 'Q is neither smaller than nor equal to P'.

'Q % P' means 'Q is neither smaller nor greater than P'.

'Q & P' means 'Q is neither greater than nor equal to P'.

'Q @ P' means 'Q is not smaller than P'.

Now in each of the following questions, assuming the given statements to be true, find which of the three conclusions I, and II given below them is/are definitely true and give your answers accordingly.

Statements: 318 @ 212 % 11 & 27 # 115 # 29 & 16

Conclusion:

I. 318 & 11

II. 11 % 318

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q23 Directions:In the following questions, the symbols #, \$, %, &, and @ are used with the following meaning as illustrated below:

'Q # P' means 'Q is not greater than P'.

'Q \$ P' means 'Q is neither smaller than nor equal to P'.

'Q % P' means 'Q is neither smaller nor greater than P'.

'Q & P' means 'Q is neither greater than nor equal to P'.

'Q @ P' means 'Q is not smaller than P'.

Now in each of the following questions, assuming the given statements to be true, find which of the three conclusions I, and II given below them is/are definitely true and give your answers accordingly.

Statements: A # Y % B & E @ S @ G

Conclusion:

I. G @ A

II. Y # E

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II true

Q24 Directions:In the following questions, the symbols #, \$, %, &, and @ are used with the following meaning as illustrated below:

'Q # P' means 'Q is not greater than P'.

'Q \$ P' means 'Q is neither smaller than nor equal to P'.

'Q % P' means 'Q is neither smaller nor greater than P'.

'Q & P' means 'Q is neither greater than nor equal to P'.

'Q @ P' means 'Q is not smaller than P'.

Now in each of the following questions, assuming the given statements to be true, find which of the three conclusions I, and II given below them is/are definitely true and give your answers accordingly.

Statements: A % P # B & G & E % C

Conclusion:

I. A # G

II. P & C



- (A) Only I is true
- (B) Only II is true
- (C) Either I or II is true
- (D) Neither I nor II is true
- (E) Both I and II are true

Q25 Directions: In the following questions, the symbols #, \$, %, &, and @ are used with the following meaning as illustrated below:

'Q # P' means 'Q is not greater than P'.

'Q \$ P' means 'Q is neither smaller than nor equal to P'.

'Q % P' means 'Q is neither smaller nor greater than P'.

'Q & P' means 'Q is neither greater than nor equal to P'.

'Q @ P' means 'Q is not smaller than P'.

Now in each of the following questions, assuming the given statements to be true, find which of the three conclusions I, and II given below them is/are definitely true and give your answers accordingly.

Statements: P \$ Q # X @ W \$ S, P # T

Conclusion:

I. T \$ Q

II. P & W

- (A) Only I is true
- (B) Only II is true
- (C) Either I or II is true
- (D) Neither I nor II is true
- (E) Both I and II are true

Q26 In the following questions, the symbols #, \$, %, &, and @ are used with the following meaning as illustrated below:

'Q # P' means 'Q is not greater than P'.

'Q \$ P' means 'Q is neither smaller than nor equal to P'.

'Q % P' means 'Q is neither smaller nor greater than P'.

'Q & P' means 'Q is neither greater than nor equal to P'.

'Q @ P' means 'Q is not smaller than P'.

Now in each of the following questions, assuming the given statements to be true, find which of the three conclusions I, and II given below them is/are definitely true and give your answers accordingly.

Statements: R & S # T; Q # P & R; V \$ U # S

Conclusions:

I. T \$ Q

II. P & V

- (A) Only I is true
- (B) Only II is true
- (C) Either I or II is true
- (D) Neither I nor II is true
- (E) Both I and II are true

Q27 In the following questions, the symbols #, *, ^, @ and \$ are used with the following meaning as illustrated below-

'Q # P' means 'Q is not greater than P'.

'Q * P' means 'Q is neither equal to nor smaller than P'.

'Q ^ P' means 'Q is not smaller than P'.

'Q @ P' means 'Q is neither smaller than nor greater than P'.

'Q \$ P' means 'Q is neither greater than nor equal to P'.

Now in each of the following questions assuming the given statement to be true, find which of the conclusions given below is/are



definitely true and give your answer accordingly.

Statements: $B \# C @ D \wedge E \$ F; U \wedge D @ K * L$

Conclusions:

I. $F * B$

II. $C * L$

III. $U \wedge B$

IV. $K * F$

(A) Both I and III are true

(B) Both II and III are true

(C) Only II is true

(D) Both II and IV are true

(E) All are true

Q28 In the following questions, the symbols #, *, ^, @ and \$ are used with the following meaning as illustrated below-

'Q#P' means 'Q is not greater than P'

'Q*P' means 'Q is neither equal to nor smaller than P'

'Q^P' means 'Q is not smaller than P'

'Q@P' means 'Q is neither smaller than nor greater than P'

'Q\$P' means 'Q is neither greater than nor equal to P'

Now in each of the following questions assuming the given statement to be true, find which of the conclusions given below is/are definitely true and give your answer accordingly.

Statements: $\text{Blue} \wedge 32 @ \text{Grey} \wedge 18 * 19; 35 \# \text{Pink} \$ \text{Yellow} \# 18$

Conclusions:

I. $\text{Yellow} \$ 32$

II. $35 \$ 19$

III. $\text{Blue} \wedge \text{Yellow}$

IV. $\text{Yellow} @ \text{Grey}$

(A) Only III and either I or IV are true

(B) Both I and IV are true

(C) Both I and II are true

(D) Only I and either II or IV are true

(E) All are true

Q29 In the following questions, the symbols #, *, ^, @ and \$ are used with the following meaning as illustrated below-

'Q#P' means 'Q is not greater than P'

'Q*P' means 'Q is neither equal to nor smaller than P'

'Q^P' means 'Q is not smaller than P'

'Q@P' means 'Q is neither smaller than nor greater than P'

'Q\$P' means 'Q is neither greater than nor equal to P'

Now in each of the following questions assuming the given statement to be true, find which of the conclusions given below is/are definitely true and give your answer accordingly.

Statements:

$\text{IBPS} \# \text{SBI} @ \text{CLERK} \wedge \text{PO}; \text{RBI} * \text{BANK} \# \text{SBI} * \text{SO}$

Conclusions:

I. $\text{SO} \$ \text{CLERK}$

II. $\text{PO} \$ \text{BANK}$

III. $\text{BANK} \# \text{CLERK}$

IV. $\text{IBPS} \$ \text{CLERK}$

(A) Only IV is true

(B) Only II is true

(C) Both I and II are true

(D) Both I and III are true

Q30 In the following questions, the symbols #, *, ^, @ and \$ are used with the following meaning as illustrated below-

'Q#P' means 'Q is not greater than P'



'Q*P' means 'Q is neither equal to nor smaller than P'

'Q^P' means 'Q is not smaller than P'

'Q@P' means 'Q is neither smaller than nor greater than P'

'Q\$P' means 'Q is neither greater than nor equal to P'

Now in each of the following questions assuming the given statement to be true, find which of the conclusions given below is/are definitely true and give your answer accordingly.

Statements: $U \$ M \wedge Q @ L \# T; U \# C \$ V \$ O \# K \wedge G$

Conclusions:

I. $Q \# C$

II. $L \$ C$

III. $K \# V$

IV. $G \$ V$

(A) Only II is true

(B) Only IV and either I or II are true

(C) Both I and III are true

(D) Only IV is true

(E) None is true

Q31 In the following questions, the symbols #, *, ^, @ and \$ are used with the following meaning as illustrated below-

'Q#P' means 'Q is not greater than P'

'Q*P' means 'Q is neither equal to nor smaller than P'

'Q^P' means 'Q is not smaller than P'

'Q@P' means 'Q is neither smaller than nor greater than P'

'Q\$P' means 'Q is neither greater than nor equal to P'

Now in each of the following questions assuming the given statement to be true, find which of the conclusions given below is/are definitely true and give your answer accordingly.

Statements: $M \# P \$ Q @ R; S \wedge T * U \wedge R$

Conclusions:

I. $T \wedge P$

II. $Q \# U$

III. $S * P$

IV. $Q @ U$

(A) Only II and either I or III are true

(B) Both II and III are true

(C) Both I and II are true

(D) Only III and either II or IV are true

(E) All are true

Q32 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'P # Q' means 'P is neither greater than nor smaller than Q'

'P + Q' means 'P is not smaller than Q'

'P @ Q' means 'P is neither smaller than nor equal to Q'

'P * Q' means 'P is not greater than Q'

'P % Q' means 'P is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements: $L * M; J + K \# L; O @ M @ N; O * P$

Conclusions:

I. $K * P$



II. $N \% K$

III. $L \% P$

(A) Only III is true

(B) Only I and II are true

(C) Only II and III are true

(D) Only I is true

(E) All are true

Q33 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'P # Q' means 'P is neither greater than nor smaller than Q'

'P + Q' means 'P is not smaller than Q'

'P @ Q' means 'P is neither smaller than nor equal to Q'

'P * Q' means 'P is not greater than Q'

'P % Q' means 'P is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements:

$B + D, D \% T, T * M$

Conclusions:

I. $B @ T$

II. $M @ D$

III. $B @ M$

(A) Only III is true

(B) Only II is true

(C) Only I is true

(D) Only II and III are true

Q34 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'P # Q' means 'P is neither greater than nor smaller than Q'

'P + Q' means 'P is not smaller than Q'

'P @ Q' means 'P is neither smaller than nor equal to Q'

'P * Q' means 'P is not greater than Q'

'P % Q' means 'P is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements:

$D \% F, F @ H, H * N$

Conclusions:

I. $N @ F$

II. $D \% N$

III. $H \% D$

(A) Only I and II are true

(B) Only II and III are true

(C) Only III is true

(D) None is true

Q35 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'P # Q' means 'P is neither greater than nor smaller than Q'

'P + Q' means 'P is not smaller than Q'

'P @ Q' means 'P is neither smaller than nor equal to Q'

'P * Q' means 'P is not greater than Q'

'P % Q' means 'P is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.



Statements: $K \# W, M @ W, R + M$

Conclusions:

I. $K \% M$

II. $W \% R$

III. $R @ K$

(A) Only I and II are true

(B) Only I and III are true

(C) Only II and III are true

(D) All are true

(E) None is true

Q36 In the following questions, the symbols $+$, $\#$, $\%$, $@$ and $*$ are used with the following meaning as illustrated below:

' $R \# Q$ ' means 'R is neither greater than nor smaller than Q'

' $R + Q$ ' means 'R is not smaller than Q'

' $R @ Q$ ' means 'R is neither smaller than nor equal to Q'

' $R * Q$ ' means 'R is not greater than Q'

' $R \% Q$ ' means 'R is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the two conclusions I and II given below them is/are definitely true and give your answer accordingly.

Statement: $T \# R, R \% Q, Q * S$

Conclusions:

I. $T @ Q$

II. $R \% S$

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q37 In the following questions, the symbols $+$, $\#$, $\%$, $@$ and $*$ are used with the following meaning as illustrated below:

' $R \# Q$ ' means 'R is neither greater than nor smaller than Q'

' $R + Q$ ' means 'R is not smaller than Q'

' $R @ Q$ ' means 'R is neither smaller than nor equal to Q'

' $R * Q$ ' means 'R is not greater than Q'

' $R \% Q$ ' means 'R is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the two conclusions I and II given below them is/are definitely true and give your answer accordingly.

Statements: $D \% F, F @ H, H * N$

Conclusions:

I. $N @ F$

II. $D \% N$

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q38 In the following questions, the symbols $+$, $\#$, $\%$, $@$ and $*$ are used with the following meaning as illustrated below:

' $R \# Q$ ' means 'R is neither greater than nor smaller than Q'

' $R + Q$ ' means 'R is not smaller than Q'

' $R @ Q$ ' means 'R is neither smaller than nor equal to Q'

' $R * Q$ ' means 'R is not greater than Q'



'R % Q' means 'R is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the two conclusions I and II given below them is/are definitely true and give your answer accordingly.

Statements: E @ F, F + G, G # K, K % L

Conclusion:

I. E + G

II. L @ G

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q39 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'R # Q' means 'R is neither greater than nor smaller than Q'

'R + Q' means 'R is not smaller than Q'

'R @ Q' means 'R is neither smaller than nor equal to Q'

'R * Q' means 'R is not greater than Q'

'R % Q' means 'R is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the two conclusions I and II given below them is/are definitely true and give your answer accordingly.

Statements: B + D, D % T, T * M

Conclusions:

I. B @ T

II. M @ D

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q40 In the following questions, the symbols +, #, %, @ and * are used with the following meaning as illustrated below:

'R # Q' means 'R is neither greater than nor smaller than Q'

'R + Q' means 'R is not smaller than Q'

'R @ Q' means 'R is neither smaller than nor equal to Q'

'R * Q' means 'R is not greater than Q'

'R % Q' means 'R is neither greater than nor equal to Q'

Now in each of the following questions assuming the given statements to be true, find which of the two conclusions I and II given below them is/are definitely true and give your answer accordingly.

Statements: K # W, M @ W, R + M

Conclusions:

I. K % M

II. W % R

(A) Only I is true

(B) Only II is true

(C) Either I or II is true

(D) Neither I nor II is true

(E) Both I and II are true

Q41 In the following questions, the symbols @, #, %, \$ and Ω are used with the following meaning as illustrated below-

'P@Q' means 'P is neither greater than nor equal to Q'



'P#Q' means 'P is neither equal to nor smaller than Q'

'P%Q' means 'P is neither smaller than nor greater than Q'

'P\$Q' means 'P is not smaller than Q'

'PΩQ' means 'P is not greater than Q'

Now in each of the following questions assuming the given statement to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements:

A \$ C # D % B @ F; D @ G Ω K % M

Conclusions:

I. A \$ K

II. C # F

III. M # B

(A) Only II is true

(B) Only I is true

(C) Both I and II are true

(D) Only III is true

Q42 In the following questions, the symbols @, #, %, \$ and Ω are used with the following meaning as illustrated below-

'P@Q' means 'P is neither greater than nor equal to Q'

'P#Q' means 'P is neither equal to nor smaller than Q'

'P%Q' means 'P is neither smaller than nor greater than Q'

'P\$Q' means 'P is not smaller than Q'

'PΩQ' means 'P is not greater than Q'

Now in each of the following questions assuming the given statement to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements: R # J @ S Ω B @ D % F \$ C Ω H # K \$ T

Conclusions:

I. D @ T

II. F \$ T

III. J \$ F

(A) Only III is true

(B) Either I or II is true

(C) Both I and II are true

(D) Both I and III are true

(E) None is true

Q43 In the following questions, the symbols @, #, %, \$ and Ω are used with the following meaning as illustrated below-

'P@Q' means 'P is neither greater than nor equal to Q'

'P#Q' means 'P is neither equal to nor smaller than Q'

'P%Q' means 'P is neither smaller than nor greater than Q'

'P\$Q' means 'P is not smaller than Q'

'PΩQ' means 'P is not greater than Q'

Now in each of the following questions assuming the given statement to be true, find which of the three conclusions I, II and III given below them is/are definitely true and give your answer accordingly.

Statements: A Ω U % W @ V; M @ T Ω R % K # A \$ J

Conclusions:

I. JΩW

II. T #A

III. R\$V

(A) Only I is true

(B) Only III is true



- (C) Both I and II are true
 (D) All are true
 (E) None is true

Q44 In the following questions, the symbols @, \$, &, # and % used with the following meaning as illustrated below:

'A & B' means 'A is not greater than B'

'A \$ B' means 'A is not smaller than B'

'A @ B' means 'A is neither smaller than nor equal to B'

'A # B' means 'A is neither greater than nor equal to B'

'A % B' means "A is neither greater than nor smaller than B"

Now, in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III is/are definitely true and give your answer accordingly.

Statement: A & M @ G # D, E # L & D, S & O % E

Conclusions:

I. A @ O

II. D \$ S

III. M # O

- (A) Only I is true
 (B) Only II and III are true
 (C) Only I and II are true
 (D) Only III is true
 (E) None is true

Q45 In the following questions, the symbols @, \$, &, # and % used with the following meaning as illustrated below:

'A & B' means 'A is not greater than B'

'A \$ B' means 'A is not smaller than B'

'A @ B' means 'A is neither smaller than nor equal to B'

'A # B' means 'A is neither greater than nor equal to B'

'A % B' means "A is neither greater than nor smaller than B"

Now, in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III is/are definitely true and give your answer accordingly.

Statements:

N & B % V \$ D # R, B @ A & L

Conclusions:

I. N # A

II. A \$ N

III. L % B

- (A) Only I is true
 (B) Only II is true
 (C) Only III is true
 (D) None is true

Q46 In the following questions, the symbols @, \$, &, # and % used with the following meaning as illustrated below:

'A & B' means 'A is not greater than B'

'A \$ B' means 'A is not smaller than B'

'A @ B' means 'A is neither smaller than nor equal to B'

'A # B' means 'A is neither greater than nor equal to B'

'A % B' means "A is neither greater than nor smaller than B"

Now, in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II and III is/are definitely true and give your answer accordingly.

Statements: Q % R & S # T, T % U \$ V @ W % N



Conclusions:I. $Q \neq U$ II. $T \$ W$ III. $T @ N$

(A) Only I is true

(B) Only I and III are true

(C) Only I and II are true

(D) Only III is true

(E) None is true

Q47 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $F > H$ II. $S \geq H$ **Statements:**I. $T \leq A < F, Z < N = V \leq S, N \geq T = H$ II. $N \geq T > H, T = A < F, Z < N = V \leq S$ III. $N \geq T \geq H, T = A < F, Z < N = V \leq S$

(A) Only III

(B) Both II and III

(C) Only II

(D) Both I and III

(E) None of these

Q48 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $G < P$ II. $H < I$ (A) $E > F \geq G < H, G < I = J > K \geq L, J < O \leq P$ (B) $E > F \geq G = H, G > I = J > K \geq L, J < O \leq P$ (C) $E > F \geq G = H, G < I = J > K \geq L, J < O \leq P$ (D) $E > F \geq G = H, G < I = J > K \geq L, J > O \leq P$

(E) None of these

Q49 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $H > Q$ II. $R < H$ (A) $W \leq H < U > Z, Q \leq R < U = A$ (B) $W \leq H > U > Z, Q \leq R \geq U = A$ (C) $W \leq H > U > Z, Q \leq R < U = A$ (D) $W \leq H > U > Z, Q > R < U = A$

(E) None of these

Q50 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $K < I$ II. $G \geq S$ **Statements:**I. $R > I \geq S < O, I \leq Z = G, S > W \geq K$ II. $I \leq Z < G, R > I \geq S < O, S > W \geq K$ III. $K > W \geq S, I \leq Z < G, R > I \geq S < O$

(A) Only I

(B) Both II and III

(C) Only II

(D) Both I and III

(E) None of these

Q51 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $L > Q$ II. $O > J$ (A) $L < M < N, M = O > P \geq Q, P > J \leq W < X$ (B) $L = M < N, M = O > P \geq Q, P \leq J \leq W < X$ (C) $L = M < N, M = O > P < Q, P > J \leq W < X$ (D) $L = M < N, M = O > P \geq Q, P > J \leq W < X$

(E) None of these

Q52 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:I. $R > X$ II. $O \geq X$ **Statements:**I. $K = O \leq H, N < U = H \geq X, U < V \leq R$ 

- II. $N < U = H \geq X$, $U < V \leq R$, $H = O \geq K$
 III. $X > U = H \geq N$, $U < V \leq R$, $H = O \geq K$

(A) Only III
 (B) Both II and III
 (C) Only II
 (D) Both I and III
 (E) None of these

Q53 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:

- I. $S < W$
 II. $V \geq I$

Statements:

- I. $V > T \geq S$, $P < V < W$, $I = P > O \geq Z$
 II. $V \leq T \geq S$, $I = P > O \geq Z$, $P \leq V < W$
 III. $V > T \geq S$, $I = P > O \geq Z$, $P \leq V < W$

(A) Only III
 (B) Both II and III
 (C) Only II
 (D) Both I and III
 (E) None of these

Q54 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:

- I. $T \geq F$
 II. $S > E$
 (A) $E > F \leq B \leq C$, $T \geq B = D$, $B \leq R < S > T$
 (B) $E = F < B \leq C$, $T \geq B = D$, $B \leq R < S > T$

- (C) $E = F \leq B \leq C$, $T \geq B = D$, $B \leq R < S > T$
 (D) $E \geq F \leq B \leq C$, $T \geq B = D$, $B \leq R < S > T$
 (E) None of these

Q55 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:

- I. $U > P$
 II. $P \leq E$
 (A) $P > T \leq Q \leq Z \leq E$, $U \geq V = R > T$
 (B) $P = T \leq Q \leq Z \leq E$, $U \geq V = R > T$
 (C) $P = T \leq Q \leq Z > E$, $U \geq V = R > T$
 (D) $P = T \leq Q \leq Z \leq E$, $U \geq V = R < T$
 (E) None of these

Q56 Directions: Analyze the data carefully and answer the questions accordingly.

Conclusions:

- I. $X > L$
 II. $N < G$

Statements:

- I. $X > V = N$, $G > M = K \leq Q$, $L \geq N > K$
 II. $X > V = N$, $G > M = K \leq Q$, $L \leq N < K$
 III. $L > N < K$, $X > V = N$, $G > M = K < Q$

(A) Only III
 (B) Both II and III
 (C) Only II
 (D) Both I and III
 (E) None of these



Answer Key

Level-1

Q1 (C)

Q2 (C)

Q3 (B)

Q4 (A)

Q5 (B)

Q6 (D)

Q7 (B)

Q8 (D)

Q9 (E)

Q10 (C)

Q11 (E)

Q12 (E)

Q13 (B)

Q14 (E)



Level-2

Q1 (C)
Q2 (E)
Q3 (D)
Q4 (D)
Q5 (B)
Q6 (D)
Q7 (D)
Q8 (B)
Q9 (D)
Q10 (C)
Q11 (A)
Q12 (D)
Q13 (B)
Q14 (E)
Q15 (A)
Q16 (E)
Q17 (A)

Q18 (C)
Q19 (A)
Q20 (C)
Q21 (D)
Q22 (A)
Q23 (E)
Q24 (A)
Q25 (B)
Q26 (B)
Q27 (C)
Q28 (B)
Q29 (E)
Q30 (C)
Q31 (C)
Q32 (B)
Q33 (C)
Q34 (A)



Level-3

Q1 (B)
Q2 (D)
Q3 (A)
Q4 (B)
Q5 (D)
Q6 (C)
Q7 (E)
Q8 (D)
Q9 (D)
Q10 (B)
Q11 (D)
Q12 (D)
Q13 (B)
Q14 (E)
Q15 (C)
Q16 (A)
Q17 (C)
Q18 (C)
Q19 (E)
Q20 (A)
Q21 (D)
Q22 (D)
Q23 (D)
Q24 (B)
Q25 (A)
Q26 (A)
Q27 (B)

Q28 (A)
Q29 (D)
Q30 (E)
Q31 (B)
Q32 (A)
Q33 (B)
Q34 (D)
Q35 (D)
Q36 (B)
Q37 (D)
Q38 (B)
Q39 (B)
Q40 (E)
Q41 (D)
Q42 (B)
Q43 (A)
Q44 (E)
Q45 (D)
Q46 (B)
Q47 (D)
Q48 (C)
Q49 (C)
Q50 (A)
Q51 (D)
Q52 (C)
Q53 (A)
Q54 (C)



Q55 (B)

Q56 (C)



Hints & Solutions

Level-1

Q1 Text Solution:

Ans: C

Solution: Given statement: $D < B \leq \# = F < 9 < 0$

Conclusions: I. $\# < 0$ (True), (As, $\# = F < 9 < 0$, so the relationship between $\#$ and 0 is $\# < 0$)

II. $B \leq F$ (True), (As, $B \leq \# = F$, so the relationship between B and F is $B \leq F$)

Therefore, both conclusion 1 and 2 follow

Hence, option c is the correct answer.

Q2 Text Solution:

Ans: C

Solution: Given statement: $@ \leq \& \leq 7 = \% > 1 < \#$

Conclusions: I. $7 \geq @$ (True), (As, $@ \leq \& \leq 7$, so the relationship between 7 and @ is $7 \geq @$)

II. $7 > 1$ (True), (As, $7 = \% > 1$, so the relationship between 7 and 1 is $7 > 1$)

Therefore, both conclusion 1 and 2 follow

Q3 Text Solution:

Given statement: $E < S \leq \infty = \% < Y < @$

Conclusions:

I. $Y \geq S$ (False), (As, $S \leq \infty = \% < Y$, so the relationship between Y and S is $Y > S$).

II. $Y > E$ (True), (As, $E < S \leq \infty = \% < Y$, so the relationship between Y and E is $Y > E$)

Therefore, only conclusion II is true.

Hence, Option B is the correct answer.

Q4 Text Solution:

Ans: A

Solution: Given statement: $P = G < Q$, $E < L \geq U$, $K \leq G = R > L$

On combining the given statements, we get

$K \leq G = R > L \geq U$

I. **Conclusions: I.** $E < Q$ (True), (As $Q > G = R > L > E$, so the relationship between E and Q is $E < Q$)

III. **II.** $G \geq E$ (False), (As $G = R > L > E$, so the relationship between G and E is $G > E$)

Therefore, only conclusion I is true.

Hence, option a is the correct answer.

Q5 Text Solution:

Ans: B

Solution: Given statement: $X = B < N$, $B < O \geq A$, $K \leq O = M > B$

On combining the given statements, we get:

$K \leq O = M > B < O \geq A$

Conclusions:

I. $B < K$ (False), (As: $K \leq O = M > B < O \geq A$, so the relationship between B and K can't be determined)

II. $M > B$ (True), (As: $K \leq O = M > B < O \geq A$, so the relationship between M and B is $M > B$)

Therefore, only conclusion II is true.

Hence, option b is the correct answer.

Q6 Text Solution:

Given statement: $X = U < T$, $U < S \geq I$, $K \leq S = M > U$

On combining the given statements, we get:

$K \leq S = M > U < S \geq I$

Conclusions:

I. $U < K$ (False), (As: $K \leq S = M > U$, so the relationship between U and K can't be determined)

II. $M > K$ (False), (As: $K \leq S = M$, so the relationship between M and K is $M \geq K$)

Therefore, Neither conclusion 1 nor 2 follows

Hence, Option D is the correct answer.



Q7 Text Solution:

I. $P > N < R > S$ it is false
 II. $C < N < R$ it is true
 so option B is correct

Q8 Text Solution:

I. $U < P > Q$ False
 II. $Y \geq F < P > Q = W$ False
 so option D is correct

Q9 Text Solution:

I. $I = J > K = L$ True
 II. $K = L \leq M$ True
 So the option E is correct

Q10 Text Solution:

Given Statements: $M < N = O > P$, $Q > R < M$, $S \leq P$
 On combining: $M < N = O > P \geq S$, $Q > R < M < N = O > P$
 Conclusions:
 I. $Q > P \rightarrow$ False (as $Q > R < M < N = O > P \rightarrow$ Relation cannot be determined)
 II. $N > S \rightarrow$ True (as $N = O > P \geq S \rightarrow N > S$)
 III. $R < O \rightarrow$ True (as $R < M < N = O \rightarrow R < O$)
 IV. $R \geq O \rightarrow$ False (as $R < M < N = O \rightarrow R < O$)
 Hence, the correct option is (C).

Q11 Text Solution:

Given statements: $E \geq U = D$; $R < A < F$; $W \leq D$; $W > F$ On combining: $E \geq U = D \geq W > F > A > R$
 Conclusions:
 I. $U < R \rightarrow$ False (as $U = D \geq W > F > A > R \rightarrow U \geq W > R \rightarrow U > R$)
 II. $E = W \rightarrow$ False (as $E \geq U = D \geq W \rightarrow E \geq D \geq W \rightarrow E \geq W$)
 III. $E > W \rightarrow$ False (as $E \geq U = D \geq W \rightarrow E \geq D \geq W \rightarrow E \geq W$)
 Since, conclusion II and III form complementary pair and $E \geq W$.

Hence, the correct option is (E).

Q12 Text Solution:

Given statements: $T \geq C \geq F$; $E = A < D$; $X > T$; $D < F = T$
 On combining: $E = A < D < F \leq C \leq T < X$; $F = T$
 Conclusions:
 I. $F < E \rightarrow$ False (as $E = A < D < F \rightarrow E < F$)
 II. $C = F \rightarrow$ False (as per the given information $F = T$ & $T \geq C \geq F$)
 III. $A > T \rightarrow$ False (as $A < D < F \leq C \leq T \rightarrow A < F \leq C \leq T \rightarrow A < C \leq T \rightarrow A < T$)
 Hence, the correct option is (E).

Q13 Text Solution:

Given statements: $Z > Y \geq X \geq K$; $K = L \geq M$; On combining: $Z > Y \geq X \geq K = L \geq M$;
 Conclusions:
 I. $X > L \rightarrow$ False (as $X \geq K$ and $K = L$ implies $X \geq L$, thus a clear relation cannot be determined)
 II. $Z > L \rightarrow$ True (as $Z > Y \geq X \geq K$; $K = L$ implies $Z > L$)
 III. $K = Z \rightarrow$ False (as $Z > Y \geq X \geq K$ implies $K < Z$)
 IV. $K < Y \rightarrow$ False (as $Z > Y \geq X \geq K$ implies $Y \geq K$, thus a clear relation cannot be determined)
 Hence, the correct option is (B).

Q14 Text Solution:

Given statements: $P < Q \geq G$; $G \geq I \geq E$; $C \leq P$; $C > U$
 On combining: $U < C \leq P < Q \geq G \geq I \geq E$
 Conclusions:
 I. $U > I \rightarrow$ False (as $U < C \leq P < Q \geq G \geq I \rightarrow$ thus clear relation between U and I cannot be determined)
 II. $P \leq E \rightarrow$ False (as $P < Q \geq G \geq I \geq E \rightarrow$ thus clear relation between P and E cannot be determined)
 Hence, neither I nor II is True.



Level-2

Q1 Text Solution:**Given-**

$$B < C < A < D, E \geq F > D > H = M$$

Which of the following will be false

$$E \geq F > D > A > C > B$$

$$B < C < A < D > H = M$$

a) $A < E$ (False)

b) $F > C$ (False)

c) $H < B$ (True)

d) $E > C$ (False)

Q2 Text Solution:**Given**

$$R = F < I < T < B \leq G < A > V > M$$

Which of the following will be true

$$A > B$$
 (True)

$$R < V$$
 (False)

$$G > F$$
 (True)

$$G > M$$
 (False)

a) and c)

Q3 Text Solution:**Given-**

$$X > B \geq Z > K \geq H = M < J < Y < A < Z$$

Which of the following will be false-

a) $H < X$ (False)

b) $B > M$ (False)

c) $Z > M$ (False)

d) $A > K$ (True)

e) Both b) and d) (False)

Q4 Text Solution:**Given-**

$$M > K = B \geq L > E > X, A < B \leq Z$$

which of the following expressions will be true

i. $X > A$ ($A < B \geq L > E > X$) False

ii. $Z \geq E$ ($Z \geq B \geq L > E$) True

iii. $M > A$ ($M > K = B > A$) True

iv. Both b) and c) True

v. Both a) and c) False

Q5 Text Solution:

Given statement:-

$$T < J \leq M = W > F \geq S$$

i) $T > F$ = (False, As, $T < J \leq M = W > F$. So no relation between T and F can be determined thus, it is definitely false.)ii) $W > S$ = (True, As, $W > F \geq S$. Hence, $W > S$ it is definitely true)

Thus, Only conclusion ii follows.

Hence, the correct answer is option B.**Q6 Text Solution:**

Final answer:

$$\text{\$} > \& \geq \# > (; (\geq * \geq \% \geq ! \geq @$$

Hence, option D is the correct answer.

Q7 Text Solution:

Considering conclusion:

I) $S < X$

Since, $S < P \leq D < L < X$

Hence true.

II) $X > A$

Since, $X \geq N > R = A$

Hence true.

III) $D < N$

Since, $D < L < X \geq N$

Hence false.

Therefore, Only I & II follow.

Q8 Text Solution:

$$H \geq L > M \leq R > I \geq P = U \leq T < B$$
 True

only conclusion II follows

Q9 Text Solution:

Considering conclusion:

I) $A > Z$

Since, $A \geq M > T > R > O > P > N = Z$

Hence true.



II) $\neg(N < M)$

Since, $M > T > R > O > P > N$

Hence true.

III) $T \geq P$

Since, $T > R > O > P$

Hence false.

Therefore, only I & II follow.

Q10 Text Solution:

Considering conclusion:

I) $R > Y$

Since, $R \geq M \geq P \leq K > Y$

Hence false.

II) $Q < K$

Since, $K \geq P \leq M \geq Q$

Hence false.

III) $K \leq Q$

Since, $K \geq P \leq M \geq Q$

Hence false.

Therefore, either II or III is true.

Q11 Text Solution:

$A \geq Y > G < R = Q > O \leq P = I > H$ True

So, only conclusion I follows

Q12 Text Solution:

Considering conclusions,

I. $I > V$

Since, $I > K = J > R > U > V$

Hence, true.

II. $N > P$

Since, $P > S = M > L = N$

Hence, false.

III. $L > Y$

Since, $L = R > U > V > T \geq Y$

Hence, true.

Both conclusions I and III are true.

Q13 Text Solution:

1. $\$ \geq \%$

$\$ > * > ^ = \&; \& < \%$ (False)

1. $@ > ^$

$^ = \&; \& < \% < @$ (True)

Q14 Text Solution:

Considering conclusions,

I. $G < W$

Since, $G < T > Y \geq Z < D \leq N < R < W$

Hence, false.

II. $T < R$

Since, $T > Y \geq Z < D \leq N < R$

Hence, false.

III. $Y > N$

Since, $Y \geq Z < D \leq N$

Hence, false.

Hence, none follow.

Q15 Text Solution:

I) $B > L$

Since, $B = T \geq P > R > L$

Hence true

II) $G < P$

Since, $G < V > R < P$

Hence false

Therefore, only conclusion I follows.

Q16 Text Solution:

Considering conclusion:

I) $G < Y$

Since, $G < P > C \geq Z < D \leq M < R < Y$

Hence false.

II) $P < R$

Since, $P > C \geq Z < D \leq M < R$

Hence false.

III) $C > M$

Since, $C \geq Z < D \leq M$

Hence false.

Therefore, none follows.

Q17 Text Solution:

$B > D = A < R < T \leq Z > M$



1. $D < Z$ (True)
2. $M > A$ (False)

Q18 Text Solution:

$D > R \geq T = W > H \leq S < B$

1. $R > W$ (False)
2. $R = W$ (False)

Either 1 or 2

Q19 Text Solution:

Given statement: $C < O \leq D = S > A \geq P \geq Q$

Conclusion I: $Q < D$

$D = S > A \geq P \geq Q$

So, this conclusion is true.

Conclusion II: $C < A$

$C < O \leq D = S > A$

So, this conclusion is not true.

Only I follow.

Q20 Text Solution:

Given statement: $C \leq L = E \leq R \leq K = P \geq O$

Conclusion I: $P = C$

$C \leq L = E \leq R \leq K = P$

So, this conclusion is not true.

Conclusion II: $C < P$

$C \leq L = E \leq R \leq K = P$

So, this conclusion is not true.

As both conclusions are false and both have same variables and all possible relations between them are visible. So, we can say that this is an either-or case.

Either I or II follow.

Q21 Text Solution:

Given statement: $F \leq B = I \leq C = A \geq S > E$

Conclusion I: $S \geq B$

$F \leq B = I \leq C = A \geq S$

So, this conclusion is not true.

Conclusion II: $F > E$

$F \leq B = I \leq C = A \geq S > E$

So, this conclusion is not true.

Neither I nor II follow.

Q22 Text Solution:

Given statement: $I \geq N = T \geq E > L \geq G > M$

Conclusion I: $G < N$

$N = T \geq E > L \geq G$

So, this conclusion is true.

Conclusion II: $I \geq L$

$I \geq N = T \geq E > L$

So, this conclusion is not true.

Only I follow.

Q23 Text Solution:

Given statement: $W > A = S \geq H < I \leq N \leq G$

Conclusion I: $H < W$

$W > A = S \geq H$

So, this conclusion is true.

Conclusion II: $G > H$

$H < I \leq N \leq G$

So, this conclusion is true.

Both I and II follow.

Q24 Text Solution:

Conclusion 1: $A > D$ It is true.

In the statement relation between A and D is $A > B \geq C > D$ this so, $A > D$ it is true.

Conclusion 2: $H > D$ It is true.

In the statement relation between H and D is $D \leq E \leq F < H$ this so, $H > D$ it is true.

Conclusion 3: $E < H$ It is true.

In the statement relation between E and H is $E \leq F < H$ this so, $E < H$ it is true.

Conclusion 4: $B > F$ It is not true.

In the statement relation between B and F is $B \geq C > D \leq E \leq F$ here opposite symbols are present between B and F, so $B > F$ it is not true.

Q25 Text Solution:

- Conclusion 1: It is not true.

$N > F > O \leq M; O \geq B > Z$

From the statement relation between B and M is $- M \geq B$.



So, $B < M$ is not true.

- Conclusion 2: It is not true.

$N > F > O \leq M; O \geq B > Z$

From the statement relation between N and M is - No direct relation because opposite symbols are present between N and M.

So, $N > M$ is not true.

- Conclusion 3: It is not true.

$N > F > O \leq M; O \geq B > Z$

From the statement relation between M and B is - $M \geq B$.

So, $M = B$ is not true.

- Conclusion 4: It is true.

$N > F > O \leq M; O \geq B > Z$

From the statement relation between N and Z is - $N > Z$.

So, $N > Z$ is true.

In conclusion 1 and 3 either or case occurs.

So the complete answer is : **Only IV and either I or III are true.**

Q26 Text Solution:

Conclusion 1: $L \geq O$ It is not true.

In the statement relation between L and O is $L \geq M < N \leq O$ here opposite symbols are present between L and O, so $L \geq O$ it is not true.

Conclusion 2: $M < Q$ It is true.

In the statement relation between M and Q is $M < N \leq O = P < Q$ this so, $M < Q$ it is true.

Q27 Text Solution:

Conclusion 1: It is not true.

$N \leq M \leq I = Q < P = O$

From statement relation between Q and N is - $N \leq Q$

So, $Q > N$ is false.

Conclusion 2: It is not true.

$N \leq M \leq I = Q < P = O$

From statement relation between Q and N is - $N \leq Q$

So, $N = Q$ is not true.

Here either or case occurs.

Q28 Text Solution:

Conclusion 1: It is not true.

$K < J \leq V < E$

From statement relation between K and E is - $K < E$

So, $K \geq E$ is false.

Conclusion 2: It is true.

$O \geq U > J = K$

So, $K < O$ is true.

Q29 Text Solution:

Conclusion 1: $P \leq S$ It is true.

In the statement relation between P and S is $P \leq Q \leq R = S$ this so, $P \leq S$ it is true.

Conclusion 2: $R > U$ It is true.

In the statement relation between R and U is $R = S \geq T > U$ this so, $R > U$ it is true.

Q30 Text Solution:

Given Statement :

$Q > Z < J \leq C \leq K = G \leq S$

- Conclusion 1: $S \geq J$ It is true.

In the statement relation between S and J is $J \leq C \leq K = G \leq S$ this so, $S \geq J$ It is true.

- Conclusion 2: $Z < G$ It is true.

In the statement relation between Z and G is $Z < J \leq C \leq K = G$ this so, $Z < G$ It is true.

Hence, "Both conclusion I and conclusion II are true" is the correct answer.

Q31 Text Solution:

Conclusion 1: $R \geq F$ It is not true.

In the statement relation between R and F is $R \geq W \leq U = P > F$ here opposite symbols are present between R and F, so $R \geq F$ it is not true.



Conclusion 2: $R < F$ It is not true.

In the statement relation between R and F is $R \geq W \leq U = P > F$ here opposite symbols are present between R and F, so $R < F$ it is not true.

But here Either or case occurs.

Q32 Text Solution:

Given Statement:

$Z \leq Y \leq X = W \geq U > T$

Conclusion 1: $W > Z$ It is not true.

In the statement relation between W and Z is $Z \leq Y \leq X = W$ this so, $W \geq Z$ but conclusion asks $W > Z$ It is not true.

Conclusion 2: $T < X$ It is true.

In the statement relation between X and T is $X = W \geq U > T$ this so, $T < X$ it is true.

Hence, "Only conclusion II true" is the correct answer.

Q33 Text Solution:

Conclusion 1: $V \leq Z$ It is not true.

In the statement relation between V and Z is $Z \geq Y > X < W \geq V$ here opposite symbols are present between V and Z, so $V \leq Z$ it is not true.

Conclusion 2: $Z < V$ It is not true.

In the statement relation between V and Z is $Z \geq Y > X < W \geq V$ here opposite symbols are present between V and Z, so $Z < V$ it is not true.

But here Either or case occurs.

Q34 Text Solution:

1. $\$ > \&$

$\$ > ^ = \% > *; \& < *$ (True)

2. $@ > *$

$@ = \& < *$ (False)



[Android App](#)

| [iOS App](#)

| [PW Website](#)

Level-3

Q1 Text Solution:

Decoded version of signs:

Codes	Symbol
\$	>
#	=
@	≥
%	≤
*	<

Given statement: $D @ C \# A; C * K \# H @ E; K * M \% N$

After decoding: $D \geq C = A; C < K = H \geq E; K < M \leq N$

Conclusions:

I. $C \$ N$ means $C > N$: False (As, $C < K < M \leq N$)

II. $C * M$ means $C < M$: True (As, $C < K < M \leq N$)

Hence, only II is true.

Q2 Text Solution:

Decoded version of signs:

Codes	Symbol
\$	>
#	=
@	≥
%	≤
*	<

Given statement: $O \% Y \# B \% A \# Q; Z @ T \$ P \# Q; O \$ R \# S * V$

After decoding: $O \leq Y = B \leq A = Q; Z \geq T > P = Q; O > R = S < V$

Conclusions:

I. $Z @ B$ means $Z \geq B$: False (As, $Z \geq T > P = Q = A \geq B$)

II. $V \$ O$ means $V > O$: False (As, $O > R = S < V$)

Hence, neither I nor II is true.

Q3 Text Solution:

Decoded version of signs:

Codes	Symbol
\$	>
#	=
@	≥
%	≤
*	<

Given statement: $Z @ M @ N; V \% O * K \% P \# N; V \$ A \# R \$ S$

After decoding: $Z \geq M \geq N; V \leq O < K \leq P = N; V > A = R > S$

Conclusions:

I. $K \% Z$ means $K \leq Z$: True (As, $Z \geq M \geq N = P \geq K$, so $K \leq Z$)

II. $R \$ K$ means $R > K$: False (As, $K > O \geq V > A = R$, so $K > R$)

Hence, only I is true.

Q4 Text Solution:

Given Statement: $R < Q \geq M < H; M > T \leq S = F; Q = L < W \geq B$

From I: $R < W$ ($R < Q = L < W$) → True

From II: $H > F$ ($H > M > T \leq S = F$) → False

From III: $L \leq S$ ($L = Q \geq M > T \leq S$) → False

Hence, option B is correct choice.

Q5 Text Solution:

Given Statement:

$F < B = M; W = G \leq K; H < F = K; W > T = P;$

From I: $M > H$ ($M = B > F > H$) True

From II: $W < B$ ($B > F = K \geq G = W$) True

From III: $K \geq P$ ($K \geq G = W > T = P$) False

Hence, option D is correct choice

Q6 Text Solution:

I) $Q < R (R \leq N = G \leq P = M \leq Q)$ False

II) $R = Q (R \leq N = G \leq P = M \leq Q)$ False



Either conclusion I or II follows.

Q7 Text Solution:

I) $C \leq T (C=Y \leq X \leq M \leq T) \rightarrow \text{True}$

II) $A > Y (Y \leq X \leq M \leq T < S = Z < A) \rightarrow \text{True}$

Both conclusions I and II follow

Q8 Text Solution:

Statement: $N < M \geq P = W > V, S \leq J < Q > W$

Conclusion:

(I) $M > J - (M \geq P = W < Q < J)$ False

(II) $N < S - \text{False}$

Clearly, neither conclusion I nor II follows

Q9 Text Solution:

As per the given statements we get, $B = L < F \geq O$

Conclusions:

I) $B \$ O - B = O - \text{False}$

II) $B @ O - B < O - \text{False}$

So, neither 1 nor 2 follows.

Hence, the correct answer is option D.

Q10 Text Solution:

As per the given statements we get $H < C > X \geq A$

Conclusions:

I) $H @ A - H < A - \text{False}$

II) $A @ C - A < C - \text{True}$

So, Conclusion 2 follows

Hence, the correct answer is option B.

Q11 Text Solution:

@-; #≤; &-; *-; @-<

$D = S \leq T < R; W < Y = L; D > E \leq V; T \leq X > H; X \geq V = B > S$

a) $R = E \leq B (R > T \geq S = D > E \leq V = B) \rightarrow \text{False}$

b) $V \geq S > H (V = B > S \leq T \leq X > H) \rightarrow \text{False}$

c) $R = T > H (R > T \leq X > H) \rightarrow \text{False}$

d) $T \geq D > E (T \geq S = D > E) \rightarrow \text{True}$

e) $X \geq S > V (X \geq T \geq S < B = V) \rightarrow \text{False}$

Hence, option d is correct

Q12 Text Solution:

@-; #≤; &-; *-; @-<

$L > S \geq K \leq A < O; J \geq I > L \geq N = R; A < W \leq H > M; L \leq C = G$

a) $L \geq A \geq H (L > S \geq K \leq A < W \geq H) \rightarrow \text{False}$

b) $R \leq S > W (R = N \leq L > S \geq K \leq A < W) \rightarrow \text{False}$

c) $O \geq L > J (O > A \geq K \leq S < L < I \leq J) \rightarrow \text{False}$

d) $G \geq L \geq R (G = C \geq L \geq N = R) \rightarrow \text{True}$

e) $H \geq N > C (H \geq W > A \geq K \leq S < L \geq N \leq L \leq C) \rightarrow \text{False}$

Hence, option d is correct

Q13 Text Solution:

@-; #≤; &-; *-; @-<

$Y \leq U > C \geq A; T \leq M = J > Y; Z > A \geq L = H; Y \geq D = K \geq O$

a) $U \geq H = Z (U > C \geq A \geq L = H \leq A < Z) \rightarrow \text{False}$

b) $L < U \geq K (L \leq A \leq C < U \geq Y \geq D = K) \rightarrow \text{True}$

c) $Z \geq J < T (Z > A \leq C < U \geq Y < J = M \geq T) \rightarrow \text{False}$

d) $M > C \leq O (M = J > Y \leq U > C < U \geq Y \geq D = K \geq O) \rightarrow \text{False}$

Hence, option b is correct

Q14 Text Solution:

@-; #≤; &-; *-; @-<

$T = B \leq U > H < Q; E < N \leq H = I \leq O; G < I < U \geq R; A \leq L = Z < U$

a) $R < Q \geq G (R \leq U > H < Q > H < U > I > G) \rightarrow \text{False}$

b) $O \geq U \geq L (O \geq I = H < U > Z = L) \rightarrow \text{False}$

c) $E < H > T (E < N \leq H < U \geq B = T) \rightarrow \text{False}$

d) $N > I \geq A (N \leq H = I < U > Z = L \geq A) \rightarrow \text{False}$

e) $G < U > A (G < I < U > Z = L \geq A) \rightarrow \text{True}$

Hence, option e is correct

Q15 Text Solution:

@-; #≤; &-; *-; @-<

$N \leq F < J = E \geq Q; I \leq X > L = J \leq M; A \geq C \geq X \leq O < G;$

$K = B > M \geq Z$

a) $G > X \geq N (G > O \geq X > L = J > F \geq N) \rightarrow \text{False}$

b) $O \geq J = B (O \geq X > L = J \leq M < B) \rightarrow \text{False}$

c) $Q \leq M \geq L (Q \leq E = J \leq M \geq J = L) \rightarrow \text{True}$

d) $O = J \geq B (O \geq X > L = J \leq M < B) \rightarrow \text{False}$

Hence, option c is correct

Q16 Text Solution:



Conclusion: I) $R@T$ ($R \geq E > A \geq V = T$) $\rightarrow$ True II)
 $Y\#H$ ($Y \leq K < P > T = V \leq A < E > M \leq H$) $\rightarrow$ False
 Only conclusion I is true.

Q17 Text Solution:

- a) **Conclusions I. $F \# K$ does not follows.**
- b) **Conclusions II. $J @ B$ does not follows.**
- (c) Both **Conclusions follows.**
- (d) **Conclusions II. $J @ B$ does not follows.**
- (e) **Conclusions I. $F \# K$ does not follows.**

Q18 Text Solution:

- a) **Conclusions I. $H @ G$ does not follows.**
- b) **Conclusions I. $H @ G$ does not follows.**
- (c) Both **Conclusions follows.**
- (d) **Conclusions I. $H @ G$ does not follows.**
- (e) **Conclusions II. $A \# S$ does not follows.**

Q19 Text Solution:

- a) **Conclusions I. $I \$ P$ does not follows.**
- b) **Conclusions I. $I \$ P$ does not follows.**
- (c) **Conclusions I. $I \$ P$ does not follows.**
- (d) **Conclusions I. $I \$ P$ does not follows.**
- (e) None of these

Q20 Text Solution:

- 1. Both **Conclusions follows.**
- 2. **Conclusions II. $X @ V$ does not follows.**
- (c) **Conclusions I. $T ! N$ does not follows.**
- (d) **Conclusions II. $X @ V$ does not follows.**
- (e) None of these

Q21 Text Solution:

- a) **Conclusions II. $R @ W$ does not follows.**
- b) **Conclusions I. $T ! U$ does not follows.**
- (c) **Conclusions II. $R @ W$ does not follows.**
- (d) Both **Conclusions follows.**
- (e) **None of these**

Q22 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$\leq$
\$	$>$
%	$=$
&	$<$
@	$\geq$

Given statement: $318 @ 212 \% 11 \& 27 \# 115 \# 29 \& 16$

After decoding: $318 \geq 212 = 11 < 27 \leq 115 \leq 29 < 16$

Conclusions:

I. $318 \& 11 - 318 < 11 - \text{False} - (\text{As, } 318 \geq 212 = 11)$

II. $11 \% 318 - 11 = 318 - \text{False} - (\text{As, } 318 \geq 212 = 11)$

Hence, neither I nor II is true.

Q23 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$\leq$
\$	$>$
%	$=$
&	$<$
@	$\geq$

Given statement: $A \# Y \% B \& E @ S @ G$

After decoding: $A \leq Y = B < E \geq S \geq G$

Conclusion:

I. $G @ A - G \geq A - \text{False} - (\text{As, } G \leq S \leq E > B = Y \geq)$

II. $Y \# E - Y \leq E - \text{False} - (\text{As, } Y = B < E)$

Hence, neither I nor II is true.

Q24 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$\leq$
\$	$>$
%	$=$
&	$<$
@	$\geq$

Given statement: $A \% P \# B \& G \& E \% C$



After decoding: $A = P \leq B < G < E = C$

Conclusion:

I. $A \# G - A \leq G$ - False - (As, $A = P \leq B < G$)

II. $P \& C - P < C$ - True - (As, $P \leq B < G < E = C$)

Hence, only II is true.

Q25 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$\leq$
\$	$>$
%	$=$
&	$<$
@	$\geq$

Given statement: $P \$ Q \# X @ W \$ S, P \# T$

After decoding: $P > Q \leq X \geq W > S, P \leq T$

Conclusions:

I. $T \$ Q - T > Q$ - True ($T \geq P > Q$)

II. $P \& W - P < W$ - False ($P > Q \leq X \geq W$)

Hence, only I is true.

Q26 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$\leq$
\$	$>$
%	$=$
&	$<$
@	$\geq$

Given statement: $R \& S \# T; Q \# P \& R; V \$ U \# S$

After decoding: $R < S \leq T; Q \leq P < R; V > U \leq S$

Conclusions:

I. $T \$ Q - T > R$ - True - (As, $Q \leq P < R < S \leq T$, so $T > Q$)

II. $P \& V - P < V$ - False - (As, $P < R < S \geq U < V$)

Hence, only I is true.

Q27 Text Solution:

The following codes:

Codes	Symbol
#	$\leq$
*	$>$
^	$\geq$
@	$=$
\$	$<$

Given statement: $B \# C @ D ^ E \$ F; U ^ D @ K * L$

After decoding: $B \leq C = D \geq E < F; U \geq D = K > L$

Conclusions:

I. $F * B - F > B$ - False - (As, $B \leq C = D = K \geq E < F$)

II. $C * L - C > L$ - True - (As, $C = D = K > L$, so $C > L$)

III. $U ^ B - U \geq B$ - True - (As, $B \leq C = D = K \leq U$, so $U \geq B$)

IV. $K * F - K > F$ - False - (As, $K = D \geq E < F$)

Hence, both II and III are true.

Q28 Text Solution:

The following codes:

Codes	Symbol
#	$\leq$
*	$>$
^	$\geq$
@	$=$
\$	$<$

Given statement: $Blue ^ 32 @ Grey ^ 18 * 19; 35 \# Pink \$ Yellow \# 18$

After decoding: $Blue \geq 32 = Grey \geq 18 > 19; 35 \leq Pink < Yellow \leq 18$

Conclusions:

I. $Yellow \$ 32 - Yellow < 32$ - False (As, $Yellow \leq 18 \leq Grey = 32$)

II. $35 \$ 19 - 35 < 19$ - False - (As, $35 \leq Pink < Yellow \leq 18 > 19$)

III. $Blue ^ Yellow - Blue \geq Yellow$ - True - (As, $Blue \geq 32 = Grey \geq 18 \geq Yellow$)

IV. $Yellow @ Grey - Yellow = Grey$ - False - (As, $Yellow \leq 18 \leq Grey$)



Hence, Only III and either I or IV are true.

Q29 Text Solution:

The following codes:

Codes	Symbol
#	$\leq$
*	$>$
^	$\geq$
@	$=$
\$	$<$

Given statement: IBPS # SBI @ CLERK ^ PO; RBI * BANK # SBI * SO

After decoding: IBPS $\leq$ SBI = CLERK $\geq$ PO, RBI $>$ BANK $\leq$ SBI $>$ SO

Conclusions:

I. SO \$ CLERK - SO $<$ CLERK - True - (As, SO $<$ SBI = CLERK)

II. PO \$ BANK - PO $<$ BANK - False - (As, PO $\leq$ CLERK = SBI $\geq$ BANK)

III. BANK # CLERK - BANK $\leq$ CLERK - True - (As, BANK $\leq$ SBI = CLERK)

IV. IBPS \$ CLERK - IBPS $<$ CLERK - False (As, IBPS $\leq$ SBI = CLERK)

Hence, "Both I and III are true" is the correct answer.

Q30 Text Solution:

The following codes:

Codes	Symbol
#	$\leq$
*	$>$
^	$\geq$
@	$=$
\$	$<$

Given statement: U \$ M ^ Q @ L # T; U # C \$ V \$ O # K ^ G

After decoding: U $<$ M $\geq$ Q = L $\leq$ T; U $\leq$ C $<$ V $<$ O $\leq$ K $\geq$ G

Conclusions:

I. Q # C - Q $\leq$ C - False - (As, Q $\leq$ M $>$ U $\leq$ C)

II. L \$ C - L $<$ C - False - (As, L = Q $\leq$ M $>$ U $\leq$ C)

III. K # V - K $\leq$ V - False - (As, K $\geq$ O $>$ V)

IV. G \$ V - G $<$ V - False - (As, V $<$ O $\leq$ K $\geq$ G)

Hence, none is true.

Q31 Text Solution:

The following codes:

Codes	Symbol
#	$\leq$
*	$>$
^	$\geq$
@	$=$
\$	$<$

Given statement: M # P \$ Q @ R; S ^ T * U ^ R

After decoding: M $\leq$ P $<$ Q = R, S $\geq$ T $>$ U $\geq$ R

Conclusions:

I. T ^ P - T $\geq$ P - False - (As, T $>$ U $\geq$ R = Q $>$ P)

II. Q # U - Q $\leq$ U - True - (As, Q = R $\leq$ U)

III. S * P - S $>$ P - True - (As, S $\geq$ T $>$ U $\geq$ R = Q $>$ P)

IV. Q @ U - Q = U - False - (As, Q = R $\leq$ U)

Hence, only II and III are true.

Q32 Text Solution:

Decoded version of signs:

Codes	Symbol
#	$=$
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: L * M; J + K # L; O @ M @ N; O * P

After decoding: L $\leq$ M; J $\geq$ K = L; O $>$ M $>$ N; O $\leq$ P

Conclusions:

I. K * P means K $\leq$ P: False (As K = L $\leq$ M $<$ O $\leq$ P, so K $<$ P)

II. N % K means N $<$ K: False (As K = L $\leq$ M $>$ N)



III. $L \% P$ means $L < P$: True (As $L \leq M < O \leq P$, so $L < P$)

Hence, only III is true.

Q33 Text Solution:

Decoded version of signs:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: $B + D$, $D \% T$, $T * M$

After decoding: $B \geq D$, $D < T$, $T \leq M$

Conclusions:

I. $B @ T$ means $B > T$ - False (As, $B \geq D < T$)

II. $M @ D$ means $M > D$ - True (As, $M \geq T > D$)

III. $B @ M$ means $B > M$ - False (As, $B \geq D < T \leq M$)

Hence, "Only II is true" is the correct answer.

Q34 Text Solution:

Decoded version of signs:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: $D \% F$, $F @ H$, $H * N$

After decoding: $D < F$, $F > H$, $H \leq N$

Conclusions:

I. $N @ F$ means $N > F$ - False (As, $N \geq H < F$)

II. $D \% N$ means $D < N$ - False (As, $D < F > H \leq N$)

III. $H \% D$ means $H < D$ - False (As, $H < F > D$)

Hence, "None is true" is the correct answer.

Q35 Text Solution:

Decoded version of signs:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: $K \# W$, $M @ W$, $R + M$

After decoding: $K = W$, $M > W$, $R \geq M$

Conclusions:

I. $K \% M$ means $K < M$ - True (As, $K = W < M$)

II. $W \% R$ means $W < R$ - True (As, $W < M \leq R$)

III. $R @ K$ means $R > K$ - True (As, $R \geq M > W = K$)

Hence, all are true.

Q36 Text Solution:

The following codes:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: $T \# R$, $R \% Q$, $Q * S$

After decoding: $T = R < Q \leq S$

Conclusions:

I. $T @ Q$ - $T > Q$ - False

II. $R \% S$ - $R < S$ - True

Hence, only conclusion II is true.

Q37 Text Solution:

The following codes:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$



Given statements: $D \% F, F @ H, H * N$

After decoding: $D < F > H \leq N$

Conclusions:

I. $N @ F - N > F$ - False

II. $D \% N - D < N$ - False

Hence, neither I nor II is true.

Q38 Text Solution:

The following codes:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statements: $E @ F, F + G, G \# K, K \% L$

After decoding: $E > F \geq G = K < L$

Conclusion:

I. $E + G - E \geq G$ - False

II. $L @ G - L > G$ - True

Hence, only conclusion II is true.

Q39 Text Solution:

The following codes:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statement: $B + D, D \% T, T * M$

After decoding the statement: $B \geq D < T \leq M$

Conclusions:

I. $B @ T - B > T$ - False

II. $M @ D - M > D$ - True

Hence, only conclusion II is true.

Q40 Text Solution:

The following codes:

Codes	Symbol
#	=
+	$\geq$
@	$>$
*	$\leq$
%	$<$

Given statements: $K \# W, M @ W, R + M$

After decoding: $K = W, M > W, R \geq M$

Combining statement: $K = W < M \leq R$

Conclusions:

I. $K \% M - K < M$ - True

II. $W \% R - W < R$ - True

Hence, both I and II are true.

Q41 Text Solution:

Decoded version of signs:

Codes	Symbol
@	$<$
#	$>$
%	=
\$	$\geq$
Ω	$\leq$

Given statement: $A \$ C \# D \% B @ F; D @ G \Omega K$
 $\% M$

After decoding: $A \geq C > D = B < F; D < G \leq K = M$

Conclusions:

I. $A \$ K - A \geq K$ - False - (As, $A \geq C > D < G \leq K$)

II. $C \# F - C > F$ - False - (As, $C > D = B < F$)

III. $M \# B - M > B$ - True - (As, $M = K \geq G > D = B$)

Hence, "Only III is true" is the correct answer.

Q42 Text Solution:

Decoded version of signs:



Codes	Symbol
@	<
#	>
%	=
\$	≥
Ω	≤

Given statement: $R \# J @ S \Omega B @ D \% F \$ C \Omega H \# K \$ T$

After decoding: $R > J < S \leq B < D = F \geq C \leq H > K \geq T$

Conclusions:

I. $D @ T - D < T$ - False - (As, $D = F \geq C \leq H > K \geq T$)

II. $F \$ T - F \geq T$ - False - (As, $F \geq C \leq H > K \geq T$)

III. $J \$ F - J \geq F$ - False - (As, $J < S \leq B < D = F$)

Hence, either I or II is true.

Q43 Text Solution:

Decoded version of signs:

Codes	Symbol
@	<
#	>
%	=
\$	≥
Ω	≤

Given statement: $A \Omega U \% W @ V; M @ T \Omega R \% K \# A \$ J$

After decoding: $A \leq U = W < V; M < T \leq R = K > A \geq J$

Conclusions:

I. $J \Omega W - J \leq W$ - True (As, $J \leq A \leq U = W$)

II. $T \# A - T > A$ - False - (As, $T \leq R = K > A$)

III. $R \$ V - R \geq V$ - False - (As, $R = K > A \leq U = W < V$)

Hence, only I is true.

Q44 Text Solution:

The following codes:

Codes	Symbol
\$	≥
&	≤
@	>
#	<
%	=

Given statement: $A \& M @ G \# D, E \# L \& D, S \& O \% E$

After decoding: $A \leq M > G < D \geq L > E = O \geq S$

Conclusions:

I. $A @ O - A > O$ - False (As, $A \leq M > G < D \geq L > E = O$)

II. $D \$ S - D \geq S$ - False (As, $D \geq L > E = O \geq S$, so, $D > S$)

III. $M \# O - M < O$ - False (As $M > G < D \geq L > E = O$)

Hence, none of the conclusions is true.

Q45 Text Solution:

The following codes:

Codes	Symbol
\$	≥
&	≤
@	>
#	<
%	=

Given statement: $N \& B \% V \$ D \# R, B @ A \& L$

After decoding: $N \leq B = V \geq D < R, B > A \leq L$

Conclusions:

I. $N \# A - N < A$ - False (As, $N \leq B > A$)

II. $A \$ N - A \geq N$ - False (As, $A < B \geq N$)

III. $L \% B - L = B$ - False (As, $B > A \leq L$)

Hence, none of the conclusions are true.

Q46 Text Solution:

The following codes:



Codes	Symbol
\$	$\geq$
&	$\leq$
@	$>$
#	$<$
%	$=$

Given statements: $Q \# R \% S \& T, T \% U @ V \$ W \% N$

After decoding: $Q < R = S \leq T, T = U > V \geq W = N$

Conclusions:

I. $Q \# U - Q < U - \text{True}$ (As, $Q < R = S \leq T = U$, so $Q < U$)

II. $T \$ W - T \geq W - \text{False}$ (As, $T = U > V \geq W$, so $T > W$)

III. $T @ N - T > N - \text{True}$ (As, $T = U > V \geq W = N$, so $T > N$)

Hence, Only I and III are true.

Q47 Text Solution:

$H = T \leq A < F$, True

$H = T \leq N = V \leq S$ True

$N \geq T > H, T = A < F, Z < N = V \leq S$ False

Q48 Text Solution:

$G < I = J < O \leq P$ True

$H = G < I$ True

Q49 Text Solution:

$Q \leq R < U < H$ True

Option C is correct

Q50 Text Solution:

$I \geq S > W \geq K$,

$S \leq I \leq Z = G$

so statement I is true only

Q51 Text Solution:

$L = M = O > P \geq Q$ True

$O > P > J \leq W$ True

so Option D is correct

Q52 Text Solution:

$X \leq H = U < V \leq R$, True

$O = H \geq X$ True

So option C is correct because statement II is correct

Q53 Text Solution:

$W > V > T \geq S$, True

$I = P \leq V$ True

Only statement III is correct so option A is correct

Q54 Text Solution:

$T \geq B \geq F$ True

$E = F \leq B \leq R < S$ True

So only Option C is correct for the conclusion I and II

Q55 Text Solution:

$U \geq V = R > T = P$ True

$P = T \leq Q \leq Z \leq E$ True

Option B is correct Statement for the Both conclusion

Q56 Text Solution:

$X > V = N \geq L$, True

$G > M = K > N$ True

Only Statement II is correct for the both conclusion So, Option C is correct

