

Reasoning

Blood Relation

Level-1

Q1 Study the following information carefully and answer the questions given below:

R@S means R is married to S

R#S means R is parent of S

R&S means R is sibling of S and both are of same gender

R\$S means R is sibling of S and both are of different gender

R+ means R is male R* means R is female

If Q@U*#G\$V, E@V+#Y&Z, U#J#W, J+@D#M is true and W is only niece of G then, how many male members are in the family?

- (A) Three (B) Four
(C) Five (D) Seven
(E) Six

Q2 Study the following information carefully and answer the questions accordingly.

There are eight persons and three generations in a family. E is a sister-in-law of F, who is the father-in-law of G. A is the only son of B. D is a spouse of C. F does not have any brother or sister. H, who is the mother of B, is a spouse of F. C is a male member. B is a son-in-law of C.

How is B related to E?

- (A) Niece (B) Son
(C) Daughter (D) Nephew
(E) None of these

Q3

Study the following information carefully and answer the questions accordingly.

There are eight persons and three generations in a family. E is a sister-in-law of F, who is the father-in-law of G. A is the only son of B. D is a spouse of C. F does not have any brother or sister. H, who is the mother of B, is a spouse of F. C is a male member. B is a son-in-law of C.

How many male members are in the family?

- (A) 3 (B) 5
(C) 4 (D) 2
(E) None of these

Q4 Study the following information carefully and answer the questions accordingly.

There are eight persons and three generations in a family. E is a sister-in-law of F, who is the father-in-law of G. A is the only son of B. D is a spouse of C. F does not have any brother or sister. H, who is the mother of B, is a spouse of F. C is a male member. B is a son-in-law of C.

Who among the following person is the paternal grandfather of A?

- (A) C (B) D
(C) F (D) H
(E) None of these

Q5 Study the following information carefully and answer the questions accordingly.



There are nine members P, Q, R, S, T, U, V, W, and X in the family of three generations. There are only three female members in the family. S is the grandmother of X, who has no children. Q is the daughter of P, whose husband/wife is alive. X is the daughter of V. Both W and U are brothers and are the children of V. P is married to S. Each female has two sons and one daughter except the third-generation female.

What is the relation of T with respect to X?

- (A) Father (B) Maternal Aunt
(C) Maternal Uncle (D) Paternal Uncle
(E) None of these

Q6 Study the following information carefully and answer the questions accordingly.

There are nine members P, Q, R, S, T, U, V, W, and X in the family of three generations. There are only three female members in the family. S is the grandmother of X, who has no children. Q is the daughter of P, whose husband/wife is alive. X is the daughter of V. Both W and U are brothers and are the children of V. P is married to S. Each female has two sons and one daughter except the third-generation female.

What is the relation of V with respect to R?

- (A) Sister in law (B) Brother
(C) Sister (D) Brother in law
(E) None of these

Q7 Study the following information carefully and answer the questions accordingly.

There are nine members P, Q, R, S, T, U, V, W, and X in the family of three generations. There are only three female members in the family. S is the grandmother of X, who has no children. Q is the daughter of P, whose husband/wife is alive. X is the daughter of V. Both W and U are brothers and are the children of V. P is married to S. Each female has two sons and one daughter except the third-generation female.

Who among the following person is the nephew of T?

- (A) X
(B) W
(C) U
(D) Can't be determined
(E) Both B and C



Level-2

Q1 Study the following information carefully and answer the questions accordingly.

There are nine members P, Q, R, S, T, U, V, W, and X in the family of three generations. There are only three female members in the family. S is the grandmother of X, who has no children. Q is the daughter of P, whose husband/wife is alive. X is the daughter of V. Both W and U are brothers and are the children of V. P is married to S. Each female has two sons and one daughter except the third-generation female.

Who among the following person is the son of V?

- (A) U (B) X
(C) W (D) Both W & U
(E) None of these

Q2 Directions: Study the following information carefully and answer the questions accordingly.

In a family of 11 members A to K. Each male has one brother and one sister. Only married couple has children.

J is married to C. B and D are the children of C. D is married E. C and E has no sibling. H is the grandson of C. B is sister of K. A is sister of F but not sister of H. G is brother of I.

How C is related to A?

- (A) Sister (B) Sister in law
(C) Wife (D) Brother
(E) None of these

Q3 Directions: Study the following information carefully and answer the questions accordingly.

In a family of 11 members A to K. Each male has one brother and one sister. Only married couple has children.

J is married to C. B and D are the children of C. D is married E. C and E has no sibling. H is the grandson of C. B is sister of K. A is sister of F but not sister of H. G is brother of I.

How E is related to B?

- (A) Daughter in law
(B) Mother in law
(C) Sister
(D) Sister in law
(E) None of these

Q4 Study the following information carefully and answer the questions accordingly.

In a family of 11 members A to K. Each male has one brother and one sister. Only married couple has children.

J is married to C. B and D are the children of C. D is married E. C and E has no sibling. H is the grandson of C. B is sister of K. A is sister of F but not sister of H. G is brother of I.

How K is related to C?

- (A) Mother (B) Father
(C) Son (D) Wife
(E) None of these

Q5 Study the following information carefully and answer the questions accordingly.

In a family of 11 members A to K. Each male has one brother and one sister. Only married couple has children.

J is married to C. B and D are the children of C. D is married E. C and E has no sibling. H is the grandson of C. B is sister of K. A is sister of F but not sister of H. G is brother of I.



How many married couple in the family?

- (A) Two (B) None
(C) Three (D) Four
(E) None of these

Q6 Directions: Study the following data carefully and answer the questions accordingly.

There is a combined family of Nine members. In this three generation family having four married couple.

Wife of J has no sibling but her son in law is P. B and J are married couple. J is Brother-in-law of D who is Father of C. C is a male member. A has no grandchild but only a daughter no son. L and K are family member. U is married to C. L is not daughter of A.

How C is related to L?

- (A) Daughter (B) Father
(C) Son (D) Mother
(E) None of these

Q7 Directions: Study the following data carefully and answer the questions accordingly.

There is a combined family of Nine members. In this three generation family having four married couple.

Wife of J has no sibling but her son in law is P. B and J are married couple. J is Brother-in-law of D who is Father of C. C is a male member. A has no grandchild but only a daughter no son. L and K are family member. U is married to C. L is not daughter of A.

How J is related to K?

- (A) Grand Son (B) Father
(C) Grand Father (D) Sister
(E) None of these

Q8 Directions: Study the following data carefully and answer the questions accordingly.

There is a combined family of Nine members. In this three generation family having four married couple.

Wife of J has no sibling but her son in law is P. B and J are married couple. J is Brother-in-law of D who is Father of C. C is a male member. A has no grandchild but only a daughter no son. L and K are family member. U is married to C. L is not daughter of A.

How is A related to B?

- (A) Son (B) Brother
(C) Daughter (D) Father
(E) None of these

Q9 Directions: Study the following data carefully and answer the questions accordingly.

There is a family of M, N, O, P, Q R, S, T, U. Each male has sister. Only married couple has children. O is brother-in-law of P. N is son of M. Q is daughter-in-law of P. T is grand daughter of P. S is married to O. N is the father of T. S has no sibling. R is not belongs to O's generation.

How M is related to Q?

- (A) Mother (B) Brother
(C) Son (D) Mother in law
(E) None of these

Q10 Directions: Study the following data carefully and answer the questions accordingly.

There is a family of M, N, O, P, Q R, S, T, U. Each male has sister. Only married couple has children. O is brother-in-law of P. N is son of M. Q is daughter-in-law of P. T is grand daughter of P. S is married to O. N is the father of T. S has no sibling. R is not belongs to O's generation.

How Q is related to R?

- (A) Sister (B) Sister in law
(C) Daughter (D) Mother
(E) None of these



Q11 Directions: Study the following data carefully and answer the questions accordingly.

There is a family of M, N, O, P, Q R, S , T, U. Each male has sister. Only married couple has children. O is brother-in-law of P. N is son of M. Q is daughter-in-law of P. T is grand daughter of P. S is married to O. N is the father of T. S has no sibling. R is not belongs to O's generation.

How R is related to T?

- (A) Sister (B) Mother
(C) Daughter (D) Aunt
(E) None of these

Q12 Directions: Study the following data carefully and answer the questions accordingly.

There is a family of M, N, O, P, Q R, S , T, U. Each male has sister. Only married couple has children. O is brother-in-law of P. N is son of M. Q is daughter-in-law of P. T is grand daughter of P. S is married to O. N is the father of T. S has no sibling. R is not belongs to O's generation.

How many couple in the family?

- (A) Two (B) Three
(C) Four (D) One
(E) None of these

Q13 Directions: Study the following data carefully and answer the questions accordingly.

There is a family of M, N, O, P, Q R, S , T, U. Each male has sister. Only married couple has children. O is brother-in-law of P. N is son of M. Q is daughter-in-law of P. T is grand daughter of P. S is married to O. N is the father of T. S has no sibling. R is not belongs to O's generation.

How many females in the family?

- (A) Two (B) Four
(C) Six (D) Five
(E) None of these

Q14

Study the following information carefully and answer the questions accordingly.

A family consists of nine people, including three married couples. There is no child of a single parent. B is E's father-in-law, and E is G's only daughter-in-law. P and X are both siblings. O is the only son of Y, who is the only son of G. Then Q is P's sister's brother-in-law. G has three kids. The uncle of W is Y. The genders of W and X are the same.

How many male family members are there?

- (A) 3
(B) 4
(C) 6
(D) 5
(E) Can't be determined

Q15 Study the following information carefully and answer the questions accordingly.

A family consists of nine people, including three married couples. There is no child of a single parent. B is E's father-in-law, and E is G's only daughter-in-law. P and X are both siblings. O is the only son of Y, who is the only son of G. Then Q is P's sister's brother-in-law. G has three kids. The uncle of W is Y. The genders of W and X are the same.

What is O's relationship to W?

- (A) Niece (B) Nephew
(C) Sister (D) Brother
(E) Cousin

Q16 Study the following information carefully and answer the questions accordingly.

A family consists of nine people, including three married couples. There is no child of a single parent. B is E's father-in-law, and E is G's only daughter-in-law. P and X are both siblings. O is the only son of Y, who is the only son of G. Then Q is P's sister's brother-in-law. G has three kids. The uncle of W is Y. The genders of W and X are the same.

Which of the following people is E's sister-in-law?

- (A) Y (B) P
(C) X (D) Both b and c
(E) Both a and b

Q17 Study the following information carefully and answer the questions accordingly.

A family consists of seven members namely A, B, C, D, E, F and G. In a family there are three children and four are adults. Among the children, only F and G are boys. A and D are sisters and A is Surgeon. E is the Teacher married to A and has only two children. B is married to D and G is their only child.

How is A related to G?

- (A) Daughter (B) Maternal Aunt
(C) Mother (D) Sister
(E) None of these

Q18 Directions : Study the given information carefully and answer the questions that follow:

W @ M means W is the father of M.

W \$ M means W is the mother of M.

W % M means W is the sister of M.

W ~ M means W is the husband of M.

W & M means W is the wife of M.

W * M means W is the brother of M.

In a family, the following relationships are known:

K & Y @ H; E % R ~ V; H ~ E; D \$ R @ A; D & S

Which of the following is correct?

- (A) D \$ H (B) V % S
(C) S @ H (D) V \$ A
(E) None of these

Q19 Directions: Read the following information carefully and answer the questions given below.

'A @ B' means 'A is the spouse of B'.

'A#B' means 'A is the brother of B'.

'A%B' means 'A is the daughter of B'.

'A*B' means 'A is the mother of B'.

'A\$B' means 'A is the sister of B'.

Now Answer the following questions based on the above relations.

If the expression 'G % H @ C \$ P # U *E' holds true, then which of the following statements is definitely false?

- (A) H is the brother-in-law of P.
(B) E is the brother of C.
(C) C is the sister of U.
(D) U is the aunt of G.
(E) P is the uncle of G.

Q20 Directions: Read the following information carefully and answer the questions given below.

'A @ B' means 'A is the spouse of B'.

'A#B' means 'A is the brother of B'.

'A%B' means 'A is the daughter of B'.

'A*B' means 'A is the mother of B'.

'A\$B' means 'A is the sister of B'.



Now Answer the following questions based on the above relations.

If the expression ' $Q \# B * D \$ E @ F \$ H$ ' holds true, then what is the relation of E with respect to H?

- (A) Brother-in-law (B) Brother
(C) Sister-in-law (D) Sister
(E) None of these

Q21 Directions: Read the following information carefully and answer the questions given below.

'A @ B' means 'A is the spouse of B'.

'A # B' means 'A is the brother of B'.

'A % B' means 'A is the daughter of B'.

'A * B' means 'A is the mother of B'.

'A \$ B' means 'A is the sister of B'.

Now Answer the following questions based on the above relations.

In the expression ' $S @ C \% D @ E * F$ ', how is S related to E?

- (A) Son
(B) Son-in-law
(C) Daughter
(D) Daughter-in-law
(E) None of these

Q22 Read the following information to answer the questions.

'P + Q' means 'P is the brother of Q'.

'P - Q' means 'P is the husband of Q'.

'P × Q' means 'P is the grandparent of Q'.

'P ÷ Q' means 'P is the parent of Q'.

What is represented by ' $D \div A \div B + C - E$ '?

- (A) A is son of E

- (B) E is grandson of A
(C) C is grandson of D
(D) D is father of B
(E) None of these

Q23 Read the following information to answer the questions.

'P + Q' means 'P is the brother of Q'.

'P - Q' means 'P is the husband of Q'.

'P × Q' means 'P is the grandparent of Q'.

'P ÷ Q' means 'P is the parent of Q'.

Which option represents C is the grandparent of B?

- (A) $C \times A + B \div D$
(B) $A \div D - C \div B$
(C) $B \div D + A - C$
(D) $A + B \times D \div C$
(E) None of these

Q24 Read the following information to answer the questions.

'P + Q' means 'P is the brother of Q'.

'P - Q' means 'P is the husband of Q'.

'P × Q' means 'P is the grandparent of Q'.

'P ÷ Q' means 'P is the parent of Q'.

Who is A's daughter in law according to ' $A - C \div D + B - E$ '?

- (A) B (B) C
(C) D (D) E
(E) None of these

Q25 Read the following information carefully and answer the question below:

If ' $A * B$ ' means 'A is the father of B'.

If ' $A + B$ ' means 'A is wife of B'.



If 'A ÷ B' means 'A is daughter of B'.

If 'A - B' means 'A is son of B'.

How is L related to Q in the expression 'L ÷ M * O - P ÷ Q'?

- (A) Granddaughter (B) Niece
(C) Daughter (D) Son
(E) None of these

Q26 Read the given information carefully and answer the questions based on it:

In a definite code language,

P@Q means P is daughter of Q

P+Q means P is spouse of Q

P/Q means P is brother of Q

P%Q means P is mother of Q

P θ Q means P is son of Q

If the expression 'B / Z / A @ Q + Y θ J' is true, then how is Y related to A?

- (A) Father (B) Grandfather
(C) Brother (D) Son
(E) None of these

Q27 Read the given information carefully and answer the questions based on it:

In a definite code language,

P@Q means P is daughter of Q

P+Q means P is spouse of Q

P/Q means P is brother of Q

P%Q means P is mother of Q

P θ Q means P is son of Q

If the expression 'F@P+C/H%B@A' is true, then which of the following will be true?

- (A) P is sister-in-law of H
(B) F and B are cousin
(C) All are true

(D) A and C are of same gender

(E) C is maternal uncle of B

Q28 Read the given information carefully and answer the questions based on it:

In a definite code language,

P@Q means P is daughter of Q

P+Q means P is spouse of Q

P/Q means P is brother of Q

P%Q means P is mother of Q

P θ Q means P is son of Q

If the expression 'K + G @ T % P θ L' is true, then how is L related to K?

- (A) Father-in-law (B) Father
(C) Mother-in-law (D) Mother
(E) None of these

Q29 Directions: Study the following data carefully and answer the questions accordingly.

2 * 3 → 2 is the husband of 3.

2 & 3 → 3 is the daughter-in-law of 2.

2 % 3 → 2 is the wife of 3.

2 # 3 → 2 is the son of 3.

2 @ 3 → 3 is the child of 2.

2 © 3 → 2 is the parent of 3.

2 \$ 3 → 2 is elder than 3.

If C @ E * F & G % I is true and the age of I is 40 years, then what could be the age of F?

- (A) 32 years (B) 35 years
(C) 65 years (D) 38 years
(E) 36 years

Q30 Directions: Study the following data carefully and answer the questions accordingly.

2 * 3 → 2 is the husband of 3.

2 & 3 → 3 is the daughter-in-law of 2.

2 % 3 → 2 is the wife of 3.

2 # 3 → 2 is the son of 3.



2 @ 3 → 3 is the child of 2.

2 © 3 → 2 is the parent of 3.

2 \$ 3 → 2 is elder than 3.

If C @ E * F & G % I is true then how E is related to G?

- (A) Mother (B) Father
(C) Mother-in-law (D) Father-in-law
(E) Cant determine

Q31 Directions: Study the following data carefully and answer the questions accordingly.

2 * 3 → 2 is the husband of 3.

2 & 3 → 3 is the daughter-in-law of 2.

2 % 3 → 2 is the wife of 3.

2 # 3 → 2 is the son of 3.

2 @ 3 → 3 is the child of 2.

2 © 3 → 2 is the parent of 3.

2 \$ 3 → 2 is elder than 3.

If J * O © Q \$ P # O and Q © T % U is true, then how is P related to T?

- (A) Brother (B) Father
(C) Uncle (D) Aunt
(E) None of these

Q32 Study the following information carefully and answer the questions given below:

- (i) Z ≡ Y means Z is the brother Y.
(ii) Z % Y means Z is the father of Y.
(iii) Z * Y means Z is the sister of Y.
(iv) Z @ Y means Z is the Son of Y.
(v) Z \$ Y means Z is the daughter Y.
(vi) Z ? Y means Z is the mother of Y.

In expression Q ? P, P ≡ A % W ≡ D ? E * F @ H @ R, then, how is Q related to E's mother?

- (A) Maternal Grandfather
(B) Paternal Grandfather
(C) Paternal Grandmother
(D) Maternal Grandmother

(E) Either "Maternal Grandfather" or "Paternal Grandmother"

Q33 Directions: Study the following information carefully and answer the questions given below:

- (i) Z ≡ Y means Z is the brother Y.
(ii) Z % Y means Z is the father of Y.
(iii) Z * Y means Z is the sister of Y.
(iv) Z @ Y means Z is the Son of Y.
(v) Z \$ Y means Z is the daughter Y.
(vi) Z ? Y means Z is the mother of Y.

In expression Q ≡ G, G ≡ A % C ≡ D ? E * F @ H @ R, then, how is F related to A?

- (A) Son (B) Grandson
(C) Granddaughter (D) Either 2 or 3
(E) None of these

Q34 Study the following information carefully and answer the questions given below:

R@S means R is married to S

R#S means R is parent of S

R&S means R is sibling of S and both are of same gender

R\$S means R is sibling of S and both are of different gender

R+ means R is male R* means R is female

If Q@U*#G\$V, E@V+#Y&Z, U#J#W is true and W is only a niece of G then, how is J related to Y?

- (A) Uncle
(B) Aunt
(C) Sister
(D) Brother
(E) Can't be determined

Q35 Study the following information carefully and answer the questions given below:



R@S means R is married to S

R#S means R is parent of S

R&S means R is sibling of S and both are of same gender

R\$S means R is sibling of S and both are of different gender

R+ means R is male R* means R is female

If Q@U*#G\$V, E@V+##Y&Z, U#J#W, J+@D#M is true and W is only niece of G then, how is Q related to M?

- (A) Grandfather (B) Grandmother
(C) Grandson (D) Granddaughter
(E) None of these

Q36

Study the following information carefully and answer the questions accordingly.

A family has eight persons and three married couples in a family. Both mother and father are alive in the family. H is the sister-in-law of G. F is the only son of E who is the spouse of D. H is the aunt of C. A is the only kid of H. H is not married to F. G is the sister-in-law of H. B is the son-in-law of D who is the grandfather of A.

How is A related to F?

- (A) Niece
(B) Nephew
(C) Either Niece Or Nephew
(D) Son
(E) None of these



Level-3

Q1 Directions : Study the following information carefully and answer the below questions.

In a family of eight members – B, E, G, K, M, P, T, and X form three generations. Two married couples are there in the family. B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M. M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. E took $\frac{1}{3}$ rd of toffees and gives remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X. P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.

How E is related to P's father?

- (A) Grandfather (B) Sister
(C) Aunt (D) Daughter
(E) cant determine

Q2 Directions : Study the following information carefully and answer the below questions.

In a family of eight members – B, E, G, K, M, P, T, and X form three generations. Two married couples are there in the family. B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M. M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. E took $\frac{1}{3}$ rd of toffees and gives remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X. P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.

Who among the following person have 33 toffees?

- (A) Mother of P
(B) Father-in-law of T
(C) X
(D) Both A and C
(E) None of these

Q3 Directions : Study the following information carefully and answer the below questions.

In a family of eight members – B, E, G, K, M, P, T, and X form three generations. Two married couples are there in the family. B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M. M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. E took $\frac{1}{3}$ rd of toffees and gives remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X. P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.

How the one who has 56 toffees is related to M?

- (A) Grandfather (B) Mother in law
(C) Aunt (D) Daughter
(E) Mother

Q4 Directions : Study the following information carefully and answer the below questions.

In a family of eight members – B, E, G, K, M, P, T, and X form three generations. Two married couples are there in the family. B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M. M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. E took $\frac{1}{3}$ rd of toffees and gives remaining to T's mother K. E again gives 48



toffees to her only sister-in-law X. P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.

What is the sum of the toffees of M's wife and G's niece?

- (A) 135 (B) 105
(C) 128 (D) 104
(E) None of these

Q5 Directions : Study the following information carefully and answer the below questions.

In a family of eight members – B, E, G, K, M, P, T, and X form three generations. Two married couples are there in the family. B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M. M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. E took $\frac{1}{3}$ rd of toffees and gives remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X. P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.

Which of the following statement is/are not true in the final arrangement?

- (A) P is the daughter of T
(B) E and G have 76 toffees together
(C) K is the father-in-law of M
(D) B has 33 toffees
(E) All the statements are true

Q6 Directions : Study the given information carefully and answer the questions that follow:

W @ M means W is the father of M.

W \$ M means W is the mother of M.

W % M means W is the sister of M.

W ~ M means W is the husband of M.

W & M means W is the wife of M.

W * M means W is the brother of M.

In a family, the following relationships are known:

K & Y @ H; E % R ~ V; H ~ E; D \$ R @ A; D & S

How is V related to S?

- (A) Son-in-law
(B) Daughter
(C) Daughter-in-law
(D) Mother-in-law
(E) Cant determine



Answer Key

Level-1

Q1 (E)

Q2 (D)

Q3 (C)

Q4 (C)

Q5 (C)

Q6 (D)

Q7 (E)



Level-2

Q1 (D)
Q2 (B)
Q3 (D)
Q4 (C)
Q5 (A)
Q6 (C)
Q7 (C)
Q8 (C)
Q9 (D)
Q10 (B)
Q11 (D)
Q12 (B)
Q13 (C)
Q14 (B)
Q15 (E)
Q16 (D)
Q17 (B)
Q18 (D)

Q19 (B)
Q20 (A)
Q21 (B)
Q22 (C)
Q23 (A)
Q24 (D)
Q25 (A)
Q26 (A)
Q27 (C)
Q28 (A)
Q29 (C)
Q30 (D)
Q31 (C)
Q32 (C)
Q33 (B)
Q34 (E)
Q35 (A)
Q36 (C)



Level-3

Q1 (C)

Q2 (B)

Q3 (B)

Q4 (A)

Q5 (C)


Q6 (C)




Hints & Solutions

Level-1

Q1 Text Solution:




Q2 Text Solution:



Male +
Female -
Couple =
Generation gap |
Sibling -

Q3 Text Solution:




Male +
Female -

Couple =

Generation gap |

Sibling -

Q4 Text Solution:



Male +


Female -

Couple =

Generation gap |

Sibling -

Q5 Text Solution:



Male +

Female -


Couple =

Generation gap |

Sibling -

Q6 Text Solution:





Male +


Female -

Couple =

Generation gap |

Sibling -

Q7 Text Solution:



Male +

Female -

Couple =


Generation gap |

Sibling -


[Android App](#) | [iOS App](#) | [PW Website](#)

Level-2

Q1 Text Solution:



Male +

Female -

Couple =

Generation gap |

Sibling -

Q2 Text Solution:


In a family of 11 members A to K. Each male has one brother and one sister.

J is married to C. B and D are the children of C.


D is married E. C and E has no sibling.

So, C and E are female.

H is the grandson of C.



B is sister of K. A is sister of F but not sister of H.
G is brother of I.



Q3 Text Solution:

In a family of 11 members A to K. Each male has one brother and one sister.


J is married to C. B and D are the children of C.

D is married E. C and E has no sibling.


So, C and E are female.

H is the grandson of C.






B is sister of K. A is sister of F but not sister of H.
G is brother of I.




Q4 Text Solution:

In a family of 11 members A to K. Each male has one brother and one sister.
J is married to C. B and D are the children of C.
D is married E. C and E has no sibling.
So, C and E are female.
H is the grandson of C.




B is sister of K. A is sister of F but not sister of H.
G is brother of I.




Q5 Text Solution:

In a family of 11 members A to K. Each male has one brother and one sister.
J is married to C. B and D are the children of C.
D is married E. C and E has no sibling.
So, C and E are female.
H is the grandson of C.






B is sister of K. A is sister of F but not sister of H.
G is brother of I.




Q6 Text Solution:

Wife of J has no sibling but her son in law is P.
B and J are married couple. J is Brother-in-law
of D who is Father of C. C is a male member.




A has no grandchild but only a daughter no
son. L and K are family member. U is married to
C. L is not daughter of A.

So A is wife of P.



Q7 Text Solution:


Wife of J has no sibling but her son in law is P.
B and J are married couple. J is Brother-in-law
of D who is Father of C. C is a male member.




A has no grandchild but only a daughter no
son. L and K are family member. U is married to
C. L is not daughter of A.

So A is wife of P.




**Q8 Text Solution:**

Wife of J has no sibling but her son in law is P.
 B and J are married couple. J is Brother-in-law of D who is Father of C. C is a male member.




A has no grandchild but only a daughter no son. L and K are family member. U is married to C. L is not daughter of A.
 So A is wife of P.


**Q9 Text Solution:**

Each male has sister.

N is son of M. Q is daughter-in-law of P.





T is grand daughter of P. S is married to O. O is brother-in-law of P. S has no sibling.



N is the father of T.







T is grand daughter of P. S is married to O.O is brother-in-law of P.S has no sibling.

So Q is wife of P.

R is not belongs to O's generation.

SO R is sister of N, Each male has sister.





N is the father of T.

Q10 Text Solution:

Each male has sister.

N is son of M. Q is daughter-in-law of P.







T is grand daughter of P. S is married to O. O is brother-in-law of P. S has no sibling.

So Q is wife of P.

R is not belongs to O's generation.

SO R is sister of N, Each male has sister.





N is the father of T.

Q11 Text Solution:

Each male has sister.

N is son of M. Q is daughter-in-law of P.







T is grand daughter of P. S is married to O. O is brother-in-law of P. S has no sibling.

So Q is wife of P.

R is not belongs to O's generation.

SO R is sister of N, Each male has sister.





N is the father of T.

Q12 Text Solution:


Each male has sister.

N is son of M. Q is daughter-in-law of P.





T is grand daughter of P. S is married to O.O is brother-in-law of P.S has no sibling.




N is the father of T.

So Q is wife of P.

R is not belongs to O's generation.

SO R is sister of N, Each male has sister.




Q13 Text Solution:

Each male has sister.

N is son of M. Q is daughter-in-law of P.






So Q is wife of P.


R is not belongs to O's generation.

SO R is sister of N, Each male has sister.



Q14 Text Solution:

According to the given conditions family chart will be:-




According to the family chart, we can say that:
4 male family members are there.

Hence, the correct answer is option B.

Q15 Text Solution:

According to the given conditions family chart will be:-




According to the family chart, we can say that:
O is the cousin of W.

Hence, the correct answer is option E.

Q16 Text Solution:

According to the given conditions family chart will be:-



According to the family chart, we can say that:
P and X are E's sister-in-law.

Hence, the correct answer is option D.

Q17 Text Solution:




We will prepare the family diagram by using the family chart:

Family Chart	
	MALE
	FEMALE
	COUPLE
	SIBLINGS
	DIFFERENCE OF GENERATION

The Family Diagram from the given Information

1. In a family there are three children and four are adults.
2. Among the three children, only F and G are boys.
3. A and D are sisters and A is Surgeon.
4. E is a teacher married to one of the sisters and has two children.
5. B is married to D and G is their child.

By using the above detail and the blood chart we will draw the family tree.




Clearly A is the maternal Aunt of the G.

Hence, the correct answer is Maternal Aunt.


Q18 Text Solution:

K & Y @ H: K is the wife of Y, Y is the father of H




E % R ~ V: E is the sister of R, R is the husband of V

H ~ E: H is the husband of E




D \$ R @ A: D is the mother of R, R is the father of A





D & S: D is the wife of S



V \$ A, i.e., V is the mother of A is correct.


Q19 Text Solution:

Given expression: $G \% H @ C \$ P \# U * E$

After decoding the codes we get,

G is the daughter of H. H is the spouse of C. C is the sister of P. P is the brother of U. U is the mother of E.

The family tree:



Hence, E is the brother of C is the only false statement.


Q20 Text Solution:

Given expression: $Q \# B * D \$ E @ F \$ H$

After decoding the codes we get,

Q is the brother of B. B is the mother of D. D is the sister of E. E is the spouse of F. F is the sister of H.

The family tree:



Hence, E is the brother-in-law of H.


Q21 Text Solution:

Given expression: $S @ C \% D @ E * F$

After decoding the codes we get,

S is the spouse of C. C is the daughter of D. D is the spouse of E. E is the mother of F.

The family tree:



Hence, S is the son-in-law of E.


Q22 Text Solution:

Given expression: $D \div A \div B + C - E$

After decoding the codes we get,

D is the parent of A, A is the parent of B, B is the brother of C and C is the husband of E.

The family tree:



Hence, C is grandson of D.

Q23 Text Solution:

In this type of questions, we solve by option method.




From option (a): Given expression - $C \times A + B \div D$

After decoding the codes we get,

C is the grandparent of A, A is the brother of B, B is the parent of D.

The family tree:



Hence, C is the grandparent of B. So, option (a) is the answer.


Q24 Text Solution:

Given expression: 'A - C ÷ D + B - E'

After decoding the codes we get,


A is the husband of C, C is the parent of D, D is the brother of B and B is the husband of E.

The family tree:



Q25 Text Solution:

Explanation:



It's clear from the family tree that L is Granddaughter of Q.


Hence, the Option A is Correct answer .

Q26 Text Solution:

Given expression: B / Z / A @ Q + Y θ J

After decoding the codes, we get B is brother of Z. Z is brother of A. A is daughter of Q. Q is spouse of Y. Y is son of J.

The family tree formed after decoding the code is:




Hence, Y is father of A.

Q27 Text Solution:

Given expression: F @ P + C / H % B @ A

After decoding the code, we get, F is daughter of P. P is spouse of C. C is brother of H. H is mother of B. B is son of A.

The family tree formed after decoding the code is:



Hence, all statements are true.




Q28 Text Solution:

Given expression: $K + G @ T \% P \theta L$

After decoding the code, we get, K is spouse of G. G is daughter of T. T is mother of P. P is son of L.

The family tree formed after decoding the code is:



Hence, L is father-in-law of K.


Q29 Text Solution:

Given expression: $C @ E * F \& G \% I$

After decoding the codes we get,

E is the child of C. E is the husband of F. G is the daughter-in-law of F. G is the wife of I.

The family tree:



Hence, the age of F may be 65 years.


Q30 Text Solution:

Given expression: $C @ E * F \& G \% I$

After decoding the codes we get,

E is the child of C. E is the husband of F. F is the daughter-in-law of G. G is the wife of I.

The family tree:



Hence, E is the father-in-law of G.


Q31 Text Solution:

Given expression: $J * O \odot Q \$ P \# O$ and $Q \odot T \% U$


After decoding the codes we get,


J is the husband of O. O is the parent of Q. Q is elder than P. P is the son of O. Q is the parent of T. T is the wife of U.

The family tree:




Hence, P is the uncle of T.


Q32 Text Solution:**Q33 Text Solution:**




Q34 Text Solution:



Q35 Text Solution:



Q36 Text Solution:



Male +
Female -
Couple =
Generation gap |
Sibling -




[Android App](#) | [iOS App](#) | [PW Website](#)


Level-3

Q1 Text Solution:

B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M.




M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. That means, E must be the sister of B.




E took 1/3rd of toffees and gives the remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X.

P is the granddaughter of K, who gives 3/4th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.




Based on the above given information we have:



Q2 Text Solution:


B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M.



M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's




mother. That means, E must be the sister of B.




E took 1/3rd of toffees and gives the remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X.

P is the granddaughter of K, who gives 3/4th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.




Based on the above given information we have:




Q3 Text Solution:

B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M.




M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. That means, E must be the sister of B.




E took 1/3rd of toffees and gives the remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X.

P is the granddaughter of K, who gives 3/4th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.




Based on the above given information we have:




Q4 Text Solution:

B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M.




M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. That means, E must be the sister of B.




E took 1/3rd of toffees and gives the remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X.

P is the granddaughter of K, who gives 3/4th toffees to B. B gives 72 toffees to P. M's wife

took 63 toffees from X's husband.




Based on the above given information we have:




Q5 Text Solution:

B's only daughter G has 375 toffees initially, she took 12 and gives the remaining to her sibling M.




M took 27 toffees and gives the remaining to his father's sister E. B is the father-in-law of P's mother. That means, E must be the sister of B.






E took $\frac{1}{3}$ rd of toffees and gives the remaining to T's mother K. E again gives 48 toffees to her only sister-in-law X.

P is the granddaughter of K, who gives $\frac{3}{4}$ th toffees to B. B gives 72 toffees to P. M's wife took 63 toffees from X's husband.




Based on the above given information we have:




Q6 Text Solution:

K & Y @ H: K is the wife of Y, Y is the father of H




E % R ~ V: E is the sister of R, R is the husband of V


H ~ E: H is the husband of E



D \$ R @ A: D is the mother of R, R is the father of A



D & S: D is the wife of S



V is daughter-in-law of S.

