

Reasoning

Order Ranking

Level-1

Q1 Study the following information carefully and answer the questions accordingly.

Six people(P, Q, R, S, T and U) are going to the market one after another, but not in the same order. Two people go to the market between S and P. P goes before Q. Two people go between R and U. U goes after P. R goes immediately before T. S goes before P.

How many people are going to the market between R and Q?

- (A) 5 (B) 4
(C) 3 (D) 2
(E) None of these

Q2 Study the following information carefully and answer the questions accordingly.

Six people(P, Q, R, S, T and U) are going to the market one after another, but not in the same order. Two people go to the market between S and P. P goes before Q. Two people go between R and U. U goes after P. R goes immediately before T. S goes before P.

Who goes immediately before U?

- (A) T (B) R
(C) S (D) P
(E) None of these

Q3 Study the following information carefully and answer the questions accordingly.

Six people(P, Q, R, S, T and U) are going to the market one after another, but not in the same order. Two people go to the market between S and P. P goes before Q. Two people go between

R and U. U goes after P. R goes immediately before T. S goes before P.

Who is going immediately after S?

- (A) T (B) R
(C) U (D) Q
(E) None of these

Q4 Study the following information carefully and answer the questions given below.

Six flowers R, B, M, X, K and L are planted in a row of a garden according to their height in descending order from left to right. Only two flowers are shorter than flower X. There are two flowers planted between flower M and flower X. Flower R is shorter than flower K but taller than flower B which is not the shortest.

Which among the following is the 2nd tallest flower?

- (A) Flower M (B) Flower K
(C) Flower L (D) Flower B
(E) None of these

Q5 Study the following information carefully and answer the questions given below.

Six flowers R, B, M, X, K and L are planted in a row of a garden according to their height in descending order from left to right. Only two flowers are shorter than flower X. There are two flowers planted between flower M and flower X. Flower R is shorter than flower K but taller than flower B which is not the shortest.

Which among the following is the tallest?

- (A) Flower M (B) Flower K



- (C) Flower L (D) Flower B
(E) None of these

Q6 Directions: Consider the following information and answer the questions accordingly.

8 persons A, B, C, D, E, F, G and H have different heights. A is taller than only 2 other persons and one of them is C. Only 3 persons are taller than C but shorter than F. Only 1 person has height between F and E. B is taller than D who is taller than G. G is taller than H. H is not the shortest.

Who among the following is shorter than D but taller than G?

- (A) G (B) E
(C) F (D) Both F and E
(E) Both E and H

Q7 Directions: Consider the following information and answer the questions accordingly.

8 persons A, B, C, D, E, F, G and H have different heights. A is taller than only 2 other persons and one of them is C. Only 3 persons are taller than C but shorter than F. Only 1 person has height between F and E. B is taller than D who is taller than G. G is taller than H. H is not the shortest.

Who is the 4th tallest?

- (A) F (B) D
(C) G (D) E
(E) C

Q8 Consider the following information and answer the questions accordingly.

Seven friends have different height. Raju is taller than atleast four people. Manu is taller than Raju but shorter than Kamal. Tanuj is 170cm tall. Dinesh is taller than gagan but shorter than tanuj. Gagan is 165cm tall and is taller than Mohan.

What could be the possible sum of heights of Tanuj and Kamal?

- (A) 270cm (B) 360cm
(C) 210cm (D) 320cm
(E) 325 cm

Q9 Consider the following information and answer the questions accordingly.

Seven friends have different height. Raju is taller than atleast four people. Manu is taller than Raju but shorter than Kamal. Tanuj is 170cm tall. Dinesh is taller than gagan but shorter than tanuj. Gagan is 165cm tall and is taller than Mohan.

Who among the following is/are taller than Gagan?

- I. Raju
II. Dinesh
III. Mohan
(A) I and II
(B) II and III
(C) All I, II and III
(D) I and III
(E) Only III

Q10 Consider the following information and answer the questions accordingly.

Seven people - L, M, R, T, V, W and Y have different number of coins with them. The number of people having more coins than M is same as the number of people having less coins than him. R has more coins than L but less than Y. T has more coins than V but not the highest. Y has less coins than V.

Who among the following has the highest number of coins?

- (A) W (B) V
(C) Y (D) M
(E) None of these

Q11



Consider the following information and answer the questions accordingly.

Seven people - L, M, R, T, V, W and Y have different number of coins with them. The number of people having more coins than M is same as the number of people having less coins than him. R has more coins than L but less than Y. T has more coins than V but not the highest. Y has less coins than V.

If the number of coins with people decreases in alphabetical order, then the order for how many people remains the same?

- (A) 2 (B) 3
(C) 1 (D) 4
(E) None

Q12 Consider the following information and answer the questions accordingly.

Six people have different ages. Aman is elder to Esha but younger to Harish. At least two people are elder to Harish. Uday is elder to Priya. Jatin is younger to Aman but elder to at least one person.

As many people are elder to Jatin as are younger to _____

- (A) Uday (B) Priya
(C) Aman (D) Harish
(E) None of these

Q13 Consider the following information and answer the questions accordingly.

Six people have different ages. Aman is elder to Esha but younger to Harish. At least two people are elder to Harish. Uday is elder to Priya. Jatin is younger to Aman but elder to at least one person.

How many people are younger to Priya?

- (A) 4 (B) 5

- (C) 3 (D) 2
(E) 1

Q14 Consider the following information and answer the questions accordingly.

Six people in a class scored different marks. Manoj scored more marks than Rahul. Anjali scored 25 marks which is the third lowest marks. Kartik scored 57 marks which is more than the marks scored by Manoj. Pinku scored less than Rahul but more than Neetu.

How many people scored less than Manoj?

- (A) 3 (B) 4
(C) 5 (D) 2
(E) 1

Q15 Consider the following information and answer the questions accordingly.

Six people in a class scored different marks. Manoj scored more marks than Rahul. Anjali scored 25 marks which is the third lowest marks. Kartik scored 57 marks which is more than the marks scored by Manoj. Pinku scored less than Rahul but more than Neetu.

Which of the following could be the possible score of Rahul?

- (A) 20 (B) 18
(C) 60 (D) 55
(E) 15

Q16 Directions: Study the following data carefully and answer the questions accordingly.

Six persons- P, Q, R, S, T and V are having different Electricity Bills and are arranged in descending order. Q's electricity bill is only more than T. Third highest bill is 3500. R's bill is more than V who has more bills than S. Only two persons are having bills between R and P. V's Electricity bill has more than P's.

If the sum of the Bills of S and V is 6500 and the sum of the bill of S and R is 9000 then what is



the bill of R?

- (A) 3500 (B) 6500
(C) 6000 (D) 4500
(E) 2000

Q17 Directions: Study the following data carefully and answer the questions accordingly.

Six persons- P, Q, R, S, T and V are having different Electricity Bills and are arranged in descending order. Q's electricity bill is only more than T. Third highest bill is 3500. R's bill is more than V who has more bills than S. Only two persons are having bills between R and P. V's Electricity bill has more than P's.

Who among the following has an Electricity bill less than S?

- (A) Q (B) V
(C) R (D) T
(E) Both Q & T

Q18 Directions: Consider the following information and answer the questions accordingly.

Seven students M, N, O, P, Q, R and S are arranged in descending order of their weights for the medical examination. Only two students are lighter than N. O and Q are heavier than N but lighter than M. R is lighter than S, but heavier than P. Three students are heavier than R, but lighter than O. S, whose weight is 80kg is lighter than Q. The weight of second lightest person is 55kg.

What is the possible weight of N?

- (A) 50kg (B) 85kg
(C) 90kg (D) 65kg
(E) 82kg

Q19 Directions: Consider the following information and answer the questions accordingly.

Seven students M, N, O, P, Q, R and S are arranged in descending order of their weights for the medical examination. Only two students are lighter than N. O and Q are heavier than N but lighter than M. R is lighter than S, but heavier than P. Three students are heavier than R, but lighter than O. S, whose weight is 80kg is lighter than Q. The weight of second lightest person is 55kg.

Who among the following is the heaviest person among the students?

- (A) S (B) P
(C) R (D) N
(E) M

Q20 Directions: Consider the following information and answer the questions accordingly.

Seven students M, N, O, P, Q, R and S are arranged in descending order of their weights for the medical examination. Only two students are lighter than N. O and Q are heavier than N but lighter than M. R is lighter than S, but heavier than P. Three students are heavier than R, but lighter than O. S, whose weight is 80kg is lighter than Q. The weight of second lightest person is 55kg.

If all the students are arranged according to the alphabetical order from top to bottom, then who among the following weighs 55kg?

- (A) O (B) P
(C) Q (D) R
(E) S



Answer Key

Q1 (C)

Q2 (D)

Q3 (B)

Q4 (B)

Q5 (A)

Q6 (C)

Q7 (A)

Q8 (B)

Q9 (A)

Q10 (A)

Q11 (E)

Q12 (B)

Q13 (A)

Q14 (B)

Q15 (D)

Q16 (C)

Q17 (E)

Q18 (D)

Q19 (E)

Q20 (D)



Hints & Solutions

Q1 Text Solution:

1. S goes before P.
2. Two people go to the market between S and P.
3. P goes before Q.
4. U goes after P.

CASE 1

S
P
U
Q

CASE 2

S
P
Q
U

5. Two people go between R and U.
6. R goes immediately before T. Therefore, case 2 is no longer valid.

CASE 1

S
R
T
P
U
Q

Q2 Text Solution:

1. S goes before P.
2. Two people go to the market between S and P.
3. P goes before Q.
4. U goes after P.

CASE 1

S
P
U
Q

CASE 2

S
P
Q
U



5. Two people go between R and U.
 6. R goes immediately before T. Therefore, case 2 is no longer valid.

CASE 1

S
R
T
P
U
Q

Q3 Text Solution:

1. S goes before P.
2. Two people go to the market between S and P.
3. P goes before Q.
4. U goes after P.

CASE 1

S
P
U
Q

CASE 2

S
P
Q
U

5. Two people go between R and U.
 6. R goes immediately before T. Therefore, case 2 is no longer valid.

CASE 1

S
R
T
P
U
Q

Q4 Text Solution:

Only two flowers are shorter than flower X.
 There are two flowers planted between flower M and flower X.

$$M > _ > _ > X > _ > _$$

Flower R is shorter than flower K but taller than flower B which is not the shortest.

$$M > K > R > X > B > _$$

We know, L is one of the flowers so the final arrangement is-

$$M > K > R > X > B > L$$

Flower K is the 2nd tallest flower.

Q5 Text Solution:

Only two flowers are shorter than flower X.
 There are two flowers planted between flower M and flower X.



$M > _ > _ > X > _ > _$

Flower R is shorter than flower K but taller than flower B which is not the shortest.

$M > K > R > X > B > _$

We know, L is one of the flowers so the final arrangement is-

$M > K > R > X > B > L$

Flower M is the tallest flower.

Q6 Text Solution:

A is taller than only 2 other persons and one of them is C.

Only 3 persons are taller than C but shorter than F.

Only 1 person has height between F and E.

Case 1: -

Tallest							shortest
	F	E	A	C			

Case 2: -

Tallest							shortest
	E	F	A	C			

B is taller than D who is taller than G.

G is taller than H.

H is not the shortest.

Case 1: -

Tallest							shortest
B	D	F	G	E	A	C	H

This case is invalid.

Case 2: -

Tallest							shortest
B	E	D	F	G	A	H	C

This is the final solution.

F is shorter than D but taller than G.

Q7 Text Solution:

A is taller than only 2 other persons and one of them is C.

Only 3 persons are taller than C but shorter than F.

Only 1 person has height between F and E.

Case 1: -

Tallest						shortest
	F	E	A	C		

Case 2: -

Tallest						shortest
	E	F	A	C		

B is taller than D who is taller than G.

G is taller than H.

H is not the shortest.

Case 1: -

Tallest							shortest
B	D	F	G	E	A	C	H

This case is invalid.

Case 2: -

Tallest							shortest
B	E	D	F	G	A	H	C

This is the final solution.

F is the 4th tallest person.

Q8 Text Solution:

Raju is taller than atleast four people. Manu is taller than Raju but shorter than Kamal.

Kamal > Manu > Raju > — > — > — > —

Tanuj is 170cm tall. Dinesh is taller than gagan but shorter than tanuj. Gagan is 165m tall and is taller than Mohan.

Kamal > Manu > Raju > Tanuj > Dinesh > Gagan > Mohan
170cm 165cm

The possible sum of heights of Tanuj and Kamal is:

$$170 + 190 = 360\text{cm.}$$

Q9 Text Solution:

Raju is taller than atleast four people. Manu is taller than Raju but shorter than Kamal.

Kamal > Manu > Raju > — > — > — > —

Tanuj is 170cm tall. Dinesh is taller than gagan but shorter than tanuj. Gagan is 165m tall and is taller than Mohan.

Kamal > Manu > Raju > Tanuj > Dinesh > Gagan > Mohan
170cm 165cm

Raju and Dinesh are taller than Gagan.



Q10 Text Solution:

The number of people having more coins than M is same as the number of people having less coins than him.

_____ > _____ > _____ > **M** > _____ > _____ > _____

R has more coins than L but less than Y.

Y > R > L

T has more coins than V but not the highest. Y has less coins than V.

W > T > V > M > Y > R > L

W has the highest number of coins.

Q11 Text Solution:

The number of people having more coins than M is same as the number of people having less coins than him.

_____ > _____ > _____ > **M** > _____ > _____ > _____

R has more coins than L but less than Y.

Y > R > L

T has more coins than V but not the highest. Y has less coins than V.

W > T > V > M > Y > R > L

After arranging in alphabetical order, we get:

L > M > R > T > V > W > Y

So, none of the persons has the same order.

Q12 Text Solution:

Aman is elder to Esha but younger to Harish. At least two people are elder to Harish.

Case 1:

_____ > _____ > Harish > _____ > _____ > _____

Case 2:

_____ > _____ > _____ > Harish > Aman > Esha

Uday is elder to Priya. Jatin is younger to Aman but elder to at least one person.

So case 2 is invalid.

Case 1:

Uday > Priya > Harish > Aman > Jatin > Esha

As many people are elder to Jatin as are younger to Priya.

Q13 Text Solution:

Aman is elder to Esha but younger to Harish. At least two people are elder to Harish.

Case 1:

_____ > _____ > Harish > _____ > _____ > _____

Case 2:

_____ > _____ > _____ > Harish > Aman > Esha

Uday is elder to Priya. Jatin is younger to Aman but elder to at least one person.

So case 2 is invalid.

Case 1:

Uday > Priya > Harish > Aman > Jatin > Esha

4 people are younger to Priya.

Q14 Text Solution:

Anjali scored 25 marks which is the third lowest marks.

_____ > _____ > _____ > Anjali > _____ > _____
25

Manoj scored more marks than Rahul. Kartik scored 57 marks which is more than the marks scored by Manoj. Pinku scored less than Rahul but more than Neetu.

Kartik > Manoj > Rahul > Anjali > Pinku > Neetu
57 25

4 people scored less than Manoj.

Q15 Text Solution:

Anjali scored 25 marks which is the third lowest marks.

_____ > _____ > _____ > Anjali > _____ > _____
25

Manoj scored more marks than Rahul. Kartik scored 57 marks which is more than the marks scored by Manoj. Pinku scored less than Rahul but more than Neetu.

Kartik > Manoj > Rahul > Anjali > Pinku > Neetu
57 25

The possible score of Rahul could be 55.

Q16 Text Solution:

$S + V = 6500$

$S = 6500 - 3500$

$= 3000$

$S + R = 9000$

$R = 9000 - 3000$



= 6000

Q's electricity bill is only more than T.

> > > > Q>T

R's bill is more than V who has more than S. Only two persons are having bills in between R and P. V's Electricity bill has more than P.

Third highest bill is 3500.

R> V (3500)> S> P> Q>T

Q17 Text Solution:

Q's electricity bill is only more than T.

> > > > Q>T

R's bill is more than V who has more than S. Only two persons are having bills in between R and P. V's Electricity bill has more than P.

Third highest bill is 3500.

R> V (3500)> S> P> Q>T

Q18 Text Solution:

Only two students are lighter than N. Here 7 for heaviest and 1 for lightest person.

	Persons	Weights
7		
6		
5		
4		
3	N	
2		
1		

O and Q are heavier than N but lighter than M.

	Case 1		Case 2		Case 3	
	Persons	Weights	Persons	Weights	Persons	Weights
7						
6					O	
5			O			
4	O					
3	N		N		N	
2						
1						

Three students are heavier than R, but lighter than O.

Thus, case 1 cancelled.

	Case 2		Case 3	
	Persons	Weights	Persons	Weights
7				
6			O	
5	O			
4				
3	N		N	
2			R	
1	R			

R is lighter than S, but heavier than P.

Thus, case 2 cancelled.

	Persons	Weights
7		
6	O	
5		
4		
3	N	
2	R	
1	P	

O and Q are heavier than N but lighter than M.



	Case 1			Case 2	
	Persons	Weights		Persons	Weights
7	M			M	
6	O			O	
5	Q				
4				Q	
3	N			N	
2	R			R	
1	P			P	

S, whose weight is 80kg is lighter than Q.

	Case 1	
	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	
1	P	

The weight of second lightest person is 55kg.

	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	55 kg
1	P	

The weight of N must lie between 55kg and 80kg, so the possible weight of N is 65kg.

Q19 Text Solution:

Only two students are lighter than N. Here 7 for heaviest and 1 for lightest person.

	Persons	Weights
7		
6		
5		
4		
3	N	
2		
1		

O and Q are heavier than N but lighter than M.

	Case 1			Case 2			Case 3	
	Persons	Weights		Persons	Weights		Persons	Weights
7								
6							O	
5				O				
4	O							
3	N			N			N	
2								
1								

Three students are heavier than R, but lighter than O.

Thus, case 1 cancelled.

	Case 2			Case 3	
	Persons	Weights		Persons	Weights
7					
6				O	
5	O				
4					
3	N			N	
2				R	
1	R				

R is lighter than S, but heavier than P.

Thus, case 2 cancelled.



	Persons	Weights
7		
6	O	
5		
4		
3	N	
2	R	
1	P	

O and Q are heavier than N but lighter than M.

	Case 1		Case 2	
	Persons	Weights	Persons	Weights
7	M		M	
6	O		O	
5	Q			
4			Q	
3	N		N	
2	R		R	
1	P		P	

S, whose weight is 80kg is lighter than Q.

	Case 1	
	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	
1	P	

The weight of second lightest person is 55kg.

	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	55 kg
1	P	

M is the heaviest person among the students.

Q20 Text Solution:

Only two students are lighter than N. Here 7 for heaviest and 1 for lightest person.

	Persons	Weights
7		
6		
5		
4		
3	N	
2		
1		

O and Q are heavier than N but lighter than M.

	Case 1		Case 2		Case 3	
	Persons	Weights	Persons	Weights	Persons	Weights
7						
6					O	
5			O			
4	O					
3	N		N		N	
2						
1						

Three students are heavier than R, but lighter than O.

Thus, case 1 cancelled.



	Case 2		Case 3	
	Persons	Weights	Persons	Weights
7				
6			O	
5	O			
4				
3	N		N	
2			R	
1	R			

R is lighter than S, but heavier than P.

Thus, case 2 cancelled.

	Persons	Weights
7		
6	O	
5		
4		
3	N	
2	R	
1	P	

O and Q are heavier than N but lighter than M.

	Case 1		Case 2	
	Persons	Weights	Persons	Weights
7	M		M	
6	O		O	
5	Q			
4			Q	
3	N		N	
2	R		R	
1	P		P	

S, whose weight is 80kg is lighter than Q.

	Case 1	
	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	
1	P	

The weight of second lightest person is 55kg.

	Persons	Weights
7	M	
6	O	
5	Q	
4	S	80 kg
3	N	
2	R	55 kg
1	P	

	Persons	alphabetical order	Weights
7	M	M	
6	O	N	
5	Q	O	
4	S	P	80 kg
3	N	Q	
2	R	R	55 kg
1	P	S	



[Android App](#)

| [iOS App](#)

| [PW Website](#)