Coffee Sales Data (2024-2025)

1. Update sale_time –

```
SELECT * FROM coffe_sales
WHERE sale_time REGEXP '^[0-9]{2}:[0-9]{2}:[0-9]{2}$';
```

[find the sale_time where time is this format **21:23:53 ,** that's exact time format]

Remaining format are **15:50.5** format , that's to be modified]

```
ALTER TABLE coffe_sales
MODIFY sale_time TIME(2);
```

2. Add new column transaction_time –

hour_of_day + sale_time [Ex - 10:15:50.00]

```
alter table coffe_sales
add column transaction_time time(2);
update coffe_sales
set
transaction_time=maketime(hour_of_day,minute(sale_time),second(sale_time));
```

3. Add serial_no column –

```
alter table coffe_sales
add column serial_no int auto_increment primary key;
```

set it to first column

```
alter table coffe_sales
modify column serial_no int first;
```

4. Updated column

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Fetch rows:

serial_no	cash_type	coffee_name	money	time_of_day	weekday	month_name	sale_date	transaction_time	weekday_sort	month_sort	hour_of_day	sale_time
1	card	Latte	38.7	Morning	Fri	Mar	3/1/2024	10:15:50.00	5	3	10	00:15:50.50
2	card	Americano	28.9	Morning	Wed	Mar	3/13/2024	11:48:16.00	3	3	11	00:48:16.80
3	card	Hot Chocolate	38.7	Afternoon	Fri	Mar	3/1/2024	12:19:22.00	5	3	12	00:19:22.50
4	card	Hot Chocolate	38.7	Afternoon	Fri	Mar	3/1/2024	12:20:18.00	5	3	12	00:20:18.10
5	card	Americano	28.9	Afternoon	Fri	Mar	3/1/2024	13:46:33.00	5	3	13	00:46:33.00
6	card	Americano	28.9	Afternoon	Wed	Mar	3/13/2024	12:18:06.00	3	3	12	00:18:06.30
7	card	Latte	38.7	Afternoon	Fri	Mar	3/1/2024	13:48:14.00	5	3	13	00:48:14.60
8	card	Americano	28.9	Afternoon	Wed	Mar	3/13/2024	12:19:05.00	3	3	12	00:19:05.10
9	card	Americano with Milk	33.8	Afternoon	Wed	Mar	3/13/2024	14:26:40.00	3	3	14	00:26:40.90

coffe_sales 7 X | Apply

5. SQL to PowerBI

Add new column :-

```
Time slot = SWITCH(
    TRUE(),
    'coffee_sales coffee_sales'[hour_of_day] >= 6 && 'coffee_sales coffee_sales'[hour_of_day]
< 10, "6 AM - 10 AM",
    'coffee_sales coffee_sales'[hour_of_day] >= 10 && 'coffee_sales coffee_sales'[hour_of_day]
< 12, "10 AM - 12 PM",
    'coffee_sales coffee_sales'[hour_of_day] >= 12 && 'coffee_sales coffee_sales'[hour_of_day]
< 15, "12 PM - 3 PM",
    'coffee_sales coffee_sales'[hour_of_day] >= 15 && 'coffee_sales coffee_sales'[hour_of_day]
< 18, "3 PM - 6 PM",
    'coffee_sales coffee_sales'[hour_of_day] >= 18 && 'coffee_sales coffee_sales'[hour_of_day]
<= 22, "6 PM - 10 PM",
    "Other"
)
```

6. Add Dynamic Title :-

```
Dashboard Title =

VAR MonthName =
    COALESCE(
        SELECTEDVALUE('coffee_sales coffee_sales'[month_name]),
        "(2024 - 2025) "
    )
VAR CustomerID =
    SELECTEDVALUE('coffee_sales coffee_sales'[serial_no])
RETURN
```

```
    IF(
        ISBLANK(CustomerID),
        "Coffee Sales Dashboard - " & MonthName,
        "Coffee Sales Dashboard - Customer ID: " &
        FORMAT(CustomerID, "0")
    )
```

7. Creating a new table “Date Table” :-

```
 DateTable =

ADDCOLUMNS(
    CALENDAR(
        MIN('coffee_sales coffee_sales'[sale_date]),
        MAX('coffee_sales coffee_sales'[sale_date])
    ),
    "Year", YEAR([Date]),
    "Month Number", MONTH([Date]),
    "Month Name", FORMAT([Date], "MMM"),
    "Month Full Name", FORMAT([Date], "MMMM"),
    "Quarter", "Q" & FORMAT([Date], "Q"),
    "YearMonth", FORMAT([Date], "YYYY-MM"),
    "Weekday Number", WEEKDAY([Date], 2),   -- Monday = 1
    "Weekday Name", FORMAT([Date], "DDD"),
    "Quarter no",format([DATE],"Q")
)
```

8. Relationship both table :–



9. Modified Final Dashboard:-