



```
R Console
> lines(monthly_avg$Moving_Avg,
+       col = "red",
+       lwd = 2,
+       type = "o")
> patient <- data.frame(
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
+   Age = c(25, 40, 55, 35, 60),
+   BMI = c(22, 28, 30, 26, 32),
+   BP = c(120, 135, 145, 130, 150),
+   Cholesterol = c(180, 210, 240, 200, 260)
+ )
>
> print(patient)
  Patient_ID Age  BMI  BP Cholesterol
1         P1  25   22 120         180
2         P2  40   28 135         210
3         P3  55   30 145         240
4         P4  35   26 130         200
5         P5  60   32 150         260
> pairs(patient[,c("Age", "BMI", "BP", "Cholesterol")],
+       main="Scatterplot Matrix of Health Indicators",
+       col="blue",
+       pch=19)
> |
```






R Console


```
+ )
> 
> print(patient)
  Patient_ID Age  BMI  BP Cholesterol
1         P1  25  22 120         180
2         P2  40  28 135         210
3         P3  55  30 145         240
4         P4  35  26 130         200
5         P5  60  32 150         260
> pairs(patient[,c("Age", "BMI", "BP", "Cholesterol")],
+       main="Scatterplot Matrix of Health Indicators",
+       col="blue",
+       pch=19)
> qqnorm(patient$Cholesterol,
+       main="Q-Q Plot of Cholesterol")
> qqline(patient$Cholesterol,
+       col="red",
+       lwd=2)
> plot(ecdf(patient$Cholesterol),
+       main="ECDF of Cholesterol",
+       xlab="Cholesterol",
+       ylab="Cumulative Probability",
+       col="blue",
+       lwd=2)
> 
```

R Graphics: Device 2 (ACTIVE)


ECDF of Cholesterol



```
R Console
> patient <- data.frame(
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
+   Age = c(25, 40, 55, 35, 60),
+   BMI = c(22, 28, 30, 26, 32),
+   BP = c(120, 135, 145, 130, 150),
+   Cholesterol = c(180, 210, 240, 200, 260)
+ )
>
> print(patient)
  Patient_ID Age  BMI  BP Cholesterol
1         P1  25   22 120          180
2         P2  40   28 135          210
3         P3  55   30 145          240
4         P4  35   26 130          200
5         P5  60   32 150          260
> pairs(patient[,c("Age", "BMI", "BP", "Cholesterol")],
+   main="Scatterplot Matrix of Health Indicators",
+   col="blue",
+   pch=19)
> qqnorm(patient$Cholesterol,
+   main="Q-Q Plot of Cholesterol")
> qqline(patient$Cholesterol,
+   col="red",
+   lwd=2)
> |
```



```
R Console
+ lwd=2)
> plot(ecdf(patient$Cholesterol),
+      main="ECDF of Cholesterol",
+      xlab="Cholesterol",
+      ylab="Cumulative Probability",
+      col="blue",
+      lwd=2)
> avg_values <- c(
+   mean(patient$Age),
+   mean(patient$BMI),
+   mean(patient$BP),
+   mean(patient$Cholesterol)
+ )
>
> names(avg_values) <- c("Age", "BMI", "BP", "Cholesterol")
>
> print(avg_values)
      Age      BMI      BP Cholesterol
43.0    27.6   136.0    218.0
> barplot(avg_values,
+         col=c("skyblue", "orange", "lightgreen", "pink"),
+         main="Average Health Indicators",
+         xlab="Indicators",
+         ylab="Average Value")
>
> 
```





Data Analytics < Pages Columns Patient ID Rows SUM(Age)

Sheet1 (patient health ri... Search Filters Marks

Tables Abc Patient ID Abc Measure Names

Age # BMI # BP # Cholesterol # Sheet1 (Count) # Measure Values

Color Size Label Detail Tooltip

SUM(Choleste... SUM(BMI) SUM(BP) SUM(Choleste... SUM(BMI)

Sheet 1 Patient ID

60 50 40 30 20 10 0

Age

P1 P2 P3 P4 P5

22 28 30 26 32

SUM(Cholesterol) 180 260

5 marks 1 row by 5 columns SUM(Age): 215

Data Source Sheet 1

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

5 marks 1 row by 5 columns SUM(Age): 215

