

Data Wrangling

1)Creating a tuple

```
tup = ()  
print(tup)  
  
# Using String  
tup = ('Geeks', 'For')  
print(tup)  
  
# Using List  
li = [1, 2, 4, 5, 6]  
print(tuple(li))  
  
# Using Built-in Function  
tup = tuple('Geeks')  
print(tup)
```

Output

```
()  
( 'Geeks', 'For' )  
(1, 2, 4, 5, 6)  
( 'G', 'e', 'e', 'k', 's' )
```

2)Dictionary

```
data = { "name": "Jake", "age": 22 }  
print(data)
```

Output

```
{ 'name': 'Jake', 'age': 22 }
```

3)Arrays

```
a = [1, "Hello", [3.14, "world"]]
a.append(2) # Add an integer to the end
print(a)
```

Output

```
[1, 'Hello', [3.14, 'world'], 2]
```

4) Set function

```
s = set()
print(s)

s = set("GeeksForGeeks")
print(s)

# Creating a Set with the use of a List
s = set(["GFG", "For", "Geeks"])
print(s)

# Creating a Set with the use of a tuple
t = ("GFG", "for", "Geeks")
print(set(t))

# Creating a Set with the use of a dictionary
d = {"GFG": 1, "for": 2, "Geeks": 3}
print(set(d))
```

Output

```
set()
{'e', 'o', 'r', 'F', 'G', 'k', 's'}
{'Geeks', 'GFG', 'For'}
{'for', 'GFG', 'Geeks'}
{'for', 'GFG', 'Geeks'}
```

5)Arrays

```
import numpy as np
a = np.array([1, 2, 3, 4])

# Element-wise operations
print(a * 2)

# Multi-dimensional array
res = np.array([[1, 2], [3, 4]])
print(res * 2)
```

Output

```
[2 4 6 8]
[[2 4]
 [6 8]]
```

6)Strings

```
s = """I am Learning
Python String on GeeksforGeeks"""
print(s)

s = "I'm a
Geek"
print(s)
```

Output

```
I am Learning
Python String on GeeksforGeeks
I'm a
Geek
```