


Python into codings

Tuple



The image shows a Python IDE interface with a light gray header bar. On the left is a code editor with a white background, and on the right is a console with a black background. The header bar contains a home icon, a menu icon, a refresh icon, a help icon, a 'Run' button with a right arrow, the text 'Result Size: 620 x 675', and a green button that says 'Get your own Python server'.


```
x = ("apple", "banana", "cherry")

#display x:
print(x)

#display the data type of x:
print(type(x))
```

```
('apple', 'banana', 'cherry')
<class 'tuple'>
```

Range



The image shows a Python IDE interface with a light gray header bar. On the left is a code editor with a white background, and on the right is a console with a black background. The header bar contains a home icon, a menu icon, a refresh icon, a help icon, a 'Run' button with a right arrow, the text 'Result Size: 620 x 675', and a green button that says 'Get your own Python server'.

```
x = range(10)

#display x:
print(x)

#convert to list to display the content of x:
print(list(x))
```

```
range(0, 10)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
```

Bytearray

```
x = bytearray(5)

#display x:
print(x)

#display the data type of x:
print(type(x))
```

```
bytearray(b'\x00\x00\x00\x00\x00')
<class 'bytearray'>
```

Float

```
x = 20.5

#display x:
print(x)

#display the data type of x:
print(type(x))
```

```
20.5
<class 'float'>
```

Dict

```
x = {"name" : "John", "age" : 36}

#display x:
print(x)

#display the data type of x:
print(type(x))
```

```
{'name': 'John', 'age': 36}
<class 'dict'>
```

Frozenset

```
x = frozenset({"apple", "banana", "cherry"})

#display x:
print(x)

#display the data type of x:
print(type(x))
```

```
frozenset({'cherry', 'banana', 'apple'})
<class 'frozenset'>
```