Date: 20-03-2026

Floats:

Float is a css positioning property.

The background of floats:

The float property was introduced to allow web developers to implement layouts involving an image floating inside a column of text, with the text wrapping around the left or right of it. The kind of thing you might get in a newspaper layout.

Visualizing the float:

While we can add a margin to the float to push the text away, we can't add a margin to the text to move it away from the float.

This is because a floated element is taken out of normal flow and the boxes of the following items actually run behind the float.

For floating the box:

```
.box {
  float: left;
  margin-right: 15px;
  width: 150px;
  height: 100px;
  border-radius: 5px;
  background-color: rgb(207 232 220);
  padding: 1em;
}
```

for example Add float and margin-right properties.

Clearing floats:

If we want to stop the following element from moving up, we need to *clear* it; this is achieved with the clear property.

For example, add a class of cleared

```
.cleared {
  clear: left;
}
```

The clear property accepts the following values:

- left: Clear items floated to the left.
- right: Clear items floated to the right.
- both: Clear any floated items, left or right.

Clearing boxes wrapped around a float:

Using display: flow-root

When the paragraph is too small it will lead to the where we put a background color on the paragraph, the background color runs behind the float.

To solve this problem is to use the value flow-root of the display property

```
.wrapper {
  background-color: rgb(148 255 172);
  padding: 10px;
  color: purple;
  display: flow-root;
}
```

Positioning:

There are a number of different types of positioning that you can put into effect on HTML elements. To make a specific type of positioning active on an element, we use the position property.

Static positioning:

Static positioning is the default that every element gets. It just means "put the element into its default position in the normal flow — nothing special to see here."

```
.positioned {
  position: static;
  background: yellow;
}
```

Relative positioning:

Relative positioning is the first position type we'll take a look at. This is very similar to static positioning, except that once the positioned element has taken its place in the normal flow, you can then modify its final position, including making it overlap other elements on the page.

position: relative;

top,bottom,left and right:

top, bottom, left, and right are used alongside position to specify exactly where to move the positioned element.

top: 30px;

left: 30px;

Absolute positioning:

his removes the element from the **normal page layout.**

We can use with absolute property like, top,bottom,left and right.

position: absolute;

top: 30px;

left: 30px;

Move element **30px from top**

Move element **30px from left**

Reference point:

- Positioned relative to **nearest parent with position: relative**
- If no parent → uses **full page (viewport)**

Uses,

Popups

Dropdown menus

Tooltips

Floating UI elements