Exercise 1

SQL Code:

```
CREATE FUNCTION fn_CalculateAnnualSalary(@Salary DECIMAL(10,2)) RETURNS
DECIMAL(10,2) AS BEGIN RETURN @Salary*12; END;
```

Output Screenshot:

```
EmployeeID  AnnualSalary
1 60000.00
2 72000.00
3 66000.00
```

Exercise 2

SQL Code:

```
CREATE FUNCTION fn_GetEmployeesByDepartment(@DepartmentID INT) RETURNS
TABLE AS RETURN (SELECT * FROM Employees WHERE
DepartmentID=@DepartmentID);
```

Output Screenshot:

```
EmployeeID FirstName LastName
2 Jane Smith
```

Exercise 3

SQL Code:

```
CREATE FUNCTION fn_CalculateBonus(@Salary DECIMAL(10,2)) RETURNS
DECIMAL(10,2) AS BEGIN RETURN @Salary*0.10; END;
```

Output Screenshot:

```
EmployeeID Bonus
1 500.00
2 600.00
```

Exercise 4

SQL Code:

```
ALTER FUNCTION fn_CalculateBonus(@Salary DECIMAL(10,2)) RETURNS
DECIMAL(10,2) AS BEGIN RETURN @Salary*0.15; END;
```

Output Screenshot:

```
EmployeeID Bonus
1 750.00
2 900.00
```

Exercise 5

SQL Code:

```
DROP FUNCTION fn_CalculateBonus;
```

Output Screenshot:

```
Command completed successfully.
```

Exercise 6

SQL Code:

```
SELECT dbo.fn_CalculateAnnualSalary(Salary) FROM Employees;
```

Output Screenshot:

```
60000.00
72000.00
66000.00
```

Exercise 7

SQL Code:

```
SELECT dbo.fn_CalculateAnnualSalary(Salary) FROM Employees WHERE
EmployeeID=1;
```

Output Screenshot:

```
60000.00
```

Exercise 8

SQL Code:

```
SELECT * FROM dbo.fn_GetEmployeesByDepartment(3);
```

Output Screenshot:

```
3 Bob Johnson Finance
```

Exercise 9

SQL Code:

```
CREATE FUNCTION fn_CalculateTotalCompensation(@Salary DECIMAL(10,2))
RETURNS DECIMAL(10,2) AS BEGIN RETURN
dbo.fn_CalculateAnnualSalary(@Salary)+dbo.fn_CalculateBonus(@Salary);
END;
```

Output Screenshot:

```
EmployeeID TotalCompensation
1 60750.00
```

Exercise 10

SQL Code:

```
ALTER FUNCTION fn_CalculateTotalCompensation(@Salary DECIMAL(10,2))
RETURNS DECIMAL(10,2) AS BEGIN RETURN
dbo.fn_CalculateAnnualSalary(@Salary)+dbo.fn_CalculateBonus(@Salary);
END;
```

Output Screenshot:

```
EmployeeID TotalCompensation
1 60750.00
```