

# React JS Hands-on Lab

Styling React Components using CSS Modules and Inline Styles

---

## Objective

The My Academy team at Cognizant wants a dashboard showing the details of ongoing and completed cohorts. A React application has been created which displays the cohort details using a React component. The task is to style these React components using CSS Modules and inline styles.


In this lab I have learnt how to:

- Style a react component
- Define styles using the CSS Module
- Apply styles to components using className and style properties

## Step 1: Set up the Application

Downloaded and unzipped the attached React application, opened a command prompt inside the application folder and restored the node packages using the following command:

```
npm install
```



```
C:\Windows\System32\cmd.exe
C:\CTS-NewHands0ns\ReactHands0ns\cohortstracker>npm install

npm WARN deprecated ...

added 1486 packages, and audited 1487 packages in 28s

found 0 vulnerabilities
```

Figure 1: Restore packages

Opened the application in Visual Studio Code once the packages were restored.

## Step 2: Create the CSS Module

Created a new CSS Module file named **CohortDetails.module.css** and defined a class named **box** with the required width, display, margin, padding, border and border-radius. Also defined a tag selector style for the **<dt>** element:

```
.box {
  width: 300px;
  display: inline-block;
  margin: 10px;
  padding: 10px 20px;
  border: 1px solid black;
  border-radius: 10px;
}

dt {
  font-weight: 500;
}
```

Code: src/CohortDetails.module.css

### Step 3: Apply the Styles in CohortDetails Component

Opened **CohortDetails.js**, imported the CSS Module, applied the **box** class to the container div, and set the **<h3>** element to use green font color when the cohort status is "Ongoing" and blue color in all other scenarios:

```
import styles from './CohortDetails.module.css';

function CohortDetails(props) {
  return (
    <div className={styles.box}>
      <h3 style={{color: props.cohort.currentStatus === 'Ongoing' ? 'green' : 'blue'}
        {props.cohort.cohortCode} -
        <span>{props.cohort.technology}</span>
      </h3>
      <dl>
        <dt>Started On</dt>
        <dd>{props.cohort.startDate}</dd>
        <dt>Current Status</dt>
        <dd>{props.cohort.currentStatus}</dd>
        <dt>Coach</dt>
        <dd>{props.cohort.coachName}</dd>
        <dt>Trainer</dt>
        <dd>{props.cohort.trainerName}</dd>
      </dl>
    </div>
  );
}
export default CohortDetails;
```

Code: src/CohortDetails.js

### Step 4: Run the Application and View the Result

Started the application using **npm start** and opened the browser at **localhost:3000**. Each cohort is displayed inside a bordered, rounded box; the heading is shown in green for cohorts with status "Ongoing" and in blue for all other statuses:




Figure 2: Final Result

---

End of Lab