# JAVA PROGRAMMING EXERCISE - MARCH 25<sup>th</sup>

#### Question 1:

```
public class qs1 {
  public static void main(String[] args) {
       Scanner sc = new Scanner(System.in);
       System.out.print("Enter Username: ");
      String user = sc.nextLine();
       System.out.print("Enter Password: ");
      String pass = sc.nextLine();
      System.out.print("Confirm Password: ");
      String cnfpass = sc.nextLine();
      if (user.length() < 8) {</pre>
           System.out.println("Invalid username length");
       if (pass.length() < 8) {</pre>
           System.out.println("Invalid password length");
       if (user.contains(" ") || pass.contains(" ")) {
          System.out.println("Username or Password should not contain
spaces.");
       if (pass.equals(cnfpass) != true) {
           System.out.println("Passwords don't match.");
       String temp = "";
       for (int i = 0; i < user.length() - 2; i++) {
           for (int j = i; j < i + 3; j++) {
               temp += user.charAt(j);
           if (pass.contains(temp)) {
               System.out.println("Password cannot contain username ");
               break;
           } else {
```

```
temp = "";
}
sc.close();
}
```

### **Question 2:**

```
import java.util.*;
public class qs2 {
  public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);
      Scanner sc1 = new Scanner(System.in);
      System.out.println("Enter number of students: ");
      int n = sc1.nextInt();
      student st[] = new student[n];
      for (int i = 0; i < st.length; i++) {
           String name;
          String regno;
          String phone;
          st[i] = new student();
          System.out.println("Input Details of Student " + (i + 1));
          System.out.print("Enter Name: ");
          name = sc.nextLine();
          System.out.print("Enter Reg number: ");
           regno = sc.nextLine();
          System.out.print("Enter Phone: ");
           phone = sc.nextLine();
           st[i].getinfo(name, regno, phone);
           System.out.println();
       student.sortobj(st);
      sc.close();
      sc1.close();
class student {
  String Name;
  String Regno;
  String Phone;
  void getinfo(String Name, String Regno, String Phone) {
```

```
this.Name=Name;
this.Regno=Regno;
this.Phone=Phone;
System.out.println(Name + " " + Regno + " " + Phone);
System.out.println();
for (int i = 0; i < s.length - 1; i++) {
   for (int j = 0; j < s.length - 1 - i; <math>j++) {
        if (s[j].Name.compareTo(s[j + 1].Name) > 0) {
            student temp = new student();
           temp = s[j];
           s[j] = s[j + 1];
            s[j + 1] = temp;
for (int i = 0; i < s.length; i++) {
   s[i].displayinfo();
```

```
~/Documents/WINSEM20-21/JAVA LAB/DA3
8 -cp /home/subham/.config/Code/User/workspace
Enter number of students:
Input Details of Student 1
Enter Name: Subham Panda
Enter Reg number: 19BIT0093
Enter Phone: 9658965896
Input Details of Student 2
Enter Name: Rohin Goyal
Enter Reg number: 19BIT0140
Enter Phone: 8524695632
Input Details of Student 3
Enter Name: Aditya
Enter Reg number: 19BIT0139
Enter Phone: 9658236512
Aditya 19BIT0139 9658236512
Rohin Goyal 19BIT0140 8524695632
Subham Panda 19BIT0093 9658965896
```

# **Question 3:**

```
import java.util.Scanner;
public class qs3 {
  public static void main(String[] args) {
       Scanner sc = new Scanner(System.in);
      dependent a[] = new dependent[4];
      System.out.println("---ENTER DETAILS OF PROFESSOR---");
       a[0] = new professor();
       System.out.println("---ENTER DETAILS OF ASSOCIATE PROFESSOR---");
      a[1] = new associateProfessor();
      System.out.println("---ENTER DETAILS OF ASSISTANT PROFESSOR---");
      a[2] = new assistantProfessor();
      System.out.println("---ENTER DETAILS OF TRA---");
      a[3] = new TRA();
      System.out.print("Enter the employee id to search: ");
      String id = sc.nextLine();
      dependent.findEmployee(a, id);
      sc.close();
class dependent {
  String empid;
  String name;
  String phoneno;
  String dob;
  double sal;
       Scanner sc = new Scanner(System.in);
       System.out.print("Enter employee id: ");
      empid = sc.nextLine();
       System.out.print("Enter name: ");
       name = sc.nextLine();
       System.out.print("Enter phone number: ");
      phoneno = sc.nextLine();
       System.out.print("Enter date of birth: ");
```

```
dob = sc.nextLine();
      System.out.println(empid + " " + name + " " + phoneno + " " + dob +
 " + sal);
  public static void findEmployee(dependent x[], String id) {
      int flag = 0;
      for (int i = 0; i < x.length; i++) {
          if (x[i].empid.equals(id)) {
              x[i].displayDetails();
              flag = 1;
              break;
      if (flag == 0) {
          System.out.println("EMPLOYEE NOT FOUND");
class professor extends dependent {
      sal = 150000 + (0.3 * 150000);
class associateProfessor extends dependent {
      super();
      sal = 120000 + (0.2 * 120000);
```

```
class assistantProfessor extends dependent {
    assistantProfessor() {
        super();
        sal = 100000 + (0.1 * 100000);
    }
}

class TRA extends dependent {
    TRA() {
        super();
        sal = 20000;
    }
}
```

```
~/Documents/WINSEM20-21/JAVA LAB/DA3 cd "/home/su
8 -cp /home/subham/.config/Code/User/workspaceStorage/d
---ENTER DETAILS OF PROFESSOR---
Enter employee id: 101
Enter name: Subham
Enter phone number: 9658569856
Enter date of birth: 10/03/2001
---ENTER DETAILS OF ASSOCIATE PROFESSOR---
Enter employee id: 102
Enter name: Rohin
Enter phone number: 9652365214
Enter date of birth: 25/11/1999
---ENTER DETAILS OF ASSISTANT PROFESSOR---
Enter employee id: 103
Enter name: Arnab
Enter phone number: 9865236251
Enter date of birth: 12/01/2000
---ENTER DETAILS OF TRA---
Enter employee id: 104
Enter name: Shresth
Enter phone number: 9865236523
Enter date of birth: 29/11/2000
Enter the employee id to search: 104
104 Shresth 9865236523 29/11/2000 20000.0
```

### **Question 4:**

```
import java.util.Scanner;
public class qs4 {
  public static void main(String[] args) {
       int x, y, z;
      Scanner sc = new Scanner(System.in);
       shape s[] = new \text{ shape } [4];
      s[0] = new square();
      System.out.print("Enter x coordinate for square: ");
      x = sc.nextInt();
      System.out.print("Enter y coordinate for square: ");
      s[0].getlocation(x, y);
      s[0].computearea();
      s[1] = new circle();
      System.out.print("Enter x coordinate for circle: ");
      x = sc.nextInt();
      System.out.print("Enter y coordinate for circle: ");
      y = sc.nextInt();
      s[1].getlocation(x, y);
      s[1].computearea();
      s[2] = new sphere();
      System.out.print("Enter x coordinate for sphere: ");
      x = sc.nextInt();
      System.out.print("Enter y coordinate for sphere: ");
      y = sc.nextInt();
      System.out.print("Enter z coordinate for sphere: ");
       z = sc.nextInt();
       s[2].getlocation(x, y, z);
       s[2].computearea();
      s[3] = new cube();
      System.out.print("Enter x coordinate for cube: ");
      x = sc.nextInt();
      System.out.print("Enter y coordinate for cube: ");
      y = sc.nextInt();
```

```
System.out.print("Enter z coordinate for cube: ");
       z = sc.nextInt();
       s[3].getlocation(x, y, z);
      sc.close();
abstract class shape {
  double area;
  int y;
  int z;
  double positionVector;
       this.y = y;
      positionVector = Math.sqrt(Math.pow(x, 2) + Math.pow(y, 2) +
Math.pow(z, 2));
      this.y = y;
      positionVector = Math.sqrt(Math.pow(x, 2) + Math.pow(y, 2));
  public void display() {
      System.out.println(area);
abstract class twodimensionalshape extends shape {
```

```
int y;
  double positionVector;
      this.y = y;
      positionVector = Math.sqrt(Math.pow(x, 2) + Math.pow(y, 2));
abstract class threedimensionalshape extends shape {
  int x;
  int y;
  double positionVector;
      this.y = y;
      positionVector = Math.sqrt(Math.pow(x, 2) + Math.pow(y, 2) +
Math.pow(z, 2));
class circle extends twodimensionalshape {
  @Override
  public void computearea() {
      area = 3.14 * positionVector * positionVector;
      super.display();
class square extends twodimensionalshape {
      area = positionVector * positionVector;
      super.display();
```

```
class sphere extends threedimensionalshape {
    @Override
    public void computearea() {
        area = 4 * 3.14 * positionVector * positionVector;
        super.display();
    }
}
class cube extends threedimensionalshape {
    @Override
    public void computearea() {
        area = 6 * positionVector * positionVector;
        super.display();
    }
}
```

```
~/Documents/WINSEM20-21/JAVA LAB/DA
8 -cp /home/subham/.config/Code/User/w
Enter x coordinate for square: 5
Enter y coordinate for square: 5
50.0000000000000001
Enter x coordinate for circle: 3
Enter y coordinate for circle: 3
56.51999999999999
Enter x coordinate for sphere: 4
Enter y coordinate for sphere: 4
Enter z coordinate for sphere: 4
602.8799999999999
Enter x coordinate for cube: 2
Enter y coordinate for cube: 5
Enter z coordinate for cube: 6
389.9999999999994
```

### **Question 5:**

```
public class javalabclass {
  public static void main(String[] args) {
      professor satish = new professor("satish ", "vellore ", "111 ",
"a06");
      satish.display professor();
abstract class person {
  protected String name;
  protected String address;
class faculty extends person {
  public String empid;
      name = a;
      address = b;
      empid = c;
      System.out.println(name + address + empid);
  @Override
      System.out.println(address);
```

```
class professor extends faculty {
  public String cabinno;

public professor(String a, String b, String c, String d) {
    super(a, b, c);
    cabinno = d;
}

public void display_professor() {
    System.out.println(name + address + empid + cabinno);
}
```

// ~/Documents/WINSEM20-21/JAVA LAB/DA3 /
d429f51822d652a477b9d1ffc65168b/redhat.java/
satish vellore 111 a06

### **Question 6:**

## **Code (Arithmetic Exception):**

```
import java.util.Scanner;

public class qs6ArithmeticException {
    public static void main(String[] args) {
        int a, b;
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter first number: ");
        a = sc.nextInt();
        System.out.print("Enter second number: ");
        b = sc.nextInt();
        int c = a / b;
        System.out.println(c);
        sc.close();
    }
}
```

# **Output (Arithmetic Exception):**

```
~/Documents/WINSEM20-21/JAVA LAB/DA3 cd "/home/subham/Documents/WI
8 -cp /home/subham/.config/Code/User/workspaceStorage/dd429f51822d652a47
Enter first number: 5
Enter second number: 0
Exception in thread "main" java.lang.ArithmeticException: / by zero
at qs6ArithmeticException.main(qs6ArithmeticException.java:11)
```

# **Code (Input Mismatch Exception):**

```
import java.util.Scanner;

public class qs6InputmismatchException {
   public static void main(String[] args) {
      int a;
      Scanner sc = new Scanner(System.in);
      System.out.println("Enter a number: ");
      a = sc.nextInt();
      System.out.println(a);
      sc.close();
   }
}
```

```
}
```

# **Output (Input Mismatch Exception):**

## **Code (Null Pointer Exception):**

```
public class qs6NullPointerException {
   public static void main(String[] args) {
      demo d = new demo("Subham");
      d = null;
      System.out.println(d.s);
   }
}
class demo {
   String s;
   demo(String s) {
      this.s = s;
   }
}
```

# **Output (Null Pointer Exception):**

```
cd "/home/subham/Documents/WINSEM20-21/JAVA LAB/DA3" ; /us
8 -cp /home/subham/.config/Code/User/workspaceStorage/dd429f51822d652a477b9d1ffc65168b/redhat.java/jd
Exception in thread "main" java.lang.NullPointerException: Cannot read field "s" because "d" is null
at qs6NullPointerException.main(qs6NullPointerException.java:5)
```

# **Code (Array Out of Bounds Exception):**

```
public class qs6ArrayIndexOutOfBoundsException {
   public static void main(String[] args) {
      int a[] = {1,2,3,4,5};
      System.out.println(a[6]);
   }
}
```

# **Output (Array Out of Bounds Exception):**

cd "/home/subham/Documents/WINSEM20-21/JAVA LAB/DA3" ; /usr/bin/e 8 -cp /home/subham/.config/Code/User/workspaceStorage/dd429f51822d652a477b9d1ffc65168b/redhat.java/jdt\_ws/DA Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: Index 6 out of bounds for length 5 at qs6ArrayIndexOutOfBoundsException.main(qs6ArrayIndexOutOfBoundsException.java:4)

#### **Question 7:**

## **Code (Arithmetic Exception):**

## **Output (Arithmetic Exception):**

```
~/Documents/WINSEM20-21/JAVA LAB/DA3 cd "/home/subham/
8 -cp /home/subham/.config/Code/User/workspaceStorage/dd429f
Enter first number: 5
Enter second number: 0
Cannot divide with 0. Please enter a number other than 0
```

# **Code (Input Mismatch Exception):**

```
import java.util.InputMismatchException;
import java.util.Scanner;

public class qs7InputMismatchException {
   public static void main(String[] args) {
```

```
try {
    int a;
    Scanner sc = new Scanner(System.in);
    System.out.println("Enter a number: ");
    a = sc.nextInt();
    System.out.println(a);
    sc.close();
} catch (InputMismatchException e) {
    System.out.println("You need to enter a number. Not any other type");
    }
}
```

## **Output (Input MismatchArithmetic Exception):**

```
// ~/Documents/WINSEM20-21/JAVA LAB/DA3 cd "/home/
8 -cp /home/subham/.config/Code/User/workspaceStorage
Enter a number:
Subham
You need to enter a number. Not any other type
```

# **Code (Null Pointer Exception):**

```
public class qs7NullPointerException {
    public static void main(String[] args) {
        try {
            demol d = new demol("Subham");
            d = null;
            System.out.println(d.s);
        } catch (NullPointerException e) {
            System.out.println("The varaiable d doesnt reference to any memory, so cant access the variable");
        }
    }
}
class demol {
    String s;
```

```
demo1(String s) {
    this.s = s;
}
```

# **Output (Null Pointer Exception):**

```
% ~/Documents/WINSEM20-21/JAVA LAB/DA3 cd "/home/subham/Documents/WINSEM20
8 -cp /home/subham/.config/Code/User/workspaceStorage/dd429f51822d652a477b9d1f
The variable d doesnt reference to any memory, so cant access the variable
```

# **Code (Array Out Of Bounds Exception):**

```
public class qs7ArrayIndexOutOfBoundsException {
   public static void main(String[] args) {
        try {
            int a[] = { 1, 2, 3, 4, 5 };
            System.out.println(a[6]);
        } catch (ArrayIndexOutOfBoundsException e) {
            System.out.println("The array length is 5, cant access an element more than index 4");
        }
   }
}
```

# **Output (Array Out Of Bounds Exception):**