

## Section 1: Introduction to SAP Fiori

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAP Fiori is the modern user experience (UX) paradigm for SAP software, delivering a consumer-grade, role-based, responsive, and coherent interface across devices.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Introduction to SAP Fiori include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Introduction to SAP Fiori updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 2: Fiori Design Principles

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The five core Fiori principles are: Role-Based (tailored to user tasks), Responsive (adapts to device screen sizes), Simple (essential functions highlighted), Coherent (consistent design language), and Delightful.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Design Principles include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Design Principles updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 3: Fiori App Types

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Fiori encompasses three primary application archetypes: Transactional Apps (task execution and approvals), Analytical Apps (real-time KPIs and visual charts), and Fact Sheets (contextual object 360-degree drill-down).

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori App Types include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori App Types updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 4: SAP Fiori Launchpad (FLP)

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The Fiori Launchpad is the central web entry point for all Fiori apps. Users access role-specific tiles organized into Spaces, Pages, and Sections, with personalized bookmarks and notifications.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SAP Fiori Launchpad (FLP) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SAP Fiori Launchpad (FLP) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 5: SAPUI5 Framework Architecture

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAPUI5 is the enterprise-grade JavaScript UI framework powering Fiori apps. It implements Model-View-Controller (MVC) architecture, two-way data binding, responsive layout controls, and accessibility compliance.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SAPUI5 Framework Architecture include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SAPUI5 Framework Architecture updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 6: OData Services and SAP Gateway

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Fiori apps communicate with backend SAP systems via RESTful OData (Open Data Protocol) services. SAP Gateway (/IWFND/GW\_CLIENT) exposes ABAP business logic and CDS views as JSON/XML OData endpoints.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with OData Services and SAP Gateway include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within OData Services and SAP Gateway updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 7: Fiori Elements and Smart Controls

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Fiori Elements generates standard UI layouts (List Report, Object Page, Analytical List Page, Overview Page) dynamically from backend CDS metadata annotations without writing frontend JavaScript.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Elements and Smart Controls include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Elements and Smart Controls updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 8: Fiori Architecture: Embedded vs Hub Deployment

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

In Embedded Deployment, Gateway and Fiori UI components reside directly on the backend S/4HANA system. Hub deployment placed Gateway on an independent frontend server, but Embedded is now SAP's recommended standard.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Architecture: Embedded vs Hub Deployment include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Architecture: Embedded vs Hub Deployment updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 9: Spaces and Pages Concept in FLP

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Spaces and Pages replace legacy Classic Groups in the Fiori Launchpad. Spaces represent user roles (e.g. Accounts Payable Specialist), containing Pages that organize apps into intuitive functional sections.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Spaces and Pages Concept in FLP include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Spaces and Pages Concept in FLP updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 10: Catalogs, Groups, and PFCG Roles

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Technical Catalogs store app definitions, while Business Catalogs assign apps to business roles. PFCG roles grant users authorization to specific catalogs, governing tile visibility on the launchpad.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Catalogs, Groups, and PFCG Roles include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Catalogs, Groups, and PFCG Roles updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 11: Fiori Launchpad Configuration and Theming

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The UI Theme Designer allows enterprises to apply corporate branding, logos, color palettes, and typography to the Fiori Launchpad, supporting Horizon, Quartz Light, and Quartz Dark themes.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Launchpad Configuration and Theming include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Launchpad Configuration and Theming updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 12: Custom Fiori App Development in SAP Business Application Studio

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Developers build custom Fiori applications in SAP Business Application Studio (BAS) using modern web tooling, TypeScript, ESLint, and Yeoman generators.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Custom Fiori App Development in SAP Business Application Studio include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Custom Fiori App Development in SAP Business Application Studio updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 13: OData V2 vs OData V4

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

OData V4 delivers improved performance, reduced payload sizes, batch request optimization, and enhanced query capabilities compared to OData V2, and is the default for new RAP services.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with OData V2 vs OData V4 include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within OData V2 vs OData V4 updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 14: Fiori Notifications and Workflow Inbox

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The Fiori Launchpad Notification Center and My Inbox app aggregate workflow approval tasks (e.g. purchase orders, leave requests, travel expenses) for single-click approvals.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Notifications and Workflow Inbox include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Notifications and Workflow Inbox updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 15: Fiori Search and Enterprise Search (ESH)

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Enterprise Search provides global keyword search across the entire SAP system directly from the Fiori Launchpad header bar, returning business objects with direct navigation links.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Fiori Search and Enterprise Search (ESH) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Fiori Search and Enterprise Search (ESH) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 16: Offline Capabilities and Mobile Services

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAP Mobile Services enables Fiori and native mobile apps to synchronize data securely for offline operation in field service and warehouse environments.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Offline Capabilities and Mobile Services include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Offline Capabilities and Mobile Services updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 17: Cache Management and Cache Buster

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Fiori utilizes cache buster tokens to invalidate browser caches automatically when backend UI components or theme libraries are updated, preventing stale client scripts.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Cache Management and Cache Buster include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Cache Management and Cache Buster updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 18: Troubleshooting Fiori Launchpad Issues

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Diagnostic tools include the Fiori Launchpad Content Manager (/UI2/FLC), Gateway error log (/IWFND/ERROR\_LOG), and browser developer console for network and CORS errors.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Troubleshooting Fiori Launchpad Issues include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Troubleshooting Fiori Launchpad Issues updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 19: Performance Optimization for Fiori

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Optimization techniques include enabling HTTP/2, compressing static resources with Gzip, activating app pre-loading, and using CDS paging to limit initial OData result payloads.

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Performance Optimization for Fiori include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Performance Optimization for Fiori updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

## Section 20: Security, Single Sign-On (SSO), and HTTPS

Module: SAP Fiori | Document: SAP\_Fiori\_Design\_and\_Deployment\_Manual.pdf

### 1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Fiori deployments require HTTPS encryption and support SAML 2.0 and OpenID Connect (OIDC) for Single Sign-On across enterprise identity providers (e.g. Azure AD, Okta).

### 2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP Fiori, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Security, Single Sign-On (SSO), and HTTPS include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

### 3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Security, Single Sign-On (SSO), and HTTPS updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.