

Section 1: SAP HCM Architecture and Scope

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAP HCM (Human Capital Management) oversees workforce administration, organizational structures, time evaluation, compensation, benefits, and payroll calculation across global enterprises.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SAP HCM Architecture and Scope include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SAP HCM Architecture and Scope updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 2: Organizational Management (OM)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Organizational Management defines organizational units, jobs, positions, and reporting hierarchies. Key object types include O (Org Unit), C (Job), S (Position), and P (Person), linked via relationships (e.g. S manages O).

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Organizational Management (OM) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Organizational Management (OM) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 3: Personnel Administration (PA)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Personnel Administration manages employee master data from hire to retire. Master data is structured in Infotypes (4-digit numerical codes). Transaction PA30 maintains infotype records, and PA20 displays employee data.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Personnel Administration (PA) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Personnel Administration (PA) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 4: Key Infotypes in SAP HCM

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Essential infotypes include: 0000 (Actions), 0001 (Organizational Assignment), 0002 (Personal Data), 0006 (Addresses), 0007 (Planned Working Time), 0008 (Basic Pay), and 0009 (Bank Details).

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Key Infotypes in SAP HCM include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Key Infotypes in SAP HCM updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 5: Personnel Actions (PA40)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Personnel actions execute sequential infotype updates for employee lifecycle events such as Hiring, Promotion, Transfer, and Termination. Actions ensure mandatory employee records are completed consistently.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Personnel Actions (PA40) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Personnel Actions (PA40) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 6: Time Management (PT)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Time Management records and evaluates employee working hours, shifts, attendance, and absences (Infotypes 2001 and 2002). Time Evaluation (RPTIME00) calculates overtime, premiums, and quota deductions.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Time Management (PT) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Time Management (PT) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 7: Leave Quotas and Absence Quotas (Infotype 2006)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Absence quotas define employee entitlement to paid leave, sick leave, and vacation days. Quotas can be generated automatically via time evaluation rules or maintained manually.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Leave Quotas and Absence Quotas (Infotype 2006) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Leave Quotas and Absence Quotas (Infotype 2006) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 8: Cross-Application Time Sheet (CATS)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

CATS allows employees and contractors to record project and operational hours across multiple modules (HCM, PS, PM, CO). Approved timesheet records transfer automatically to target modules.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Cross-Application Time Sheet (CATS) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Cross-Application Time Sheet (CATS) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 9: Payroll Processing Overview

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The SAP Payroll driver (RPCALCx0) calculates gross and net pay, deductions, tax withholdings, and employer contributions. Payroll control records (PA03) safeguard data integrity during payroll execution.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Payroll Processing Overview include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Payroll Processing Overview updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 10: Wage Types and Valuation

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Wage types classify monetary amounts and time units in payroll (e.g. base salary, bonus, overtime). Primary wage types are entered in master data (Infotype 0008/0014/0015); secondary wage types are generated during payroll runs.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Wage Types and Valuation include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Wage Types and Valuation updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 11: Payroll Schema and Personnel Calculation Rules (PCR)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Payroll schemas (e.g. US00 for USA, IN00 for India) structure payroll execution steps. Personnel Calculation Rules (PE02) process specific employee wage types conditionally.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Payroll Schema and Personnel Calculation Rules (PCR) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Payroll Schema and Personnel Calculation Rules (PCR) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 12: Integration with Financial Accounting (FI)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Completed payroll runs post to the General Ledger via posting program RPCIPE00. Salary expenses are debited to cost centers, and net pay liabilities and tax obligations are credited to vendor or clearing accounts.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Integration with Financial Accounting (FI) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Integration with Financial Accounting (FI) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 13: SuccessFactors Integration Overview

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAP HCM integrates with SAP SuccessFactors cloud modules (Employee Central, Performance & Goals, Learning, Succession) via SAP Cloud Integration Gateway for hybrid HR deployments.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SuccessFactors Integration Overview include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SuccessFactors Integration Overview updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 14: Employee and Manager Self-Service (ESS/MSS)

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

ESS and MSS Fiori apps enable employees to view payslips, submit leave requests, and update contact details, while managers approve time off and track team performance.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Employee and Manager Self-Service (ESS/MSS) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Employee and Manager Self-Service (ESS/MSS) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 15: Benefits Administration

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Benefits administration manages health insurance, pension plans, and life insurance policies. Infotypes 0167, 0168, and 0169 record plan enrollments, employee contributions, and employer subsidies.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Benefits Administration include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Benefits Administration updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 16: Compensation Management

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Compensation management models salary reviews, merit increases, and annual bonuses based on company budgets and individual employee performance appraisals.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Compensation Management include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Compensation Management updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 17: Personnel Development and Qualifications

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Personnel development tracks employee competencies, licenses, and required qualifications against job and position profiles, highlighting training needs.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Personnel Development and Qualifications include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Personnel Development and Qualifications updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 18: Standard HCM Reporting and Ad-Hoc Query

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The InfoSet Query and Ad-Hoc Query tools (S_PH0_48000513) allow HR analysts to build custom employee reports across multiple infotypes without programming.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Standard HCM Reporting and Ad-Hoc Query include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Standard HCM Reporting and Ad-Hoc Query updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 19: Data Privacy and Authorization in HCM

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

HCM data is subject to strict privacy regulations (GDPR). Contextual authorizations (P_ORGIN, P_PERNR) restrict HR access based on personnel area, employee subgroup, and organizational unit.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Data Privacy and Authorization in HCM include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Data Privacy and Authorization in HCM updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 20: Common Payroll and Time Errors

Module: SAP HCM | Document: SAP_HCM_Human_Capital_Management_Guide.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Common HCM issues include retroactive accounting date mismatches, missing basic pay infotypes, and unprocessed time pairs in time evaluation. Resolution involves checking PA03 and PT60 logs.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP HCM, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Common Payroll and Time Errors include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Common Payroll and Time Errors updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.