

Section 1: SAP Sales and Distribution (SD) Overview

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

SAP SD is the logistics module that manages the entire Order-to-Cash (O2C) business process, including pre-sales inquiries, quotations, sales order entry, delivery scheduling, warehouse picking, shipping, and customer invoicing.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SAP Sales and Distribution (SD) Overview include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SAP Sales and Distribution (SD) Overview updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 2: SD Organizational Structure

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The SD enterprise structure comprises Sales Organization, Distribution Channel, and Division, which together form a Sales Area. Other elements include Sales Offices, Sales Groups, and Shipping Points.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with SD Organizational Structure include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within SD Organizational Structure updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 3: Customer Master Data / Business Partner

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Customer master records maintain general data, company code accounting data, and sales area data. In S/4HANA, customers are created under Business Partner roles FLCU00 (FI Customer) and FLCU01 (Sales Customer).

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Customer Master Data / Business Partner include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Customer Master Data / Business Partner updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 4: Customer-Material Info Record (VD51)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Customer-Material Information Records store customer-specific material numbers, customer descriptions, and delivery tolerances. During sales order entry, the system automatically cross-references these records.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Customer-Material Info Record (VD51) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Customer-Material Info Record (VD51) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 5: Sales Document Architecture

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Sales orders consist of three hierarchical tiers: Header (VBAK table, general customer data and terms), Item (VBAP table, material, quantity, and pricing), and Schedule Line (VBEP table, delivery dates and confirmed quantities).

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Sales Document Architecture include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Sales Document Architecture updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 6: Sales Order Processing (VA01)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Transaction VA01 is used to create sales documents such as standard orders (OR), rush orders, cash sales, and returns. The sales document type controls number ranges, partner determination, and delivery scheduling.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Sales Order Processing (VA01) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Sales Order Processing (VA01) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 7: Pricing and Condition Technique

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

The condition technique calculates prices, discounts, surcharges, and taxes in sales orders. Components include Condition Tables, Access Sequences, Condition Types (e.g. PR00 for base price, K004 for material discount), and Pricing Procedures.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Pricing and Condition Technique include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Pricing and Condition Technique updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 8: Credit Management Integration (FSCM)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Credit Management monitors customer credit exposure to mitigate financial default risk. When a customer exceeds their credit limit, sales orders are blocked (VKM3) until reviewed and released by credit analysts.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Credit Management Integration (FSCM) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Credit Management Integration (FSCM) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 9: Availability Check (ATP) and Transfer of Requirements

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Available-to-Promise (ATP) checks ensure ordered goods can be supplied by the requested delivery date based on current warehouse stock, planned receipts, and confirmed customer orders. Advanced ATP (aATP) in S/4HANA provides product allocation and backorder processing.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Availability Check (ATP) and Transfer of Requirements include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Availability Check (ATP) and Transfer of Requirements updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 10: Outbound Delivery Processing (VL01N)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Outbound delivery documents are created via VL01N or collective processing (VL06O). Deliveries manage warehouse picking, packing into handling units, transportation planning, and Goods Issue.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Outbound Delivery Processing (VL01N) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Outbound Delivery Processing (VL01N) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 11: Picking and Warehouse Management Integration

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Picking transfers goods from storage locations to shipping staging areas. The delivery integrates with Warehouse Management (WM) or Extended Warehouse Management (EWM) through transfer orders and warehouse tasks.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Picking and Warehouse Management Integration include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Picking and Warehouse Management Integration updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 12: Post Goods Issue (PGI)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Posting Goods Issue (movement type 601) transfers ownership of goods to the customer. PGI reduces inventory balance in MM and triggers an accounting document debiting Cost of Goods Sold (COGS) and crediting Inventory.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Post Goods Issue (PGI) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Post Goods Issue (PGI) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 13: Billing and Invoicing (VF01)

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Transaction VF01 creates billing documents from outbound deliveries or sales orders. Billing documents record revenue, calculate sales taxes, and post real-time accounting entries debiting Customer Receivables and crediting Revenue accounts.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Billing and Invoicing (VF01) include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Billing and Invoicing (VF01) updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 14: Partner Determination in SD

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Partner determination defines the business roles involved in sales transactions: Sold-to Party (orders goods), Ship-to Party (receives goods), Bill-to Party (receives invoice), and Payer (settles payment).

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Partner Determination in SD include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Partner Determination in SD updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 15: Text and Output Determination

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Output determination controls the generation and transmission of order confirmations, delivery notes, and billing documents via print, email, or EDI/IDoc. Condition technique governs output trigger rules.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Text and Output Determination include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Text and Output Determination updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 16: Returns and Credit Memos

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Customer returns are processed using return orders (RE), return deliveries (LR), and credit memos (CR). Returned materials are inspected (movement type 651/653) and credited to the customer account.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Returns and Credit Memos include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Returns and Credit Memos updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 17: Consignment and Third-Party Sales

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

In third-party processing, customer orders trigger automatic purchase requisitions to external vendors who ship directly to the end customer. Consignment fill-up, pick-up, and issue track stock kept at customer premises.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Consignment and Third-Party Sales include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Consignment and Third-Party Sales updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 18: Intercompany Sales Processing

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Intercompany sales occur when a sales organization sells goods from a plant belonging to a different company code. SAP automatically generates an intercompany billing document (IV) between the internal entities.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Intercompany Sales Processing include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Intercompany Sales Processing updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 19: Rebate and Settlement Management

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Condition contracts (WCOCO) in S/4HANA manage customer rebates and retrospective bonuses, replacing traditional ERP rebate agreements with unified Settlement Management.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Rebate and Settlement Management include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Rebate and Settlement Management updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.

Section 20: Common SD Errors and Resolution

Module: SAP SD | Document: SAP_SD_Sales_and_Distribution_Handbook.pdf

1.0 TECHNICAL SPECIFICATION AND ARCHITECTURE

Common SD issues include pricing errors (mandatory condition PR00 missing), delivery blocks due to credit limits, and billing creation blocks. Resolution entails reviewing pricing analysis (V/08) and credit logs.

2.0 OPERATIONAL AND CONFIGURATION DETAILS

In an enterprise production environment running SAP SD, this functionality is configured and maintained according to SAP Best Practice methodologies. System administrators and functional consultants must ensure that all prerequisites, master data records, and organizational assignments are established prior to execution.

Key transaction codes, database tables, and verification checkpoints associated with Common SD Errors and Resolution include:

- Primary Control Points: Ensure organizational authorization and period readiness.
- Data Integrity: Automated cross-table validation ensures zero orphaned records.
- Audit Compliance: System logs, change documents, and audit trails capture all transactional postings.

3.0 INTEGRATION TOUCHPOINTS

Seamless integration across logistics and finance is the hallmark of the SAP ERP ecosystem. Any transactional event within Common SD Errors and Resolution updates general ledger postings, operational statuses, and downstream planning tools in real-time, eliminating asynchronous reconciliation steps.