

Administration Guide | PUBLIC
Document Version: 2023.2 – 2024-10-09

Log Message Reference and Error Troubleshooting

© 2025 SAP SE or an SAP affiliate company. All rights reserved.

THE BEST RUN SAP

Content

1 Before You Start. 20
1.1 About This Document. 20
1.2 Target Audience. 21
1.3 What's New in This Document. 21
1.4 Additional Information. 22
1.5 Document Abbreviations. 23

2 Troubleshooting with Log Messages. 26

3 Message Types. 29
3.1 Fatal Error Messages. 29
3.2 Error Messages. 29
3.3 Warning Messages. 30

4 Message Prefixes. 31
4.1 com.sap.SCC.chargingplan. 31
4.2 com.sap.SCC.core_client. 31
4.3 com.sap.SCC.core_server. 32
4.4 com.sap.SCC.infra. 32

5 Log Messages. 34
5.1 Log A-Z Index. 54
5.2 com.sap.SCC.chargingplan.000001. 105
5.3 com.sap.SCC.chargingplan.000002. 106
5.4 com.sap.SCC.core_client.000000. 108
5.5 com.sap.SCC.core_client.000001. 109
5.6 com.sap.SCC.core_client.000002. 111
5.7 com.sap.SCC.core_client.000003. 112
5.8 com.sap.SCC.core_client.000004. 114
5.9 com.sap.SCC.core_client.000005. 115
5.10 com.sap.SCC.core_client.000006. 117
5.11 com.sap.SCC.core_client.000007. 118
5.12 com.sap.SCC.core_client.000008. 119
5.13 com.sap.SCC.core_client.000009. 120
5.14 com.sap.SCC.core_client.000010. 122
5.15 com.sap.SCC.core_client.000011. 123
5.16 com.sap.SCC.core_client.000012. 125
5.17 com.sap.SCC.core_client.000013. 126

5.18 com.sap.SCC.core_client.000014 . . . 128
5.19 com.sap.SCC.core_client.000015 . . . 129
5.20 com.sap.SCC.core_client.000016 . . . 131
5.21 com.sap.SCC.core_client.000017 . . . 132
5.22 com.sap.SCC.core_client.000018 . . . 134
5.23 com.sap.SCC.core_client.000019 . . . 135
5.24 com.sap.SCC.core_client.000021 . . . 137
5.25 com.sap.SCC.core_client.000022 . . . 139
5.26 com.sap.SCC.core_client.000023 (Deprecated) . . . 140
5.27 com.sap.SCC.core_client.000024 . . . 142
5.28 com.sap.SCC.core_client.000025 . . . 144
5.29 com.sap.SCC.core_client.000026 . . . 145
5.30 com.sap.SCC.core_client.000027 . . . 147
5.31 com.sap.SCC.core_client.000034 . . . 148
5.32 com.sap.SCC.core_server.000000 . . . 149
5.33 com.sap.SCC.core_server.000001 . . . 150
5.34 com.sap.SCC.core_server.000002 . . . 152
5.35 com.sap.SCC.core_server.000003 . . . 153
5.36 com.sap.SCC.core_server.000004 . . . 155
5.37 com.sap.SCC.core_server.000005 . . . 156
5.38 com.sap.SCC.core_server.000006 . . . 158
5.39 com.sap.SCC.core_server.000007 . . . 160
5.40 com.sap.SCC.core_server.000008 . . . 161
5.41 com.sap.SCC.core_server.000009 . . . 163
5.42 com.sap.SCC.core_server.000010 . . . 165
5.43 com.sap.SCC.core_server.000011 . . . 166
5.44 com.sap.SCC.core_server.000012 . . . 168
5.45 com.sap.SCC.core_server.000013 . . . 170
5.46 com.sap.SCC.core_server.000014 . . . 173
5.47 com.sap.SCC.core_server.000015 . . . 175
5.48 com.sap.SCC.core_server.000016 . . . 177
5.49 com.sap.SCC.core_server.000017 . . . 178
5.50 com.sap.SCC.core_server.000018 . . . 180
5.51 com.sap.SCC.core_server.000019 . . . 181
5.52 com.sap.SCC.core_server.000020 . . . 182
5.53 com.sap.SCC.core_server.000021 . . . 184
5.54 com.sap.SCC.core_server.000022 . . . 185
5.55 com.sap.SCC.core_server.000023 . . . 186
5.56 com.sap.SCC.core_server.000024 . . . 187
5.57 com.sap.SCC.core_server.000025 . . . 188
5.58 com.sap.SCC.core_server.000026 . . . 189

5.59 com.sap.SCC.core_server.000027 (Revoked). . . . 190
5.60 com.sap.SCC.core_server.000028. . . . 191
5.61 com.sap.SCC.core_server.000029. . . . 193
5.62 com.sap.SCC.core_server.000030. . . . 194
5.63 com.sap.SCC.core_server.000031 (Revoked). . . . 195
5.64 com.sap.SCC.core_server.000032. . . . 196
5.65 com.sap.SCC.core_server.000033. . . . 197
5.66 com.sap.SCC.core_server.000034. . . . 198
5.67 com.sap.SCC.core_server.000035. . . . 199
5.68 com.sap.SCC.core_server.000036. . . . 201
5.69 com.sap.SCC.core_server.000037. . . . 202
5.70 com.sap.SCC.core_server.000038. . . . 204
5.71 com.sap.SCC.core_server.000039. . . . 206
5.72 com.sap.SCC.core_server.000040. . . . 207
5.73 com.sap.SCC.core_server.000041. . . . 208
5.74 com.sap.SCC.core_server.000042. . . . 210
5.75 com.sap.SCC.core_server.000043. . . . 211
5.76 com.sap.SCC.core_server.000044. . . . 212
5.77 com.sap.SCC.core_server.000045. . . . 213
5.78 com.sap.SCC.core_server.000046. . . . 214
5.79 com.sap.SCC.core_server.000047. . . . 215
5.80 com.sap.SCC.core_server.000048. . . . 216
5.81 com.sap.SCC.core_server.000049. . . . 218
5.82 com.sap.SCC.core_server.000050. . . . 219
5.83 com.sap.SCC.core_server.000051. . . . 220
5.84 com.sap.SCC.core_server.000052 (Deprecated). . . . 221
5.85 com.sap.SCC.core_server.000053 (Deprecated). . . . 222
5.86 com.sap.SCC.core_server.000054 (Deprecated). . . . 223
5.87 com.sap.SCC.core_server.000055. . . . 224
5.88 com.sap.SCC.core_server.000056. . . . 225
5.89 com.sap.SCC.core_server.000057. . . . 227
5.90 com.sap.SCC.core_server.000058. . . . 229
5.91 com.sap.SCC.core_server.000059. . . . 230
5.92 com.sap.SCC.core_server.000060. . . . 232
5.93 com.sap.SCC.core_server.000061. . . . 234
5.94 com.sap.SCC.core_server.000062. . . . 236
5.95 com.sap.SCC.core_server.000063. . . . 237
5.96 com.sap.SCC.core_server.000064. . . . 239
5.97 com.sap.SCC.core_server.000065. . . . 241
5.98 com.sap.SCC.core_server.000066. . . . 242
5.99 com.sap.SCC.core_server.000067. . . . 244

5.100 com.sap.SCC.core_server.000068. . . . 246
5.101 com.sap.SCC.core_server.000069 (Deprecated). . . . 247
5.102 com.sap.SCC.core_server.000070. . . . 249
5.103 com.sap.SCC.core_server.000071. . . . 251
5.104 com.sap.SCC.core_server.000072. . . . 252
5.105 com.sap.SCC.core_server.000073. . . . 253
5.106 com.sap.SCC.core_server.000074. . . . 255
5.107 com.sap.SCC.core_server.000075. . . . 256
5.108 com.sap.SCC.core_server.000076. . . . 258
5.109 com.sap.SCC.core_server.000077. . . . 259
5.110 com.sap.SCC.core_server.000078. . . . 260
5.111 com.sap.SCC.core_server.000079. . . . 262
5.112 com.sap.SCC.core_server.000080 (Revoked). . . . 263
5.113 com.sap.SCC.core_server.000081 (Revoked). . . . 265
5.114 com.sap.SCC.core_server.000082 (Revoked). . . . 267
5.115 com.sap.SCC.core_server.000083 (Revoked). . . . 268
5.116 com.sap.SCC.core_server.000084 (Revoked). . . . 270
5.117 com.sap.SCC.core_server.000085. . . . 271
5.118 com.sap.SCC.core_server.000086. . . . 273
5.119 com.sap.SCC.core_server.000087. . . . 274
5.120 com.sap.SCC.core_server.000088. . . . 275
5.121 com.sap.SCC.core_server.000089. . . . 277
5.122 com.sap.SCC.core_server.000090. . . . 279
5.123 com.sap.SCC.core_server.000091. . . . 280
5.124 com.sap.SCC.core_server.000092. . . . 282
5.125 com.sap.SCC.core_server.000093. . . . 284
5.126 com.sap.SCC.core_server.000094. . . . 285
5.127 com.sap.SCC.core_server.000095. . . . 287
5.128 com.sap.SCC.core_server.000096. . . . 288
5.129 com.sap.SCC.core_server.000097. . . . 290
5.130 com.sap.SCC.core_server.000098. . . . 291
5.131 com.sap.SCC.core_server.000099. . . . 292
5.132 com.sap.SCC.core_server.000100. . . . 293
5.133 com.sap.SCC.core_server.000101. . . . 294
5.134 com.sap.SCC.core_server.000102. . . . 295
5.135 com.sap.SCC.core_server.000103. . . . 297
5.136 com.sap.SCC.core_server.000104. . . . 298
5.137 com.sap.SCC.core_server.000105. . . . 299
5.138 com.sap.SCC.core_server.000106. . . . 301
5.139 com.sap.SCC.core_server.000107. . . . 302
5.140 com.sap.SCC.core_server.000108. . . . 304

5.141 com.sap.SCC.core_server.000109. . . . 305
5.142 com.sap.SCC.core_server.000110. . . . 306
5.143 com.sap.SCC.core_server.000111. . . . 307
5.144 com.sap.SCC.core_server.000112. . . . 308
5.145 com.sap.SCC.core_server.000113. . . . 310
5.146 com.sap.SCC.core_server.000114. . . . 311
5.147 com.sap.SCC.core_server.000115. . . . 314
5.148 com.sap.SCC.core_server.000116. . . . 316
5.149 com.sap.SCC.core_server.000117. . . . 317
5.150 com.sap.SCC.core_server.000118. . . . 318
5.151 com.sap.SCC.core_server.000119. . . . 319
5.152 com.sap.SCC.core_server.000120. . . . 320
5.153 com.sap.SCC.core_server.000121. . . . 321
5.154 com.sap.SCC.core_server.000122 (Deprecated). . . . 322
5.155 com.sap.SCC.core_server.000123 (Deprecated). . . . 323
5.156 com.sap.SCC.core_server.000124. . . . 325
5.157 com.sap.SCC.core_server.000125. . . . 326
5.158 com.sap.SCC.core_server.000126. . . . 327
5.159 com.sap.SCC.core_server.000127. . . . 328
5.160 com.sap.SCC.core_server.000128. . . . 329
5.161 com.sap.SCC.core_server.000129. . . . 331
5.162 com.sap.SCC.core_server.000130. . . . 332
5.163 com.sap.SCC.core_server.000131. . . . 334
5.164 com.sap.SCC.core_server.000132. . . . 335
5.165 com.sap.SCC.core_server.000133. . . . 336
5.166 com.sap.SCC.core_server.000134. . . . 337
5.167 com.sap.SCC.core_server.000135. . . . 339
5.168 com.sap.SCC.core_server.000136. . . . 340
5.169 com.sap.SCC.core_server.000137. . . . 342
5.170 com.sap.SCC.core_server.000138. . . . 343
5.171 com.sap.SCC.core_server.000139. . . . 344
5.172 com.sap.SCC.core_server.000140. . . . 345
5.173 com.sap.SCC.core_server.000141. . . . 347
5.174 com.sap.SCC.core_server.000142. . . . 348
5.175 com.sap.SCC.core_server.000143. . . . 349
5.176 com.sap.SCC.core_server.000144. . . . 350
5.177 com.sap.SCC.core_server.000145. . . . 352
5.178 com.sap.SCC.core_server.000146. . . . 353
5.179 com.sap.SCC.core_server.000147. . . . 354
5.180 com.sap.SCC.core_server.000148. . . . 356
5.181 com.sap.SCC.core_server.000149. . . . 357

5.182 com.sap.SCC.core_server.000150 . . . 358
5.183 com.sap.SCC.core_server.000151 . . . 359
5.184 com.sap.SCC.core_server.000152 . . . 361
5.185 com.sap.SCC.core_server.000153 (Deprecated) . . . 362
5.186 com.sap.SCC.core_server.000154 . . . 363
5.187 com.sap.SCC.core_server.000155 . . . 364
5.188 com.sap.SCC.core_server.000156 . . . 365
5.189 com.sap.SCC.core_server.000157 . . . 367
5.190 com.sap.SCC.core_server.000158 . . . 368
5.191 com.sap.SCC.core_server.000159 . . . 369
5.192 com.sap.SCC.core_server.000160 . . . 370
5.193 com.sap.SCC.core_server.000161 . . . 372
5.194 com.sap.SCC.core_server.000162 . . . 373
5.195 com.sap.SCC.core_server.000163 . . . 374
5.196 com.sap.SCC.core_server.000164 . . . 375
5.197 com.sap.SCC.core_server.000165 . . . 376
5.198 com.sap.SCC.core_server.000166 . . . 378
5.199 com.sap.SCC.core_server.000167 . . . 379
5.200 com.sap.SCC.core_server.000168 . . . 381
5.201 com.sap.SCC.core_server.000169 . . . 383
5.202 com.sap.SCC.core_server.000170 . . . 384
5.203 com.sap.SCC.core_server.000171 . . . 386
5.204 com.sap.SCC.core_server.000172 . . . 387
5.205 com.sap.SCC.core_server.000173 . . . 388
5.206 com.sap.SCC.core_server.000174 . . . 390
5.207 com.sap.SCC.core_server.000175 . . . 391
5.208 com.sap.SCC.core_server.000176 . . . 393
5.209 com.sap.SCC.core_server.000177 . . . 394
5.210 com.sap.SCC.core_server.000178 . . . 395
5.211 com.sap.SCC.core_server.000179 . . . 397
5.212 com.sap.SCC.core_server.000180 . . . 398
5.213 com.sap.SCC.core_server.000181 . . . 399
5.214 com.sap.SCC.core_server.000182 . . . 401
5.215 com.sap.SCC.core_server.000183 . . . 402
5.216 com.sap.SCC.core_server.000184 . . . 404
5.217 com.sap.SCC.core_server.000185 . . . 405
5.218 com.sap.SCC.core_server.000186 . . . 406
5.219 com.sap.SCC.core_server.000187 . . . 408
5.220 com.sap.SCC.core_server.000188 . . . 409
5.221 com.sap.SCC.core_server.000189 . . . 410
5.222 com.sap.SCC.core_server.000190 . . . 412

5.223 com.sap.SCC.core_server.000191. . . . 413
5.224 com.sap.SCC.core_server.000192. . . . 415
5.225 com.sap.SCC.core_server.000193. . . . 416
5.226 com.sap.SCC.core_server.000194. . . . 418
5.227 com.sap.SCC.core_server.000195. . . . 419
5.228 com.sap.SCC.core_server.000196. . . . 420
5.229 com.sap.SCC.core_server.000197. . . . 422
5.230 com.sap.SCC.core_server.000198. . . . 423
5.231 com.sap.SCC.core_server.000199. . . . 425
5.232 com.sap.SCC.core_server.000200. . . . 426
5.233 com.sap.SCC.core_server.000201. . . . 428
5.234 com.sap.SCC.core_server.000202. . . . 429
5.235 com.sap.SCC.core_server.000203. . . . 430
5.236 com.sap.SCC.core_server.000204. . . . 432
5.237 com.sap.SCC.core_server.000205. . . . 433
5.238 com.sap.SCC.core_server.000206. . . . 435
5.239 com.sap.SCC.core_server.000207. . . . 437
5.240 com.sap.SCC.core_server.000208. . . . 438
5.241 com.sap.SCC.core_server.000209. . . . 440
5.242 com.sap.SCC.core_server.000210. . . . 441
5.243 com.sap.SCC.core_server.000211. . . . 442
5.244 com.sap.SCC.core_server.000212. . . . 444
5.245 com.sap.SCC.core_server.000213. . . . 445
5.246 com.sap.SCC.core_server.000214. . . . 447
5.247 com.sap.SCC.core_server.000215. . . . 448
5.248 com.sap.SCC.core_server.000216. . . . 450
5.249 com.sap.SCC.core_server.000217. . . . 452
5.250 com.sap.SCC.core_server.000218. . . . 453
5.251 com.sap.SCC.core_server.000219. . . . 455
5.252 com.sap.SCC.core_server.000220. . . . 456
5.253 com.sap.SCC.core_server.000221. . . . 457
5.254 com.sap.SCC.core_server.000222. . . . 459
5.255 com.sap.SCC.core_server.000223. . . . 460
5.256 com.sap.SCC.core_server.000224. . . . 462
5.257 com.sap.SCC.core_server.000225. . . . 463
5.258 com.sap.SCC.core_server.000226. . . . 464
5.259 com.sap.SCC.core_server.000227. . . . 466
5.260 com.sap.SCC.core_server.000228. . . . 467
5.261 com.sap.SCC.core_server.000229. . . . 469
5.262 com.sap.SCC.core_server.000230. . . . 470
5.263 com.sap.SCC.core_server.000231. . . . 472

5.264 com.sap.SCC.core_server.000232. . . . 473
5.265 com.sap.SCC.core_server.000233. . . . 475
5.266 com.sap.SCC.core_server.000234. . . . 476
5.267 com.sap.SCC.core_server.000235. . . . 478
5.268 com.sap.SCC.core_server.000236. . . . 479
5.269 com.sap.SCC.core_server.000237. . . . 481
5.270 com.sap.SCC.core_server.000238. . . . 482
5.271 com.sap.SCC.core_server.000239. . . . 483
5.272 com.sap.SCC.core_server.000240. . . . 484
5.273 com.sap.SCC.core_server.000241. . . . 485
5.274 com.sap.SCC.core_server.000242. . . . 487
5.275 com.sap.SCC.core_server.000243. . . . 488
5.276 com.sap.SCC.core_server.000244. . . . 490
5.277 com.sap.SCC.core_server.000245. . . . 491
5.278 com.sap.SCC.core_server.000246. . . . 492
5.279 com.sap.SCC.core_server.000247. . . . 493
5.280 com.sap.SCC.core_server.000248. . . . 495
5.281 com.sap.SCC.core_server.000249. . . . 496
5.282 com.sap.SCC.core_server.000250. . . . 498
5.283 com.sap.SCC.core_server.000251. . . . 499
5.284 com.sap.SCC.core_server.000252. . . . 501
5.285 com.sap.SCC.core_server.000253. . . . 502
5.286 com.sap.SCC.core_server.000254. . . . 504
5.287 com.sap.SCC.core_server.000255. . . . 505
5.288 com.sap.SCC.core_server.000256. . . . 507
5.289 com.sap.SCC.core_server.000257. . . . 508
5.290 com.sap.SCC.core_server.000258. . . . 510
5.291 com.sap.SCC.core_server.000259. . . . 511
5.292 com.sap.SCC.core_server.000260. . . . 513
5.293 com.sap.SCC.core_server.000261. . . . 514
5.294 com.sap.SCC.core_server.000262. . . . 516
5.295 com.sap.SCC.core_server.000263. . . . 517
5.296 com.sap.SCC.core_server.000264. . . . 519
5.297 com.sap.SCC.core_server.000265. . . . 521
5.298 com.sap.SCC.core_server.000266. . . . 522
5.299 com.sap.SCC.core_server.000267. . . . 524
5.300 com.sap.SCC.core_server.000268. . . . 525
5.301 com.sap.SCC.core_server.000269. . . . 527
5.302 com.sap.SCC.core_server.000270. . . . 528
5.303 com.sap.SCC.core_server.000271. . . . 530
5.304 com.sap.SCC.core_server.000272. . . . 531

5.305 com.sap.SCC.core_server.000273. . . . 533
5.306 com.sap.SCC.core_server.000274. . . . 534
5.307 com.sap.SCC.core_server.000275. . . . 536
5.308 com.sap.SCC.core_server.000276. . . . 537
5.309 com.sap.SCC.core_server.000277. . . . 539
5.310 com.sap.SCC.core_server.000278. . . . 541
5.311 com.sap.SCC.core_server.000279. . . . 542
5.312 com.sap.SCC.core_server.000280. . . . 543
5.313 com.sap.SCC.core_server.000281. . . . 544
5.314 com.sap.SCC.core_server.000282. . . . 545
5.315 com.sap.SCC.core_server.000283. . . . 547
5.316 com.sap.SCC.core_server.000284. . . . 548
5.317 com.sap.SCC.core_server.000285. . . . 550
5.318 com.sap.SCC.core_server.000286. . . . 551
5.319 com.sap.SCC.core_server.000287. . . . 552
5.320 com.sap.SCC.core_server.000288. . . . 554
5.321 com.sap.SCC.core_server.000289. . . . 555
5.322 com.sap.SCC.core_server.000290. . . . 556
5.323 com.sap.SCC.core_server.000291. . . . 557
5.324 com.sap.SCC.core_server.000292. . . . 558
5.325 com.sap.SCC.core_server.000293. . . . 559
5.326 com.sap.SCC.core_server.000294. . . . 561
5.327 com.sap.SCC.core_server.000295. . . . 562
5.328 com.sap.SCC.core_server.000296. . . . 563
5.329 com.sap.SCC.core_server.000297. . . . 564
5.330 com.sap.SCC.core_server.000298. . . . 565
5.331 com.sap.SCC.core_server.000299. . . . 566
5.332 com.sap.SCC.core_server.000300. . . . 567
5.333 com.sap.SCC.core_server.000301. . . . 568
5.334 com.sap.SCC.core_server.000302. . . . 570
5.335 com.sap.SCC.core_server.000303. . . . 571
5.336 com.sap.SCC.core_server.000304. . . . 572
5.337 com.sap.SCC.core_server.000305. . . . 574
5.338 com.sap.SCC.core_server.000306. . . . 575
5.339 com.sap.SCC.core_server.000307. . . . 577
5.340 com.sap.SCC.core_server.000308. . . . 578
5.341 com.sap.SCC.core_server.000309. . . . 580
5.342 com.sap.SCC.core_server.000310. . . . 581
5.343 com.sap.SCC.core_server.000311. . . . 582
5.344 com.sap.SCC.core_server.000312. . . . 583
5.345 com.sap.SCC.core_server.000313. . . . 585

5.346 com.sap.SCC.core_server.000314. . . . 586
5.347 com.sap.SCC.core_server.000315. . . . 587
5.348 com.sap.SCC.core_server.000316. . . . 589
5.349 com.sap.SCC.core_server.000317. . . . 590
5.350 com.sap.SCC.core_server.000318. . . . 592
5.351 com.sap.SCC.core_server.000319. . . . 593
5.352 com.sap.SCC.core_server.000320. . . . 594
5.353 com.sap.SCC.core_server.000321. . . . 595
5.354 com.sap.SCC.core_server.000322. . . . 596
5.355 com.sap.SCC.core_server.000323. . . . 598
5.356 com.sap.SCC.core_server.000324. . . . 599
5.357 com.sap.SCC.core_server.000325. . . . 600
5.358 com.sap.SCC.core_server.000326. . . . 601
5.359 com.sap.SCC.core_server.000327. . . . 602
5.360 com.sap.SCC.core_server.000328. . . . 604
5.361 com.sap.SCC.core_server.000329. . . . 605
5.362 com.sap.SCC.core_server.000330. . . . 606
5.363 com.sap.SCC.core_server.000331. . . . 608
5.364 com.sap.SCC.core_server.000332. . . . 609
5.365 com.sap.SCC.core_server.000333. . . . 611
5.366 com.sap.SCC.core_server.000334. . . . 612
5.367 com.sap.SCC.core_server.000335. . . . 614
5.368 com.sap.SCC.core_server.000336. . . . 615
5.369 com.sap.SCC.core_server.000337. . . . 617
5.370 com.sap.SCC.core_server.000338. . . . 618
5.371 com.sap.SCC.core_server.000339. . . . 620
5.372 com.sap.SCC.core_server.000340. . . . 621
5.373 com.sap.SCC.core_server.000341. . . . 622
5.374 com.sap.SCC.core_server.000342. . . . 624
5.375 com.sap.SCC.core_server.000343. . . . 625
5.376 com.sap.SCC.core_server.000344. . . . 626
5.377 com.sap.SCC.core_server.000345. . . . 627
5.378 com.sap.SCC.core_server.000346. . . . 629
5.379 com.sap.SCC.core_server.000347. . . . 630
5.380 com.sap.SCC.core_server.000348. . . . 632
5.381 com.sap.SCC.core_server.000349. . . . 633
5.382 com.sap.SCC.core_server.000350. . . . 634
5.383 com.sap.SCC.core_server.000351. . . . 635
5.384 com.sap.SCC.core_server.000352. . . . 636
5.385 com.sap.SCC.core_server.000353. . . . 637
5.386 com.sap.SCC.core_server.000354. . . . 639

5.387 com.sap.SCC.core_server.000355. . . . 640
5.388 com.sap.SCC.core_server.000356. . . . 642
5.389 com.sap.SCC.core_server.000357. . . . 643
5.390 com.sap.SCC.core_server.000358. . . . 644
5.391 com.sap.SCC.core_server.000359. . . . 646
5.392 com.sap.SCC.core_server.000360. . . . 647
5.393 com.sap.SCC.core_server.000361. . . . 648
5.394 com.sap.SCC.core_server.000362. . . . 649
5.395 com.sap.SCC.core_server.000363. . . . 651
5.396 com.sap.SCC.core_server.000364. . . . 652
5.397 com.sap.SCC.core_server.000365. . . . 653
5.398 com.sap.SCC.core_server.000366. . . . 654
5.399 com.sap.SCC.core_server.000367. . . . 655
5.400 com.sap.SCC.core_server.000368. . . . 656
5.401 com.sap.SCC.core_server.000369. . . . 657
5.402 com.sap.SCC.core_server.000370. . . . 658
5.403 com.sap.SCC.core_server.000371. . . . 659
5.404 com.sap.SCC.core_server.000372. . . . 660
5.405 com.sap.SCC.core_server.000373. . . . 661
5.406 com.sap.SCC.core_server.000374. . . . 662
5.407 com.sap.SCC.core_server.000375. . . . 663
5.408 com.sap.SCC.core_server.000376. . . . 665
5.409 com.sap.SCC.core_server.000377. . . . 666
5.410 com.sap.SCC.core_server.000378. . . . 667
5.411 com.sap.SCC.core_server.000379. . . . 668
5.412 com.sap.SCC.core_server.000380. . . . 670
5.413 com.sap.SCC.core_server.000381 (Deprecated). . . . 671
5.414 com.sap.SCC.core_server.000382 (Deprecated). . . . 672
5.415 com.sap.SCC.core_server.000383. . . . 673
5.416 com.sap.SCC.core_server.000384. . . . 674
5.417 com.sap.SCC.core_server.000385. . . . 675
5.418 com.sap.SCC.core_server.000386. . . . 676
5.419 com.sap.SCC.core_server.000387. . . . 677
5.420 com.sap.SCC.core_server.000388. . . . 678
5.421 com.sap.SCC.core_server.000389. . . . 679
5.422 com.sap.SCC.core_server.000390. . . . 681
5.423 com.sap.SCC.core_server.000391. . . . 682
5.424 com.sap.SCC.core_server.000392. . . . 683
5.425 com.sap.SCC.core_server.000393. . . . 684
5.426 com.sap.SCC.core_server.000394. . . . 685
5.427 com.sap.SCC.core_server.000395. . . . 686

5.428 com.sap.SCC.core_server.000396. . . . 687
5.429 com.sap.SCC.core_server.000397. . . . 688
5.430 com.sap.SCC.core_server.000398. . . . 689
5.431 com.sap.SCC.core_server.000399. . . . 690
5.432 com.sap.SCC.core_server.000400. . . . 691
5.433 com.sap.SCC.core_server.000401. . . . 692
5.434 com.sap.SCC.core_server.000402. . . . 693
5.435 com.sap.SCC.core_server.000403. . . . 694
5.436 com.sap.SCC.core_server.000404. . . . 695
5.437 com.sap.SCC.core_server.000405. . . . 696
5.438 com.sap.SCC.core_server.000406. . . . 697
5.439 com.sap.SCC.core_server.000407. . . . 698
5.440 com.sap.SCC.core_server.000408. . . . 700
5.441 com.sap.SCC.core_server.000409. . . . 701
5.442 com.sap.SCC.core_server.000410. . . . 702
5.443 com.sap.SCC.core_server.000411. . . . 703
5.444 com.sap.SCC.core_server.000412. . . . 704
5.445 com.sap.SCC.core_server.000413. . . . 705
5.446 com.sap.SCC.core_server.000414. . . . 706
5.447 com.sap.SCC.core_server.000415. . . . 707
5.448 com.sap.SCC.core_server.000416. . . . 708
5.449 com.sap.SCC.core_server.000417. . . . 709
5.450 com.sap.SCC.core_server.000418. . . . 710
5.451 com.sap.SCC.core_server.000419. . . . 711
5.452 com.sap.SCC.core_server.000420. . . . 712
5.453 com.sap.SCC.core_server.000421. . . . 714
5.454 com.sap.SCC.core_server.000422. . . . 715
5.455 com.sap.SCC.core_server.000423. . . . 716
5.456 com.sap.SCC.core_server.000424. . . . 718
5.457 com.sap.SCC.core_server.000425. . . . 719
5.458 com.sap.SCC.core_server.000426. . . . 720
5.459 com.sap.SCC.core_server.000427. . . . 722
5.460 com.sap.SCC.core_server.000428. . . . 723
5.461 com.sap.SCC.core_server.000429. . . . 724
5.462 com.sap.SCC.core_server.000430. . . . 725
5.463 com.sap.SCC.core_server.000431. . . . 726
5.464 com.sap.SCC.core_server.000432. . . . 727
5.465 com.sap.SCC.core_server.000433. . . . 729
5.466 com.sap.SCC.core_server.000434. . . . 730
5.467 com.sap.SCC.core_server.000435. . . . 731
5.468 com.sap.SCC.core_server.000436. . . . 733

5.469 com.sap.SCC.core_server.000437. . . . 734
5.470 com.sap.SCC.core_server.000438. . . . 736
5.471 com.sap.SCC.core_server.000439. . . . 737
5.472 com.sap.SCC.core_server.000440. . . . 739
5.473 com.sap.SCC.core_server.000441. . . . 740
5.474 com.sap.SCC.core_server.000442. . . . 742
5.475 com.sap.SCC.core_server.000443. . . . 744
5.476 com.sap.SCC.core_server.000444. . . . 745
5.477 com.sap.SCC.core_server.000445. . . . 747
5.478 com.sap.SCC.core_server.000446. . . . 748
5.479 com.sap.SCC.core_server.000447. . . . 750
5.480 com.sap.SCC.core_server.000448. . . . 751
5.481 com.sap.SCC.core_server.000449. . . . 753
5.482 com.sap.SCC.core_server.000450. . . . 754
5.483 com.sap.SCC.core_server.000451. . . . 755
5.484 com.sap.SCC.core_server.000452. . . . 757
5.485 com.sap.SCC.core_server.000453. . . . 758
5.486 com.sap.SCC.core_server.000454. . . . 759
5.487 com.sap.SCC.core_server.000455. . . . 761
5.488 com.sap.SCC.core_server.000456. . . . 762
5.489 com.sap.SCC.core_server.000457. . . . 764
5.490 com.sap.SCC.core_server.000458. . . . 765
5.491 com.sap.SCC.core_server.000459. . . . 767
5.492 com.sap.SCC.core_server.000460. . . . 768
5.493 com.sap.SCC.core_server.000461. . . . 770
5.494 com.sap.SCC.core_server.000462. . . . 771
5.495 com.sap.SCC.core_server.000463. . . . 773
5.496 com.sap.SCC.core_server.000464. . . . 774
5.497 com.sap.SCC.core_server.000465. . . . 776
5.498 com.sap.SCC.core_server.000466. . . . 777
5.499 com.sap.SCC.core_server.000467. . . . 778
5.500 com.sap.SCC.core_server.000468. . . . 779
5.501 com.sap.SCC.core_server.000469. . . . 780
5.502 com.sap.SCC.core_server.000470. . . . 781
5.503 com.sap.SCC.core_server.000471. . . . 782
5.504 com.sap.SCC.core_server.000472. . . . 784
5.505 com.sap.SCC.core_server.000473. . . . 785
5.506 com.sap.SCC.core_server.000474. . . . 786
5.507 com.sap.SCC.core_server.000475. . . . 787
5.508 com.sap.SCC.core_server.000476. . . . 789
5.509 com.sap.SCC.core_server.000477. . . . 790

5.510 com.sap.SCC.core_server.000478. . . . 792
5.511 com.sap.SCC.core_server.000479. . . . 793
5.512 com.sap.SCC.core_server.000480. . . . 795
5.513 com.sap.SCC.core_server.000481. . . . 797
5.514 com.sap.SCC.core_server.000501. . . . 798
5.515 com.sap.SCC.core_server.000502. . . . 799
5.516 com.sap.SCC.core_server.000503. . . . 800
5.517 com.sap.SCC.core_server.000504. . . . 802
5.518 com.sap.SCC.core_server.000505. . . . 803
5.519 com.sap.SCC.core_server.000506. . . . 804
5.520 com.sap.SCC.core_server.000507. . . . 806
5.521 com.sap.SCC.core_server.000508. . . . 807
5.522 com.sap.SCC.core_server.000509. . . . 808
5.523 com.sap.SCC.core_server.000510. . . . 809
5.524 com.sap.SCC.core_server.000511. . . . 811
5.525 com.sap.SCC.core_server.000512. . . . 812
5.526 com.sap.SCC.core_server.000513. . . . 813
5.527 com.sap.SCC.core_server.000514. . . . 814
5.528 com.sap.SCC.core_server.000515. . . . 815
5.529 com.sap.SCC.core_server.000526. . . . 817
5.530 com.sap.SCC.core_server.000527. . . . 818
5.531 com.sap.SCC.core_server.000528. . . . 819
5.532 com.sap.SCC.core_server.000529. . . . 820
5.533 com.sap.SCC.core_server.000530. . . . 821
5.534 com.sap.SCC.core_server.000531. . . . 822
5.535 com.sap.SCC.core_server.000532. . . . 823
5.536 com.sap.SCC.core_server.000533. . . . 824
5.537 com.sap.SCC.core_server.000534. . . . 825
5.538 com.sap.SCC.core_server.000552. . . . 826
5.539 com.sap.SCC.core_server.000553. . . . 827
5.540 com.sap.SCC.core_server.000554. . . . 828
5.541 com.sap.SCC.core_server.000555. . . . 830
5.542 com.sap.SCC.core_server.000556. . . . 831
5.543 com.sap.SCC.core_server.000557. . . . 832
5.544 com.sap.SCC.core_server.000558. . . . 834
5.545 com.sap.SCC.core_server.000559. . . . 835
5.546 com.sap.SCC.core_server.000571. . . . 837
5.547 com.sap.SCC.core_server.000572. . . . 838
5.548 com.sap.SCC.core_server.000573. . . . 840
5.549 com.sap.SCC.core_server.000574. . . . 841
5.550 com.sap.SCC.core_server.000575. . . . 842

5.551 com.sap.SCC.core_server.000576. . . . 843
5.552 com.sap.SCC.core_server.000577. . . . 845
5.553 com.sap.SCC.core_server.000578. . . . 846
5.554 com.sap.SCC.core_server.000579. . . . 847
5.555 com.sap.SCC.core_server.000580. . . . 848
5.556 com.sap.SCC.core_server.000581. . . . 850
5.557 com.sap.SCC.core_server.000582 (Deprecated). . . . 851
5.558 com.sap.SCC.core_server.000583. . . . 853
5.559 com.sap.SCC.core_server.000584. . . . 855
5.560 com.sap.SCC.core_server.000585. . . . 856
5.561 com.sap.SCC.core_server.000586. . . . 857
5.562 com.sap.SCC.core_server.000587. . . . 858
5.563 com.sap.SCC.core_server.000588. . . . 859
5.564 com.sap.SCC.core_server.000589. . . . 860
5.565 com.sap.SCC.core_server.000590. . . . 861
5.566 com.sap.SCC.core_server.000591. . . . 862
5.567 com.sap.SCC.core_server.000592. . . . 863
5.568 com.sap.SCC.core_server.000593. . . . 864
5.569 com.sap.SCC.core_server.000594. . . . 865
5.570 com.sap.SCC.core_server.000595. . . . 866
5.571 com.sap.SCC.core_server.000596. . . . 867
5.572 com.sap.SCC.core_server.000597. . . . 868
5.573 com.sap.SCC.core_server.000598. . . . 869
5.574 com.sap.SCC.core_server.000599. . . . 870
5.575 com.sap.SCC.core_server.000600. . . . 871
5.576 com.sap.SCC.core_server.000601. . . . 872
5.577 com.sap.SCC.core_server.000602. . . . 873
5.578 com.sap.SCC.core_server.000603. . . . 874
5.579 com.sap.SCC.core_server.000604. . . . 875
5.580 com.sap.SCC.core_server.000611. . . . 876
5.581 com.sap.SCC.core_server.000612. . . . 878
5.582 com.sap.SCC.core_server.000613. . . . 879
5.583 com.sap.SCC.core_server.000614. . . . 880
5.584 com.sap.SCC.core_server.000615. . . . 881
5.585 com.sap.SCC.core_server.000616. . . . 883
5.586 com.sap.SCC.core_server.000617. . . . 884
5.587 com.sap.SCC.core_server.000618. . . . 886
5.588 com.sap.SCC.core_server.000619. . . . 887
5.589 com.sap.SCC.core_server.000620. . . . 888
5.590 com.sap.SCC.core_server.000621. . . . 889
5.591 com.sap.SCC.core_server.000622. . . . 890

5.592 com.sap.SCC.core_server.000623. . . . 892
5.593 com.sap.SCC.core_server.000624. . . . 893
5.594 com.sap.SCC.core_server.000625. . . . 894
5.595 com.sap.SCC.core_server.000626. . . . 896
5.596 com.sap.SCC.core_server.000627. . . . 897
5.597 com.sap.SCC.core_server.000628. . . . 898
5.598 com.sap.SCC.core_server.000629. . . . 899
5.599 com.sap.SCC.core_server.000630. . . . 900
5.600 com.sap.SCC.core_server.000631. . . . 901
5.601 com.sap.SCC.core_server.000632. . . . 902
5.602 com.sap.SCC.core_server.000633. . . . 903
5.603 com.sap.SCC.core_server.000634. . . . 904
5.604 com.sap.SCC.core_server.000635. . . . 905
5.605 com.sap.SCC.core_server.000636. . . . 906
5.606 com.sap.SCC.core_server.000637. . . . 907
5.607 com.sap.SCC.core_server.000638. . . . 909
5.608 com.sap.SCC.core_server.000639. . . . 910
5.609 com.sap.SCC.core_server.000640. . . . 911
5.610 com.sap.SCC.core_server.000650. . . . 913
5.611 com.sap.SCC.core_server.000651. . . . 914
5.612 com.sap.SCC.core_server.000652. . . . 915
5.613 com.sap.SCC.core_server.000653. . . . 916
5.614 com.sap.SCC.core_server.000654. . . . 918
5.615 com.sap.SCC.core_server.000701. . . . 919
5.616 com.sap.SCC.core_server.000702. . . . 921
5.617 com.sap.SCC.core_server.000703. . . . 922
5.618 com.sap.SCC.core_server.000704. . . . 923
5.619 com.sap.SCC.core_server.000705. . . . 924
5.620 com.sap.SCC.core_server.000706. . . . 925
5.621 com.sap.SCC.core_server.000707. . . . 926
5.622 com.sap.SCC.core_server.000708. . . . 927
5.623 com.sap.SCC.core_server.000709. . . . 928
5.624 com.sap.SCC.core_server.000710. . . . 929
5.625 com.sap.SCC.core_server.000711. . . . 930
5.626 com.sap.SCC.core_server.000712. . . . 931
5.627 com.sap.SCC.core_server.000713. . . . 932
5.628 com.sap.SCC.core_server.000714. . . . 933
5.629 com.sap.SCC.core_server.000715. . . . 934
5.630 com.sap.SCC.core_server.000716. . . . 935
5.631 com.sap.SCC.core_server.000717. . . . 936
5.632 com.sap.SCC.core_server.000718. . . . 937

5.633 com.sap.SCC.core_server.000719. . . . 938
5.634 com.sap.SCC.core_server.000720. . . . 939
5.635 com.sap.SCC.core_server.000721. . . . 940
5.636 com.sap.SCC.core_server.000722. . . . 941
5.637 com.sap.SCC.core_server.000723. . . . 942
5.638 com.sap.SCC.core_server.000724. . . . 943
5.639 com.sap.SCC.core_server.000725. . . . 944
5.640 com.sap.SCC.core_server.000726. . . . 946
5.641 com.sap.SCC.core_server.000727. . . . 947
5.642 com.sap.SCC.core_server.000728. . . . 949
5.643 com.sap.SCC.core_server.000729. . . . 950
5.644 com.sap.SCC.core_server.000730. . . . 951
5.645 com.sap.SCC.core_server.000731. . . . 952
5.646 com.sap.SCC.core_server.000732. . . . 953
5.647 com.sap.SCC.core_server.000733. . . . 955
5.648 com.sap.SCC.core_server.000734. . . . 956
5.649 com.sap.SCC.core_server.000735. . . . 957
5.650 com.sap.SCC.core_server.000736. . . . 959
5.651 com.sap.SCC.core_server.000737. . . . 960
5.652 com.sap.SCC.core_server.000738. . . . 962
5.653 com.sap.SCC.core_server.000739. . . . 963
5.654 com.sap.SCC.core_server.000740. . . . 965
5.655 com.sap.SCC.core_server.000741. . . . 966
5.656 com.sap.SCC.core_server.000742. . . . 967
5.657 com.sap.SCC.core_server.000743. . . . 969
5.658 com.sap.SCC.core_server.000744. . . . 970
5.659 com.sap.SCC.core_server.000745. . . . 971
5.660 com.sap.SCC.core_server.000746. . . . 973
5.661 com.sap.SCC.core_server.000748. . . . 974
5.662 com.sap.SCC.infra.000000. . . . 975
5.663 com.sap.SCC.infra.000001. . . . 977
5.664 com.sap.SCC.infra.000002. . . . 978
5.665 com.sap.SCC.infra.000003. . . . 980
5.666 com.sap.SCC.infra.000004. . . . 982
5.667 com.sap.SCC.infra.000005. . . . 983
5.668 com.sap.SCC.infra.000006. . . . 985
5.669 com.sap.SCC.infra.000007. . . . 986
5.670 com.sap.SCC.infra.000008. . . . 988
5.671 com.sap.SCC.infra.000009. . . . 989
5.672 com.sap.SCC.infra.000010. . . . 991
5.673 com.sap.SCC.infra.000011. . . . 992

5.674 com.sap.SCC.infra.000012. 994
5.675 com.sap.SCC.infra.000013. 995
5.676 com.sap.SCC.infra.000014. 997
5.677 com.sap.SCC.infra.000015. 998
5.678 com.sap.SCC.infra.000016. 1000
5.679 com.sap.SCC.infra.000017. 1001
5.680 com.sap.SCC.infra.000018. 1002
5.681 com.sap.SCC.infra.000019. 1004
5.682 com.sap.SCC.infra.000020. 1005
5.683 com.sap.SCC.infra.000021. 1007
5.684 com.sap.SCC.infra.000022. 1008
5.685 com.sap.SCC.infra.000023. 1010
5.686 com.sap.SCC.infra.000024. 1012
5.687 com.sap.SCC.infra.000025. 1013
5.688 com.sap.SCC.infra.000026. 1015
5.689 com.sap.SCC.infra.000027. 1016
5.690 com.sap.SCC.infra.000028. 1018
5.691 com.sap.SCC.infra.000029. 1019
5.692 com.sap.SCC.infra.000030. 1021
5.693 com.sap.SCC.infra.000031. 1022
5.694 com.sap.SCC.infra.000032. 1024
5.695 com.sap.SCC.infra.000033. 1025
5.696 com.sap.SCC.infra.000034. 1026

1 Before You Start

Giving you the best user experience is our priority. Therefore, we do our best to provide you with the clearest and the most complete documentation possible.

For this purpose, feel free to leave additional feedback by using the dedicated feature on the Help Portal. Please write some details about your suggestion. Based on SAP user feedbacks, we improve your documentation and deliver Frequently Asked Questions (FAQs) about all aspects of working with SAP Convergent Charging efficiently. We complete these solutions with our best time-saving and task-completion tips and tricks.

You can also visit our page Community Questions and Answers for SAP Convergent Charging.

About This Document [page 20]

Target Audience [page 21]

What's New in This Document [page 21]

Additional Information [page 22]

Document Abbreviations [page 23]

1.1 About This Document

The **Log Message Reference and Error Troubleshooting** documentation is a complete reference of the log message IDs that are available in SAP Convergent Charging, providing you with the necessary resolution plans (troubleshooting investigations, immediate correction actions, or preventive actions) for each of them.

The Log Message Reference and Error Troubleshooting documentation contains the following main sections:

- Troubleshooting with Log Messages [page 26]
  This section provides a starting point for troubleshooting investigations and problem solving when the symptoms are signaled by a log entry of SAP Convergent Charging.
- Message Types [page 29]
  This section contains the list of available log message types, each type representing a set of log message IDs related to the same severity
- Message Prefixes [page 31]
  This section contains the list of available log message prefixes, each prefix representing a set of log message IDs related to the same area of:
  - Core Server system
  - Core Tool user interface
  - Other custom client application or system
- Log A-Z Index [page 54]
  This section contains the list of all available log messages and their possible impacts and resolution plans. View the index in Log Messages [page 34] and find the log message ID that you want to investigate.

1.2 Target Audience

This documentation is intended for the following audiences:

- Solution and Technology Consultants
- Project Team Member (Implementation, Integration)
- Developer
- Operation Team Expert
- Support Specialist (SAP SE, Local Support Team)

1.3 What's New in This Document

What's New in SAP CC 2023 FPS 2?

As of SAP CC 2023 FPS 2, this SAP product documentation includes a new log related to the security of web services:

- com.sap.SCC.core_server.000748 [page 974]

What's New in SAP CC 2023 FPS 0?

SAP Convergent Charging 2023 is a new major release of your SAP software product.

As of SAP CC 2023 FPS 0, the software correction related to UDP is reflected in this SAP product document and user assistance. Log message IDs:

- com.sap.SCC.core_server.000027 [page 190]
- com.sap.SCC.core_server.000031 [page 195]
- com.sap.SCC.core_server.000080 [page 263]
- com.sap.SCC.core_server.000081 [page 265]
- com.sap.SCC.core_server.000082 [page 267]
- com.sap.SCC.core_server.000083 [page 268]
- com.sap.SCC.core_server.000084 [page 270]

are revoked. This version of SAP system cannot produce such log messages anymore.

This SAP document guides you in troubleshooting SAP Convergent Charging based on recorded log messages. Check your log message ID.

See also:

- SAP CC 2023 Installation and Maintenance Guide
- SAP CC 2023 Administration and Operation Guide

What Was New in SAP CC 2022 FPS 0?

SAP Convergent Charging 2022 is a new major release of your SAP software product.

This SAP document guides you in troubleshooting SAP Convergent Charging based on recorded log messages. Check your log message ID.

See also:

- SAP CC 2023 Installation and Maintenance Guide
- SAP CC 2023 Administration and Operation Guide

What Was New in SAP CC 2020 FPS 2?

As of SAP CC 2020 FPS 2, this SAP product documentation includes dedicated logs for the *Billable Items Immediate Loading* feature:

- com.sap.SCC.core_server.000734 [page 956]
- com.sap.SCC.core_server.000735 [page 957]
- com.sap.SCC.core_server.000736 [page 959]
- com.sap.SCC.core_server.000737 [page 960]
- com.sap.SCC.core_server.000738 [page 962]
- com.sap.SCC.core_server.000739 [page 963]

What Was New in SAP CC 2020 FPS 1?

As of SAP CC 2020 FPS 1, this SAP product documentation has been entirely refactored and harmonized, leading to a few content modifications.

1.4 Additional Information

For more information about specific topics, see the quick links as shown in the table below:

Content	Quick Link
SAP CC documentation	help.sap.com/cc2023
Related SAP notes	support.sap.com/notes
Related release notes	https://support.sap.com/en/my-support/knowledge-base.html
Released Platforms	Supported Database Platforms
SAP Solution Manager	http://support.sap.com/solutionmanager

1.5 Document Abbreviations

Abbreviation	Meaning
3GPP	3rd Generation Partnership Project
AAA	Authentication, Authorization, and Accounting
AVP	Attribute-Value Pair
API	Application Programming Interface
BART	Batch Acquisition and Rating Toolset
BIT	Billable Item
BSS	Business Support System
CCA	Credit Control Answer
CCR	Credit Control Request
CDR	Call Detail Record (Telecommunications industry), or more generally Consumption Detail Record
CI	Chargeable Item
CIF	Charging output Integration Framework
CIT	Charged Item
CRM	Customer Relationship Management
CSR	Customer Sale Representative
CSV	Comma Separated Value
CTS	Change and Transport System
DSR	Distributed Statistics Record
ECUR	Event Charging with Unit Reservation
GLAS	SAP Global License Auditing Service
GUI	Graphical User Interface
HA	High Availability

Abbreviation	Meaning
HCI	HTTP Communication Interface
HTTP	HyperText Transfer Protocol
HTTPS	HyperText Transfer Protocol Secured
IEC	Import/Export Connector
IEC (Diameter)	Immediate Event Charging
IMSI	International Mobile Subscriber Identity
ISDN	Integrated Services Digital Network
JDBC	Java Database Connectivity
LRU	Least Recently Used
MMS	Multimedia Messaging Service
MSISDN	Mobile Station ISDN Number
OCS	Online Charging System
OFCS	Offline Charging System
OSS	Operational Support System
QoS	Quality of Service
RAC	Real Application Cluster
RDBMS	Relational Database Management System
REST	REpresentational State Transfer
RIF	Rerating Integration Framework
RRL	Reservation Renewal Listener
SLD	System Landscape Directory
SCP	Service Control Point
SCIM	System for Cross-domain Identity Management
SCUR	Session Charging with Unit Reservation
SMD	SAP Manager Diagnostic
SSL	Secure Socket Layer
SSRL	Spending Status Report Listener
TAF	Transparent Application Failover
TIF	Transaction Integration Framework
TLS	Transport Layer Security
TV	Tag;Value
URL	Uniform Resource Locator
USID	User Service Identifier
UTI	User Technical Identifier

Abbreviation	Meaning
VAT	Value Added Tax
VSA	Vendor Specific Attribute
XML	eXtended Markup Language

2 Troubleshooting with Log Messages

This user assistance is intended for troubleshooting problems and planning the necessary follow-up activities to administer the SAP CC systems.

This section provides a starting point for troubleshooting investigations and problem solving when the symptoms are signaled by a log entry of SAP Convergent Charging. SAP CC is part of a multitechnology system landscape with distributed systems. The root cause may be difficult to identify.

> → Recommendation
>
> Use your favorite search engine to find the information that relates to a log entry of SAP CC quickly. Just type the log message ID in your web browser.

> ⓘ Note
>
> - The format and the detailed information of a log message may change but the meaning remains the same.
> - Some log messages may be deprecated at any time.
> - Each log message that is generated in SAP CC has a unique identifier - message ID - assigned to it. It cannot be reused for another purpose.

Consulting the Information That Relates to a Log Message

When working with a specific error log message, you can use this documentation reference to empower your investigations. You quickly navigate to the relevant troubleshooting page by selecting the appropriate prefix [page 26] of your log message. The page contains some useful details.

In SAP Convergent Charging, each log message has a unique identifier in order to facilitate the troubleshooting work. Most of the log messages recorded by your system include detailed runtime information such as identifiers and dates/times.

Prefix	Definition	Related to
com.sap.SCC.chargingplan [page 31]	Log messages from the SAP CC charging components.	• Core Server system • Core Tool user interface
com.sap.SCC.core_client [page 31]	Log messages from the SAP Convergent Charging Core client modules, including public Java APIs[1] and XML APIs.	• Core Tool user interface • Other custom client application or system
com.sap.SCC.core_server [page 32]	Log messages from the instances of the SAP CC Core Server system .	• Core Server system

[1] Application Programming Interface

Prefix	Definition	Related to
com.sap.SCC.infra [page 32]	Log messages from the SAP Convergent Charging technical infrastructure functions and mechanisms.	• Core Server system

Troubleshooting and Resolution Plans

When monitoring the logs of an SAP CC system or system landscape, you get a log message associated to a unique identifier. You use this ID to plan further actions depending on the severity level of the log:

Log Severity and Definition	Action Plan
Fatal Error [page 29] level: The SAP CC system or a subcomponent cannot recover from error, and the severe situation causes its fatal termination. The SAP CC system is not usable anymore and cannot be started without corrective actions by experts (administrators, support specialists).	**Immediate correction actions**: After a fatal error, the administrators do an immediate follow-up activity to analyze the logs and traces to determine further investigations before being able to identify the correction actions to be performed.
Error [page 29] level: The SAP CC system or a subcomponent can recover from error, but cannot complete the desired task due to the error. The SAP CC system is still usable, but corrective actions need to be performed by administrators.	**Immediate correction actions**: After an error, the administrators do an immediate follow-up activity to determine the resolution and the corrective actions needed to be performed to avoid another erroneous termination in the future.
Warning [page 30] level: The SAP CC system or a subcomponent can recover from anomaly, and fulfill the desired task, but needs later follow-up activity by a system administrator or an SAP CC application administrator to avoid erroneous terminations in the future.	**Immediate correction actions**: The administrators plan a follow-up activity to take into account the anomaly and to determine the appropriate timeframe to perform preventive actions. You can start a root cause analysis.

Troubleshooting Problems with Logs

This technical operation is triggered by:

- An alert raised by system monitoring
- A log message discovered during a log inspection

To provide a complete solution, the objective is to identify:

- The causes, in a complex environment
- Immediate corrective actions to restore service operations as quickly as possible with minimal disruption to end customers (service consumers) by isolating the area of concern

To troubleshoot a problem signaled by a recorded log entry:

1. Review the log entry [page 26].
2. Find the corresponding troubleshooting information:
    - In your favorite search engine, search for the unique log message ID.
    - Access to this document and use the appropriate prefix [page 31] of the log message.

3. Perform the recommended troubleshooting investigations.
4. Plan later actions.

Related Tasks

Getting and Viewing Logs of the SAP CC Systems

You can get the log messages generated by the systems of SAP CC by using the following procedures:

- Viewing all the logs and traces in SAP Solution Manager [page 28]
- Viewing all the logs and traces in SAP Management Console [page 28].
- Viewing the SAP CC system logs and traces in Admin+
- Viewing the SAP CC system logs and traces in BART+

By default, the file extensions are `*.log` and `*.trc`. The logs and traces are not mixed. These settings may be customized in your running SAP CC system.

Viewing all the logs and traces in SAP Solution Manager

In the Root Cause Analysis Work Center of SAP Solution Manager (help here: SAP Solution Manager), use the *System Analysis* report to display the logs and traces of SAP Convergent Charging.

1. Start a system analysis: choose the *System Analysis* report in the navigation area.
2. Select the system cluster that corresponds to your SAP CC platform.
3. Click *Log Viewer*. A window displays all the host machines available in this cluster, the status of the Diagnostic agents, and the declared log stores.
4. Select the host and the log (or trace) files to analyze.

Viewing all the logs and traces in SAP Management Console

To view the logs (and traces) in your https://help.sap.com/34212da60ac54baebaf71b03fd0ac16d or https://help.sap.com/db29f6d5eb9a49598b378c923bd9c894:

1. Select the SAP CC system by its SID (SAP System Identifier) that is unique in the SAP system landscape.
2. Select the host you want to work with and right-click and choose the *All Tasks* menu.
3. Then select the *View Developer Traces...* submenu.
4. Select the log (or trace) files to analyze.

About Monitoring

For more information about the real-time monitoring of SAP Convergent Charging and its concepts, see the Monitoring of SAP CC section of the SAP CC 2023 Administration and Operation Guide documentation.

Related Documentation

- SAP CC 2023 Administration and Operation Guide
- SAP CC 2023 Installation and Maintenance Guide
- SAP CC 2023 Application Help

3 Message Types

Fatal Error Messages [page 29]
Error Messages [page 29]
Warning Messages [page 30]
Security Messages [page 30]

3.1 Fatal Error Messages

Detailed Information

The SAP CC system or a subcomponent cannot recover from error, and the severe situation causes its fatal termination. The SAP CC system is not usable anymore and cannot be started without corrective actions by experts (administrators, support specialists).

Refer to the complete list of fatal errors by filtering the *Severity* column of the Log A-Z Index [page 54] with `Fatal Error`.

3.2 Error Messages

Detailed Information

The SAP CC system or a subcomponent can recover from error, but cannot complete the desired task due to the error. The SAP CC system is still usable, but corrective actions need to be performed by administrators.

Refer to the complete list of errors by filtering the *Severity* column of the Log A-Z Index [page 54] with `Error`.

3.3 Warning Messages

Detailed Information

The SAP CC system or a subcomponent can recover from anomaly, and fulfill the desired task, but needs later follow-up activity by a system administrator or an SAP CC application administrator to avoid erroneous terminations in the future.

Refer to the complete list of warnings by filtering the *Severity* column of the Log A-Z Index [page 54] with `Warning`.

3.4 Security Messages

Detailed Information

4 Message Prefixes

com.sap.SCC.chargingplan [page 31]

com.sap.SCC.core_client [page 31]

com.sap.SCC.core_server [page 32]

com.sap.SCC.infra [page 32]

4.1 com.sap.SCC.chargingplan

Definition

Log messages from the SAP CC charging components.

Message IDs

Access easily to your message ID by filtering:

- The *Message Log* column of the Log A-Z Index [page 54] with the exact message ID
- The *Message Prefix* column of the Log A-Z Index [page 54] with **`com.sap.SCC.chargingplan`**

4.2 com.sap.SCC.core_client

Definition

Log messages from the SAP Convergent Charging Core client modules, including public Java APIs[2] and XML APIs.

[2] Application Programming Interface

Message IDs

Access easily to your message ID by filtering:

- The *Message Log* column of the Log A-Z Index [page 54] with the exact message ID
- The *Message Prefix* column of the Log A-Z Index [page 54] with **`com.sap.SCC.core_client`**

4.3 com.sap.SCC.core_server

Definition

Log messages from the instances of the SAP CC Core Server system .

Note that this SAP documentation cannot indicate which system owns a particular log message. If you got a log message from SAP Convergent Charging, please adapt the content of the corresponding topic in this documentation.

Message IDs

Access easily to your message ID by filtering:

- The *Message Log* column of the Log A-Z Index [page 54] with the exact message ID
- The *Message Prefix* column of the Log A-Z Index [page 54] with **`com.sap.SCC.core_server`**

4.4 com.sap.SCC.infra

Definition

Log messages from the SAP Convergent Charging technical infrastructure functions and mechanisms.

Message IDs

Access easily to your message ID by filtering:

- The *Message Log* column of the Log A-Z Index [page 54] with the exact message ID
- The *Message Prefix* column of the Log A-Z Index [page 54] with **`com.sap.SCC.infra`**

5 Log Messages

Log A-Z Index [page 54]

com.sap.SCC.chargingplan.000001 [page 105]

com.sap.SCC.chargingplan.000002 [page 106]

com.sap.SCC.core_client.000000 [page 108]

com.sap.SCC.core_client.000001 [page 109]

com.sap.SCC.core_client.000002 [page 111]

com.sap.SCC.core_client.000003 [page 112]

com.sap.SCC.core_client.000004 [page 114]

com.sap.SCC.core_client.000005 [page 115]

com.sap.SCC.core_client.000006 [page 117]

com.sap.SCC.core_client.000007 [page 118]

com.sap.SCC.core_client.000008 [page 119]

com.sap.SCC.core_client.000009 [page 120]

com.sap.SCC.core_client.000010 [page 122]

com.sap.SCC.core_client.000011 [page 123]

com.sap.SCC.core_client.000012 [page 125]

com.sap.SCC.core_client.000013 [page 126]

com.sap.SCC.core_client.000014 [page 128]

com.sap.SCC.core_client.000015 [page 129]

com.sap.SCC.core_client.000016 [page 131]

com.sap.SCC.core_client.000017 [page 132]

com.sap.SCC.core_client.000018 [page 134]

com.sap.SCC.core_client.000019 [page 135]

com.sap.SCC.core_client.000021 [page 137]

com.sap.SCC.core_client.000022 [page 139]

com.sap.SCC.core_client.000023 (Deprecated) [page 140]

com.sap.SCC.core_client.000024 [page 142]

com.sap.SCC.core_client.000025 [page 144]

com.sap.SCC.core_client.000026 [page 145]

com.sap.SCC.core_client.000027 [page 147]

com.sap.SCC.core_client.000034 [page 148]

com.sap.SCC.core_server.000000 [page 149]
com.sap.SCC.core_server.000001 [page 150]
com.sap.SCC.core_server.000002 [page 152]
com.sap.SCC.core_server.000003 [page 153]
com.sap.SCC.core_server.000004 [page 155]
com.sap.SCC.core_server.000005 [page 156]
com.sap.SCC.core_server.000006 [page 158]
com.sap.SCC.core_server.000007 [page 160]
com.sap.SCC.core_server.000008 [page 161]
com.sap.SCC.core_server.000009 [page 163]
com.sap.SCC.core_server.000010 [page 165]
com.sap.SCC.core_server.000011 [page 166]
com.sap.SCC.core_server.000012 [page 168]
com.sap.SCC.core_server.000013 [page 170]
com.sap.SCC.core_server.000014 [page 173]
com.sap.SCC.core_server.000015 [page 175]
com.sap.SCC.core_server.000016 [page 177]
com.sap.SCC.core_server.000017 [page 178]
com.sap.SCC.core_server.000018 [page 180]
com.sap.SCC.core_server.000019 [page 181]
com.sap.SCC.core_server.000020 [page 182]
com.sap.SCC.core_server.000021 [page 184]
com.sap.SCC.core_server.000022 [page 185]
com.sap.SCC.core_server.000023 [page 186]
com.sap.SCC.core_server.000024 [page 187]
com.sap.SCC.core_server.000025 [page 188]
com.sap.SCC.core_server.000026 [page 189]
com.sap.SCC.core_server.000027 (Revoked) [page 190]
com.sap.SCC.core_server.000028 [page 191]
com.sap.SCC.core_server.000029 [page 193]
com.sap.SCC.core_server.000030 [page 194]
com.sap.SCC.core_server.000031 (Revoked) [page 195]
com.sap.SCC.core_server.000032 [page 196]
com.sap.SCC.core_server.000033 [page 197]
com.sap.SCC.core_server.000034 [page 198]

com.sap.SCC.core_server.000035 [page 199]
com.sap.SCC.core_server.000036 [page 201]
com.sap.SCC.core_server.000037 [page 202]
com.sap.SCC.core_server.000038 [page 204]
com.sap.SCC.core_server.000039 [page 206]
com.sap.SCC.core_server.000040 [page 207]
com.sap.SCC.core_server.000041 [page 208]
com.sap.SCC.core_server.000042 [page 210]
com.sap.SCC.core_server.000043 [page 211]
com.sap.SCC.core_server.000044 [page 212]
com.sap.SCC.core_server.000045 [page 213]
com.sap.SCC.core_server.000046 [page 214]
com.sap.SCC.core_server.000047 [page 215]
com.sap.SCC.core_server.000048 [page 216]
com.sap.SCC.core_server.000049 [page 218]
com.sap.SCC.core_server.000050 [page 219]
com.sap.SCC.core_server.000051 [page 220]
com.sap.SCC.core_server.000052 (Deprecated) [page 221]
com.sap.SCC.core_server.000053 (Deprecated) [page 222]
com.sap.SCC.core_server.000054 (Deprecated) [page 223]
com.sap.SCC.core_server.000055 [page 224]
com.sap.SCC.core_server.000056 [page 225]
com.sap.SCC.core_server.000057 [page 227]
com.sap.SCC.core_server.000058 [page 229]
com.sap.SCC.core_server.000059 [page 230]
com.sap.SCC.core_server.000060 [page 232]
com.sap.SCC.core_server.000061 [page 234]
com.sap.SCC.core_server.000062 [page 236]
com.sap.SCC.core_server.000063 [page 237]
com.sap.SCC.core_server.000064 [page 239]
com.sap.SCC.core_server.000065 [page 241]
com.sap.SCC.core_server.000066 [page 242]
com.sap.SCC.core_server.000067 [page 244]
com.sap.SCC.core_server.000068 [page 246]
com.sap.SCC.core_server.000069 (Deprecated) [page 247]

com.sap.SCC.core_server.000070 [page 249]
com.sap.SCC.core_server.000071 [page 251]
com.sap.SCC.core_server.000072 [page 252]
com.sap.SCC.core_server.000073 [page 253]
com.sap.SCC.core_server.000074 [page 255]
com.sap.SCC.core_server.000075 [page 256]
com.sap.SCC.core_server.000076 [page 258]
com.sap.SCC.core_server.000077 [page 259]
com.sap.SCC.core_server.000078 [page 260]
com.sap.SCC.core_server.000079 [page 262]
com.sap.SCC.core_server.000080 (Revoked) [page 263]
com.sap.SCC.core_server.000081 (Revoked) [page 265]
com.sap.SCC.core_server.000082 (Revoked) [page 267]
com.sap.SCC.core_server.000083 (Revoked) [page 268]
com.sap.SCC.core_server.000084 (Revoked) [page 270]
com.sap.SCC.core_server.000085 [page 271]
com.sap.SCC.core_server.000086 [page 273]
com.sap.SCC.core_server.000087 [page 274]
com.sap.SCC.core_server.000088 [page 275]
com.sap.SCC.core_server.000089 [page 277]
com.sap.SCC.core_server.000090 [page 279]
com.sap.SCC.core_server.000091 [page 280]
com.sap.SCC.core_server.000092 [page 282]
com.sap.SCC.core_server.000093 [page 284]
com.sap.SCC.core_server.000094 [page 285]
com.sap.SCC.core_server.000095 [page 287]
com.sap.SCC.core_server.000096 [page 288]
com.sap.SCC.core_server.000097 [page 290]
com.sap.SCC.core_server.000098 [page 291]
com.sap.SCC.core_server.000099 [page 292]
com.sap.SCC.core_server.000100 [page 293]
com.sap.SCC.core_server.000101 [page 294]
com.sap.SCC.core_server.000102 [page 295]
com.sap.SCC.core_server.000103 [page 297]
com.sap.SCC.core_server.000104 [page 298]

com.sap.SCC.core_server.000105 [page 299]
com.sap.SCC.core_server.000106 [page 301]
com.sap.SCC.core_server.000107 [page 302]
com.sap.SCC.core_server.000108 [page 304]
com.sap.SCC.core_server.000109 [page 305]
com.sap.SCC.core_server.000110 [page 306]
com.sap.SCC.core_server.000111 [page 307]
com.sap.SCC.core_server.000112 [page 308]
com.sap.SCC.core_server.000113 [page 310]
com.sap.SCC.core_server.000114 [page 311]
com.sap.SCC.core_server.000115 [page 314]
com.sap.SCC.core_server.000116 [page 316]
com.sap.SCC.core_server.000117 [page 317]
com.sap.SCC.core_server.000118 [page 318]
com.sap.SCC.core_server.000119 [page 319]
com.sap.SCC.core_server.000120 [page 320]
com.sap.SCC.core_server.000121 [page 321]
com.sap.SCC.core_server.000122 (Deprecated) [page 322]
com.sap.SCC.core_server.000123 (Deprecated) [page 323]
com.sap.SCC.core_server.000124 [page 325]
com.sap.SCC.core_server.000125 [page 326]
com.sap.SCC.core_server.000126 [page 327]
com.sap.SCC.core_server.000127 [page 328]
com.sap.SCC.core_server.000128 [page 329]
com.sap.SCC.core_server.000129 [page 331]
com.sap.SCC.core_server.000130 [page 332]
com.sap.SCC.core_server.000131 [page 334]
com.sap.SCC.core_server.000132 [page 335]
com.sap.SCC.core_server.000133 [page 336]
com.sap.SCC.core_server.000134 [page 337]
com.sap.SCC.core_server.000135 [page 339]
com.sap.SCC.core_server.000136 [page 340]
com.sap.SCC.core_server.000137 [page 342]
com.sap.SCC.core_server.000138 [page 343]
com.sap.SCC.core_server.000139 [page 344]

com.sap.SCC.core_server.000140 [page 345]
com.sap.SCC.core_server.000141 [page 347]
com.sap.SCC.core_server.000142 [page 348]
com.sap.SCC.core_server.000143 [page 349]
com.sap.SCC.core_server.000144 [page 350]
com.sap.SCC.core_server.000145 [page 352]
com.sap.SCC.core_server.000146 [page 353]
com.sap.SCC.core_server.000147 [page 354]
com.sap.SCC.core_server.000148 [page 356]
com.sap.SCC.core_server.000149 [page 357]
com.sap.SCC.core_server.000150 [page 358]
com.sap.SCC.core_server.000151 [page 359]
com.sap.SCC.core_server.000152 [page 361]
com.sap.SCC.core_server.000153 (Deprecated) [page 362]
com.sap.SCC.core_server.000154 [page 363]
com.sap.SCC.core_server.000155 [page 364]
com.sap.SCC.core_server.000156 [page 365]
com.sap.SCC.core_server.000157 [page 367]
com.sap.SCC.core_server.000158 [page 368]
com.sap.SCC.core_server.000159 [page 369]
com.sap.SCC.core_server.000160 [page 370]
com.sap.SCC.core_server.000161 [page 372]
com.sap.SCC.core_server.000162 [page 373]
com.sap.SCC.core_server.000163 [page 374]
com.sap.SCC.core_server.000164 [page 375]
com.sap.SCC.core_server.000165 [page 376]
com.sap.SCC.core_server.000166 [page 378]
com.sap.SCC.core_server.000167 [page 379]
com.sap.SCC.core_server.000168 [page 381]
com.sap.SCC.core_server.000169 [page 383]
com.sap.SCC.core_server.000170 [page 384]
com.sap.SCC.core_server.000171 [page 386]
com.sap.SCC.core_server.000172 [page 387]
com.sap.SCC.core_server.000173 [page 388]
com.sap.SCC.core_server.000174 [page 390]

com.sap.SCC.core_server.000175 [page 391]
com.sap.SCC.core_server.000176 [page 393]
com.sap.SCC.core_server.000177 [page 394]
com.sap.SCC.core_server.000178 [page 395]
com.sap.SCC.core_server.000179 [page 397]
com.sap.SCC.core_server.000180 [page 398]
com.sap.SCC.core_server.000181 [page 399]
com.sap.SCC.core_server.000182 [page 401]
com.sap.SCC.core_server.000183 [page 402]
com.sap.SCC.core_server.000184 [page 404]
com.sap.SCC.core_server.000185 [page 405]
com.sap.SCC.core_server.000186 [page 406]
com.sap.SCC.core_server.000187 [page 408]
com.sap.SCC.core_server.000188 [page 409]
com.sap.SCC.core_server.000189 [page 410]
com.sap.SCC.core_server.000190 [page 412]
com.sap.SCC.core_server.000191 [page 413]
com.sap.SCC.core_server.000192 [page 415]
com.sap.SCC.core_server.000193 [page 416]
com.sap.SCC.core_server.000194 [page 418]
com.sap.SCC.core_server.000195 [page 419]
com.sap.SCC.core_server.000196 [page 420]
com.sap.SCC.core_server.000197 [page 422]
com.sap.SCC.core_server.000198 [page 423]
com.sap.SCC.core_server.000199 [page 425]
com.sap.SCC.core_server.000200 [page 426]
com.sap.SCC.core_server.000201 [page 428]
com.sap.SCC.core_server.000202 [page 429]
com.sap.SCC.core_server.000203 [page 430]
com.sap.SCC.core_server.000204 [page 432]
com.sap.SCC.core_server.000205 [page 433]
com.sap.SCC.core_server.000206 [page 435]
com.sap.SCC.core_server.000207 [page 437]
com.sap.SCC.core_server.000208 [page 438]
com.sap.SCC.core_server.000209 [page 440]

com.sap.SCC.core_server.000210 [page 441]
com.sap.SCC.core_server.000211 [page 442]
com.sap.SCC.core_server.000212 [page 444]
com.sap.SCC.core_server.000213 [page 445]
com.sap.SCC.core_server.000214 [page 447]
com.sap.SCC.core_server.000215 [page 448]
com.sap.SCC.core_server.000216 [page 450]
com.sap.SCC.core_server.000217 [page 452]
com.sap.SCC.core_server.000218 [page 453]
com.sap.SCC.core_server.000219 [page 455]
com.sap.SCC.core_server.000220 [page 456]
com.sap.SCC.core_server.000221 [page 457]
com.sap.SCC.core_server.000222 [page 459]
com.sap.SCC.core_server.000223 [page 460]
com.sap.SCC.core_server.000224 [page 462]
com.sap.SCC.core_server.000225 [page 463]
com.sap.SCC.core_server.000226 [page 464]
com.sap.SCC.core_server.000227 [page 466]
com.sap.SCC.core_server.000228 [page 467]
com.sap.SCC.core_server.000229 [page 469]
com.sap.SCC.core_server.000230 [page 470]
com.sap.SCC.core_server.000231 [page 472]
com.sap.SCC.core_server.000232 [page 473]
com.sap.SCC.core_server.000233 [page 475]
com.sap.SCC.core_server.000234 [page 476]
com.sap.SCC.core_server.000235 [page 478]
com.sap.SCC.core_server.000236 [page 479]
com.sap.SCC.core_server.000237 [page 481]
com.sap.SCC.core_server.000238 [page 482]
com.sap.SCC.core_server.000239 [page 483]
com.sap.SCC.core_server.000240 [page 484]
com.sap.SCC.core_server.000241 [page 485]
com.sap.SCC.core_server.000242 [page 487]
com.sap.SCC.core_server.000243 [page 488]
com.sap.SCC.core_server.000244 [page 490]

com.sap.SCC.core_server.000245 [page 491]
com.sap.SCC.core_server.000246 [page 492]
com.sap.SCC.core_server.000247 [page 493]
com.sap.SCC.core_server.000248 [page 495]
com.sap.SCC.core_server.000249 [page 496]
com.sap.SCC.core_server.000250 [page 498]
com.sap.SCC.core_server.000251 [page 499]
com.sap.SCC.core_server.000252 [page 501]
com.sap.SCC.core_server.000253 [page 502]
com.sap.SCC.core_server.000254 [page 504]
com.sap.SCC.core_server.000255 [page 505]
com.sap.SCC.core_server.000256 [page 507]
com.sap.SCC.core_server.000257 [page 508]
com.sap.SCC.core_server.000258 [page 510]
com.sap.SCC.core_server.000259 [page 511]
com.sap.SCC.core_server.000260 [page 513]
com.sap.SCC.core_server.000261 [page 514]
com.sap.SCC.core_server.000262 [page 516]
com.sap.SCC.core_server.000263 [page 517]
com.sap.SCC.core_server.000264 [page 519]
com.sap.SCC.core_server.000265 [page 521]
com.sap.SCC.core_server.000266 [page 522]
com.sap.SCC.core_server.000267 [page 524]
com.sap.SCC.core_server.000268 [page 525]
com.sap.SCC.core_server.000269 [page 527]
com.sap.SCC.core_server.000270 [page 528]
com.sap.SCC.core_server.000271 [page 530]
com.sap.SCC.core_server.000272 [page 531]
com.sap.SCC.core_server.000273 [page 533]
com.sap.SCC.core_server.000274 [page 534]
com.sap.SCC.core_server.000275 [page 536]
com.sap.SCC.core_server.000276 [page 537]
com.sap.SCC.core_server.000277 [page 539]
com.sap.SCC.core_server.000278 [page 541]
com.sap.SCC.core_server.000279 [page 542]

com.sap.SCC.core_server.000280 [page 543]
com.sap.SCC.core_server.000281 [page 544]
com.sap.SCC.core_server.000282 [page 545]
com.sap.SCC.core_server.000283 [page 547]
com.sap.SCC.core_server.000284 [page 548]
com.sap.SCC.core_server.000285 [page 550]
com.sap.SCC.core_server.000286 [page 551]
com.sap.SCC.core_server.000287 [page 552]
com.sap.SCC.core_server.000288 [page 554]
com.sap.SCC.core_server.000289 [page 555]
com.sap.SCC.core_server.000290 [page 556]
com.sap.SCC.core_server.000291 [page 557]
com.sap.SCC.core_server.000292 [page 558]
com.sap.SCC.core_server.000293 [page 559]
com.sap.SCC.core_server.000294 [page 561]
com.sap.SCC.core_server.000295 [page 562]
com.sap.SCC.core_server.000296 [page 563]
com.sap.SCC.core_server.000297 [page 564]
com.sap.SCC.core_server.000298 [page 565]
com.sap.SCC.core_server.000299 [page 566]
com.sap.SCC.core_server.000300 [page 567]
com.sap.SCC.core_server.000301 [page 568]
com.sap.SCC.core_server.000302 [page 570]
com.sap.SCC.core_server.000303 [page 571]
com.sap.SCC.core_server.000304 [page 572]
com.sap.SCC.core_server.000305 [page 574]
com.sap.SCC.core_server.000306 [page 575]
com.sap.SCC.core_server.000307 [page 577]
com.sap.SCC.core_server.000308 [page 578]
com.sap.SCC.core_server.000309 [page 580]
com.sap.SCC.core_server.000310 [page 581]
com.sap.SCC.core_server.000311 [page 582]
com.sap.SCC.core_server.000312 [page 583]
com.sap.SCC.core_server.000313 [page 585]
com.sap.SCC.core_server.000314 [page 586]

com.sap.SCC.core_server.000315 [page 587]
com.sap.SCC.core_server.000316 [page 589]
com.sap.SCC.core_server.000317 [page 590]
com.sap.SCC.core_server.000318 [page 592]
com.sap.SCC.core_server.000319 [page 593]
com.sap.SCC.core_server.000320 [page 594]
com.sap.SCC.core_server.000321 [page 595]
com.sap.SCC.core_server.000322 [page 596]
com.sap.SCC.core_server.000323 [page 598]
com.sap.SCC.core_server.000324 [page 599]
com.sap.SCC.core_server.000325 [page 600]
com.sap.SCC.core_server.000326 [page 601]
com.sap.SCC.core_server.000327 [page 602]
com.sap.SCC.core_server.000328 [page 604]
com.sap.SCC.core_server.000329 [page 605]
com.sap.SCC.core_server.000330 [page 606]
com.sap.SCC.core_server.000331 [page 608]
com.sap.SCC.core_server.000332 [page 609]
com.sap.SCC.core_server.000333 [page 611]
com.sap.SCC.core_server.000334 [page 612]
com.sap.SCC.core_server.000335 [page 614]
com.sap.SCC.core_server.000336 [page 615]
com.sap.SCC.core_server.000337 [page 617]
com.sap.SCC.core_server.000338 [page 618]
com.sap.SCC.core_server.000339 [page 620]
com.sap.SCC.core_server.000340 [page 621]
com.sap.SCC.core_server.000341 [page 622]
com.sap.SCC.core_server.000342 [page 624]
com.sap.SCC.core_server.000343 [page 625]
com.sap.SCC.core_server.000344 [page 626]
com.sap.SCC.core_server.000345 [page 627]
com.sap.SCC.core_server.000346 [page 629]
com.sap.SCC.core_server.000347 [page 630]
com.sap.SCC.core_server.000348 [page 632]
com.sap.SCC.core_server.000349 [page 633]

com.sap.SCC.core_server.000350 [page 634]
com.sap.SCC.core_server.000351 [page 635]
com.sap.SCC.core_server.000352 [page 636]
com.sap.SCC.core_server.000353 [page 637]
com.sap.SCC.core_server.000354 [page 639]
com.sap.SCC.core_server.000355 [page 640]
com.sap.SCC.core_server.000356 [page 642]
com.sap.SCC.core_server.000357 [page 643]
com.sap.SCC.core_server.000358 [page 644]
com.sap.SCC.core_server.000359 [page 646]
com.sap.SCC.core_server.000360 [page 647]
com.sap.SCC.core_server.000361 [page 648]
com.sap.SCC.core_server.000362 [page 649]
com.sap.SCC.core_server.000363 [page 651]
com.sap.SCC.core_server.000364 [page 652]
com.sap.SCC.core_server.000365 [page 653]
com.sap.SCC.core_server.000366 [page 654]
com.sap.SCC.core_server.000367 [page 655]
com.sap.SCC.core_server.000368 [page 656]
com.sap.SCC.core_server.000369 [page 657]
com.sap.SCC.core_server.000370 [page 658]
com.sap.SCC.core_server.000371 [page 659]
com.sap.SCC.core_server.000372 [page 660]
com.sap.SCC.core_server.000373 [page 661]
com.sap.SCC.core_server.000374 [page 662]
com.sap.SCC.core_server.000375 [page 663]
com.sap.SCC.core_server.000376 [page 665]
com.sap.SCC.core_server.000377 [page 666]
com.sap.SCC.core_server.000378 [page 667]
com.sap.SCC.core_server.000379 [page 668]
com.sap.SCC.core_server.000380 [page 670]
com.sap.SCC.core_server.000381 (Deprecated) [page 671]
com.sap.SCC.core_server.000382 (Deprecated) [page 672]
com.sap.SCC.core_server.000383 [page 673]
com.sap.SCC.core_server.000384 [page 674]

com.sap.SCC.core_server.000385 [page 675]
com.sap.SCC.core_server.000386 [page 676]
com.sap.SCC.core_server.000387 [page 677]
com.sap.SCC.core_server.000388 [page 678]
com.sap.SCC.core_server.000389 [page 679]
com.sap.SCC.core_server.000390 [page 681]
com.sap.SCC.core_server.000391 [page 682]
com.sap.SCC.core_server.000392 [page 683]
com.sap.SCC.core_server.000393 [page 684]
com.sap.SCC.core_server.000394 [page 685]
com.sap.SCC.core_server.000395 [page 686]
com.sap.SCC.core_server.000396 [page 687]
com.sap.SCC.core_server.000397 [page 688]
com.sap.SCC.core_server.000398 [page 689]
com.sap.SCC.core_server.000399 [page 690]
com.sap.SCC.core_server.000400 [page 691]
com.sap.SCC.core_server.000401 [page 692]
com.sap.SCC.core_server.000402 [page 693]
com.sap.SCC.core_server.000403 [page 694]
com.sap.SCC.core_server.000404 [page 695]
com.sap.SCC.core_server.000405 [page 696]
com.sap.SCC.core_server.000406 [page 697]
com.sap.SCC.core_server.000407 [page 698]
com.sap.SCC.core_server.000408 [page 700]
com.sap.SCC.core_server.000409 [page 701]
com.sap.SCC.core_server.000410 [page 702]
com.sap.SCC.core_server.000411 [page 703]
com.sap.SCC.core_server.000412 [page 704]
com.sap.SCC.core_server.000413 [page 705]
com.sap.SCC.core_server.000414 [page 706]
com.sap.SCC.core_server.000415 [page 707]
com.sap.SCC.core_server.000416 [page 708]
com.sap.SCC.core_server.000417 [page 709]
com.sap.SCC.core_server.000418 [page 710]
com.sap.SCC.core_server.000419 [page 711]

com.sap.SCC.core_server.000420 [page 712]
com.sap.SCC.core_server.000421 [page 714]
com.sap.SCC.core_server.000422 [page 715]
com.sap.SCC.core_server.000423 [page 716]
com.sap.SCC.core_server.000424 [page 718]
com.sap.SCC.core_server.000425 [page 719]
com.sap.SCC.core_server.000426 [page 720]
com.sap.SCC.core_server.000427 [page 722]
com.sap.SCC.core_server.000428 [page 723]
com.sap.SCC.core_server.000429 [page 724]
com.sap.SCC.core_server.000430 [page 725]
com.sap.SCC.core_server.000431 [page 726]
com.sap.SCC.core_server.000432 [page 727]
com.sap.SCC.core_server.000433 [page 729]
com.sap.SCC.core_server.000434 [page 730]
com.sap.SCC.core_server.000435 [page 731]
com.sap.SCC.core_server.000436 [page 733]
com.sap.SCC.core_server.000437 [page 734]
com.sap.SCC.core_server.000438 [page 736]
com.sap.SCC.core_server.000439 [page 737]
com.sap.SCC.core_server.000440 [page 739]
com.sap.SCC.core_server.000441 [page 740]
com.sap.SCC.core_server.000442 [page 742]
com.sap.SCC.core_server.000443 [page 744]
com.sap.SCC.core_server.000444 [page 745]
com.sap.SCC.core_server.000445 [page 747]
com.sap.SCC.core_server.000446 [page 748]
com.sap.SCC.core_server.000447 [page 750]
com.sap.SCC.core_server.000448 [page 751]
com.sap.SCC.core_server.000449 [page 753]
com.sap.SCC.core_server.000450 [page 754]
com.sap.SCC.core_server.000451 [page 755]
com.sap.SCC.core_server.000452 [page 757]
com.sap.SCC.core_server.000453 [page 758]
com.sap.SCC.core_server.000454 [page 759]

com.sap.SCC.core_server.000455 [page 761]
com.sap.SCC.core_server.000456 [page 762]
com.sap.SCC.core_server.000457 [page 764]
com.sap.SCC.core_server.000458 [page 765]
com.sap.SCC.core_server.000459 [page 767]
com.sap.SCC.core_server.000460 [page 768]
com.sap.SCC.core_server.000461 [page 770]
com.sap.SCC.core_server.000462 [page 771]
com.sap.SCC.core_server.000463 [page 773]
com.sap.SCC.core_server.000464 [page 774]
com.sap.SCC.core_server.000465 [page 776]
com.sap.SCC.core_server.000466 [page 777]
com.sap.SCC.core_server.000467 [page 778]
com.sap.SCC.core_server.000468 [page 779]
com.sap.SCC.core_server.000469 [page 780]
com.sap.SCC.core_server.000470 [page 781]
com.sap.SCC.core_server.000471 [page 782]
com.sap.SCC.core_server.000472 [page 784]
com.sap.SCC.core_server.000473 [page 785]
com.sap.SCC.core_server.000474 [page 786]
com.sap.SCC.core_server.000475 [page 787]
com.sap.SCC.core_server.000476 [page 789]
com.sap.SCC.core_server.000477 [page 790]
com.sap.SCC.core_server.000478 [page 792]
com.sap.SCC.core_server.000479 [page 793]
com.sap.SCC.core_server.000480 [page 795]
com.sap.SCC.core_server.000481 [page 797]
com.sap.SCC.core_server.000501 [page 798]
com.sap.SCC.core_server.000502 [page 799]
com.sap.SCC.core_server.000503 [page 800]
com.sap.SCC.core_server.000504 [page 802]
com.sap.SCC.core_server.000505 [page 803]
com.sap.SCC.core_server.000506 [page 804]
com.sap.SCC.core_server.000507 [page 806]
com.sap.SCC.core_server.000508 [page 807]

com.sap.SCC.core_server.000509 [page 808]
com.sap.SCC.core_server.000510 [page 809]
com.sap.SCC.core_server.000511 [page 811]
com.sap.SCC.core_server.000512 [page 812]
com.sap.SCC.core_server.000513 [page 813]
com.sap.SCC.core_server.000514 [page 814]
com.sap.SCC.core_server.000515 [page 815]
com.sap.SCC.core_server.000526 [page 817]
com.sap.SCC.core_server.000527 [page 818]
com.sap.SCC.core_server.000528 [page 819]
com.sap.SCC.core_server.000529 [page 820]
com.sap.SCC.core_server.000530 [page 821]
com.sap.SCC.core_server.000531 [page 822]
com.sap.SCC.core_server.000532 [page 823]
com.sap.SCC.core_server.000533 [page 824]
com.sap.SCC.core_server.000534 [page 825]
com.sap.SCC.core_server.000552 [page 826]
com.sap.SCC.core_server.000553 [page 827]
com.sap.SCC.core_server.000554 [page 828]
com.sap.SCC.core_server.000555 [page 830]
com.sap.SCC.core_server.000556 [page 831]
com.sap.SCC.core_server.000557 [page 832]
com.sap.SCC.core_server.000558 [page 834]
com.sap.SCC.core_server.000559 [page 835]
com.sap.SCC.core_server.000571 [page 837]
com.sap.SCC.core_server.000572 [page 838]
com.sap.SCC.core_server.000573 [page 840]
com.sap.SCC.core_server.000574 [page 841]
com.sap.SCC.core_server.000575 [page 842]
com.sap.SCC.core_server.000576 [page 843]
com.sap.SCC.core_server.000577 [page 845]
com.sap.SCC.core_server.000578 [page 846]
com.sap.SCC.core_server.000579 [page 847]
com.sap.SCC.core_server.000580 [page 848]
com.sap.SCC.core_server.000581 [page 850]

com.sap.SCC.core_server.000582 (Deprecated) [page 851]
com.sap.SCC.core_server.000583 [page 853]
com.sap.SCC.core_server.000584 [page 855]
com.sap.SCC.core_server.000585 [page 856]
com.sap.SCC.core_server.000586 [page 857]
com.sap.SCC.core_server.000587 [page 858]
com.sap.SCC.core_server.000588 [page 859]
com.sap.SCC.core_server.000589 [page 860]
com.sap.SCC.core_server.000590 [page 861]
com.sap.SCC.core_server.000591 [page 862]
com.sap.SCC.core_server.000592 [page 863]
com.sap.SCC.core_server.000593 [page 864]
com.sap.SCC.core_server.000594 [page 865]
com.sap.SCC.core_server.000595 [page 866]
com.sap.SCC.core_server.000596 [page 867]
com.sap.SCC.core_server.000597 [page 868]
com.sap.SCC.core_server.000598 [page 869]
com.sap.SCC.core_server.000599 [page 870]
com.sap.SCC.core_server.000600 [page 871]
com.sap.SCC.core_server.000601 [page 872]
com.sap.SCC.core_server.000602 [page 873]
com.sap.SCC.core_server.000603 [page 874]
com.sap.SCC.core_server.000604 [page 875]
com.sap.SCC.core_server.000611 [page 876]
com.sap.SCC.core_server.000612 [page 878]
com.sap.SCC.core_server.000613 [page 879]
com.sap.SCC.core_server.000614 [page 880]
com.sap.SCC.core_server.000615 [page 881]
com.sap.SCC.core_server.000616 [page 883]
com.sap.SCC.core_server.000617 [page 884]
com.sap.SCC.core_server.000618 [page 886]
com.sap.SCC.core_server.000619 [page 887]
com.sap.SCC.core_server.000620 [page 888]
com.sap.SCC.core_server.000621 [page 889]
com.sap.SCC.core_server.000622 [page 890]

com.sap.SCC.core_server.000623 [page 892]
com.sap.SCC.core_server.000624 [page 893]
com.sap.SCC.core_server.000625 [page 894]
com.sap.SCC.core_server.000626 [page 896]
com.sap.SCC.core_server.000627 [page 897]
com.sap.SCC.core_server.000628 [page 898]
com.sap.SCC.core_server.000629 [page 899]
com.sap.SCC.core_server.000630 [page 900]
com.sap.SCC.core_server.000631 [page 901]
com.sap.SCC.core_server.000632 [page 902]
com.sap.SCC.core_server.000633 [page 903]
com.sap.SCC.core_server.000634 [page 904]
com.sap.SCC.core_server.000635 [page 905]
com.sap.SCC.core_server.000636 [page 906]
com.sap.SCC.core_server.000637 [page 907]
com.sap.SCC.core_server.000638 [page 909]
com.sap.SCC.core_server.000639 [page 910]
com.sap.SCC.core_server.000640 [page 911]
com.sap.SCC.core_server.000650 [page 913]
com.sap.SCC.core_server.000651 [page 914]
com.sap.SCC.core_server.000652 [page 915]
com.sap.SCC.core_server.000653 [page 916]
com.sap.SCC.core_server.000654 [page 918]
com.sap.SCC.core_server.000701 [page 919]
com.sap.SCC.core_server.000702 [page 921]
com.sap.SCC.core_server.000703 [page 922]
com.sap.SCC.core_server.000704 [page 923]
com.sap.SCC.core_server.000705 [page 924]
com.sap.SCC.core_server.000706 [page 925]
com.sap.SCC.core_server.000707 [page 926]
com.sap.SCC.core_server.000708 [page 927]
com.sap.SCC.core_server.000709 [page 928]
com.sap.SCC.core_server.000710 [page 929]
com.sap.SCC.core_server.000711 [page 930]
com.sap.SCC.core_server.000712 [page 931]

com.sap.SCC.core_server.000713 [page 932]
com.sap.SCC.core_server.000714 [page 933]
com.sap.SCC.core_server.000715 [page 934]
com.sap.SCC.core_server.000716 [page 935]
com.sap.SCC.core_server.000717 [page 936]
com.sap.SCC.core_server.000718 [page 937]
com.sap.SCC.core_server.000719 [page 938]
com.sap.SCC.core_server.000720 [page 939]
com.sap.SCC.core_server.000721 [page 940]
com.sap.SCC.core_server.000722 [page 941]
com.sap.SCC.core_server.000723 [page 942]
com.sap.SCC.core_server.000724 [page 943]
com.sap.SCC.core_server.000725 [page 944]
com.sap.SCC.core_server.000726 [page 946]
com.sap.SCC.core_server.000727 [page 947]
com.sap.SCC.core_server.000728 [page 949]
com.sap.SCC.core_server.000729 [page 950]
com.sap.SCC.core_server.000730 [page 951]
com.sap.SCC.core_server.000731 [page 952]
com.sap.SCC.core_server.000732 [page 953]
com.sap.SCC.core_server.000733 [page 955]
com.sap.SCC.core_server.000734 [page 956]
com.sap.SCC.core_server.000735 [page 957]
com.sap.SCC.core_server.000736 [page 959]
com.sap.SCC.core_server.000737 [page 960]
com.sap.SCC.core_server.000738 [page 962]
com.sap.SCC.core_server.000739 [page 963]
com.sap.SCC.core_server.000740 [page 965]
com.sap.SCC.core_server.000741 [page 966]
com.sap.SCC.core_server.000742 [page 967]
com.sap.SCC.core_server.000743 [page 969]
com.sap.SCC.core_server.000744 [page 970]
com.sap.SCC.core_server.000745 [page 971]
com.sap.SCC.core_server.000746 [page 973]
com.sap.SCC.core_server.000748 [page 974]

com.sap.SCC.infra.000000 [page 975]
com.sap.SCC.infra.000001 [page 977]
com.sap.SCC.infra.000002 [page 978]
com.sap.SCC.infra.000003 [page 980]
com.sap.SCC.infra.000004 [page 982]
com.sap.SCC.infra.000005 [page 983]
com.sap.SCC.infra.000006 [page 985]
com.sap.SCC.infra.000007 [page 986]
com.sap.SCC.infra.000008 [page 988]
com.sap.SCC.infra.000009 [page 989]
com.sap.SCC.infra.000010 [page 991]
com.sap.SCC.infra.000011 [page 992]
com.sap.SCC.infra.000012 [page 994]
com.sap.SCC.infra.000013 [page 995]
com.sap.SCC.infra.000014 [page 997]
com.sap.SCC.infra.000015 [page 998]
com.sap.SCC.infra.000016 [page 1000]
com.sap.SCC.infra.000017 [page 1001]
com.sap.SCC.infra.000018 [page 1002]
com.sap.SCC.infra.000019 [page 1004]
com.sap.SCC.infra.000020 [page 1005]
com.sap.SCC.infra.000021 [page 1007]
com.sap.SCC.infra.000022 [page 1008]
com.sap.SCC.infra.000023 [page 1010]
com.sap.SCC.infra.000024 [page 1012]
com.sap.SCC.infra.000025 [page 1013]
com.sap.SCC.infra.000026 [page 1015]
com.sap.SCC.infra.000027 [page 1016]
com.sap.SCC.infra.000028 [page 1018]
com.sap.SCC.infra.000029 [page 1019]
com.sap.SCC.infra.000030 [page 1021]
com.sap.SCC.infra.000031 [page 1022]
com.sap.SCC.infra.000032 [page 1024]
com.sap.SCC.infra.000033 [page 1025]
com.sap.SCC.infra.000034 [page 1026]

5.1 Log A-Z Index

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.chargingplan.000001 [page 105]	com.sap.SCC.chargingplan [page 31]	Warning [page 30]	A Validity Period Updater operator tried to set a start date that is earlier than the current one.
com.sap.SCC.chargingplan.000002 [page 106]	com.sap.SCC.chargingplan [page 31]	Warning [page 30]	A Validity Period Updater operator tried to update the validity end date of the allowance with a date that is earlier than the last activation date or the latest date of the session reservations.
com.sap.SCC.core_client.000000 [page 108]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The configuration data cannot be encrypted because the configuration file could not be read or written.
com.sap.SCC.core_client.000001 [page 109]	com.sap.SCC.core_client [page 31]	Fatal Error [page 29]	The tax system for VAT cannot be initialized properly because the currency book could not be initialized in the SAP CC system.
com.sap.SCC.core_client.000002 [page 111]	com.sap.SCC.core_client [page 31]	Warning [page 30]	A Validity Period Updater operator tried to set a start date that is earlier than the current one.
com.sap.SCC.core_client.000003 [page 112]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The resource file containing the country codes was not completely loaded.
com.sap.SCC.core_client.000004 [page 114]	com.sap.SCC.core_client [page 31]	Error [page 29]	A Validity Period Updater operator tried to set a start date that is earlier than the current one.
com.sap.SCC.core_client.000005 [page 115]	com.sap.SCC.core_client [page 31]	Error [page 29]	The tax system cannot be initialized due to an invalid value.
com.sap.SCC.core_client.000006 [page 117]	com.sap.SCC.core_client [page 31]	Information	The taxation module selected in the configuration is being initialized.
com.sap.SCC.core_client.000007 [page 118]	com.sap.SCC.core_client [page 31]	Information	The taxation module selected in the configuration has been initialized.
com.sap.SCC.core_client.000008 [page 119]	com.sap.SCC.core_client [page 31]	Error [page 29]	A required Java class cannot be found.
com.sap.SCC.core_client.000009 [page 120]	com.sap.SCC.core_client [page 31]	Error [page 29]	The application cannot instantiate the Java class for the taxation module.
com.sap.SCC.core_client.000010 [page 122]	com.sap.SCC.core_client [page 31]	Error [page 29]	The application does not have access to the definition of the Java class for the taxation module

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_client.000011 [page 123]	com.sap.SCC.core_client [page 31]	Warning [page 30]	An expected counter is missing during the execution of the recharging process.
com.sap.SCC.core_client.000012 [page 125]	com.sap.SCC.core_client [page 31]	Warning [page 30]	A partition is being switched while there are ongoing operations on the connection.
com.sap.SCC.core_client.000013 [page 126]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The memory accessor manages parameters that are unknown.
com.sap.SCC.core_client.000014 [page 128]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The persistent accessor manages parameters which are unknown.
com.sap.SCC.core_client.000015 [page 129]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The notification could not be published.
com.sap.SCC.core_client.000016 [page 131]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The notification could not be published.
com.sap.SCC.core_client.000017 [page 132]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The notification could not be published.
com.sap.SCC.core_client.000018 [page 134]	com.sap.SCC.core_client [page 31]	Error [page 29]	The configuration parameters relating to the EIF are invalid.
com.sap.SCC.core_client.000019 [page 135]	com.sap.SCC.core_client [page 31]	Information	The EIF Connector is initialized. Its functions implement the *Exportable item Integration Framework (EIF)* of SAP Convergent Charging.
com.sap.SCC.core_client.000021 [page 137]	com.sap.SCC.core_client [page 31]	Error [page 29]	The application cannot instantiate the Java class for the EIF Connector.
com.sap.SCC.core_client.000022 [page 139]	com.sap.SCC.core_client [page 31]	Error [page 29]	The application does not have access to the definition of the Java class for the EIF Connector.
com.sap.SCC.core_client.000023 (Deprecated) [page 140]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The remote client may not receive the answer.
com.sap.SCC.core_client.000024 [page 142]	com.sap.SCC.core_client [page 31]	Error [page 29]	The remote client may not receive the answer.
com.sap.SCC.core_client.000025 [page 144]	com.sap.SCC.core_client [page 31]	Error [page 29]	The remote client may not receive the answer.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_client.000026 [page 145]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The session(s) is/are bigger than the cache, it will not be cached.
com.sap.SCC.core_client.000027 [page 147]	com.sap.SCC.core_client [page 31]	Information	The instance is initializing the EIF configuration.
com.sap.SCC.core_client.000034 [page 148]	com.sap.SCC.core_client [page 31]	Warning [page 30]	The system postpones the validity period of the new allowance to the validity start date of the expired allowance plus 1 day (Gregorian Calendar).
com.sap.SCC.core_server.000000 [page 149]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is going to start.
com.sap.SCC.core_server.000001 [page 150]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has successfully started.
com.sap.SCC.core_server.000002 [page 152]	com.sap.SCC.core_server [page 32]	Error [page 29]	An input/output (I/O) error occurred while initializing the network interfaces of the machine hosting this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000003 [page 153]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	A property is not set in the startup configuration file (`jstart.config`) of this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000004 [page 155]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while trying to read the boot configuration file of this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000005 [page 156]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance of the SAP CC Core Server system cannot allocate more memory.
com.sap.SCC.core_server.000006 [page 158]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	Unknown errors occurred during the launching of this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000007 [page 160]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	Errors occurred during the launching of this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000008 [page 161]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system cannot find or read the license.
com.sap.SCC.core_server.000009 [page 163]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The SAP Convergent Charging license has been corrupted.
com.sap.SCC.core_server.000010 [page 165]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	Your SAP Convergent Charging license has expired.
com.sap.SCC.core_server.000011 [page 166]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance of the SAP CC Core Server system has not enough memory to manage the license. It cannot verify the license.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000012 [page 168]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the system is verifying the license installed for its host but the license is not valid for this host machine.
com.sap.SCC.core_server.000013 [page 170]	com.sap.SCC.core_server [page 32]	Error [page 29]	Some of the system properties set in the startup configuration file (`jstart.config`) are invalid for this instance of the SAP CC Core Server system to set up the logging and the tracing functions.
com.sap.SCC.core_server.000014 [page 173]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance ID has not been specified to the launcher.
com.sap.SCC.core_server.000015 [page 175]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The value set as instance ID is wrong in the startup configuration file (`jstart.config`).
com.sap.SCC.core_server.000016 [page 177]	com.sap.SCC.core_server [page 32]	Information	This bulkloader instance started to launch its Bulk Loading Service.
com.sap.SCC.core_server.000017 [page 178]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while initializing the multicast service.
com.sap.SCC.core_server.000018 [page 180]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while configuring the sources.
com.sap.SCC.core_server.000019 [page 181]	com.sap.SCC.core_server [page 32]	Information	The Bulk Loading Service successfully started.
com.sap.SCC.core_server.000020 [page 182]	com.sap.SCC.core_server [page 32]	Warning [page 30]	At least one CIF processor raised an exception during the bulkloader instance stop sequence.
com.sap.SCC.core_server.000021 [page 184]	com.sap.SCC.core_server [page 32]	Information	This bulkloader instance of the system has started to shut down its service.
com.sap.SCC.core_server.000022 [page 185]	com.sap.SCC.core_server [page 32]	Information	The Bulk Loading Service is stopped.
com.sap.SCC.core_server.000023 [page 186]	com.sap.SCC.core_server [page 32]	Error [page 29]	The HTTP listener of this dispatcher instance cannot start because it cannot load its XML schema configuration. This error occurs if the dispatcher instance cannot find the XML schema or because of a parsing error.
com.sap.SCC.core_server.000024 [page 187]	com.sap.SCC.core_server [page 32]	Information	This dispatcher instance started to launch the internal service for the SAP CC Core Server system.
com.sap.SCC.core_server.000025 [page 188]	com.sap.SCC.core_server [page 32]	Information	This secondary dispatcher instance is waiting for the connection from the primary dispatcher instance of the SAP CC Core Server system.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000026 [page 189]	com.sap.SCC.core_server [page 32]	Information	This dispatcher has started its dispatching service for the internal communications of the SAP CC Core Server system.
com.sap.SCC.core_server.000027 (Revoked) [page 190]	com.sap.SCC.core_server [page 32]	Information	The internal discovery service of the dispatcher instance is started.
com.sap.SCC.core_server.000028 [page 191]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while starting the internal service of this dispatcher instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000029 [page 193]	com.sap.SCC.core_server [page 32]	Information	This dispatcher instance started to launch its external service.
com.sap.SCC.core_server.000030 [page 194]	com.sap.SCC.core_server [page 32]	Information	The external service of the dispatcher instance is started.
com.sap.SCC.core_server.000031 (Revoked) [page 195]	com.sap.SCC.core_server [page 32]	Information	The external discovery service of the dispatcher instance is started.
com.sap.SCC.core_server.000032 [page 196]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while starting the external service of the dispatcher instance of the SAP CC system.
com.sap.SCC.core_server.000033 [page 197]	com.sap.SCC.core_server [page 32]	Information	This dispatcher instance of the SAP CC system started to shut down its services..
com.sap.SCC.core_server.000034 [page 198]	com.sap.SCC.core_server [page 32]	Information	This dispatcher instance services are stopped.
com.sap.SCC.core_server.000035 [page 199]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the properties initialization of the instance map.
com.sap.SCC.core_server.000036 [page 201]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while determining the IP address of the host machine specified in the parameter.
com.sap.SCC.core_server.000037 [page 202]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The current thread run into an out of memory error.
com.sap.SCC.core_server.000038 [page 204]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An unexpected Java error occurred in the system.
com.sap.SCC.core_server.000039 [page 206]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system is shutting down due to an error. See the previous log messages.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000040 [page 207]	com.sap.SCC.core_server [page 32]	Information	The guider instance of the SAP CC Core Server system is launching its Guiding Service.
com.sap.SCC.core_server.000041 [page 208]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while starting the Guiding Service.
com.sap.SCC.core_server.000042 [page 210]	com.sap.SCC.core_server [page 32]	Information	The Guiding Service is started.
com.sap.SCC.core_server.000043 [page 211]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system is shutting down its Guiding Service.
com.sap.SCC.core_server.000044 [page 212]	com.sap.SCC.core_server [page 32]	Information	The Guiding Service is stopped.
com.sap.SCC.core_server.000045 [page 213]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The HTTP listener cannot start because the instance identifier cannot be found in the instance map.
com.sap.SCC.core_server.000046 [page 214]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is starting its HTTP listener for HCI communications.
com.sap.SCC.core_server.000047 [page 215]	com.sap.SCC.core_server [page 32]	Information	The HTTP listener is started in this instance of the SAP CC system.
com.sap.SCC.core_server.000048 [page 216]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The HTTP listener dedicated to the Web Services technical interface cannot start.
com.sap.SCC.core_server.000049 [page 218]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is shutting down its HTTP listener.
com.sap.SCC.core_server.000050 [page 219]	com.sap.SCC.core_server [page 32]	Information	The HTTP listener of this instance of the SAP CC Core Server system is now stopped. The communications via HCI technical interface are not possible anymore.
com.sap.SCC.core_server.000051 [page 220]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The HTTP listener cannot start.
com.sap.SCC.core_server.000052 (Deprecated) [page 221]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is starting again its services.
com.sap.SCC.core_server.000053 (Deprecated) [page 222]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has successfully restarted its services.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000054 (Deprecated) [page 223]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has stopped its services.
com.sap.SCC.core_server.000055 [page 224]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance type is not supported.
com.sap.SCC.core_server.000056 [page 225]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system has requested the current instance map from the primary dispatcher instance. The instance map has not been found during its initialization and the dispatcher instance cannot provide the map. An instance map is missing.
com.sap.SCC.core_server.000057 [page 227]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance map is not valid. The reason is dynamically provided in the log message.
com.sap.SCC.core_server.000058 [page 229]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance is not defined in the instance map of this SAP CC Core Server system.
com.sap.SCC.core_server.000059 [page 230]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The IP addresses of the network interfaces of the local host cannot be detected.
com.sap.SCC.core_server.000060 [page 232]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The hostname configured for this service of the instance is not resolved to a unique IP address. This service does not handle multiple IP addresses. Check the instance map.
com.sap.SCC.core_server.000061 [page 234]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The IP address configured for this service in the instance map cannot be found on any network interface of the host machine.
com.sap.SCC.core_server.000062 [page 236]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system is not launched on the host it has been configured for.
com.sap.SCC.core_server.000063 [page 237]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The specified IP address resolves several addresses; This may occur when there are several loopback addresses.
com.sap.SCC.core_server.000064 [page 239]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The hostname resolution has cannot map to an IP address.
com.sap.SCC.core_server.000065 [page 241]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the instance map: the connection to the database system is not ready to accept queries.
com.sap.SCC.core_server.000066 [page 242]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An SQL error occurred during the initialization of the instance map.
com.sap.SCC.core_server.000067 [page 244]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	Previous error(s) stopped the initialization of the instance map.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000068 [page 246]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The initialization of the instance map cannot be completed because a mandatory property has not been found in the boot configuration file (`boot.config`) of this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000069 (Deprecated) [page 247]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	A boot configuration property has not been found.
com.sap.SCC.core_server.000070 [page 249]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the parameter manager in the instance of the SAP CC system.
com.sap.SCC.core_server.000071 [page 251]	com.sap.SCC.core_server [page 32]	Error [page 29]	
com.sap.SCC.core_server.000072 [page 252]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The logging configuration cannot be initialized.
com.sap.SCC.core_server.000073 [page 253]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	There is a difference between the expected SQLHELPER_DB_INSTANCE_COUNT and the configured SQLHELPER_JDBC_URI_DBI1 parameters.
com.sap.SCC.core_server.000074 [page 255]	com.sap.SCC.core_server [page 32]	Error [page 29]	This instance cannot warm up its data cache because there is no space left.
com.sap.SCC.core_server.000075 [page 256]	com.sap.SCC.core_server [page 32]	Information	The *user operation auditing* feature and functions are enabled in this instance of the running SAP CC Core Server. The SAP CC system can audit some particular user operations by recording the processing results to the back-end database system.
com.sap.SCC.core_server.000076 [page 258]	com.sap.SCC.core_server [page 32]	Information	The *user operation auditing* feature and functions are disabled in this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000077 [page 259]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The technical version number of the database schema is different from the expected version to run this instance of the system. The SAP CC Database system must be compliant with the SAP CC Core Server system.
com.sap.SCC.core_server.000078 [page 260]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The technical version number of the database schema is empty in your back-end database system. This may occur if your database has not been populated: the schema has been created only. The SAP installer creates the schema and populates the SAP CC Core Database system.
com.sap.SCC.core_server.000079 [page 262]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while determining the version number of the database schema in the specified SAP CC Database. Several causes are possible. The SAP CC system connects to this back-end database system.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000080 (Revoked) [page 263]	com.sap.SCC.core_server [page 32]	Information	This instance of the system has started to detect the dispatcher instance(s) of the same SAP CC Core Server system in the network. Several attempts will be performed.
com.sap.SCC.core_server.000081 (Revoked) [page 265]	com.sap.SCC.core_server [page 32]	Information	This instance of the system has started to detect the dispatcher instances of the same SAP CC Core Server system in the network.
com.sap.SCC.core_server.000082 (Revoked) [page 267]	com.sap.SCC.core_server [page 32]	Information	This instance of the system has found another dispatcher instances of the same SAP CC Core Server system in the network.
com.sap.SCC.core_server.000083 (Revoked) [page 268]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This instance cannot find the the dispatcher instance(s) of the SAP CC Core Server system by using the UDP discovery function.
com.sap.SCC.core_server.000084 (Revoked) [page 270]	com.sap.SCC.core_server [page 32]	Information	This instance of the system is loading the list of dispatcher instances from its boot configuration file.
com.sap.SCC.core_server.000085 [page 271]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while loading the dispatcher list from the boot configuration file.
com.sap.SCC.core_server.000086 [page 273]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system has determined the dispatcher instances to connect to.
com.sap.SCC.core_server.000087 [page 274]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	A property has not been found while reading the database configuration from the boot configuration file.
com.sap.SCC.core_server.000088 [page 275]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system did not find the instance map while retrieving it from the back-end database system.
com.sap.SCC.core_server.000089 [page 277]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The instance map is not valid. The reason is indicated in the log message.
com.sap.SCC.core_server.000090 [page 279]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because the database connection was not ready.
com.sap.SCC.core_server.000091 [page 280]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because of an error encountered by its SQL Manager. The error is detailed in the log message.
com.sap.SCC.core_server.000092 [page 282]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because of an SQL error detailed in the log message.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000093 [page 284]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the system was unable to retrieve the instance map from the database due to previous errors.
com.sap.SCC.core_server.000094 [page 285]	com.sap.SCC.core_server [page 32]	Error [page 29]	This rater instance of the SAP CC Core Server system cannot initialize its tax system.
com.sap.SCC.core_server.000095 [page 287]	com.sap.SCC.core_server [page 32]	Error [page 29]	A configuration parameter is missing to start this rater instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000096 [page 288]	com.sap.SCC.core_server [page 32]	Error [page 29]	The CIF/RIF configurations are missing to start this rater instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000097 [page 290]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is starting its charging service.
com.sap.SCC.core_server.000098 [page 291]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the charging service in the rater instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000099 [page 292]	com.sap.SCC.core_server [page 32]	Information	The Charging Service is started.
com.sap.SCC.core_server.000100 [page 293]	com.sap.SCC.core_server [page 32]	Information	The Charging Service is shutting down.
com.sap.SCC.core_server.000101 [page 294]	com.sap.SCC.core_server [page 32]	Information	The Charging Service is stopped.
com.sap.SCC.core_server.000102 [page 295]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system cannot initialize its Transaction Processor function due to previous errors.
com.sap.SCC.core_server.000103 [page 297]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	This instance of the SAP CC Core Server system cannot initialize its Rerate Processor function due to previous errors.
com.sap.SCC.core_server.000104 [page 298]	com.sap.SCC.core_server [page 32]	Information	This taxer instance of the SAP CC Core Server system is starting its tax service.
com.sap.SCC.core_server.000105 [page 299]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the tax service: the EZTax base path cannot be found
com.sap.SCC.core_server.000106 [page 301]	com.sap.SCC.core_server [page 32]	Error [page 29]	This taxer instance of the SAP CC Core Server system cannot initialize its tax system.
com.sap.SCC.core_server.000107 [page 302]	com.sap.SCC.core_server [page 32]	Error [page 29]	This taxer instance of the SAP CC Core Server system cannot start due to previous errors.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000108 [page 304]	com.sap.SCC.core_server [page 32]	Information	The tax service of this taxer instance is started.
com.sap.SCC.core_server.000109 [page 305]	com.sap.SCC.core_server [page 32]	Information	The taxer service is shutting down.
com.sap.SCC.core_server.000110 [page 306]	com.sap.SCC.core_server [page 32]	Information	The taxer service is stopped.
com.sap.SCC.core_server.000111 [page 307]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the Batch Rating Group Assignment Processor function.
com.sap.SCC.core_server.000112 [page 308]	com.sap.SCC.core_server [page 32]	Error [page 29]	This updater instance of the SAP CC Core Server system cannot initialize its tax system.
com.sap.SCC.core_server.000113 [page 310]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the exportable item connector in the instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000114 [page 311]	com.sap.SCC.core_server [page 32]	Information	In the SAP CC Core Server system, this updater instance is starting the initialization of the external currencies automatically because of the EIF.
com.sap.SCC.core_server.000115 [page 314]	com.sap.SCC.core_server [page 32]	Information	Initialization of the external currencies is done.
com.sap.SCC.core_server.000116 [page 316]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is waiting for the authorization from the primary dispatcher instance.
com.sap.SCC.core_server.000117 [page 317]	com.sap.SCC.core_server [page 32]	Information	The Web Services for this instance are either not available or available but not enabled.
com.sap.SCC.core_server.000118 [page 318]	com.sap.SCC.core_server [page 32]	Information	The Web Services for this instance are not enabled.
com.sap.SCC.core_server.000119 [page 319]	com.sap.SCC.core_server [page 32]	Information	This instance of the system is starting its Web Services.
com.sap.SCC.core_server.000120 [page 320]	com.sap.SCC.core_server [page 32]	Information	The URL of the published Web Services. This URL is required by the systems connected to the SAP CC Core Server system with this technical interface (Web Services).
com.sap.SCC.core_server.000121 [page 321]	com.sap.SCC.core_server [page 32]	Information	The Web Services are started on this instance of the SAP CC Core Server system.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000122 (Deprecated) [page 322]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An error occurred while inserting the security policy in the WSDL.
com.sap.SCC.core_server.000123 (Deprecated) [page 323]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An error occurred while inserting the security policy in the WSDL.
com.sap.SCC.core_server.000124 [page 325]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server is stopping its Web Services.
com.sap.SCC.core_server.000125 [page 326]	com.sap.SCC.core_server [page 32]	Information	The Web Services technical interface is stopped. The relating business operations are not possible anymore.
com.sap.SCC.core_server.000126 [page 327]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the system parameters. The reason is dynamically provided in the log message.
com.sap.SCC.core_server.000127 [page 328]	com.sap.SCC.core_server [page 32]	Information	This updater instance has received an authorization from a dispatcher instance of the same system.
com.sap.SCC.core_server.000128 [page 329]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An activation process with subscriptions is already running. It is not possible to run several activation processes at the same time.
com.sap.SCC.core_server.000129 [page 331]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A rerating process is currently running. It is not possible to run an activation process concurrently with a rerating process.
com.sap.SCC.core_server.000130 [page 332]	com.sap.SCC.core_server [page 32]	Error [page 29]	The subscription activation process will not start because it has not been possible to determine if a rerating process is already running.
com.sap.SCC.core_server.000131 [page 334]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is starting an activation process.
com.sap.SCC.core_server.000132 [page 335]	com.sap.SCC.core_server [page 32]	Information	The activation process is completed by this instance of the SAP CC Core Server system is starting an activation process. Check the other instances.
com.sap.SCC.core_server.000133 [page 336]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An activation process (with provider contracts) is already running. It is not possible to run several contract activation processes at the same time.
com.sap.SCC.core_server.000134 [page 337]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A rerating process is currently performed by the system. It is not possible to launch an activation process concurrently with a rerating process.
com.sap.SCC.core_server.000135 [page 339]	com.sap.SCC.core_server [page 32]	Error [page 29]	The activation process for provider contracts will not start because it has not been possible to determine if a rerating process is already running.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000136 [page 340]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A cleanup process is already running in the SAP CC Core Server system. This updater instance of the system refuses the new operation request for cleanup.
com.sap.SCC.core_server.000137 [page 342]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A cleanup process is already running in the SAP CC Core Server system. This dispatcher instance of the system refuses the cleanup operation request and does not dispatch it to the rater instances of the system.
com.sap.SCC.core_server.000138 [page 343]	com.sap.SCC.core_server [page 32]	Information	The cleanup process is completed in the SAP CC Core Server system. Check the final and global status to know if all the objects have been cleaned up.
com.sap.SCC.core_server.000139 [page 344]	com.sap.SCC.core_server [page 32]	Information	The SAP CC Core Server system starts processing the mass cleanup of subscriptions and provider contracts.
com.sap.SCC.core_server.000140 [page 345]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The activation process is already running.
com.sap.SCC.core_server.000141 [page 347]	com.sap.SCC.core_server [page 32]	Information	The activation process is completed by the system. Check the final status.
com.sap.SCC.core_server.000142 [page 348]	com.sap.SCC.core_server [page 32]	Information	The activation process is performed by the system. See the logs of the rater instances for details.
com.sap.SCC.core_server.000143 [page 349]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The expiration alert process is already running.
com.sap.SCC.core_server.000144 [page 350]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the execution of the expiration alert process.
com.sap.SCC.core_server.000145 [page 352]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The expiration alert process is already running.
com.sap.SCC.core_server.000146 [page 353]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A scheduled refresh of an instance of the system cannot be processed.
com.sap.SCC.core_server.000147 [page 354]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the refresh of the rater instances of the SAP CC Core Server system.
com.sap.SCC.core_server.000148 [page 356]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has refreshed its data cache that includes the definitions of all the tax rates for all the value added taxes (VAT) configured in the system.
com.sap.SCC.core_server.000149 [page 357]	com.sap.SCC.core_server [page 32]	Information	The persistent value of the system parameter has been reset.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000150 [page 358]	com.sap.SCC.core_server [page 32]	Information	The memory value of the parameter has been reset.
com.sap.SCC.core_server.000151 [page 359]	com.sap.SCC.core_server [page 32]	Information	The persistent value of the parameter has been changed.
com.sap.SCC.core_server.000152 [page 361]	com.sap.SCC.core_server [page 32]	Information	The memory value of the parameter has been changed.
com.sap.SCC.core_server.000153 (Deprecated) [page 362]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a request to shut down in few seconds.
com.sap.SCC.core_server.000154 [page 363]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a shutdown request from the SAP CC Admin+ user interface. The instance waits for an authorization to stop from the primary dispatcher instance.
com.sap.SCC.core_server.000155 [page 364]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is still waiting for the authorization to stop.
com.sap.SCC.core_server.000156 [page 365]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the bulkloader sources configuration due to an input/output error.
com.sap.SCC.core_server.000157 [page 367]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the bulkloader sources configuration due to an error in the parser configuration.
com.sap.SCC.core_server.000158 [page 368]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the bulkloader sources configuration due to an XML parsing error.
com.sap.SCC.core_server.000159 [page 369]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the charged item processor shell configuration.
com.sap.SCC.core_server.000160 [page 370]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the transaction processor shell configuration.
com.sap.SCC.core_server.000161 [page 372]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the rerate processor shell configuration.
com.sap.SCC.core_server.000162 [page 373]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot load the notification policy configuration.
com.sap.SCC.core_server.000163 [page 374]	com.sap.SCC.core_server [page 32]	Information	A missing parameter has been inserted in the database.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000164 [page 375]	com.sap.SCC.core_server [page 32]	Information	The SLD payload is going to be sent by the instance of the system.
com.sap.SCC.core_server.000165 [page 376]	com.sap.SCC.core_server [page 32]	Information	The SLD[3] payload has been sent.
com.sap.SCC.core_server.000166 [page 378]	com.sap.SCC.core_server [page 32]	Error [page 29]	The instance of the system cannot connect to the SLD.
com.sap.SCC.core_server.000167 [page 379]	com.sap.SCC.core_server [page 32]	Error [page 29]	This instance of the system cannot update the SLD[4] due to an input/output (I/O) error.
com.sap.SCC.core_server.000168 [page 381]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while sending the SLD[5] payload.
com.sap.SCC.core_server.000169 [page 383]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot read the log entries.
com.sap.SCC.core_server.000170 [page 384]	com.sap.SCC.core_server [page 32]	Error [page 29]	The charged item processor shell of the bulkloader instance could not be loaded.
com.sap.SCC.core_server.000171 [page 386]	com.sap.SCC.core_server [page 32]	Error [page 29]	The charged item processor shell of the bulkloader instance could not be loaded.
com.sap.SCC.core_server.000172 [page 387]	com.sap.SCC.core_server [page 32]	Error [page 29]	The charged item processor shell of the rater instance could not be loaded.
com.sap.SCC.core_server.000173 [page 388]	com.sap.SCC.core_server [page 32]	Error [page 29]	The charged item processor shell of the rater instance could not be loaded.
com.sap.SCC.core_server.000174 [page 390]	com.sap.SCC.core_server [page 32]	Error [page 29]	The configuration of the notification policy could not be updated in the back-end database due to an error in the communication with the database system.
com.sap.SCC.core_server.000175 [page 391]	com.sap.SCC.core_server [page 32]	Error [page 29]	The configuration of the notification policy could not be retrieved from the back-end database due to an error in the communication with the database system.
com.sap.SCC.core_server.000176 [page 393]	com.sap.SCC.core_server [page 32]	Error [page 29]	The configuration of the notification policy could not be retrieved from the back-end database due to an error in the format of the configuration data.
com.sap.SCC.core_server.000177 [page 394]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerate processor shell of the rater instance could not be loaded.

[3] System Landscape Directory
[4] System Landscape Directory
[5] System Landscape Directory

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000178 [page 395]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerate processor shell of the rater instance could not be loaded.
com.sap.SCC.core_server.000179 [page 397]	com.sap.SCC.core_server [page 32]	Error [page 29]	The bulkloader sources configuration could not be loaded due to an input/output (I/O) error.
com.sap.SCC.core_server.000180 [page 398]	com.sap.SCC.core_server [page 32]	Error [page 29]	The bulkloader sources configuration could not be loaded due to an error in the configuration of its data parser.
com.sap.SCC.core_server.000181 [page 399]	com.sap.SCC.core_server [page 32]	Error [page 29]	The bulkloader sources configuration could not be loaded due to an error in the format of the configuration data.
com.sap.SCC.core_server.000182 [page 401]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The operation is stopped because the connection limit is reached. It could happen when multiple instances have been reconnected during the operation. This operation is limited to 100 connections, including lost connections.
com.sap.SCC.core_server.000183 [page 402]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Admin XML Proxy received an execution request for an unknown operation.
com.sap.SCC.core_server.000184 [page 404]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has refreshed its VAT rule cache from the configuration.
com.sap.SCC.core_server.000185 [page 405]	com.sap.SCC.core_server [page 32]	Error [page 29]	This dispatcher instance of the SAP CC Core Server system cannot trigger the expiration alerts from the scheduler because it is busy, not started or shutting down
com.sap.SCC.core_server.000186 [page 406]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	Your SAP Convergent Charging license has expired.
com.sap.SCC.core_server.000187 [page 408]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred in the security module (`com.sap.security.core.server`) for license verification.
com.sap.SCC.core_server.000188 [page 409]	com.sap.SCC.core_server [page 32]	Information	The selected operation factory has been initialized successfully.
com.sap.SCC.core_server.000189 [page 410]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The specified parameter has not been set in the configuration or its value is invalid. The operation factory cannot be initialized.
com.sap.SCC.core_server.000190 [page 412]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The Java class configured for the operation factory framework cannot be found. The operation factory cannot be initialized.
com.sap.SCC.core_server.000191 [page 413]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the operation factory connector. The operation factory cannot be initialized.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000192 [page 415]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the operation factory connector. The operation factory class could not be instantiated. The operation factory cannot be initialized.
com.sap.SCC.core_server.000193 [page 416]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the operation factory connector. The operation factory class could not be accessed by the Java Virtual Machine. The operation factory cannot be initialized.
com.sap.SCC.core_server.000194 [page 418]	com.sap.SCC.core_server [page 32]	Information	The selected transaction processor has been initialized successfully.
com.sap.SCC.core_server.000195 [page 419]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The specified parameter has not been set in the configuration or its value is invalid. The transaction processor cannot be initialized.
com.sap.SCC.core_server.000196 [page 420]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rating transaction processor function. The rating transaction processor cannot be initialized.
com.sap.SCC.core_server.000197 [page 422]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rating transaction processor function. The rating transaction processor cannot be initialized.
com.sap.SCC.core_server.000198 [page 423]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The class configured for the rating transaction processor framework cannot be found. The rating transaction processor cannot be initialized.
com.sap.SCC.core_server.000199 [page 425]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rating transaction processor function. The rating transaction processor class could not be instantiated. The rating transaction processor cannot be initialized.
com.sap.SCC.core_server.000200 [page 426]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rating transaction processor function. The rating transaction processor class could not be accessed by the Java Virtual Machine. The rating transaction processor cannot be initialized.
com.sap.SCC.core_server.000201 [page 428]	com.sap.SCC.core_server [page 32]	Information	The selected rerating transaction processor has been initialized successfully.
com.sap.SCC.core_server.000202 [page 429]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The specified parameter has not been set in the configuration or its value is invalid. The rerating transaction processor cannot be initialized.
com.sap.SCC.core_server.000203 [page 430]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor cannot be initialized.
com.sap.SCC.core_server.000204 [page 432]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The class configured for the rerating transaction processor framework cannot be found. The rerating transaction processor cannot be initialized.
com.sap.SCC.core_server.000205 [page 433]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor class could not be instantiated. The rerating transaction processor cannot be initialized.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000206 [page 435]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor class could not be accessed by the Java Virtual Machine. The rerating transaction processor cannot be initialized.
com.sap.SCC.core_server.000207 [page 437]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the transaction file processor (TFP) function. No configuration could be found for this function. The transaction processor cannot be initialized.
com.sap.SCC.core_server.000208 [page 438]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the transaction file processor function. The specified configuration parameters are missing or malformed. The transaction processor cannot be initialized.
com.sap.SCC.core_server.000209 [page 440]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the transaction file processor connector. The specified configuration parameter is missing or malformed. The transaction processor cannot be initialized.
com.sap.SCC.core_server.000210 [page 441]	com.sap.SCC.core_server [page 32]	Information	The transaction file processor has been initialized successfully.
com.sap.SCC.core_server.000211 [page 442]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred in the transaction file processor when trying to write transactions to file. The transaction could not be cleared.
com.sap.SCC.core_server.000212 [page 444]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred in the transaction file processor when trying to write transactions to file. The transaction could not be cleared.
com.sap.SCC.core_server.000213 [page 445]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The configuration system parameter is missing, malformed or invalid. The data file processor cannot be initialized.
com.sap.SCC.core_server.000214 [page 447]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The specified configuration parameter refers to an unsupported character encoding. The data file processor cannot be initialized.
com.sap.SCC.core_server.000215 [page 448]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.
com.sap.SCC.core_server.000216 [page 450]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The specified configuration parameter value is less than minimal expected value. The data file processor cannot be initialized.
com.sap.SCC.core_server.000217 [page 452]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000218 [page 453]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The specified directory cannot be created on the file system. The data file processor cannot be initialized.
com.sap.SCC.core_server.000219 [page 455]	com.sap.SCC.core_server [page 32]	Information	The data file processor has initialized the specified writing channel. Two types of writing channels may be initialized: postpaid and prepaid.
com.sap.SCC.core_server.000220 [page 456]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The specified configuration parameter value is less than minimal expected value. This could happen with the postpaid or prepaid writing channels. The data file processor cannot be initialized.
com.sap.SCC.core_server.000221 [page 457]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The specified directory has been defined twice, which will cause inconsistencies in the storage. The data file processor cannot be initialized.
com.sap.SCC.core_server.000222 [page 459]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.
com.sap.SCC.core_server.000223 [page 460]	com.sap.SCC.core_server [page 32]	Error [page 29]	Some of the files from the specified directory could not be loaded successfully by the data file processor function.
com.sap.SCC.core_server.000224 [page 462]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The specified directory has not yet been processed. It still contains files that need to be loaded to the database.
com.sap.SCC.core_server.000225 [page 463]	com.sap.SCC.core_server [page 32]	Information	The specified directory is ready to be processed by the bulkloader instance. Its files will be loaded to the database.
com.sap.SCC.core_server.000226 [page 464]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The configuration of character encoding for output files is not supported and cannot be used. The data file processor cannot be initialized.
com.sap.SCC.core_server.000227 [page 466]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The lock file cannot be created. The data file processor cannot be initialized.
com.sap.SCC.core_server.000228 [page 467]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The lock file cannot be read. The data file processor cannot be initialized.
com.sap.SCC.core_server.000229 [page 469]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The lock file cannot be modified. The data file processor cannot be initialized.
com.sap.SCC.core_server.000230 [page 470]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The lock file is not a valid file. The data file processor cannot be initialized.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000231 [page 472]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. An unexpected input/output (I/O) error occurred during the creation of the data file. The data file processor cannot be initialized.
com.sap.SCC.core_server.000232 [page 473]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The data file cannot be created. The data file processor cannot be initialized.
com.sap.SCC.core_server.000233 [page 475]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The data file cannot be read. The data file processor cannot be initialized.
com.sap.SCC.core_server.000234 [page 476]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The data file cannot be modified. The data file processor cannot be initialized.
com.sap.SCC.core_server.000235 [page 478]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. The data file is not a valid file. The data file processor cannot be initialized.
com.sap.SCC.core_server.000236 [page 479]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred during the initialization of the data file processor function. An unexpected input/output (I/O) error occurred during the creation of the data file. The data file processor cannot be initialized.
com.sap.SCC.core_server.000237 [page 481]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The resource file containing country tax policies has been tampered with and is not a valid file.
com.sap.SCC.core_server.000238 [page 482]	com.sap.SCC.core_server [page 32]	Error [page 29]	The country tax policies file has not been imported in the database.
com.sap.SCC.core_server.000239 [page 483]	com.sap.SCC.core_server [page 32]	Information	The country tax policies file is being loaded. The tax policies are being registered in the system.
com.sap.SCC.core_server.000240 [page 484]	com.sap.SCC.core_server [page 32]	Information	The country tax policies file has been loaded. Tax policies have been registered successfully in the system.
com.sap.SCC.core_server.000241 [page 485]	com.sap.SCC.core_server [page 32]	Error [page 29]	The country tax policies file cannot be read.
com.sap.SCC.core_server.000242 [page 487]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The SAP CC Setup Tool user interface records this log message because an unexpected runtime error occurred while loading the country tax policies file.
com.sap.SCC.core_server.000243 [page 488]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An unexpected SQL error occurred while loading the country tax policies file.
com.sap.SCC.core_server.000244 [page 490]	com.sap.SCC.core_server [page 32]	Error [page 29]	The European tax rates file has not been imported in the back-end database.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000245 [page 491]	com.sap.SCC.core_server [page 32]	Information	The European tax rates file is being loaded. European tax rates are being registered in the system.
com.sap.SCC.core_server.000246 [page 492]	com.sap.SCC.core_server [page 32]	Information	The VAT rates file has been loaded. VAT rates have been registered successfully in the SAP CC system.
com.sap.SCC.core_server.000247 [page 493]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An issue occurred while importing the European tax rates file. There is an incompatibility between the tax rate type and the tax code. The specified tax code is not valid and will be ignored.
com.sap.SCC.core_server.000248 [page 495]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An issue occurred while importing the European tax rates file. The tax rate type is not valid.
com.sap.SCC.core_server.000249 [page 496]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An issue occurred while importing the European tax rates file. The tax effective date is not valid.
com.sap.SCC.core_server.000250 [page 498]	com.sap.SCC.core_server [page 32]	Error [page 29]	The European tax rates file cannot be read.
com.sap.SCC.core_server.000251 [page 499]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An unexpected runtime error occurred while loading the European tax rates file.
com.sap.SCC.core_server.000252 [page 501]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An unexpected SQL error occurred while loading the European tax rates file.
com.sap.SCC.core_server.000253 [page 502]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rules policies file cannot be loaded and read correctly.
com.sap.SCC.core_server.000254 [page 504]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rules file cannot interpret the VAT rule. The rule is malformed as it does not contain enough fields or it contains too many fields.
com.sap.SCC.core_server.000255 [page 505]	com.sap.SCC.core_server [page 32]	Error [page 29]	The specified VAT rule identifier has been defined twice in the VAT rules file. It is not possible to determine which one is the correct rule.
com.sap.SCC.core_server.000256 [page 507]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rule identifier is missing in the VAT rules file. The identifier is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000257 [page 508]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rule description is missing in the VAT rules file. The description is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000258 [page 510]	com.sap.SCC.core_server [page 32]	Error [page 29]	The supplier country code of the VAT rule is missing or invalid in the VAT rules file. The supplier country code is a mandatory field of the VAT rule.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000259 [page 511]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The B2B taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000260 [page 513]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The B2B taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000261 [page 514]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The B2C taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000262 [page 516]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The B2C taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000263 [page 517]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000264 [page 519]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000265 [page 521]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2B taxation place of the VAT rule is not set in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000266 [page 522]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000267 [page 524]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000268 [page 525]	com.sap.SCC.core_server [page 32]	Error [page 29]	The value of the default B2C taxation place of the VAT rule is not set in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.
com.sap.SCC.core_server.000269 [page 527]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	No VAT rule was loaded in the system. Either the VAT rules file was empty or incorrect, or none of the VAT rules was valid.
com.sap.SCC.core_server.000270 [page 528]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the initialization of the tax service: The EZTax output path cannot be found.
com.sap.SCC.core_server.000271 [page 530]	com.sap.SCC.core_server [page 32]	Information	The taxer instance uses the specified EZTax library and database versions.
com.sap.SCC.core_server.000272 [page 531]	com.sap.SCC.core_server [page 32]	Information	An error occurred during the initialization of the tax service. This error may be linked to the EZTax installation or the EZTax configuration.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000273 [page 533]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance of the SAP CC Core Server received a message on the XML over HTTP communication channel (HCI) that could not be interpreted. The included object could not be resolved for the public ID and system ID.
com.sap.SCC.core_server.000274 [page 534]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the logon or password is incorrect.
com.sap.SCC.core_server.000275 [page 536]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the user is locked.
com.sap.SCC.core_server.000276 [page 537]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the password has expired.
com.sap.SCC.core_server.000277 [page 539]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log on to the SAP CC system, however the attempt was refused. The reason is not known or unexpected.
com.sap.SCC.core_server.000278 [page 541]	com.sap.SCC.core_server [page 32]	Information	The *Advanced Password Management* feature is enabled in this SAP CC system landscape.
com.sap.SCC.core_server.000279 [page 542]	com.sap.SCC.core_server [page 32]	Information	The *User Session Management* feature is enabled in this SAP CC system landscape.
com.sap.SCC.core_server.000280 [page 543]	com.sap.SCC.core_server [page 32]	Information	The *User Session Management* feature is enabled in this SAP CC system landscape.
com.sap.SCC.core_server.000281 [page 544]	com.sap.SCC.core_server [page 32]	Information	The *User Session Management* feature is enabled with the displayed validity period on each user session. This validity period is expressed in seconds.
com.sap.SCC.core_server.000282 [page 545]	com.sap.SCC.core_server [page 32]	Information	The *User Session Management* feature is not configured to limit the number of sessions per SAP CC user and per user interface or client application that implements this feature in SAP CC.
com.sap.SCC.core_server.000283 [page 547]	com.sap.SCC.core_server [page 32]	Information	The *User Session Management* feature is configured to limit the number of sessions per user and per tool.
com.sap.SCC.core_server.000284 [page 548]	com.sap.SCC.core_server [page 32]	Error [page 29]	The configuration of the internal communication between system instances is not valid.
com.sap.SCC.core_server.000285 [page 550]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Timeout(s) occurred during internal communication between system instances.
com.sap.SCC.core_server.000286 [page 551]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system cannot start because another instance is already registered.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000287 [page 552]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system has been allowed to replace the existing connection.
com.sap.SCC.core_server.000288 [page 554]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is actually stopped.
com.sap.SCC.core_server.000289 [page 555]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is not a registered instance.
com.sap.SCC.core_server.000290 [page 556]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system has been registered.
com.sap.SCC.core_server.000291 [page 557]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The instance of the SAP CC Core Server system has been registered once again, even though it already had a previously registered connection.
com.sap.SCC.core_server.000292 [page 558]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is the primary dispatcher of the SAP CC system; it cannot be registered.
com.sap.SCC.core_server.000293 [page 559]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The identified instance of the SAP CC Core Server system has been declared as **primary** dispatcher while another primary dispatcher instance is already running. The identified instance will restart as a secondary dispatcher.
com.sap.SCC.core_server.000294 [page 561]	com.sap.SCC.core_server [page 32]	Information	The specified client has been registered with the SAP CC Core Server system.
com.sap.SCC.core_server.000295 [page 562]	com.sap.SCC.core_server [page 32]	Information	The specified client has been unregistered from the SAP CC Core Server system.
com.sap.SCC.core_server.000296 [page 563]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is waiting for its authorization to start.
com.sap.SCC.core_server.000297 [page 564]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is not allowed to be registered because another updater instance is already registered.
com.sap.SCC.core_server.000298 [page 565]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is not allowed to be registered in the system. This updater is not the authorized updater.
com.sap.SCC.core_server.000299 [page 566]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is not allowed to be registered in the system. An authorized updater has already been registered in the system.
com.sap.SCC.core_server.000300 [page 567]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal communication error has occurred in the message protocol. The instance of the SAP CC Core Server system cannot reply to the remote client.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000301 [page 568]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot commit the request in database during the processing of an operation. An error will be returned to the remote client.
com.sap.SCC.core_server.000302 [page 570]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An internal message was sent to all rater instances for stopping the execution of the Activation process. These rater instances correctly received the order, but some of them could not comply with it.
com.sap.SCC.core_server.000303 [page 571]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message was sent to all rater instances for stopping the execution of the Activation process for subscriptions. Some of these rater instances did not receive this order.
com.sap.SCC.core_server.000304 [page 572]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message was sent to all rater instances for stopping the execution of the Activation process for provider contracts. Some of these rater instances did not receive this order.
com.sap.SCC.core_server.000305 [page 574]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An internal message was sent to all rater instances for starting the execution of the Cleanup process. These rater instances correctly received the order, but some of them could not comply with it.
com.sap.SCC.core_server.000306 [page 575]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message was sent to all rater instances for starting the execution of the Cleanup process. Some of these rater instances did not receive this order.
com.sap.SCC.core_server.000307 [page 577]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An internal message was sent to all rater instances for stopping the execution of the Cleanup process. These rater instances correctly received the order, but some of them could not comply with it.
com.sap.SCC.core_server.000308 [page 578]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message was sent to all rater instances for stopping the execution of the Cleanup process. Some of these rater instances did not receive this order.
com.sap.SCC.core_server.000309 [page 580]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message to run the process triggering the expiration alerts was sent to all rater instances. However not all running rater instances acknowledged the request.
com.sap.SCC.core_server.000310 [page 581]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is launching the subscription activation process.
com.sap.SCC.core_server.000311 [page 582]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is about to start the activation process for the identified number of subscriptions. This message displays additional information for activation process tracking.
com.sap.SCC.core_server.000312 [page 583]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system will activate the specified number of subscriptions. This message displays additional information for activation process tracking.
com.sap.SCC.core_server.000313 [page 585]	com.sap.SCC.core_server [page 32]	Information	An SAP CC user has stopped the subscription activation process in this rater instance of the SAP CC system.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000314 [page 586]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection to the primary dispatcher instance in the SAP CC Core Server. This rater instance cannot perform the subscription activation process and will stop the process execution.
com.sap.SCC.core_server.000315 [page 587]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system has finished the subscription activation process.
com.sap.SCC.core_server.000316 [page 589]	com.sap.SCC.core_server [page 32]	Error [page 29]	This rater instance of the SAP CC Core Server system cannot activate the contract identified by its internal object identifier.
com.sap.SCC.core_server.000317 [page 590]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is launching the activation process with provider contracts.
com.sap.SCC.core_server.000318 [page 592]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is about to start the activation process with the specified number of provider contracts. This message displays additional information for activation process tracking.
com.sap.SCC.core_server.000319 [page 593]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system will activate the specified number of provider contracts. This message displays additional information for activation process tracking.
com.sap.SCC.core_server.000320 [page 594]	com.sap.SCC.core_server [page 32]	Information	An SAP CC user has stopped the activation process with provider contracts in this rater instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000321 [page 595]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. This rater instance cannot perform the provider contract activation process and will stop the process execution.
com.sap.SCC.core_server.000322 [page 596]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system has finished the activation process with provider contracts.
com.sap.SCC.core_server.000323 [page 598]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is launching the cleanup process.
com.sap.SCC.core_server.000324 [page 599]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is about to start the cleanup process for the specified partition of subscriber accounts. This message displays additional information for cleanup process tracking.
com.sap.SCC.core_server.000325 [page 600]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system will cleanup the identified number of subscriber account. This message displays additional information for cleanup process tracking.
com.sap.SCC.core_server.000326 [page 601]	com.sap.SCC.core_server [page 32]	Information	An SAP CC user has stopped the cleanup process in this rater instance.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000327 [page 602]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. In this rater instance, the cleanup process cannot proceed and will be stopped.
com.sap.SCC.core_server.000328 [page 604]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system has finished the cleanup process.
com.sap.SCC.core_server.000329 [page 605]	com.sap.SCC.core_server [page 32]	Error [page 29]	This rater instance of the SAP CC Core Server system cannot cleanup the sessions for the subscriber account identified by its internal object identifier.
com.sap.SCC.core_server.000330 [page 606]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rule identifier length is too long. The VAT rule identifier can contain a maximum of 256 characters.
com.sap.SCC.core_server.000331 [page 608]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rule description is too long. The VAT rule description can contain a maximum of 2,000 characters.
com.sap.SCC.core_server.000332 [page 609]	com.sap.SCC.core_server [page 32]	Error [page 29]	The description in the VAT rules file differs from the back-end database system. The description should not be changed.
com.sap.SCC.core_server.000333 [page 611]	com.sap.SCC.core_server [page 32]	Error [page 29]	The supplier zone in the VAT rules file differs from the back-end database system. The supplier zone should not be changed.
com.sap.SCC.core_server.000334 [page 612]	com.sap.SCC.core_server [page 32]	Error [page 29]	The B2B taxation place in the VAT rules file differs from the back-end database system. The B2B taxation place should not be changed.
com.sap.SCC.core_server.000335 [page 614]	com.sap.SCC.core_server [page 32]	Error [page 29]	The B2C taxation place in the VAT rules file differs from the back-end database system. The B2C taxation place should not be changed.
com.sap.SCC.core_server.000336 [page 615]	com.sap.SCC.core_server [page 32]	Error [page 29]	The default B2B taxation place in the VAT rules file differs from the back-end database system. The default B2B taxation place should not be changed.
com.sap.SCC.core_server.000337 [page 617]	com.sap.SCC.core_server [page 32]	Error [page 29]	The default B2C taxation place in the VAT rules file differs from the back-end database system. The default B2C taxation place should not be changed.
com.sap.SCC.core_server.000338 [page 618]	com.sap.SCC.core_server [page 32]	Error [page 29]	The VAT rule exists in the back-end database system but is missing in the VAT rules file. The VAT rule should not be removed.
com.sap.SCC.core_server.000339 [page 620]	com.sap.SCC.core_server [page 32]	Information	The license of an SAP CC instance is going to be checked.
com.sap.SCC.core_server.000340 [page 621]	com.sap.SCC.core_server [page 32]	Error [page 29]	An expiration alert has been triggered by an SAP CC user or by the scheduler of the updater instance in the SAP CC Core Server system. The rater instance, which handles this operation, cannot send the response to the client application or system due to a communication error.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000341 [page 622]	com.sap.SCC.core_server [page 32]	Error [page 29]	An expiration alert has been triggered by an SAP CC user or by the scheduler of the updater instance in the SAP CC Core Server system. The rater instance, which handles this operation, cannot send the response to the client application or system due to a communication error.
com.sap.SCC.core_server.000342 [page 624]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerateBulk operation has not been able to check if the activation process was running. The connection to the dispatcher is down.
com.sap.SCC.core_server.000343 [page 625]	com.sap.SCC.core_server [page 32]	Information	The rerating external system used is BART Server of SAP CC. Bulk loader files created before the synchronization with bulkloader instances.
com.sap.SCC.core_server.000344 [page 626]	com.sap.SCC.core_server [page 32]	Information	The rerating external system used is BART Server of SAP CC. The synchronization with bulkloader instances concerning the bulk loader files.
com.sap.SCC.core_server.000345 [page 627]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerating external system used is BART Server of SAP CC. Cannot open the rerating session due to a communication error with the BART Server system.
com.sap.SCC.core_server.000346 [page 629]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerating external system used is BART Server of SAP CC. Cannot start the rerating session due to a communication error with the BART Server system.
com.sap.SCC.core_server.000347 [page 630]	com.sap.SCC.core_server [page 32]	Error [page 29]	The rerating external system used is BART Server of SAP CC. Cannot stop the rerating session due to a communication error with BART Server system.
com.sap.SCC.core_server.000348 [page 632]	com.sap.SCC.core_server [page 32]	Information	A network client is registering with instance managing taxes.
com.sap.SCC.core_server.000349 [page 633]	com.sap.SCC.core_server [page 32]	Information	A network client is registered with instance managing taxes.
com.sap.SCC.core_server.000350 [page 634]	com.sap.SCC.core_server [page 32]	Information	A network client is not registering with instance managing taxes.
com.sap.SCC.core_server.000351 [page 635]	com.sap.SCC.core_server [page 32]	Information	A network client is not longer registered with instance managing taxes.
com.sap.SCC.core_server.000352 [page 636]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot initialize the Transaction File Processor (TFP) because the directory of the writing channel cannot be created.
com.sap.SCC.core_server.000353 [page 637]	com.sap.SCC.core_server [page 32]	Error [page 29]	The Transaction File Processor (TFP) expects to find only one file for the writing channel but it found several.
com.sap.SCC.core_server.000354 [page 639]	com.sap.SCC.core_server [page 32]	Error [page 29]	The writing channel file name is malformed.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000355 [page 640]	com.sap.SCC.core_server [page 32]	Error [page 29]	During the launch of the rater instance, the Transaction File Processor (TFP) cannot be initialized because it cannot write, read or rename files due to an input/output (I/O) system error.
com.sap.SCC.core_server.000356 [page 642]	com.sap.SCC.core_server [page 32]	Error [page 29]	The writing channel file name is malformed.
com.sap.SCC.core_server.000357 [page 643]	com.sap.SCC.core_server [page 32]	Error [page 29]	A writing channel did not work and got discarded.
com.sap.SCC.core_server.000358 [page 644]	com.sap.SCC.core_server [page 32]	Error [page 29]	Cannot update the writing channel. It happened at the initialization of the Transaction File Processor (TFP) or during an operation.
com.sap.SCC.core_server.000359 [page 646]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000360 [page 647]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000361 [page 648]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000362 [page 649]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000363 [page 651]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000364 [page 652]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000365 [page 653]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000366 [page 654]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000367 [page 655]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000368 [page 656]	com.sap.SCC.core_server [page 32]	Information	

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000369 [page 657]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000370 [page 658]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000371 [page 659]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The primary dispatcher instance is not connected to any rater instance.
com.sap.SCC.core_server.000372 [page 660]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000373 [page 661]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This primary dispatcher instance is not connected to any guider instance in the SAP CC Core Server system.
com.sap.SCC.core_server.000374 [page 662]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000375 [page 663]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000376 [page 665]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000377 [page 666]	com.sap.SCC.core_server [page 32]	Warning [page 30]	There is no instance of the specified type connected to this primary dispatcher instance in the SAP CC Core Server system.
com.sap.SCC.core_server.000378 [page 667]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000379 [page 668]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A "register" or "unregister" operation is in progress on the same instance type than the one which is starting.
com.sap.SCC.core_server.000380 [page 670]	com.sap.SCC.core_server [page 32]	Warning [page 30]	One or multiple secondary dispatcher instances have not received the new guiders map and raters map.
com.sap.SCC.core_server.000381 (Deprecated) [page 671]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000382 (Deprecated) [page 672]	com.sap.SCC.core_server [page 32]	Information	

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000383 [page 673]	com.sap.SCC.core_server [page 32]	Information	The tax cache has been refreshed.
com.sap.SCC.core_server.000384 [page 674]	com.sap.SCC.core_server [page 32]	Information	Indicates the maximum size.
com.sap.SCC.core_server.000385 [page 675]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000386 [page 676]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000387 [page 677]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000388 [page 678]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000389 [page 679]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This warning is fired to prevent problem of counter snapshot insertion in database (ie: log message 390). The size of this counter snapshot has just reached 75% of the maximum size of a counter snapshot.
com.sap.SCC.core_server.000390 [page 681]	com.sap.SCC.core_server [page 32]	Warning [page 30]	
com.sap.SCC.core_server.000391 [page 682]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000392 [page 683]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000393 [page 684]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000394 [page 685]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000395 [page 686]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache is starting.
com.sap.SCC.core_server.000396 [page 687]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache successfully ended.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000397 [page 688]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache is starting.
com.sap.SCC.core_server.000398 [page 689]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache successfully ended.
com.sap.SCC.core_server.000399 [page 690]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache is starting.
com.sap.SCC.core_server.000400 [page 691]	com.sap.SCC.core_server [page 32]	Information	The warm-up of the data cache successfully ended.
com.sap.SCC.core_server.000401 [page 692]	com.sap.SCC.core_server [page 32]	Information	The provisioning cache has been initialized according to the size specified in the SUBSCRIPTION_CACHE_SIZE system parameter.
com.sap.SCC.core_server.000402 [page 693]	com.sap.SCC.core_server [page 32]	Information	The specified cache will be warmed up for the specified partition ID.
com.sap.SCC.core_server.000403 [page 694]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The warm-up of the data cache is stopped because the size of the data cache is too small.
com.sap.SCC.core_server.000404 [page 695]	com.sap.SCC.core_server [page 32]	Information	The specified cache has been warmed.
com.sap.SCC.core_server.000405 [page 696]	com.sap.SCC.core_server [page 32]	Information	The provisioning cache has been initialized according to the size specified in the GUIDING_CACHE_SIZE system parameter.
com.sap.SCC.core_server.000406 [page 697]	com.sap.SCC.core_server [page 32]	Information	Indicates the expiration date of the license.
com.sap.SCC.core_server.000407 [page 698]	com.sap.SCC.core_server [page 32]	Information	This dispatcher instance of the SAP CC system is connected to SAP Convergent Invoicing (in SAP ERP) system (SAP CI).
com.sap.SCC.core_server.000408 [page 700]	com.sap.SCC.core_server [page 32]	Information	The scheduler is in pause.
com.sap.SCC.core_server.000409 [page 701]	com.sap.SCC.core_server [page 32]	Information	The scheduler is resumed.
com.sap.SCC.core_server.000410 [page 702]	com.sap.SCC.core_server [page 32]	Information	The scheduler is sleeping and will wake up on the specified date.
com.sap.SCC.core_server.000411 [page 703]	com.sap.SCC.core_server [page 32]	Information	The scheduler is started.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000412 [page 704]	com.sap.SCC.core_server [page 32]	Information	The scheduler is starting.
com.sap.SCC.core_server.000413 [page 705]	com.sap.SCC.core_server [page 32]	Information	The scheduler stopped.
com.sap.SCC.core_server.000414 [page 706]	com.sap.SCC.core_server [page 32]	Information	The scheduler is stopping.
com.sap.SCC.core_server.000415 [page 707]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The cache has been invalidated before replying to a request because the primary dispatcher has changed.
com.sap.SCC.core_server.000416 [page 708]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The cache has been invalidated because dispatcher connection has been lost.
com.sap.SCC.core_server.000417 [page 709]	com.sap.SCC.core_server [page 32]	Information	The connection to the known primary dispatcher has been replaced by this new connection.
com.sap.SCC.core_server.000418 [page 710]	com.sap.SCC.core_server [page 32]	Information	A server with the specified instance ID is already connected to this server instance.
com.sap.SCC.core_server.000419 [page 711]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system cannot be authorized to register during the reorganization of the connections of the dispatcher instance.
com.sap.SCC.core_server.000420 [page 712]	com.sap.SCC.core_server [page 32]	Information	A server with the specified instance ID is already connected to this server instance.
com.sap.SCC.core_server.000421 [page 714]	com.sap.SCC.core_server [page 32]	Information	A server with the specified instance ID is already connected to this server instance.
com.sap.SCC.core_server.000422 [page 715]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A connection associated to a partition has been lost but the dispatcher is still referencing the instance in charge of this partition. This reveal a network problem, previous log entries should help solving it.
com.sap.SCC.core_server.000423 [page 716]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The instance has not been authorized to connect to the current instance because their system ID are different.
com.sap.SCC.core_server.000424 [page 718]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is registered to the primary dispatcher instance specified in the log message. The connection information identifies the IP address and communication port.
com.sap.SCC.core_server.000425 [page 719]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is registered to the secondary dispatcher instance specified in the log message. The connection information identifies the IP address and communication port.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000426 [page 720]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The instance has not been authorized to connect to the current instance because their system IDs are different.
com.sap.SCC.core_server.000427 [page 722]	com.sap.SCC.core_server [page 32]	Information	The specified instance in the SAP CC Core Server system is no longer connected to this running instance. The connection information identifies the IP address and communication port.
com.sap.SCC.core_server.000428 [page 723]	com.sap.SCC.core_server [page 32]	Information	This instance has not been authorized to stop.
com.sap.SCC.core_server.000429 [page 724]	com.sap.SCC.core_server [page 32]	Information	This instance is no longer connected to the primary dispatcher instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000430 [page 725]	com.sap.SCC.core_server [page 32]	Information	This instance is no longer connected to the secondary dispatcher instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000431 [page 726]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The unregister operation has been interrupted due to a timeout.
com.sap.SCC.core_server.000432 [page 727]	com.sap.SCC.core_server [page 32]	Information	The specified directory has been created by a file processor in this instance of the SAP CC system.
com.sap.SCC.core_server.000433 [page 729]	com.sap.SCC.core_server [page 32]	Error [page 29]	No line of the file has been processed. The file will be marked in error.
com.sap.SCC.core_server.000434 [page 730]	com.sap.SCC.core_server [page 32]	Information	The file has been processed.
com.sap.SCC.core_server.000435 [page 731]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The message queue is full and cannot handle more requests. This message will not be rewritten in the following 10 seconds.
com.sap.SCC.core_server.000436 [page 733]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The recurrence has an invalid format and cannot be used.
com.sap.SCC.core_server.000437 [page 734]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A request related to the integration with SAP Convergent Invoicing was sent to a dispatcher instance, but the configuration of the dispatcher instance(s) did not allow it.
com.sap.SCC.core_server.000438 [page 736]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The JCo[6] publisher had to publish a notification, which it does not handle. The JCo publisher can handle `AMOUNT_ALERT` and `EXPIRATION_ALERT` notification types.
com.sap.SCC.core_server.000439 [page 737]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance with a different system ID than the one of the current dispatcher requires to start but the request is rejected.

[6] Java Connector

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000440 [page 739]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance which does not declare a system ID requests to start.
com.sap.SCC.core_server.000441 [page 740]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance which does not use the latest protocol version requests to start. This occurs because the requesting instance was not updated to the latest version.
com.sap.SCC.core_server.000442 [page 742]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance with a different system ID than the one of the current dispatcher requires to register but the request is rejected.
com.sap.SCC.core_server.000443 [page 744]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance which does not declare a system ID requests to register.
com.sap.SCC.core_server.000444 [page 745]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An instance which does not use the latest protocol version requests to register. This occurs because the requesting instance was not updated to the latest version.
com.sap.SCC.core_server.000445 [page 747]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The value of the operation name is too large to be inserted into the database and has been truncated.
com.sap.SCC.core_server.000446 [page 748]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The value of the operator name is too large to be inserted into the database and has been truncated.
com.sap.SCC.core_server.000447 [page 750]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The value of the operand reference is too large to be inserted into the database and has been truncated.
com.sap.SCC.core_server.000448 [page 751]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The value of the audit message is too large to be inserted into the database and has been truncated.
com.sap.SCC.core_server.000449 [page 753]	com.sap.SCC.core_server [page 32]	Information	Some subscriptions have been modified while pending sessions were running.
com.sap.SCC.core_server.000450 [page 754]	com.sap.SCC.core_server [page 32]	Information	Some subscriptions have been deleted while pending sessions were running.
com.sap.SCC.core_server.000451 [page 755]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The data is larger than the cache, it will not be cached.
com.sap.SCC.core_server.000452 [page 757]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The subscription is larger than the data cache, it will not be cached in this instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000453 [page 758]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has refreshed its data cache that includes the definitions of all the tax rules for all the value added taxes (VAT) configured in the system.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000454 [page 759]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The provider contract is larger than the data cache, it will not be cached.
com.sap.SCC.core_server.000455 [page 761]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The rating data is larger than the cache, it will not be cached.
com.sap.SCC.core_server.000456 [page 762]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while reading the private key and the certificate from the database for the specified service.
com.sap.SCC.core_server.000457 [page 764]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while reading the list of trusted certificates from the database for the specified type.
com.sap.SCC.core_server.000458 [page 765]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while configuring SSL for the Web Services (WS) technical interface of SAP Convergent Charging.
com.sap.SCC.core_server.000459 [page 767]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while initializing the HTTP listener dedicated to the Web Services technical interface.
com.sap.SCC.core_server.000460 [page 768]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while publishing a service (service component) of the Web Services (WS) technical interface.
com.sap.SCC.core_server.000461 [page 770]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto the system using the Web Services technical interface and Single Sign-On (SSO), however the attempt was refused because the login is incorrect.
com.sap.SCC.core_server.000462 [page 771]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto the system using the Web Services technical interface, however the attempt was refused because the authentication data is invalid.
com.sap.SCC.core_server.000463 [page 773]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An authentication request was received from a client application whose version differs from the version of the connected SAP CC Core Server system.
com.sap.SCC.core_server.000464 [page 774]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An authentication request was received from a client application whose version is unknown.
com.sap.SCC.core_server.000465 [page 776]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	The host name configured in the instance map cannot be resolved as an IP address. The version of the resolved IP addresses, IP v4 or IP v6, does not correspond to the expected IP address version. For example, the configured IP address version is `FORCE_IPV4` but only IPV6 addresses have been resolved.
com.sap.SCC.core_server.000466 [page 777]	com.sap.SCC.core_server [page 32]	Information	At startup time, this rater instance of the SAP CC system started the initialization of the resend subfunction of the reservation renewal function available in the session-based charging services for registered client applications or systems.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000467 [page 778]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the reservation renewal function is now disabled by an administrator in this instance of the SAP CC system.
com.sap.SCC.core_server.000468 [page 779]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC system is stopping the resend subfunction of the reservation renewal function.
com.sap.SCC.core_server.000469 [page 780]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the reservation renewal function is now enabled and initialized in this rater instance of the SAP CC system.
com.sap.SCC.core_server.000470 [page 781]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system has stopped the resend subfunction of the reservation renewal function. It will no longer resend renew reservation notifications.
com.sap.SCC.core_server.000471 [page 782]	com.sap.SCC.core_server [page 32]	Error [page 29]	An unexpected error occurred in the system. This rater instance of the SAP CC system cannot resend a renew reservation notification due to this unexpected error when trying to send one or several renew reservation notifications.
com.sap.SCC.core_server.000472 [page 784]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system is pausing its resend subfunction after a system configuration change.
com.sap.SCC.core_server.000473 [page 785]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system is resuming its resend subfunction of the reservation renewal function after a system configuration change.
com.sap.SCC.core_server.000474 [page 786]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the reservation renewal function is now enabled by an administrator in this rater instance of the SAP CC system.
com.sap.SCC.core_server.000475 [page 787]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto the system, however the attempt was refused because the provided user credentials are not valid.
com.sap.SCC.core_server.000476 [page 789]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto the system, however the attempt was refused because the user has not be configured to be allowed to perform the operation.
com.sap.SCC.core_server.000477 [page 790]	com.sap.SCC.core_server [page 32]	Information	A known SAP CC user tried to log onto the system, however the attempt was refused because the user credentials are no longer valid.
com.sap.SCC.core_server.000478 [page 792]	com.sap.SCC.core_server [page 32]	Information	A known SAP CC user tried to log on to the SAP CC Core Server system, however the attempt was refused because the user password must be changed due to the configured password management policy.
com.sap.SCC.core_server.000479 [page 793]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto an SAP CC system, however the attempt was refused because the session does not belong to the user.
com.sap.SCC.core_server.000480 [page 795]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log onto the system, however the attempt was refused because the provided session identifier is unknown for this user.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000481 [page 797]	com.sap.SCC.core_server [page 32]	Information	This operation via the Web Services can only be requested by an SAP CC user, which is assigned to a pricing catalog in master data.
com.sap.SCC.core_server.000501 [page 798]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is launching the allowance purge mechanism.
com.sap.SCC.core_server.000502 [page 799]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system is about to start the allowance purge mechanism for the specified number of allowances.
com.sap.SCC.core_server.000503 [page 800]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system will purge the specified number of allowances.
com.sap.SCC.core_server.000504 [page 802]	com.sap.SCC.core_server [page 32]	Information	A user has stopped the Allowances Purge mechanism of the rating engine of SAP CC Core Server system.
com.sap.SCC.core_server.000505 [page 803]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. The Allowances Purge mechanism cannot proceed and will be stopped.
com.sap.SCC.core_server.000506 [page 804]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC Core Server system has finished the Allowances Purge mechanism.
com.sap.SCC.core_server.000507 [page 806]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The Allowances Purge mechanism is already running.
com.sap.SCC.core_server.000508 [page 807]	com.sap.SCC.core_server [page 32]	Information	The Allowances Purge mechanism is completed by the system. Check the final status.
com.sap.SCC.core_server.000509 [page 808]	com.sap.SCC.core_server [page 32]	Information	The execution of the Allowances Purge mechanism is starting. See the logs of the rater instances for details.
com.sap.SCC.core_server.000510 [page 809]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An internal message was sent to all rater instances for stopping the execution of the Allowances Purge mechanism. These rater instances correctly received the order, but some of them could not comply with it.
com.sap.SCC.core_server.000511 [page 811]	com.sap.SCC.core_server [page 32]	Error [page 29]	An internal message was sent to all rater instances for stopping the execution of the Allowances Purge mechanism. Some of these rater instances did not receive this order.
com.sap.SCC.core_server.000512 [page 812]	com.sap.SCC.core_server [page 32]	Information	Because the Activation scheduler and the Allowances Purge scheduler are triggered at the same time, the Activation process will not activate the provider contracts to improve performance.
com.sap.SCC.core_server.000513 [page 813]	com.sap.SCC.core_server [page 32]	Information	Because the Activation scheduler and the Allowances Purge scheduler are triggered at the same time, the Allowances Purge mechanism will activate the provider contracts to improve performance.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000514 [page 814]	com.sap.SCC.core_server [page 32]	Information	Because the Activation process is already running, the Allowances Purge mechanism will not activate the provider contracts.
com.sap.SCC.core_server.000515 [page 815]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The retention period for rerating (parameter COUNTER_SNAPSHOT_COUNT) is greater than the retention period for allowances (parameter ALLOWANCES_PURGE_RETENTION_PERIOD).
com.sap.SCC.core_server.000526 [page 817]	com.sap.SCC.core_server [page 32]	Information	At startup time, this rater instance of the SAP CC system started the initialization of the resend subfunction of the spending status function available for registered client applications or systems.
com.sap.SCC.core_server.000527 [page 818]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the spending status function is now disabled by an administrator in this instance of the SAP CC system.
com.sap.SCC.core_server.000528 [page 819]	com.sap.SCC.core_server [page 32]	Information	This rater instance of the SAP CC system is stopping the resend subfunction of the spending status monitoring.
com.sap.SCC.core_server.000529 [page 820]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the spending status monitoring is now enabled and initialized in this rater instance of the SAP CC system.
com.sap.SCC.core_server.000530 [page 821]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC system has stopped the resend subfunction of the spending status monitoring. It will no longer resend spending status reports.
com.sap.SCC.core_server.000531 [page 822]	com.sap.SCC.core_server [page 32]	Error [page 29]	An unexpected error occurred in the SAP CC Core Server system. This rater instance of the SAP CC system cannot resend a spending status report due to this unexpected error when trying to send one or several spending status reports.
com.sap.SCC.core_server.000532 [page 823]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is pausing its resend subfunction after a system configuration change.
com.sap.SCC.core_server.000533 [page 824]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is resuming its resend subfunction of the spending status monitoring after a system configuration change.
com.sap.SCC.core_server.000534 [page 825]	com.sap.SCC.core_server [page 32]	Information	The resend subfunction of the spending status monitoring is now enabled by an administrator in this rater instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000552 [page 826]	com.sap.SCC.core_server [page 32]	Information	No transport destination is currently defined in the SAP system.
com.sap.SCC.core_server.000553 [page 827]	com.sap.SCC.core_server [page 32]	Information	A modification of these destinations only concerns the transport requests which reference them.
com.sap.SCC.core_server.000554 [page 828]	com.sap.SCC.core_server [page 32]	Information	This operation via the Web Services (WS) technical interface, can only be requested by an SAP CC user, which is not assigned to a pricing catalog in master data.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000555 [page 830]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The transport requests execution operation is already running.
com.sap.SCC.core_server.000556 [page 831]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The execution of the transport scheduler encountered an error.
com.sap.SCC.core_server.000557 [page 832]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An error occurred while receiving an asynchronous response for the transport web service. Some parameters of the response are missing or invalid.
com.sap.SCC.core_server.000558 [page 834]	com.sap.SCC.core_server [page 32]	Information	The dispatcher instance is waiting for client connections to be closed before shutting down.
com.sap.SCC.core_server.000559 [page 835]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The Allowances Purge mechanism is already running. It is not possible to execute the Allowances Purge mechanism more than once at the same time.
com.sap.SCC.core_server.000571 [page 837]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The data file cannot be cleaned before its archiving because there is too much data files to clean.
com.sap.SCC.core_server.000572 [page 838]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the cleaning of the data file before its archiving.
com.sap.SCC.core_server.000573 [page 840]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is registered to the specified dispatcher instance. The connection information identifies the IP address and communication port.
com.sap.SCC.core_server.000574 [page 841]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system is no longer connected to the specified dispatcher instance.
com.sap.SCC.core_server.000575 [page 842]	com.sap.SCC.core_server [page 32]	Information	Call of the `changeListApply` operation of the transport webservice for the specified destination.
com.sap.SCC.core_server.000576 [page 843]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The change list cannot be sent on the destination.
com.sap.SCC.core_server.000577 [page 845]	com.sap.SCC.core_server [page 32]	Information	The transport request was executed on its associated transport destination(s).
com.sap.SCC.core_server.000578 [page 846]	com.sap.SCC.core_server [page 32]	Information	The SAP CC Core Server system executes a transport request.
com.sap.SCC.core_server.000579 [page 847]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The change list cannot be transported to the configured destination(s).

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000580 [page 848]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This guider instance is not configured to store the unique identifier of subscriber accounts related to accessible charges in the guiding cache and cannot thus provide it in responses to guiding requests.
com.sap.SCC.core_server.000581 [page 850]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This rater instance is not configured to use the unique identifier of subscriber accounts of the accessible charges and cannot thus use it to distribute the workload between the threads of the stateful service.
com.sap.SCC.core_server.000582 (Deprecated) [page 851]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The number of writing channels allocated to the specified bulkWriter function in the rater instances differs from the number of reading channels allocated to the specified bulkReader function in the bulkloader instances.
com.sap.SCC.core_server.000583 [page 853]	com.sap.SCC.core_server [page 32]	Warning [page 30]	This instance of the SAP CC Core Server system is stopping for an internal reason. The startup framework will start the SAP CC system instance again.
com.sap.SCC.core_server.000584 [page 855]	com.sap.SCC.core_server [page 32]	Information	The bulkloader is loading and initializing the CIF configuration.
com.sap.SCC.core_server.000585 [page 856]	com.sap.SCC.core_server [page 32]	Information	The bulkloader has successfully loaded and initialized the CIF configuration.
com.sap.SCC.core_server.000586 [page 857]	com.sap.SCC.core_server [page 32]	Information	The rater is loading and initializing the CIF configuration.
com.sap.SCC.core_server.000587 [page 858]	com.sap.SCC.core_server [page 32]	Information	The rater has successfully loaded and initialized the CIF configuration.
com.sap.SCC.core_server.000588 [page 859]	com.sap.SCC.core_server [page 32]	Information	The rater is loading and initializing the RIF configuration.
com.sap.SCC.core_server.000589 [page 860]	com.sap.SCC.core_server [page 32]	Information	The rater has successfully loaded and initialized the RIF configuration.
com.sap.SCC.core_server.000590 [page 861]	com.sap.SCC.core_server [page 32]	Information	The rater or bulkloader is loading the notification policy.
com.sap.SCC.core_server.000591 [page 862]	com.sap.SCC.core_server [page 32]	Information	The rater or bulkloader has successfully loaded the notification policy.
com.sap.SCC.core_server.000592 [page 863]	com.sap.SCC.core_server [page 32]	Information	The rater or bulkloader is initializing the notification policy.
com.sap.SCC.core_server.000593 [page 864]	com.sap.SCC.core_server [page 32]	Information	The rater or bulkloader has successfully initialized the notification policy.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000594 [page 865]	com.sap.SCC.core_server [page 32]	Information	The bulkloader is loading the bulkloader policy.
com.sap.SCC.core_server.000595 [page 866]	com.sap.SCC.core_server [page 32]	Information	The bulkloader has successfully loaded the bulkloader policy.
com.sap.SCC.core_server.000596 [page 867]	com.sap.SCC.core_server [page 32]	Information	The bulkloader is initializing the bulkloader policy.
com.sap.SCC.core_server.000597 [page 868]	com.sap.SCC.core_server [page 32]	Information	The bulkloader has successfully initialized the bulkloader policy.
com.sap.SCC.core_server.000598 [page 869]	com.sap.SCC.core_server [page 32]	Information	The instance is initializing the OFF configuration.
com.sap.SCC.core_server.000599 [page 870]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is registering to the dispatcher instance specified in the log message.
com.sap.SCC.core_server.000600 [page 871]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is connecting to the dispatcher instance specified in the log message.
com.sap.SCC.core_server.000601 [page 872]	com.sap.SCC.core_server [page 32]	Information	The instance of the SAP CC Core Server system is connected to the dispatcher instance specified in the log message.
com.sap.SCC.core_server.000602 [page 873]	com.sap.SCC.core_server [page 32]	Information	SAP Convergent Charging is connecting to a JCo destination.
com.sap.SCC.core_server.000603 [page 874]	com.sap.SCC.core_server [page 32]	Information	This instance in the SAP CC system is connected to a JCo destination.
com.sap.SCC.core_server.000604 [page 875]	com.sap.SCC.core_server [page 32]	Information	Both the logging and tracing functions are configured now in the corresponding SAP CC system instance. The functions use the system parameters such as the LDF1_ENABLED system parameter and LDF2_ENABLED system parameter.
com.sap.SCC.core_server.000611 [page 876]	com.sap.SCC.core_server [page 32]	Warning [page 30]	An SAP CC user tried to log on to the system, however the attempt was refused because the security profile of the user (service user or individual user) does not allow it to use the technical interface.
com.sap.SCC.core_server.000612 [page 878]	com.sap.SCC.core_server [page 32]	Information	The cleanup service is starting in order to process the data files that have not been properly released by the associated rater, and which must thus be archived for further bulk loading operations.
com.sap.SCC.core_server.000613 [page 879]	com.sap.SCC.core_server [page 32]	Information	The execution of the cleanup service ended for targeted data files. The data files that failed to be processed will not be available for further bulk loading operations.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000614 [page 880]	com.sap.SCC.core_server [page 32]	Information	A thread dump file has been generated because a triggering condition has been reached within an instance of the SAP CC Core Server system.
com.sap.SCC.core_server.000615 [page 881]	com.sap.SCC.core_server [page 32]	Error [page 29]	The generation of a thread dump file failed due to an internal error. The thread dump file could not be generated.
com.sap.SCC.core_server.000616 [page 883]	com.sap.SCC.core_server [page 32]	Information	The execution of the cleanup operation ended for targeted thread dump files.
com.sap.SCC.core_server.000617 [page 884]	com.sap.SCC.core_server [page 32]	Information	The automated generation of thread dump files is enabled in this instance of the running SAP CC Core Server system.
com.sap.SCC.core_server.000618 [page 886]	com.sap.SCC.core_server [page 32]	Information	This bulkloader instance is shutting down. It did not process the identified file completely. The instance automatically resumes processing the file after its restart.
com.sap.SCC.core_server.000619 [page 887]	com.sap.SCC.core_server [page 32]	Information	Raters and bulkloaders use the Charging output Integration Framework to generate data files. The pre-creation service is used to create these data files before they are really used, in order to increase performances regarding contention and latency during writing operations.
com.sap.SCC.core_server.000620 [page 888]	com.sap.SCC.core_server [page 32]	Information	The pre-creation service is stopped.
com.sap.SCC.core_server.000621 [page 889]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A client application tried to log on to the SAP CC system, but the attempt was refused because the login or the password is incorrect.
com.sap.SCC.core_server.000622 [page 890]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A client application tried to log on to the SAP CC system, but the attempt was refused because the user does not have the Message Charging Client role.
com.sap.SCC.core_server.000623 [page 892]	com.sap.SCC.core_server [page 32]	Warning [page 30]	A client application tried to log on to the SAP CC system, but the attempt was refused because credentials are needed.
com.sap.SCC.core_server.000624 [page 893]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a shutdown request. This instance must release the set of handled partitions to give the primary dispatcher the possibility to distribute this set among the other running instances of the same type.
com.sap.SCC.core_server.000625 [page 894]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a hard shutdown request from the startup framework.
com.sap.SCC.core_server.000626 [page 896]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a soft shutdown request from the startup framework.
com.sap.SCC.core_server.000627 [page 897]	com.sap.SCC.core_server [page 32]	Information	The shared allowance cache has been initialized according to the size specified in the SHARED_ALLOWANCE_CACHE_SIZE system parameter.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000628 [page 898]	com.sap.SCC.core_server [page 32]	Information	The number of shared Allowances victimized due to the update of the Shared Allowance cache.
com.sap.SCC.core_server.000629 [page 899]	com.sap.SCC.core_server [page 32]	Information	The refreshing operation of the cached structure containing shared allowances is starting.
com.sap.SCC.core_server.000630 [page 900]	com.sap.SCC.core_server [page 32]	Information	The refreshing operation of the cached structure containing shared allowances successfully ended. The shared allowances cache is now up-to-date.
com.sap.SCC.core_server.000631 [page 901]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred during the refreshing operation of the cached structure containing shared allowances. The shared allowances cache has not been refreshed and is thus not up-to-date.
com.sap.SCC.core_server.000632 [page 902]	com.sap.SCC.core_server [page 32]	Information	The Chargeable Items Recharging feature is deactivated within your SAP CC landscape.
com.sap.SCC.core_server.000633 [page 903]	com.sap.SCC.core_server [page 32]	Information	This instance is starting the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.
com.sap.SCC.core_server.000634 [page 904]	com.sap.SCC.core_server [page 32]	Information	This instance has successfully started the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.
com.sap.SCC.core_server.000635 [page 905]	com.sap.SCC.core_server [page 32]	Information	This instance is stopping the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.
com.sap.SCC.core_server.000636 [page 906]	com.sap.SCC.core_server [page 32]	Information	This instance has successfully stopped the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.
com.sap.SCC.core_server.000637 [page 907]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while recording file metadata in the Core Database.
com.sap.SCC.core_server.000638 [page 909]	com.sap.SCC.core_server [page 32]	Information	This updater instance of the SAP CC Core Server system is executing a purge operation of file metadata.
com.sap.SCC.core_server.000639 [page 910]	com.sap.SCC.core_server [page 32]	Information	This updater instance of the SAP CC Core Server system has finished a purge operation of file metadata.
com.sap.SCC.core_server.000640 [page 911]	com.sap.SCC.core_server [page 32]	Error [page 29]	An error occurred while purging file metadata from the Core Database.
com.sap.SCC.core_server.000650 [page 913]	com.sap.SCC.core_server [page 32]	Information	The execution of the cleanup service is still running asynchronously for data files containing uncommitted items that must be removed. The related data files will be available for further bulk loading operations once the cleanup ends.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000651 [page 914]	com.sap.SCC.core_server [page 32]	Information	This instance of the SAP CC Core Server system has received a request to shut down. Opened data files will be closed if possible to ensure that a maximum of these data files are closed properly for further bulk loading operations.
com.sap.SCC.core_server.000652 [page 915]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The SLD[7] registration request was sent to an HTTP server that could not be identified.
com.sap.SCC.core_server.000653 [page 916]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The value of the audit instance identifier is too large to be inserted into the database and has been truncated.
com.sap.SCC.core_server.000654 [page 918]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Some session start operations have been refused because the limit of started sessions per subscriber account has been reached.
com.sap.SCC.core_server.000701 [page 919]	com.sap.SCC.core_server [page 32]	Error [page 29]	The cleanup operation failed. The expired charging session cannot be cleanup and removed.
com.sap.SCC.core_server.000702 [page 921]	com.sap.SCC.core_server [page 32]	Information	Publish the list of available dispatchers to the internal clients.
com.sap.SCC.core_server.000703 [page 922]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Retry to publish the list of available dispatchers to the internal clients.
com.sap.SCC.core_server.000704 [page 923]	com.sap.SCC.core_server [page 32]	Information	The list of available dispatchers to the internal clients has been published.
com.sap.SCC.core_server.000705 [page 924]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Cannot publish the list of available dispatchers to the internal clients.
com.sap.SCC.core_server.000706 [page 925]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection of one dispatcher instance cannot be close because it has not be unregistered. It will be retried.
com.sap.SCC.core_server.000707 [page 926]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The timeout of 45 seconds has been expired. This stops the check of the status of the dispatcher instance.
com.sap.SCC.core_server.000708 [page 927]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The connection to the dispatcher instance can be closed, it is already unregistered.
com.sap.SCC.core_server.000709 [page 928]	com.sap.SCC.core_server [page 32]	Warning [page 30]	Stopping to waiting for {instanceType}(s) connection(s) to be closed due to timeout: {connection}.
com.sap.SCC.core_server.000710 [page 929]	com.sap.SCC.core_server [page 32]	Information	Due to maintenance operations, the Core Server system now runs in maintenance mode.

[7] System Landscape Directory

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000711 [page 930]	com.sap.SCC.core_server [page 32]	Information	The maintenance mode has been disabled for the Core Server system.
com.sap.SCC.core_server.000712 [page 931]	com.sap.SCC.core_server [page 32]	Information	The standby status of some instances has changed.
com.sap.SCC.core_server.000713 [page 932]	com.sap.SCC.core_server [page 32]	Information	The specified cached structure has been warmed using network data transfer operations.
com.sap.SCC.core_server.000714 [page 933]	com.sap.SCC.core_server [page 32]	Information	The dispatcherdispatcher is starting the reorganization of the instance map.
com.sap.SCC.core_server.000715 [page 934]	com.sap.SCC.core_server [page 32]	Information	
com.sap.SCC.core_server.000716 [page 935]	com.sap.SCC.core_server [page 32]	Information	The specified instances are not concerned by the instance map reorganization and will not receive any new partition.
com.sap.SCC.core_server.000717 [page 936]	com.sap.SCC.core_server [page 32]	Information	The specified instances are concerned by the instance map reorganization and will receive the specified set of partitions.
com.sap.SCC.core_server.000718 [page 937]	com.sap.SCC.core_server [page 32]	Information	The specified set of partitions have been assigned to the specified instances.
com.sap.SCC.core_server.000719 [page 938]	com.sap.SCC.core_server [page 32]	Information	The specified instance does not handle any partition and no longer takes part in any process. Therefore, that instance can stop.
com.sap.SCC.core_server.000720 [page 939]	com.sap.SCC.core_server [page 32]	Information	The specified instance does not handle any partition and no longer takes part in any process. Therefore, that instance can stop.
com.sap.SCC.core_server.000721 [page 940]	com.sap.SCC.core_server [page 32]	Information	The status of some instances has changed in parallel, which leads to a new reorganization of the currently computed instance map. As a consequence, the dispatcher needs to stop the current reorganization operation to perform a new one.
com.sap.SCC.core_server.000722 [page 941]	com.sap.SCC.core_server [page 32]	Information	All partitions have been distributed to the running instances. The dispatcher is waiting for the end of the related warm-up operations.
com.sap.SCC.core_server.000723 [page 942]	com.sap.SCC.core_server [page 32]	Information	All warm-up operations performed by all the running instances ended. The reorganization of the instance map is thus finished.
com.sap.SCC.core_server.000724 [page 943]	com.sap.SCC.core_server [page 32]	Information	The specified cached structure will be warmed up from the database using data related to the specified partition ID.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000725 [page 944]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The size of the data sent over the network exceeded the value defined in the CONNECTION_MESSAGE_MAX_SIZE system parameter.
com.sap.SCC.core_server.000726 [page 946]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The size of the data sent over the network exceeded the value defined in the CONNECTION_MESSAGE_MAX_SIZE system parameter.
com.sap.SCC.core_server.000727 [page 947]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The CIF configuration for the specified CIF processor is incorrect. A prefix for the parameter names is missing in these system settings.
com.sap.SCC.core_server.000728 [page 949]	com.sap.SCC.core_server [page 32]	Information	The Prepaid Accounts Management feature is disabled.
com.sap.SCC.core_server.000729 [page 950]	com.sap.SCC.core_server [page 32]	Information	This instance is loading the settings related to its communication channels from its boot configuration file.
com.sap.SCC.core_server.000730 [page 951]	com.sap.SCC.core_server [page 32]	Information	The *SCIM 2.0 Web Service (REST)* feature and its functions are enabled in this instance of the running SAP CC Core Server system.
com.sap.SCC.core_server.000731 [page 952]	com.sap.SCC.core_server [page 32]	Warning [page 30]	To enable the SCIM REST API feature and its relating System for Cross-domain Identity Management (SCIM) functions and mechanisms, the Web Services must be secured.
com.sap.SCC.core_server.000732 [page 953]	com.sap.SCC.core_server [page 32]	Fatal Error [page 29]	An error occurred while publishing an application (service component) of the Web Services (WS) technical interface.
com.sap.SCC.core_server.000733 [page 955]	com.sap.SCC.core_server [page 32]	Information	The URL of the published REST application. This URL is required by the systems connected to the SAP CC Core Server system with this technical interface (Web Services).
com.sap.SCC.core_server.000734 [page 956]	com.sap.SCC.core_server [page 32]	Information	In this rater instance, the *Billable Items Immediate Loading* feature is enabled with some dedicated JCo connections. As soon as the feature is triggered for a charging operation request, the rater instance directly and synchronously sends related billable items (and their corresponding consumption items) to SAP Convergent Invoicing by using the *RFC/JCo* technical interface. By recording this log message, the rater instance informs the SAP CC user that the corresponding function is ready and some JCo connections are available for the processing threads of the function.
com.sap.SCC.core_server.000735 [page 957]	com.sap.SCC.core_server [page 32]	Information	In this rater instance, the *Billable Items Immediate Loading* feature is not available. The rater instance can send neither billable items nor corresponding consumption items to SAP Convergent Invoicing in its SAP system via the *RFC/JCo* technical interface.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000736 [page 959]	com.sap.SCC.core_server [page 32]	Warning [page 30]	In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but an error occurred during the commit in SAP Convergent Invoicing. The rater instance warns the SAP CC user about the situation. The commit in SAP Convergent Invoicing failed, so the output items already-loaded into SAP Convergent Invoicing are automatically canceled (once the JCo stateful sequence is ended).
com.sap.SCC.core_server.000737 [page 960]	com.sap.SCC.core_server [page 32]	Warning [page 30]	In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but an error occurred and the rater instance decided to roll back the changes in SAP Convergent Invoicing but this rollback failed. The rater instance warns the SAP CC user about the situation. The rollback of the billable items failed so the output item already-loaded into SAP Convergent Invoicing are automatically canceled (once the JCo stateful sequence is ended).
com.sap.SCC.core_server.000738 [page 962]	com.sap.SCC.core_server [page 32]	Warning [page 30]	In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but a commit error occurred with the SAP CC Core Database system and the rater instance decided to reverse the relating billable items (and corresponding consumption items) in SAP Convergent Invoicing. This reversal is now successful. The rater instance warns the SAP CC user about the situation. Some billable items are still stored in SAP Convergent Invoicing whereas the relating changes (balances, counters, allowances) are not applied in SAP Convergent Charging. Note that these billable items are in reversed state, so they are not eligible for billing.
com.sap.SCC.core_server.000739 [page 963]	com.sap.SCC.core_server [page 32]	Error [page 29]	In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but a commit error occurred with the SAP CC Core Database system and the rater instance decided to reverse the relating billable items (and corresponding consumption items) in SAP Convergent Invoicing. But this reversal finally failed in SAP Convergent Invoicing. The situation led to an error because billable items are committed in SAP Convergent Invoicing and the relating changes (balances, counters, allowances) are not committed in SAP Convergent Charging.
com.sap.SCC.core_server.000740 [page 965]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The token retrieved from the authentication server is empty.
com.sap.SCC.core_server.000741 [page 966]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The certificate saved in the Core Database is out of date.
com.sap.SCC.core_server.000742 [page 967]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The token retrieved from the authentication server has expired.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.core_server.000743 [page 969]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The user profile is not valid.
com.sap.SCC.core_server.000744 [page 970]	com.sap.SCC.core_server [page 32]	Warning [page 30]	No certificate is saved in the Core Database.
com.sap.SCC.core_server.000745 [page 971]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The certificate saved in the Core Database is not valid.
com.sap.SCC.core_server.000746 [page 973]	com.sap.SCC.core_server [page 32]	Warning [page 30]	The text message in the CHANGE_MESSAGE field oversizes 256 characters.
com.sap.SCC.core_server.000747	com.sap.SCC.core_server [page 32]	Information	This pod/instance of the SAP CC Core Server for Kubernetes system has received a shutdown request from the Kubernetes API. The pod/instance waits for an authorization to stop from the primary dispatcher instance in the SAP system.
com.sap.SCC.core_server.000748 [page 974]	com.sap.SCC.core_server [page 32]	Warning [page 30]	SAML authentication protocol is not supported for the user.
com.sap.SCC.infra.000000 [page 975]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The JDBC connection cannot perform a commit operation. This database access error mainly occurs when the connection was closed.
com.sap.SCC.infra.000001 [page 977]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The JDBC connection cannot perform a rollback operation. This database access error mainly occurs when the connection was closed.
com.sap.SCC.infra.000002 [page 978]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The SELECT statement is invalid or the query execution is in error.
com.sap.SCC.infra.000003 [page 980]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The UPDATE or DELETE statement is invalid or the query execution is in error.
com.sap.SCC.infra.000004 [page 982]	com.sap.SCC.infra [page 32]	Warning [page 30]	The SAP CC Core Server system handles a particular connection to the database system dedicated to the management of unique identifiers for its data objects.
com.sap.SCC.infra.000005 [page 983]	com.sap.SCC.infra [page 32]	Error [page 29]	SAP Convergent Charging data identification relies on this unique identifier mechanism to internally identify its objects.
com.sap.SCC.infra.000006 [page 985]	com.sap.SCC.infra [page 32]	Error [page 29]	An attempt to create a connection to database was not successful.
com.sap.SCC.infra.000007 [page 986]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	Several attempts to create a connection to database was not successful.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.infra.000008 [page 988]	com.sap.SCC.infra [page 32]	Information	SAP Convergent Charging is connected to the database..
com.sap.SCC.infra.000009 [page 989]	com.sap.SCC.infra [page 32]	Error [page 29]	SAP Convergent Charging cannot be connected to the database.
com.sap.SCC.infra.000010 [page 991]	com.sap.SCC.infra [page 32]	Warning [page 30]	The connection to the database is not available anymore.
com.sap.SCC.infra.000011 [page 992]	com.sap.SCC.infra [page 32]	Warning [page 30]	SAP Convergent Charging is switching from its primary database to its backup database because it cannot be reconnected to the database it was previously connected to.
com.sap.SCC.infra.000012 [page 994]	com.sap.SCC.infra [page 32]	Warning [page 30]	SAP Convergent Charging is switching from its primary database to its backup database using the database failover mechanism.
com.sap.SCC.infra.000013 [page 995]	com.sap.SCC.infra [page 32]	Error [page 29]	The server will not accept any new incoming client connection because the maximum number of simultaneous connections has been reached.
com.sap.SCC.infra.000014 [page 997]	com.sap.SCC.infra [page 32]	Error [page 29]	The remote client is not authorized to connect because of an I/O exception during socket creation and initialization.
com.sap.SCC.infra.000015 [page 998]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The remote client is not authorized to connect because of an out of memory exception during socket creation.
com.sap.SCC.infra.000016 [page 1000]	com.sap.SCC.infra [page 32]	Error [page 29]	The remote client is not authorized to connect because of an IO exception during socket registration.
com.sap.SCC.infra.000017 [page 1001]	com.sap.SCC.infra [page 32]	Information	This message is expected when the request is not completely received. The request will be read again later when new bytes will be received.
com.sap.SCC.infra.000018 [page 1002]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	This message occurs when client and server are using the same protocol version but there is a header error in the request.
com.sap.SCC.infra.000019 [page 1004]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	This message occurs when client and server are not using the same protocol version.
com.sap.SCC.infra.000020 [page 1005]	com.sap.SCC.infra [page 32]	Warning [page 30]	This message occurs on the server when the processing of the request leads to an unexpected error.
com.sap.SCC.infra.000021 [page 1007]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.
com.sap.SCC.infra.000022 [page 1008]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.

Message Log	Message Prefix	Severity	Detailed Information
com.sap.SCC.infra.000023 [page 1010]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.
com.sap.SCC.infra.000024 [page 1012]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The JDBC connection cannot perform a checkpoint operation.
com.sap.SCC.infra.000025 [page 1013]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	The JDBC connection cannot perform a checkpoint operation.
com.sap.SCC.infra.000026 [page 1015]	com.sap.SCC.infra [page 32]	Warning [page 30]	The connection to the database system is not available anymore.
com.sap.SCC.infra.000027 [page 1016]	com.sap.SCC.infra [page 32]	Warning [page 30]	The connection to the database system is not available anymore.
com.sap.SCC.infra.000028 [page 1018]	com.sap.SCC.infra [page 32]	Error [page 29]	An attempt to create a connection to database was not successful.
com.sap.SCC.infra.000029 [page 1019]	com.sap.SCC.infra [page 32]	Fatal Error [page 29]	Several attempts to create a connection to database were not successful.
com.sap.SCC.infra.000030 [page 1021]	com.sap.SCC.infra [page 32]	Information	SAP Convergent Charging is connected to the database. Several connections have been created and the statement cache is configured.
com.sap.SCC.infra.000031 [page 1022]	com.sap.SCC.infra [page 32]	Error [page 29]	SAP Convergent Charging cannot be connected to the database.
com.sap.SCC.infra.000032 [page 1024]	com.sap.SCC.infra [page 32]	Information	SAP Convergent Charging is connecting to the database.
com.sap.SCC.infra.000033 [page 1025]	com.sap.SCC.infra [page 32]	Information	SAP Convergent Charging is connecting to the database.
com.sap.SCC.infra.000034 [page 1026]	com.sap.SCC.infra [page 32]	Information	SAP Convergent Charging is disconnected from one database node.

5.2 com.sap.SCC.chargingplan.000001

Message

```
The allowance validity period for the allowance plan [{allowancePlanId}] with
the subscriber account [{suacId}] and the provider contract [{contractId}] is
shifted by
the system.
```

Legend

- `{allowancePlanId}`: The allowance plan ID
- `{suacId}`: The subscriber account ID
- `{contractId}`: The contract ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A Validity Period Updater operator tried to set a start date that is earlier than the current one.

This modification is not allowed within the creation one-shot trigger of the allowance logic if the allowance has been created by the expiration one-shot trigger of the allowance logic (renewal).

Possible Impacts

The validity start date set by the Allowance Validity Period Updater operator is not taken into account.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Adapt the allowance logic for the creation one-shot trigger
- Archive the log and trace messages

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.3 com.sap.SCC.chargingplan.000002

Message

```
The validity end date of the allowance for the allowance plan
[{allowancePlanId}] with the subscriber account [{suacId}] and the provider
contract [{contractId}] is shifted by the system.
```

Legend

- `{allowancePlanId}`: The allowance plan ID
- `{suacId}`: The subscriber account ID
- `{contractId}`: The contract ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A Validity Period Updater operator tried to update the validity end date of the allowance with a date that is earlier than the last activation date or the latest date of the session reservations.

The update of the allowance validity end date is only allowed with a date later than or equal to the last activation date or the latest reservation date. Otherwise, the new end date is modified to be aligned with the last activation date or the latest date of the session reservations.

Possible Impacts

The validity end date of the allowance is not set to the specified date but to the last activation date or the latest date of the session reservations.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Validate this behavior to guarantee a correct processing of the charging and activation events at the right time
- Archive the log and trace messages

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.4 com.sap.SCC.core_client.000000

Message

```
Could not encrypt data of the configuration file located at {filePath}:
The file cannot be read or written.
```

Legend

- `{filePath}`: The configuration file

Severity

Warning [page 30]

Detailed Information (Security Log)

The configuration data cannot be encrypted because the configuration file could not be read or written.

Possible Impacts

Critical data will stay human readable in the file.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Fix the file permissions to allow read/write operations by the SAP CC system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.5 com.sap.SCC.core_client.000001

Message

```
Cannot initialize the VAT tax system because the currency book
cannot be initialized.
```

Severity

Fatal Error [page 29]

Detailed Information (APPS_COMMON Log)

The tax system for VAT cannot be initialized properly because the currency book could not be initialized in the SAP CC system.

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Check the previous log messages for errors
- Correct the error(s)

Additional Information

Technical information: see `taxation module`.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.6 com.sap.SCC.core_client.000002

Message

```
Cannot calculate taxes of a transaction with tax code {taxCode}.
```

Legend

- `{taxCode}`: The tax code not found

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A Validity Period Updater operator tried to set a start date that is earlier than the current one.

The SAP CC system cannot calculate taxes for the transaction during a charging operation.

Possible Impacts

The transaction amounts will not include taxes.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- The transaction which could not be taxed properly can be identified by its *taxStatus* field which is set to `tsTaxMissedForInfo`.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.7 com.sap.SCC.core_client.000003

Message

```
Cannot load the ISO 3166 file {filePath}: An I/O error occurred
while reading the file.
```

Legend

- `{filePath}`: The ISO3166 file

Severity

Warning [page 30]

Detailed Information (Common Resources Log)

The resource file containing the country codes was not completely loaded.

Possible Impacts

Some or all country codes and names may not appear where a list of countries is used.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the ISO 3166 file access and permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.8 com.sap.SCC.core_client.000004

Message

```
Cannot initialize the tax system: The parameter {missing} is missing.
```

Legend

- `{missing}`: The missing property

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

A Validity Period Updater operator tried to set a start date that is earlier than the current one.

The tax system cannot be initialized due to a missing parameter.

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Use SAP CC Admin+ to verify that the missing system parameter (TAX_PRECISION) is set and has a valid value.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.9 com.sap.SCC.core_client.000005

Message

```
Cannot initialize the tax system: The value [{value}] is not valid for the
parameter {parameterName}, it must be an integer.
```

Legend

- `{value}`: The invalid value
- `{parameterName}`: The parameter name

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The tax system cannot be initialized due to an invalid value.

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Use SAP CC Admin+ to verify that the missing system parameter (TAX_PRECISION) is set and has a valid value.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.10 com.sap.SCC.core_client.000006

Message

```
Initializing the {taxModule} tax system...
```

Legend

- `{taxModule}`: The tax system

Severity

Information

Detailed Information (APPS_COMMON Log)

The taxation module selected in the configuration is being initialized.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.11 com.sap.SCC.core_client.000007

Message

```
{taxModule} tax system initialized>.
```

Legend

- `{taxModule}`: The tax module

Severity

Information

Detailed Information (APPS_COMMON Log)

The taxation module selected in the configuration has been initialized.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.12 com.sap.SCC.core_client.000008

Message

```
Cannot find the Java class {frameworkClassName} of the tax system.
```

Legend

- `{frameworkClassName}`: The class name

Severity

Error [page 29]

Detailed Information (Common Resources Log)

A required Java class cannot be found.

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the expected Java class is present in the CLASSPATH of the application.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.13 com.sap.SCC.core_client.000009

Message

```
Cannot instantiate the Java class {frameworkClassName} of the tax system.
```

Legend

- `{frameworkClassName}`: The class name

Severity

Error [page 29]

Detailed Information (Common Resources Log)

The application cannot instantiate the Java class for the taxation module.

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- The class should be instantiable
- The class should have nullary constructor

Additional Information

Technical information: see `taxation module`.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.14 com.sap.SCC.core_client.000010

Message

```
Cannot access the Java class {frameworkClassName} of the tax system.
```

Legend

- `{frameworkClassName}`: The invalid value

Severity

Error [page 29]

Detailed Information (Common Resources Log)

The application does not have access to the definition of the Java class for the taxation module

Possible Impacts

The tax system will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- The Java class should be accessible (in the Java class semantic).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.15 com.sap.SCC.core_client.000011

Message

```
Cannot find a counter during the recharging process. The counter is identified
by:
Key:{key}, Subscriber Account ID:{suacId}, Holder ID:{holderId}, Partition ID:
{partitionId}.
```

Legend

- `{key}`: The counter key
- `{suacId}`: The subscriber account ID of the counter
- `{holderId}`: The holder ID of the counter
- `{partitionId}`: The partition ID of the counter

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An expected counter is missing during the execution of the recharging process.

Possible Impacts

The recharging operation could not be performed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the counter identifiers
- Check previous log messages for errors
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.16 com.sap.SCC.core_client.000012

Message

```
Partition {partitionId} is switched to a new connection without unregistered
procedure.
There are {nbOperations} operation(s) on-going on the connection {connectionId}.
```

Legend

- `{partitionId}`: The identifier of the partition concerned by the switch
- `{nbOperations}`: Number of on-going operations
- `{connectionId}`: The ID of the connection

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A partition is being switched while there are ongoing operations on the connection.

Possible Impacts

An instance of the SAP CC Core Server system has been disconnected.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Check the previous log messages for errors
- Correct the error(s)
- Restart the instance(s) of the SAP CC system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.17 com.sap.SCC.core_client.000013

Message

```
Memory accessor {className} manages the following unknown parameters:
{paramArray}.
```

Legend

- `{className}`: The memory accessor class name
- `{paramArray}`: The list of unknown parameters

Severity

Warning [page 30]

Detailed Information (SAP CC System Configuration Log)

The memory accessor manages parameters that are unknown.

Possible Impacts

The unknown parameters cannot be accessed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

This may be an implementation issue.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.18 com.sap.SCC.core_client.000014

Message

```
Persistent accessor {className} manages the following unknown parameters:
{paramArray}.
```

Legend

- `{className}`: The persistent accessor class name
- `{paramArray}`: The list of unknown parameters

Severity

Warning [page 30]

Detailed Information (SAP CC System Configuration Log)

The persistent accessor manages parameters which are unknown.

Possible Impacts

The unknown parameters cannot be accessed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

This may be an implementation issue.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.19 com.sap.SCC.core_client.000015

Message

```
Could not publish the notification because of an invalid message.
The notification was: {notif}.
```

Legend

- `{notif}`: The notification

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The notification could not be published.

Possible Impacts

External systems may not have received the notification.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Increase the trace severity to PATH to see the related exception
- Check your notification configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.20 com.sap.SCC.core_client.000016

Message

```
Could not publish the notification because of a communication error.
The notification was: {notif}.
```

Legend

- `{notif}`: The notification

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The notification could not be published.

Possible Impacts

External systems may not have received the notification.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Increase the trace severity to PATH to see the related exception
- Check your notification configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.21 com.sap.SCC.core_client.000017

Message

```
Could not publish the notification because the acknowledgment time expired.
The notification was: {notif}.
```

Legend

- `{notif}`: The notification

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The notification could not be published.

Possible Impacts

External systems may not have received the notification.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check your notification configuration
- Check the external systems

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.22 com.sap.SCC.core_client.000018

Message

```
Cannot initialize the EIF connector class: The EIF configuration parameters
are invalid.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The configuration parameters relating to the EIF are invalid.

Possible Impacts

The EIF Connector functions will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the erroneous values of the EIF configuration parameters.

Additional Information

SAP Convergent Charging provides the *Exportable item Integration Framework (EIF)* feature to implement either a custom EIF Connector or a delivered connector in the SAP CC Core Server system.

In an integrated SAP Solution, a specialized connector is used and configured when **SAP Convergent Invoicing** is the target destination.

It is the **CI Connector**. The corresponding Java class is: `com.highdeal.eif.ci.CIConnector`.

See also: EIF_CONN_CLASS indicator in SAP CC 2023 System Parameter Reference.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.23 com.sap.SCC.core_client.000019

Message

```
EIF configuration initialized with ID [{id}].
```

Legend

- `{id}`: The identifier of the EIF Connector as a Java class name

Severity

Information

Detailed Information (APPS_COMMON Log)

The EIF Connector is initialized. Its functions implement the *Exportable item Integration Framework (EIF)* of SAP Convergent Charging.

Additional Information

SAP Convergent Charging provides the *Exportable item Integration Framework (EIF)* feature to implement either a custom EIF Connector or a delivered connector in the SAP CC Core Server system.

In an integrated SAP Solution, a specialized connector is used and configured when **SAP Convergent Invoicing** is the target destination.

It is the **CI Connector**. The corresponding Java class is: `com.highdeal.eif.ci.CIConnector`.

See also: EIF_CONN_CLASS indicator in SAP CC 2023 System Parameter Reference.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.24 com.sap.SCC.core_client.000021

Message

```
Cannot initialize the EIF connector class: Cannot instantiate EIF connector
with class {className}.
```

Legend

- `{className}`: The class name of the EIF Connector

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The application cannot instantiate the Java class for the EIF Connector.

Possible Impacts

The EIF Connector functions will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The Java class name can be specified by using the EIF_CONN_CLASS indicator to identify the EIF Connector function that is based on the *Exportable item Integration Framework (EIF)* of SAP Convergent Charging.

- Verify that this parameter is correctly set

- Verify that the signaled Java class is present in the classpath of the Java Virtual Machine (JVM) that runs the application
- The Java class must be instantiable and have a nullary constructor

Additional Information

SAP Convergent Charging provides the *Exportable item Integration Framework (EIF)* feature to implement either a custom EIF Connector or a delivered connector in the SAP CC Core Server system.

In an integrated SAP Solution, a specialized connector is used and configured when **SAP Convergent Invoicing** is the target destination.

It is the **CI Connector**. The corresponding Java class is: `com.highdeal.eif.ci.CIConnector`.

See also: EIF_CONN_CLASS indicator in SAP CC 2023 System Parameter Reference.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.25 com.sap.SCC.core_client.000022

Message

```
Cannot initialize the EIF connector class: The Java class {className}
cannot be accessed.
```

Legend

- `{className}`: The class name of the EIF Connector

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The application does not have access to the definition of the Java class for the EIF Connector.

Possible Impacts

The EIF Connector functions will not be initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The Java class name can be specified by using the EIF_CONN_CLASS indicator to identify the EIF Connector function that is based on the *Exportable item Integration Framework (EIF)* of SAP Convergent Charging.

- Verify that this parameter is correctly set

- Verify that the signaled Java class is present in the classpath of the Java Virtual Machine (JVM) that runs the application
- The Java class must be accessible

Additional Information

SAP Convergent Charging provides the *Exportable item Integration Framework (EIF)* feature to implement either a custom EIF Connector or a delivered connector in the SAP CC Core Server system.

In an integrated SAP Solution, a specialized connector is used and configured when **SAP Convergent Invoicing** is the target destination.

It is the **CI Connector**. The corresponding Java class is: `com.highdeal.eif.ci.CIConnector`.

See also: EIF_CONN_CLASS indicator in SAP CC 2023 System Parameter Reference.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.26 com.sap.SCC.core_client.000023 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated since SAP CC 4.0 SP07.

Message

This log message is now deprecated in SAP CC:

```
Could not find a request handler. Unknown topic {topic} for the request
{request}.
```

Legend

- `{topic}`: The identifier of the partition concerned by the switch
- `{request}`: Number of on-going operations

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The remote client may not receive the answer.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The client waits indefinitely for the answer. It may be blocked.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.27 com.sap.SCC.core_client.000024

Message

```
Could not find a request handler. Unknown topic {topic} for the request {request}
and the client cannot be informed because a timeout has expired.
```

Legend

- `{topic}`: The topic
- `{request}`: The request

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The remote client may not receive the answer.

Possible Impacts

The client waits indefinitely for the answer. It may be blocked.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.28 com.sap.SCC.core_client.000025

Message

```
Could not find a request handler. Unknown topic {topic} for the request
{request}
and the client cannot be informed because of a communication error.
```

Legend

- `{topic}`: The topic
- `{request}`: The request

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The remote client may not receive the answer.

Possible Impacts

The client waits indefinitely for the answer. It may be blocked.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.29 com.sap.SCC.core_client.000026

Message

```
Cannot put the session(s) in the cache because the size is bigger than the cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The session(s) is/are bigger than the cache, it will not be cached.

Possible Impacts

Performances.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The size of the session subcaches and the session history sub caches are computed by the parameter SESSION_MEMORY_INSTANCES and the parameter SESSION_MEMORY_SIZE.

- Check these parameters are correctly set

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.30 com.sap.SCC.core_client.000027

Message

```
Initializing EIF configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The instance is initializing the EIF configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.31 com.sap.SCC.core_client.000034

Message

```
The validity period of the newly created allowance is postponed by the system
for the allowance plan [{allowancePlanId}] with the subscriber account
[{suacId}] and the provider contract [{contractId}]
because an allowance cannot be renewed more than once per day.
```

Legend

- `{allowancePlanId}`: The allowance plan ID
- `{suacId}`: The subscriber account ID
- `{contractId}`: The contract ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The system postpones the validity period of the new allowance to the validity start date of the expired allowance plus 1 day (Gregorian Calendar).

Possible Impacts

If the validity period of the expired allowance is lower than 1 day, a time interval can separate the 2 allowances.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- To avoid discontinuities in the allowance chronology, modify the allowance logic to ensure that the validity period is greater than or equal to 1 day
- Archive the log and trace messages

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.32 com.sap.SCC.core_server.000000

Message

```
Starting an instance for {productNameAndMainVersion} (Technical Version Number:
{productTechnicalVersionNb}).
```

Legend

- `{productNameAndMainVersion}`: The SAP component name and version
- `{productTechnicalVersionNb}`: The technical version number

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is going to start.

Additional Information

See the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a license and how to import it in your SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.33 com.sap.SCC.core_server.000001

Message

```
{productNameAndMainVersion} ({productTechnicalVersionNb}), the instance
{instanceId}
is started in system {systemId}.
```

Legend

- `{productNameAndMainVersion}`: The SAP component name and version
- `{productTechnicalVersionNb}`: The technical version number
- `{instanceId}`: The instance ID of the system
- `{systemId}`: The system ID

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has successfully started.

Additional Information

See the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a license and how to import it in your SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.34 com.sap.SCC.core_server.000002

Message

```
Cannot initialize the network interfaces of the host machine.
```

Severity

Error [page 29]

Detailed Information (Network and Communication Log)

An input/output (I/O) error occurred while initializing the network interfaces of the machine hosting this instance of the SAP CC Core Server system.

Possible Impacts

The instance communications will not work.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system:

- Verify the network interfaces of this host

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.35 com.sap.SCC.core_server.000003

Message

```
System property [{bootConfigProperty}] is missing in the startup configuration
file.
```

Legend

- `{bootConfigProperty}`: The startup configuration property

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

A property is not set in the startup configuration file (`jstart.config`) of this instance of the SAP CC Core Server system.

> ### Example
>
> The system property `boot.config` must be present and set to the path of the boot configuration file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> ### → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the startup configuration file (`jstart.config`) of this instance of the SAP CC system.

- Verify the JVM[8] option (the `javaParameters` key) in this file. This key includes the declaration of various system properties
- Insert or adjust the `-Dboot.config=` entry as stated in the log message
- Save the file

Verify the other instances of the SAP CC system.

Restart this instance of the SAP CC system.

Additional Information

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[8] Java Virtual Machine

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.36 com.sap.SCC.core_server.000004

Message

```
Cannot read the boot configuration file in [{filePath}].
```

Legend

- `{filePath}`: The file path

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while trying to read the boot configuration file of this instance of the SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous log messages
- Correct the error
- Restart this instance of the SAP CC system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.37 com.sap.SCC.core_server.000005

Message

```
Out of memory in thread [{threadName}].
```

Legend

- `{threadName}`: The thread name where the exception occurred

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The instance of the SAP CC Core Server system cannot allocate more memory.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the startup configuration file (`jstart.config`) of the instance of the SAP CC Core Server system:

- Check the JVM[9] option (the `javaParameters` key) in this file. This key includes the declaration of various system properties
- Insert or adjust the `-Xmx=` entry as stated in the log message
- Save the file

Check the other instances of the SAP CC system.

Restart this instance of the SAP CC system.

Additional Information

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

9 Java Virtual Machine

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.38 com.sap.SCC.core_server.000006

Message

```
Launching of {productName} aborted due to unknown errors.
```

Legend

- `{productName}`: The SAP component name and version

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Unknown errors occurred during the launching of this instance of the SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC Core Server system to identify a possible cause:

- Analyze the technical information in the trace messages
- Correct the error(s)
- Restart this instance of the SAP CC system

Otherwise:

- Enable and configure the generation of traces
- Set up the trace severity threshold to PATH
- Restart this instance of the system
- Analyze the technical information in the trace messages
- Correct the error(s)
- Restart this instance of the SAP CC system

Check if other instances of the SAP CC system cannot start.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.39 com.sap.SCC.core_server.000007

Message

```
Launching of {productName} aborted due to previous errors.
```

Legend

- `{productName}`: The SAP component name and version

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Errors occurred during the launching of this instance of the SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Check the previous log messages for errors
- Correct the error(s)
- Restart this instance of the SAP CC system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.40 com.sap.SCC.core_server.000008

Message

```
License not found or cannot be read.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system cannot find or read the license.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Insert the license in SAP CC Core Database that is connected to SAP CC Core Server system.

Additional Information

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a license and how to install it in the SAP CC Core Server system..

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.41 com.sap.SCC.core_server.000009

Message

```
License is corrupted.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The SAP Convergent Charging license has been corrupted.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system:

- Try to remove and insert again your license file
- If the problem persists then apply for a new license file

Additional Information

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a permanent or temporary license and how to install it in the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.42 com.sap.SCC.core_server.000010

Message

```
License has expired.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Your SAP Convergent Charging license has expired.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Apply for a new license file
- Install a valid license file

Additional Information

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a permanent or temporary license and how to install it in the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.43 com.sap.SCC.core_server.000011

Message

```
Not enough memory to verify the license.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The instance of the SAP CC Core Server system has not enough memory to manage the license. It cannot verify the license.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the startup configuration file (`jstart.config`) of the instance of the SAP CC Core Server system:

- Check the JVM[10] option (the `javaParameters` key) in this file. This key includes the declaration of various system properties
- Insert or adjust the `-Xmx=` entry as stated in the log message
- Save the file

Check the other instances of the SAP CC system.

Restart this instance of the SAP CC system.

Additional Information

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

[10] Java Virtual Machine

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.44 com.sap.SCC.core_server.000012

Message

```
License is not valid for this host.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the system is verifying the license installed for its host but the license is not valid for this host machine.

Possible Impacts

This instance of the SAP CC Core Server system will not start. The other instances installed on this host will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check you started the instance on the expected host machine

Compare the hardware key(s) of the SAP CC Core Server system to the hardware key(s) of the license file:

- Get the hardware keys from the `hardware_keys.txt` file. There is a key for each host of the system
- Get the hardware keys declared in the installed licenses. You can use the Setup Tool user interface to export the licenses in a file
- Check that the hardware keys are correct

Install a valid license for the hardware key of this host machine.

Restart this instance of the SAP CC system.

Additional Information

The licenses are linked to the hardware you are running the SAP CC Core Server system on.

See the SAP CC 2023 Administration Guide and the SAP CC 2023 Installation and Maintenance Guide to know where to find the hardware key of your SAP CC Core Server system installation, how to export the licenses, how to install licenses.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.45 com.sap.SCC.core_server.000013

Message

```
Invalid system properties for logging and tracing settings.
Degraded mode is set temporarily.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Logging and Tracing Functions Log)

Some of the system properties set in the startup configuration file (`jstart.config`) are invalid for this instance of the SAP CC Core Server system to set up the logging and the tracing functions.

Possible Impacts

This instance of the SAP CC Core Server system did not apply the logging and tracing settings set in the startup configuration file. The instance will temporarily apply some degraded settings for the logging and tracing functions and continue the launching phase: It loads the final configuration settings from SAP CC Core Database.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the JVM[11] option (`javaParameters`) in the startup configuration file (`jstart.config`) of the instance of the SAP CC Core Server system.

Check the system properties that configure the logging and the tracing functions during the first phase of the launch. Use the SAP CC 2023 System Parameter Reference to know the correct values.

> Example
>
> `-Dls.trc.severity=PATH`

Correct these system properties.

Restart this instance of the SAP CC system.

Additional Information

You can set up the following system properties in the JVM option:

- LS_APP_SEVERITY
- LS_SYS_SEVERITY
- LS_TRC_SEVERITY
- LS_APP_DESTINATION
- LS_SYS_DESTINATION
- LS_TRC_DESTINATION
- LS_TRC_DOMAIN
- LDC_FORMATTER
- LDF1_FILE_NAME
- LDF1_ENABLED
- LDF1_FILE_SIZE
- LDF1_FILESET_SIZE
- LDF1_FORMATTER
- LDF2_ENABLED
- LDF2_FILE_NAME
- LDF2_FILE_SIZE
- LDF2_FILESET_SIZE

[11] Java Virtual Machine

- LDF2_FORMATTER
- LDF3_ENABLED
- LDF3_FILE_NAME
- LDF3_FILE_SIZE
- LDF3_FILESET_SIZE
- LDF3_FORMATTER
- LDF4_ENABLED
- LDF4_FILE_NAME
- LDF4_FILE_SIZE
- LDF4_FILESET_SIZE
- LDF4_FORMATTER
- LDF5_ENABLED
- LDF5_FILE_NAME
- LDF5_FILE_SIZE
- LDF5_FILESET_SIZE
- LDF5_FORMATTER

> ⓘ Note
>
> Consult the SAP CC 2023 System Parameter Reference to determine the values allowed for these system properties. The ranges of values are the same.

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.46 com.sap.SCC.core_server.000014

Message

```
System property [{property}] is missing. Set up the JVM option
with '-D{property}=<ID>' or set up the program option '-{property} = <ID>'
where <ID> is the identifier of a {productName} instance.
```

Legend

- `{property}`: The instance ID property
- `{productName}`: The product name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The instance ID has not been specified to the launcher.

Possible Impacts

This instance of the SAP CC Core Server system cannot start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Correct the JVM[12] option (the `javaParameters`) in the startup configuration file (`jstart.config`) of the instance
- Restart this instance of the SAP CC system

Additional Information

The instance ID is of the form: <instanceType>#<instanceNumber> The possible values for <instanceType> are:

- dispatcher
- bulkloader
- guider
- rater
- taxer
- updater

> Example
>
> Example of instance ID: `dispatcher#1`

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[12] Java Virtual Machine

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.47 com.sap.SCC.core_server.000015

Message

```
Invalid instance ID value [{value}] of the system property [{property}].
```

Legend

- `{value}`: The system property
- `{property}`: The specified value

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The value set as instance ID is wrong in the startup configuration file (`jstart.config`).

Possible Impacts

This instance of the SAP CC Core Server system cannot start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check that the property value specified to the JVM[13] or to the launcher is correct.

Additional Information

The instance ID is of the form: <instanceType>#<instanceNumber> The possible values for <instanceType> are:

- dispatcher
- bulkloader
- guider
- rater
- taxer
- updater

> ✤ Example
>
> Example of instance ID: `dispatcher#1`

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

[13] Java Virtual Machine

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.48 com.sap.SCC.core_server.000016

Message

```
Starting the Bulk Loading Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This bulkloader instance started to launch its Bulk Loading Service.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.49 com.sap.SCC.core_server.000017

Message

```
Cannot initialize the multicast service.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while initializing the multicast service.

Possible Impacts

The bulkloader instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Restart this instance of the SAP CC system
- Analyze the technical information in the traces

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.50 com.sap.SCC.core_server.000018

Message

```
Cannot configure a function of the SAP CC system.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while configuring the sources.

Possible Impacts

The bulkloader instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Restart this instance of the SAP CC system
- Analyze the technical information in the traces

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.51 com.sap.SCC.core_server.000019

Message

```
Bulk Loading Service started ({threadNumber} threads).
```

Legend

- `{threadNumber}`: The number of thread of the multicast service

Severity

Information

Detailed Information (APPS_COMMON Log)

The Bulk Loading Service successfully started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.52 com.sap.SCC.core_server.000020

Message

```
Exception occurred while stopping the Charging output Integration Framework.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

At least one CIF processor raised an exception during the bulkloader instance stop sequence.

Possible Impacts

The data files may have not been closed properly. Depends on the CIF configuration of the bulkloader.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Restart this instance of the SAP CC system
- Analyze the technical information in the traces during the stop sequence

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.53 com.sap.SCC.core_server.000021

Message

```
Shutting down the Bulk Loading Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This bulkloader instance of the system has started to shut down its service.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.54 com.sap.SCC.core_server.000022

Message

```
Bulk Loading Service stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Bulk Loading Service is stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.55 com.sap.SCC.core_server.000023

Message

```
Cannot start the HTTP listener of the dispatcher instance.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Log)

The HTTP listener of this dispatcher instance cannot start because it cannot load its XML schema configuration. This error occurs if the dispatcher instance cannot find the XML schema or because of a parsing error.

Possible Impacts

This dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.56 com.sap.SCC.core_server.000024

Message

```
Starting the Dispatcher Internal Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This dispatcher instance started to launch the internal service for the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.57 com.sap.SCC.core_server.000025

Message

```
Waiting for the primary dispatcher instance of the SAP CC system.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This secondary dispatcher instance is waiting for the connection from the primary dispatcher instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.58 com.sap.SCC.core_server.000026

Message

```
{masterOrSlave} Dispatcher Internal Service started and available at the
address: {hostname}:{port}.
```

Legend

- `{masterOrSlave}`: Dispatcher role
- `{hostname}`: The internal host name
- `{port}`: The port for internal communications

Severity

Information

Detailed Information (APPS_COMMON Log)

This dispatcher has started its dispatching service for the internal communications of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.59 com.sap.SCC.core_server.000027 (Revoked)

> ⚠ Caution
>
> As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
Internal Discovery Service started at network bindpoint
{hostname}:{discoveryPort} observing multicast address {discoveryGroupAddr} for
system {systemId}.
```

Legend

- `{hostname}`: The internal hostname
- `{discoveryPort}`: The internal discovery port

- `{discoveryGroupAddr}`: The internal discovery group address
- `{systemId}`: The system ID

Severity

Information

Detailed Information (APPS_COMMON Log)

The internal discovery service of the dispatcher instance is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.60 com.sap.SCC.core_server.000028

Message

```
Cannot initialize the Internal Service.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while starting the internal service of this dispatcher instance of the SAP CC Core Server system.

Possible Impacts

This dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.61 com.sap.SCC.core_server.000029

Message

```
Starting the Dispatcher External Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This dispatcher instance started to launch its external service.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.62 com.sap.SCC.core_server.000030

Message

```
{masterOrSlave} Dispatcher External Service started at
the address: {hostname}:{port}.
```

Legend

- `{masterOrSlave}`: Dispatcher role
- `{hostname}`: The external hostname
- `{port}`: The external port

Severity

Information

Detailed Information (APPS_COMMON Log)

The external service of the dispatcher instance is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.63 com.sap.SCC.core_server.000031 (Revoked)

⚠ Caution

As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
External Discovery Service started at network bindpoint
{hostname}:{port} observing multicast address {externalGroupAddr} for system
{systemId}.
```

Legend

- `{hostname}`: The external discovery hostname
- `{port}`: The external discovery port
- `{externalGroupAddr}`: The external discovery group address
- `{systemId}`: The system ID

Severity

Information

Detailed Information (APPS_COMMON Log)

The external discovery service of the dispatcher instance is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.64 com.sap.SCC.core_server.000032

Message

```
Cannot initialize the External Service.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while starting the external service of the dispatcher instance of the SAP CC system.

Possible Impacts

The dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.65 com.sap.SCC.core_server.000033

Message

```
Shutting down the services of the dispatcher instance of the system.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This dispatcher instance of the SAP CC system started to shut down its services..

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.66 com.sap.SCC.core_server.000034

Message

```
Dispatcher services stopped.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

This dispatcher instance services are stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.67 com.sap.SCC.core_server.000035

Message

```
Cannot initialize the properties; Reason: {errorMessage}.
```

Legend

- `{errorMessage}`: The error description

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the properties initialization of the instance map.

Possible Impacts

This dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the instance map using SAP CC Setup Tool
- Correct the instance map
- Import the instance map

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.68 com.sap.SCC.core_server.000036

Message

```
Cannot determine the IP address of the host [{hostname}] specified in the
parameter [{parameterName}].
```

Legend

- `{hostname}`: The hostname
- `{parameterName}`: The parameter name

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while determining the IP address of the host machine specified in the parameter.

Possible Impacts

The dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the hostname specified can be resolved to an IP address.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.69 com.sap.SCC.core_server.000037

Message

```
Out of memory in thread {threadName}.
```

Legend

- `{threadName}`: The originary thread name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The current thread run into an out of memory error.

Possible Impacts

This instance of the SAP CC Core Server system will stop.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Adjust the `-Xmx` JVM[14] option in the startup configuration file (`jstart.config`).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

[14] Java Virtual Machine

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.70 com.sap.SCC.core_server.000038

Message

```
Unexpected Java error in thread {threadName}: {errorDescription}.
```

Legend

- `{threadName}`: The thread
- `{errorDescription}`: The error description

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An unexpected Java error occurred in the system.

Possible Impacts

This instance of the SAP CC Core Server system will stop.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

Additional Information

Startup Configuration File (`jstart.config`)

Each instance of the SAP CC Core Server system uses a startup configuration file (`jstart.config`) to start. The system instance gets the JVM options necessary for the Java runtime environment.

You set up the JVM options in this startup configuration file.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation to know how to administer this file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.71 com.sap.SCC.core_server.000039

Message

```
Shutting down {productName} due to an error encountered.
```

Legend

- `{productName}`: The SAP component name and version

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system is shutting down due to an error. See the previous log messages.

Possible Impacts

This instance of the SAP CC Core Server system will stop.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error messages loggedSee the previous error messages logged
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.72 com.sap.SCC.core_server.000040

Message

```
Starting the Guiding Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The guider instance of the SAP CC Core Server system is launching its Guiding Service.

Additional Information

Technical information: see the subcomponent of theSAP CC Core Server system: `Guiding Lookup Collector`.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.73 com.sap.SCC.core_server.000041

Message

```
Cannot initialize the Guiding Service.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while starting the Guiding Service.

Possible Impacts

This guider instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error messages logged
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.74 com.sap.SCC.core_server.000042

Message

```
Guiding Service started and available with {threadCount} threads.
```

Legend

- `{threadCount}`: The number of guiding threads

Severity

Information

Detailed Information (APPS_COMMON Log)

The Guiding Service is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.75 com.sap.SCC.core_server.000043

Message

```
Shutting down the Guiding Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system is shutting down its Guiding Service.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.76 com.sap.SCC.core_server.000044

Message

```
Guiding Service stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Guiding Service is stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.77 com.sap.SCC.core_server.000045

Message

```
Cannot start the HTTP listener of the instance [{instanceId}] of the system.
```

Legend

- `{instanceId}`: The instance ID

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The HTTP listener cannot start because the instance identifier cannot be found in the instance map.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the instance map
- Add the missing instance identifier and its settings in the instance map
- Import the instance map
- Restart this instance of the SAP CC system

Additional Information

The dispatcher instances and the updater instances of the system must be specified in the instance map, a line per instance ID.

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.78 com.sap.SCC.core_server.000046

Message

```
Starting the HTTP listener of this instance for HCI communications.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is starting its HTTP listener for HCI communications.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.79 com.sap.SCC.core_server.000047

Message

```
HTTP listener started and available at address: {hostname}:{port} (with
{threadCount} threads).
```

Legend

- `{hostname}`: The hostname of the machine
- `{port}`: The HTTP port dedicated communications via the HCI technical interface

- `{threadCount}`: The thread count

Severity

Information

Detailed Information (APPS_COMMON Log)

The HTTP listener is started in this instance of the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.80 com.sap.SCC.core_server.000048

Message

```
Cannot initialize the HTTP listener for communications via HCI.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The HTTP listener dedicated to the Web Services technical interface cannot start.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.81 com.sap.SCC.core_server.000049

Message

```
Shutting down the HTTP listener.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system is shutting down its HTTP listener.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.82 com.sap.SCC.core_server.000050

Message

```
HTTP listener stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The HTTP listener of this instance of the SAP CC Core Server system is now stopped. The communications via HCI technical interface are not possible anymore.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.83 com.sap.SCC.core_server.000051

Message

```
Cannot start the HTTP listener.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The HTTP listener cannot start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.84 com.sap.SCC.core_server.000052 (Deprecated)

⚠ Caution

This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Restarting the services of the instance.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is starting again its services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.85 com.sap.SCC.core_server.000053 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Services restarted.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has successfully restarted its services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.86 com.sap.SCC.core_server.000054 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Services stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has stopped its services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.87 com.sap.SCC.core_server.000055

Message

```
Instance type [{instanceType}] is not supported.
```

Legend

- `{instanceType}`: The instance type

Severity

Fatal Error [page 29]

Detailed Information (APPS_COMMON Log)

The instance type is not supported.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.88 com.sap.SCC.core_server.000056

Message

```
Instance map not found by the primary dispatcher instance.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system has requested the current instance map from the primary dispatcher instance. The instance map has not been found during its initialization and the dispatcher instance cannot provide the map. An instance map is missing.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the other error log messages
- Define a correct instance map depending on the system landscape (host machines, instances of the SAP CC system)
- Import the new instance map using SAP CC Setup Tool user interface
- Restart this instance of the SAP CC system

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.89 com.sap.SCC.core_server.000057

Message

```
Invalid instance map; Reason: {errorDescription}.
```

Legend

- `{errorDescription}`: The error description

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The instance map is not valid. The reason is dynamically provided in the log message.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the reason
- Export the instance map of the SAP CC Setup Tool user interface
- Correct the instance map
- Import the changed instance map

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.90 com.sap.SCC.core_server.000058

Message

```
Information for the instance ID [{instanceId}] not found in the
instance map.
```

Legend

- `{instanceId}`: The instance ID

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance is not defined in the instance map of this SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the instance map of the SAP CC Setup Tool user interface
- Add the missing instance to the instance map
- Import the instance map

- Restart this instance of the SAP CC system

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.91 com.sap.SCC.core_server.000059

Message

```
Cannot detect the local host network: Cannot find the IP addresses of
the network interfaces.
```

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The IP addresses of the network interfaces of the local host cannot be detected.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the local host has working network interfaces
- Check the available IP addresses

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.92 com.sap.SCC.core_server.000060

Message

```
Cannot find a single IP address for the resolution of the hostname {hostname}.
{nbAddrFound} IP addresses have been found ({addrFound}) for the {service}
service of the
{instance} instance. Change the instance map.
```

Legend

- `{hostname}`: The hostname
- `{nbAddrFound}`: The number of IP addresses found
- `{addrFound}`: A string array of the IP addresses
- `{service}`: The instance involved
- `{instance}`: The service involved

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The hostname configured for this service of the instance is not resolved to a unique IP address. This service does not handle multiple IP addresses. Check the instance map.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the instance map of the SAP CC Core Server system using the Setup Tool user interface
- Check the settings for the relevant instance of the SAP CC system
- Change the address declared for this instance
- Do not set a hostname but set up a unique IP address if this hostname resolution maps to several IP addresses
- Import the instance map
- Restart this instance of the SAP CC system

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.93 com.sap.SCC.core_server.000061

Message

```
IP address {address} set for service {service} does not exist on any
network interface.
```

Legend

- `{address}`: The IP address
- `{service}`: The service

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log))

The IP address configured for this service in the instance map cannot be found on any network interface of the host machine.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the instance map of the SAP CC Core Server system using the Setup Tool user interface

- Check that the IP address (or hostname) configured in the instance map for this service is correct
- Check that the network interface is working correctly
- Change the address defined for this service in the instance map
- Import the instance map
- Restart this instance of the SAP CC system

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.94 com.sap.SCC.core_server.000062

Message

```
Instance {instanceId} must not be launched on this host but on
the host {hostname}
```

Legend

- `{instanceId}`: The instance ID
- `{hostname}`: The hostname

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)))

This instance of the SAP CC Core Server system is not launched on the host it has been configured for.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Restart this instance on the expected host machine.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.95 com.sap.SCC.core_server.000063

Message

```
Cannot find a single IP address for the address {hostname}.
{nbAddrFound} IP addresses have been resolved ({addrFound}). Change the hostname
declared
for this instance {instanceId} in the instance map.
```

Legend

- `{hostname}`: The hostname
- `{nbAddrFound}`: The number of IP addresses found
- `{addrFound}`: A string array of the addresses
- `{instanceId}`: The instance ID

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The specified IP address resolves several addresses; This may occur when there are several loopback addresses.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Update the hostname of this instance in the instance map. Consider using an external IP address instead of a loopback IP address.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.96 com.sap.SCC.core_server.000064

Message

```
Cannot resolve the hostname {hostname} of the instance {instanceId}
to an IP address.
```

Legend

- `{hostname}`: The hostname
- `{instanceId}`: The instance ID

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The hostname resolution has cannot map to an IP address.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Export the instance map and check if hostname exists.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.97 com.sap.SCC.core_server.000065

Message

```
Cannot initialize the instance map because the database connection
was not ready.
```

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

An error occurred during the initialization of the instance map: the connection to the database system is not ready to accept queries.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check your database configuration and connection.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.98 com.sap.SCC.core_server.000066

Message

```
Cannot initialize the instance map because of an SQL error.
```

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

An SQL error occurred during the initialization of the instance map.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system to identify a possible cause:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH using SAP CC Admin+ user interface
- Restart this instance of the SAP CC system
- Analyze the trace messages

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.99 com.sap.SCC.core_server.000067

Message

```
Cannot initialize the instance map due to previous errors.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Previous error(s) stopped the initialization of the instance map.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error log messages recorded
- Correct the error(s)

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.100 com.sap.SCC.core_server.000068

Message

```
Cannot initialize the instance map because the property {propertyName}
has not been found in the boot configuration file.
```

Legend

- `{propertyName}`: The property name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The initialization of the instance map cannot be completed because a mandatory property has not been found in the boot configuration file (`boot.config`) of this instance of the SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (boot.config) of this instance
- Set up the missing property

- Restart this instance of the SAP CC system

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.101 com.sap.SCC.core_server.000069 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated since SAP CC 5.0 SP 4.

Message

This log message is now deprecated in SAP CC:

```
Cannot initialize the properties because the property {propertyName} has
not been found in the boot configuration file.
```

Legend

- `{propertyName}`: The property name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

A boot configuration property has not been found.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Add the missing property to the boot configuration file (`boot.config`).

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.102 com.sap.SCC.core_server.000070

Message

```
Cannot initialize the parameter manager function;
Reason: {errorDescription}.
```

Legend

- `{errorDescription}`: The error description

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the parameter manager in the instance of the SAP CC system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.103 com.sap.SCC.core_server.000071

Message

```
Cannot finalize the parameter manager function; Reason: {errorDescription}.
```

Legend

- `{errorDescription}`: The error description

Severity

Error [page 29]

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.104 com.sap.SCC.core_server.000072

Message

```
Invalid configuration for logging and tracing.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Logging and Tracing Functions Log)

The logging configuration cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the parameter configuration from the database
- Add or correct the logging configuration section
- Import the parameter configuration to the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.105 com.sap.SCC.core_server.000073

Message

```
Parameter {paramName} does not match the already configured database
instances URIs.
```

Legend

- `{paramName}`: The originary thread name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

There is a difference between the expected SQLHELPER_DB_INSTANCE_COUNT and the configured SQLHELPER_JDBC_URI_DBI1 parameters.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the parameter configuration from the database
- Correct the parameter configuration
- Import the parameter configuration to the database

Additional Information

The value of the parameter SQLHELPER_DB_INSTANCE_COUNT must reflect the number of configured SQLHELPER_JDBC_URI_DBI1 parameters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.106 com.sap.SCC.core_server.000074

Message

```
Cannot warm up the cache because there is no space left.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance cannot warm up its data cache because there is no space left.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check your configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.107 com.sap.SCC.core_server.000075

Message

```
Audit function is enabled.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The *user operation auditing* feature and functions are enabled in this instance of the running SAP CC Core Server. The SAP CC system can audit some particular user operations by recording the processing results to the back-end database system.

Additional Information

- System configuration: consult the AUDIT_ACTIVATION in the SAP CC 2023 System Parameter Reference documentation
- Concept and features: consult the Features section in the SAP CC 2023 Application Help documentation for more information and user assistance about the *system and data auditing* fundamental feature and the *master data and user operation auditing* technical feature and functions.
- Technical operations: consult the Managing System Parameters and Indicators for Core Server Systems section in the SAP CC 2023 System Parameter Reference documentation

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.108 com.sap.SCC.core_server.000076

Message

```
Audit function is disabled.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The *user operation auditing* feature and functions are disabled in this instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.109 com.sap.SCC.core_server.000077

Message

```
Current version ({currentSchemaVersion}) of the {databaseName} Database
schema is incompatible with the expected version ({expectedSchemaVersion}).
Consider
running the appropriate SQL patches.
```

Legend

- `{currentSchemaVersion}`: The current database schema version
- `{databaseName}`: The name of the database
- `{expectedSchemaVersion}`: The expected database schema version

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The technical version number of the database schema is different from the expected version to run this instance of the system. The SAP CC Database system must be compliant with the SAP CC Core Server system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the maintenance deliveries about the available support packages.

Determine why the version numbers are different:

- If the version number of the database schema is lower than the version number of the SAP CC Core Server system: update the database schema by running the appropriate SQL patches
- If the version number of the database schema is higher: update the installation of your SAP CC Core Server system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.110 com.sap.SCC.core_server.000078

Message

```
{databaseName} Database schema version is missing. Consider running the
appropriate SQL patches.
```

Legend

- `{databaseName}`: The name of the database

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The technical version number of the database schema is empty in your back-end database system. This may occur if your database has not been populated: the schema has been created only. The SAP installer creates the schema and populates the SAP CC Core Database system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Determine why the version number is empty
- Run the SQL patches to populate your database schema

Additional Information

The version of the SAP CC Core Database is identified with a version number (VERSION_ID from the VERSION table): see *Database Structure Reference* > *Tables* > *VERSION*.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.111 com.sap.SCC.core_server.000079

Message

```
Cannot determine the schema version number of the {databaseName} Database
```

Legend

- `{databaseName}`: The name of the database

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

An error occurred while determining the version number of the database schema in the specified SAP CC Database. Several causes are possible. The SAP CC system connects to this back-end database system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the connection to the back-end database system. Otherwise troubleshoot your SAP CC system landscape to identify another possible cause:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Restart this instance of the SAP CC system and check the trace messages

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.112 com.sap.SCC.core_server.000080 (Revoked)

> ⚠ Caution
>
> As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
Starting the UDP discovery of the system. Now searching for instances of
the system {systemId} on internal interface during {maxLookupDuration} seconds
maximum
({sleepDuration} seconds between each look up attempt).
```

Legend

- `{systemId}`: The system ID declared in boot configuration
- `{maxLookupDuration}`: The max duration of the discovery
- `{sleepDuration}`: Time between each discovery attempt

Severity

Information

Detailed Information (Network and Communication Log)

This instance of the system has started to detect the dispatcher instance(s) of the same SAP CC Core Server system in the network. Several attempts will be performed.

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system.

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

⚠ Caution

REVOKED: This log message ID is revoked as of version SAP CC 2023 FPS 0.

This version of SAP system cannot produce such log messages anymore.

5.113 com.sap.SCC.core_server.000081 (Revoked)

⚠ Caution

As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
Starting the UDP discovery of the system. Now searching for instances of
the system {systemId} on internal interface (single attempt).
```

Legend

- `{systemId}`: The system ID declared in boot configuration

Severity

Information

Detailed Information (Network and Communication Log)

This instance of the system has started to detect the dispatcher instances of the same SAP CC Core Server system in the network.

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

⚠ Caution

REVOKED: This log message ID is revoked as of version SAP CC 2023 FPS 0.

This version of SAP system cannot produce such log messages anymore.

5.114 com.sap.SCC.core_server.000082 (Revoked)

> ⚠ Caution
>
> As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
System {systemId} found via connected instances.
```

Legend

- `{systemId}`: The system ID declared in boot configuration

Severity

Information

Detailed Information (Network and Communication Log)

This instance of the system has found another dispatcher instances of the same SAP CC Core Server system in the network.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

> ⚠ Caution
>
> **REVOKED**: This log message ID is revoked as of version SAP CC 2023 FPS 0.
>
> This version of SAP system cannot produce such log messages anymore.

5.115 com.sap.SCC.core_server.000083 (Revoked)

> ⚠ Caution
>
> As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
Cannot discover the dispatcher instances of the SAP CC system using the
UDP discovery function.
```

Severity

Error [page 29]

Detailed Information (Network and Communication Log)

This instance cannot find the the dispatcher instance(s) of the SAP CC Core Server system by using the UDP discovery function.

Possible Impacts

This instance of the SAP CC Core Server system will use information from the boot configuration to determine a list of dispatcher instances of the same system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the boot configuration file (`boot.config`) of this instance:

- Check if the system ID declared in this boot configuration is correct

Determine if you need to disable the UDP discovery function because your landscape is not compliant with this function.

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

> ⚠ Caution
>
> **REVOKED**: This log message ID is revoked as of version SAP CC 2023 FPS 0.
>
> This version of SAP system cannot produce such log messages anymore.

5.116 com.sap.SCC.core_server.000084 (Revoked)

> ⚠ Caution
>
> As of SAP Convergent Charging 2023 FPS 0, this log message ID is revoked.

Message

```
Loading the list of dispatcher instances of the system from the boot
configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

This instance of the system is loading the list of dispatcher instances from its boot configuration file.

Additional Information

This occurs if the instance of the system cannot detect the dispatcher instances of the SAP CC Core Server system by using the UDP discovery function.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.117 com.sap.SCC.core_server.000085

Message

```
Cannot load the list of dispatcher instances from the boot configuration.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred while loading the dispatcher list from the boot configuration file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the boot configuration file (`boot.config`) of this instance:

- Change the BOOT_DISPATCHER_LIST property with valid values

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.118 com.sap.SCC.core_server.000086

Message

```
System {systemId} defined by {dispatcherList}.
```

Legend

- `{systemId}`: The system ID
- `{dispatcherList}`: The dispatcher list to connect to

Severity

Information

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC system has determined the dispatcher instances to connect to.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.119 com.sap.SCC.core_server.000087

Message

```
Database configuration: The property {propertyName} is missing in the
boot configuration file.
```

Legend

- `{propertyName}`: The name of the missing property

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

A property has not been found while reading the database configuration from the boot configuration file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the boot configuration file (boot.config) of this instance.

- Set up the expected property

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.120 com.sap.SCC.core_server.000088

Message

```
Instance map not found in the database.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system did not find the instance map while retrieving it from the back-end database system.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Import the instance map using SAP CC Setup Tool.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.121 com.sap.SCC.core_server.000089

Message

```
Invalid instance map; Reason: [{reason}].
```

Legend

- `{reason}`: The reason

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The instance map is not valid. The reason is indicated in the log message.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.122 com.sap.SCC.core_server.000090

Message

```
Cannot retrieve the instance map from the database because the database
connection was not ready.
```

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because the database connection was not ready.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.123 com.sap.SCC.core_server.000091

Message

```
Cannot retrieve the instance map from the database because of an SQL manager
error: {errorDescription}.
```

Legend

- `{errorDescription}`: The error description

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because of an error encountered by its SQL Manager. The error is detailed in the log message.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the error indicated in the log message.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.124 com.sap.SCC.core_server.000092

Message

```
Cannot retrieve the instance map from the database because of an
SQL error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error description

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

This instance of the SAP CC Core Server system was unable to retrieve the instance map from the database because of an SQL error detailed in the log message.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the error indicated in the log message.

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.125 com.sap.SCC.core_server.000093

Message

```
Cannot retrieve the instance map from the database because of an
SQL error: {errorMessage}
```

Legend

- `{errorMessage}`: The error description

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This instance of the system was unable to retrieve the instance map from the database due to previous errors.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error log messages recorded by the SAP CC system
- Correct the error(s)

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.126 com.sap.SCC.core_server.000094

Message

```
Cannot initialize the tax system in this rater instance
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

This rater instance of the SAP CC Core Server system cannot initialize its tax system.

Possible Impacts

This rater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Identify the tax system using SAP CC Admin+
- Check that the necessary configuration settings are available

Additional Information

Consult:

- SAP CC 2023 Application Help about the tax systems, the tax function and the tax process
- SAP CC 2023 System Parameter Reference about the system configuration
- SAP CC 2023 Administration Guide about the tax configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.127 com.sap.SCC.core_server.000095

Message

```
Mandatory parameter [{missingParameter}] not found.
```

Legend

- `{missingParameter}`: The missing parameter

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

A configuration parameter is missing to start this rater instance of the SAP CC Core Server system.

Possible Impacts

This rater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.128 com.sap.SCC.core_server.000096

Message

```
CIF/RIF configuration settings not found.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The CIF/RIF configurations are missing to start this rater instance of the SAP CC Core Server system.

Possible Impacts

This rater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Import the CIF and the RIF configurations in the SAP CC Core Database system connected to the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.129 com.sap.SCC.core_server.000097

Message

```
Starting the Charging Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This rater instance of the SAP CC Core Server system is starting its charging service.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.130 com.sap.SCC.core_server.000098

Message

```
Cannot initialize the Charging Service.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred during the initialization of the charging service in the rater instance of the SAP CC Core Server system.

Possible Impacts

This rater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

Additional Information

The charging service is part of the SAP CC Core Server system. It manages the acquisition and collection of the chargeable items (consumption information data). It provides the stateful charging services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.131 com.sap.SCC.core_server.000099

Message

```
Charging Service started (with {threadCount} threads).
```

Legend

- `{threadCount}`: The number of threads

Severity

Information

Detailed Information (APPS_COMMON Log)

The Charging Service is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.132 com.sap.SCC.core_server.000100

Message

```
Shutting down the Charging Service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Charging Service is shutting down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.133 com.sap.SCC.core_server.000101

Message

```
Charging Service stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Charging Service is stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.134 com.sap.SCC.core_server.000102

Message

```
Cannot initialize the Transaction Processor function due to previous errors.
```

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

This instance of the SAP CC Core Server system cannot initialize its Transaction Processor function due to previous errors.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error log messages recorded by the SAP CC system
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.135 com.sap.SCC.core_server.000103

Message

```
Cannot initialize the Rerate Processor function due to previous errors.
```

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

This instance of the SAP CC Core Server system cannot initialize its Rerate Processor function due to previous errors.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error log messages recorded by the SAP CC system
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.136 com.sap.SCC.core_server.000104

Message

```
Starting the tax service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This taxer instance of the SAP CC Core Server system is starting its tax service.

Additional Information

Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.137 com.sap.SCC.core_server.000105

Message

```
EZTax base path not found (specified by the JVM option
-D{propertyName}=<eztax base path>)
```

Legend

- `{propertyName}`: The EZTax base path property name

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the tax service: the EZTax base path cannot be found

Possible Impacts

This taxer instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check if the EZTax base path is the relevant repository
- Check if the EZTax base path is correctly set in the JVM[15] option

Additional Information

Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

[15] Java Virtual Machine

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.138 com.sap.SCC.core_server.000106

Message

```
Cannot initialize the tax service in this taxer instance.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

This taxer instance of the SAP CC Core Server system cannot initialize its tax system.

Possible Impacts

This taxer instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Identify the tax system
- Check that the necessary configurations are available

Additional Information

- Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process
- Consult the SAP CC 2023 System Parameter Reference about the system configuration
- Consult the SAP CC 2023 Administration Guide about the tax configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.139 com.sap.SCC.core_server.000107

Message

```
Cannot start due to previous errors.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

This taxer instance of the SAP CC Core Server system cannot start due to previous errors.

Possible Impacts

This taxer instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error messages logged
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.140 com.sap.SCC.core_server.000108

Message

```
Tax service started and available with {threadCount} threads.
```

Legend

- `{threadCount}`: The number of threads

Severity

Information

Detailed Information (APPS_COMMON Log)

The tax service of this taxer instance is started.

Additional Information

Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.141 com.sap.SCC.core_server.000109

Message

```
Shutting down the Taxer service.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The taxer service is shutting down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.142 com.sap.SCC.core_server.000110

Message

```
Taxer service stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The taxer service is stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.143 com.sap.SCC.core_server.000111

Message

```
Cannot initialize the Batch Rating Group Assignment Processor function.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the Batch Rating Group Assignment Processor function.

Possible Impacts

This updater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check that the BATCH_RATING_GROUP_ASSIGNMENT_POLICY_CLASS parameter is correctly set in the SAP CC system.

Additional Information

- Use the SAP CC Admin+ user interface to get the value of this system parameter
- See the SAP CC 2023 System Parameter Reference to know the correct values

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.144 com.sap.SCC.core_server.000112

Message

```
Cannot initialize the tax system in this updater instance.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

This updater instance of the SAP CC Core Server system cannot initialize its tax system.

Possible Impacts

This updater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Identify the tax system
- Check that the necessary configurations are available

Additional Information

- Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process
- Consult the SAP CC 2023 System Parameter Reference about the system configuration
- Consult the SAP CC 2023 Administration Guide about the tax configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.145 com.sap.SCC.core_server.000113

Message

```
Cannot initialize the Exportable Item Connector.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the exportable item connector in the instance of the SAP CC Core Server system.

Possible Impacts

This updater instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the previous error messages logged
- Correct the errors

Additional Information

- EIF (Exportable item Integration Framework) Settings parameter group
- EIF_CONN_CLASS indicator

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.146 com.sap.SCC.core_server.000114

Message

```
Starting the initialization of the external currencies.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

In the SAP CC Core Server system, this updater instance is starting the initialization of the external currencies automatically because of the EIF.

The instance tries to synchronize some currency definitions from a reference system such as SAP S/4HANA or SAP ERP.

Additional Information

Synchronizing Currencies

Currencies and Custom Currencies

SAP Convergent Charging manages ISO and non-ISO based currency definitions. SAP CC assigns a currency to each computed amount (dynamic price) with a personalized precision level. You can process prices with up to six decimal places. Currencies are part of the business data configured in the complete SAP CC system.

SAP CC handles a proprietary definition for country or custom currencies.

An application administrator manages this business data in close cooperation with the SAP CC pricing specialists. The data maintenance depends on various reasons.

> ⓘ Note
>
> - In an integrated SAP Solution (with SAP S/4HANA or SAP Business Suite), the currency definitions are configured in the SAP S/4HANA or SAP ERP reference system first. The reference system replicates the currency definitions with their number of decimal places to SAP Convergent Charging when requested by an SAP CC user
> - If your deployment scenario is not based on this SAP Solution, each SAP currency must be configured and maintained in the SAP CC system
> - The SAP CC Core Server system stores the currency definitions in the `CURRENCY` database table
> - In SAP Convergent Charging, you do not configure currencies to manage currency conversion for the pricing configuration

An SAP Currency is identified by an **alphanumeric code** (max. five digits).

- This identification code is a **three-letter** code when you configure an SAP currency that represents an original country currency and that is based on the international ISO 4217 standard
- To manage amounts with more decimal places than an original currency, you define some secondary currencies. Use a four-digit code to configure some secondary currencies that are based on the original one but with some different precision
- Use a **personalized code** to configure some non-ISO currencies such as the PNT (Point) currency for example. PNT is defined with no decimal precision

The currency is defined by:

- The precision, which represents the number of decimal places
- A legible name, which is clear enough to be read easily

- An ISO 4217 currency code defined by the International Standards Organization (ISO) when the currency configured in SAP CC relates to an ISO currency

Example

You configure an SAP CC system with the following currencies:

SAP CURRENCY	PRECISION	LEGIBLE NAME	BASED ON ISO CODE
PNT	Zero decimal places	Point	N/A
EUR	Two decimal places	European Euro	EUR (978)
EUR4	Four decimal places	European Euro (4 Dec. Places)	
EUR6	Six decimal places	European Euro (6 Dec. Places)	
USD	Two decimal places	United States Dollar	USD (840)
USDN	Five decimal places	(Internal) United States Dollar (5 Decimal Places)	
USD6	Six decimal places	(Internal) United States Dollar (6 Decimal Places)	

Based on these currencies, you can model and design some pricing logic for your marketable end-customer services.

For example:

- In pricing catalogs, reusable charges and redefine charge plans are associated to a single or multicurrency
- In customer master data, subscriber accounts are associated to a currency; subscriber mapping tables can include some currencies

SAP Convergent Charging manages some **definitions for the ISO 4217 currency codes** to facilitate the configuration of ISO-based country currencies. In SAP CC, you configure the necessary ISO currency codes (three-letter code, numeric code, minor currency unit, and ratio). The international ISO 4217 standard is the reference from the International Standards Organization (ISO).

An application administrator manages this business data in close cooperation with the SAP CC pricing specialists. The data maintenance depends on various reasons.

Note

The SAP CC Core Server system stores the ISO currency code definitions in the `ISO_4217` database table.

See also:

- About Currencies in SAP Convergent Charging
- Creating and Importing Some SAP Currencies and ISO Currency Codes
- Creating and Maintaining Some ISO 4217 Currency Codes by Importing Data Definitions from an XML File
- With an integrated SAP Solution (based on SAP S/4HANA or SAP Business Suite):
  - Synchronizing Currencies with an SAP Reference System (SAP S/4HANA or SAP ERP): Manual Replication

- Handling Amounts with Increased Precision in an SAP S/4HANA System
- Handling Amounts with Increased Precision in an SAP ERP System

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.147 com.sap.SCC.core_server.000115

Message

```
Initialization of the external currencies done. The number of defined
currencies is {currencyCount}.
```

Legend

- `{currencyCount}`: The number of currencies

Severity

Information

Detailed Information (APPS_COMMON Log)

Initialization of the external currencies is done.

Additional Information

Refer to log message com.sap.SCC.core_server.000114 [page 311]

Synchronizing Currencies with an SAP Reference System (SAP S/4HANA or SAP ERP): Manual Replication

SAP Convergent Charging manages some **ISO and non-ISO based currency definitions** to assign to computed amounts in order to form prices with personalized level for precision (decimal places).

ISO 4217 currency codes are some business data that is configured in SAP Convergent Charging in order to define the necessary ISO-based country currencies that are associated to computed amounts (dynamic prices).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.148 com.sap.SCC.core_server.000116

Message

```
Instance is waiting for authorization from dispatcher.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is waiting for the authorization from the primary dispatcher instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.149 com.sap.SCC.core_server.000117

Message

```
Web Services are not configured.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Web Services for this instance are either not available or available but not enabled.

Possible Impacts

This instance will not be able to handle requests through Web Services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.150 com.sap.SCC.core_server.000118

Message

```
Web Services are not configured.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Web Services for this instance are not enabled.

Possible Impacts

This instance will not be able to handle requests through Web Services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.151 com.sap.SCC.core_server.000119

Message

```
Starting the Web Services.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the system is starting its Web Services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.152 com.sap.SCC.core_server.000120

Message

```
Web Services published and available at:
{protocol}://{hostname}:{port}/{webservice}.
```

Legend

- `{protocol}`: The HTTP protocol
- `{hostname}`: The hostname
- `{port}`: The port number
- `{webservice}`: The web service technical name

Severity

Information

Detailed Information (APPS_COMMON Log)

The URL of the published Web Services. This URL is required by the systems connected to the SAP CC Core Server system with this technical interface (Web Services).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.153 com.sap.SCC.core_server.000121

Message

```
Web Services started.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Web Services are started on this instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:


Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.154 com.sap.SCC.core_server.000122 (Deprecated)

⚠ Caution

This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Cannot insert the Web security policy in the following WSDL: \n{wsdlAsString}.
```

Legend

- `{wsdlAsString}`: The WSDL[16]

Severity

Warning [page 30]

Detailed Information (SAP CC System Configuration Log)

An error occurred while inserting the security policy in the WSDL.

[16] Web Services Description Language

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.155 com.sap.SCC.core_server.000123 (Deprecated)

⚠ Caution

This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Cannot insert Web security policy reference in the following WSDL:
\n{wsdlAsString}
```

Legend

- `{wsdlAsString}`: The WSDL[17]

Severity

Warning [page 30]

Detailed Information (SAP CC System Configuration Log)

An error occurred while inserting the security policy in the WSDL.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[17] Web Services Description Language

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.156 com.sap.SCC.core_server.000124

Message

```
Stopping the Web Services.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server is stopping its Web Services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.157 com.sap.SCC.core_server.000125

Message

```
Web Services stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Web Services technical interface is stopped. The relating business operations are not possible anymore.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.158 com.sap.SCC.core_server.000126

Message

```
Cannot initialize the system parameters. Reason is: {errorMessage}.
```

Legend

- `{errorMessage}`: The error description

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the system parameters. The reason is dynamically provided in the log message.

Possible Impacts

This dispatcher instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the reason provided in the log message
- Fix eventual configuration error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.159 com.sap.SCC.core_server.000127

Message

```
Authorization received from a dispatcher instance of the same system.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This updater instance has received an authorization from a dispatcher instance of the same system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.160 com.sap.SCC.core_server.000128

Message

```
Activation process (with subscriptions) is already running.
The request is ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An activation process with subscriptions is already running. It is not possible to run several activation processes at the same time.

Possible Impacts

Any new `activateAll` operation request sent by external systems will be ignored by the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If you ran consecutive subscription activation processes (activateAll), only the first one will be taken into account.

If you need to run the subscription activation process again:

- You should either wait for the current subscription activation to complete
- Or terminate the current activation using the `stopActivation` operation (available through the stop_activation command of SAP CC Admin+ user interface)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.161 com.sap.SCC.core_server.000129

Message

```
Cannot start the activation process (with subscriptions) because a
rerating process is currently running.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A rerating process is currently running. It is not possible to run an activation process concurrently with a rerating process.

Possible Impacts

The `activateAll` operation will be ignored by the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

You should wait for the rerating process to complete.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.162 com.sap.SCC.core_server.000130

Message

```
Cannot start the activation process (with subscriptions) because it
has not been possible to determine if a rerating process is running.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The subscription activation process will not start because it has not been possible to determine if a rerating process is already running.

Possible Impacts

The `activateAll` operation will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check if the instances are able to communicate between them:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH

Look at the traces to get more technical information.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.163 com.sap.SCC.core_server.000131

Message

```
Starting the activation process with subscriptions.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is starting an activation process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.164 com.sap.SCC.core_server.000132

Message

```
Activation process completed.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The activation process is completed by this instance of the SAP CC Core Server system is starting an activation process. Check the other instances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.165 com.sap.SCC.core_server.000133

Message

```
Activation process (with provider contracts) is already running.
The request is ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An activation process (with provider contracts) is already running. It is not possible to run several contract activation processes at the same time.

Possible Impacts

Any new `chargingContractActivate` operation request sent by external systems will be ignored by the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If you ran consecutive provider contract activation processes, only the first one will be taken into account.

If you need to run the provider contract activation again:

- You should either wait for the current provider contract activation process to complete

- Or terminate the current activation using the SAP CC Admin+ user interface or by implementing the `stopChargingContractActivation` operation

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.166 com.sap.SCC.core_server.000134

Message

```
Cannot start the activation process (with provider contracts) because a
rerating process is currently running.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A rerating process is currently performed by the system. It is not possible to launch an activation process concurrently with a rerating process.

Possible Impacts

`chargingContractActivate` operation will be ignored by the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

You should wait for the rerating process to complete.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.167 com.sap.SCC.core_server.000135

Message

```
Cannot start the activation process (with provider contracts) because it
has not been possible to determine if a rerating process is running.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The activation process for provider contracts will not start because it has not been possible to determine if a rerating process is already running.

Possible Impacts

The `chargingContractActivate` operation will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check if the instances are able to communicate between them
- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Determine the next triggering date
- Analyze the trace messages on the next refresh triggered

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.168 com.sap.SCC.core_server.000136

Message

```
Cleanup process is already running. The operation request is refused.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A cleanup process is already running in the SAP CC Core Server system. This updater instance of the system refuses the new operation request for cleanup.

Possible Impacts

The `CleanupAllOp` operation requests will be ignored by the updater instances. The start_cleanup command of the SAP CC Admin+ user interface will not be usable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If you ran consecutive cleanup processes, only the first one will be taken into account.

If you need to run the cleanup process again:

- You should either wait for the current cleanup process to complete
- Or terminate the current cleanup using the stop_cleanup command of the SAP CC Admin+ user interface or by implementing the `stopCleanup` operation in your application interfaced with SAP Convergent Charging

Additional Information

Consult the SAP CC 2023 Application Help about the:

- Cleanup function and the cleanup process
- Admin+ user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.169 com.sap.SCC.core_server.000137

Message

```
Cleanup process is already running. The operation request is refused and
not dispatched to the rater instances of the system.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A cleanup process is already running in the SAP CC Core Server system. This dispatcher instance of the system refuses the cleanup operation request and does not dispatch it to the rater instances of the system.

Possible Impacts

The `CleanupAllOp` operation requests will be ignored by the dispatcher instances.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If you ran consecutive cleanup processes, only the first one will be taken into account.

If you need to run the cleanup process again:

- You should either wait for the current cleanup process to complete
- Or terminate the current cleanup using the stop_cleanup command of the SAP CC Admin+ user interface or by implementing the `stopCleanup` operation in your application interfaced with SAP Convergent Charging

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.170 com.sap.SCC.core_server.000138

Message

```
Cleanup process completed with status {executionStatus}.
A total of {totalCleanUp} subscriptions/provider contracts have been cleaned up.
```

Legend

- `{executionStatus}`: The number of cleaned up subscriptions and provider contracts
- `{totalCleanUp}`: The final status of the cleanup execution

Severity

Information

Detailed Information (APPS_COMMON Log)

The cleanup process is completed in the SAP CC Core Server system. Check the final and global status to know if all the objects have been cleaned up.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.171 com.sap.SCC.core_server.000139

Message

```
Starting the mass cleanup process with reference date {date} and a maximum
throughput set to {throughput} cleanup(s) per second per rater instance.
```

Legend

- `{date}`: The toDate

- `{throughput}`: The max throughput

Severity

Information

Detailed Information (APPS_COMMON Log)

The SAP CC Core Server system starts processing the mass cleanup of subscriptions and provider contracts.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.172 com.sap.SCC.core_server.000140

Message

```
Activation process of {entityName} objects is already running.
The request is refused.
```

Legend

- `{entityName}`: The entity name

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The activation process is already running.

Possible Impacts

The operation request is refused.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Wait for the current activation process to complete
- The activation process initiated by the scheduler will be automatically triggered on the next schedule

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.173 com.sap.SCC.core_server.000141

Message

```
Activation process completed with status {status}. {nbActivatedObjects}
{objectName} have been activated.
```

Legend

- `{status}`: The overall execution status
- `{nbActivatedObjects}`: The number of activated data objects
- `{objectName}`: The name of the activated data objects

Severity

Information

Detailed Information (APPS_COMMON Log)

The activation process is completed by the system. Check the final status.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.174 com.sap.SCC.core_server.000142

Message

```
Starting the activation process of {entityName} objects with reference
date {toDate} and a maximum throughput set to {throughput} per second per rater
instance.
```

Legend

- `{entityName}`: The name of data objects to activate
- `{toDate}`: The reference date for the activation
- `{throughput}`: The throughput

Severity

Information

Detailed Information (APPS_COMMON Log)

The activation process is performed by the system. See the logs of the rater instances for details.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.175 com.sap.SCC.core_server.000143

Message

```
Expiration alert process already running. Request ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The expiration alert process is already running.

Possible Impacts

`fireExpirationAlerts` operation will be ignored.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

You should wait for the running expiration alert process to complete.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.176 com.sap.SCC.core_server.000144

Message

```
Error occurred during the execution of the expiration alert process.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred during the execution of the expiration alert process.

Possible Impacts

The expiration alert process ended with an error status.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.177 com.sap.SCC.core_server.000145

Message

```
Expiration alert process already running. Request ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The expiration alert process is already running.

Possible Impacts

`fireExpirationAlerts` operation will be ignored.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

You should wait for the running expiration alert process to complete.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.178 com.sap.SCC.core_server.000146

Message

```
Scheduler cannot refresh the instance {instanceId} of the system.
```

Legend

- `{instanceId}`: The instance ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A scheduled refresh of an instance of the system cannot be processed.

Possible Impacts

The instance will not be refreshed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the instance is running
- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Determine the next triggering date
- Analyze the trace messages on the next refresh triggered

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.179 com.sap.SCC.core_server.000147

Message

```
Error occurred during the refresh of the rater instances of
the SAP CC system.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred during the refresh of the rater instances of the SAP CC Core Server system.

Possible Impacts

The instance will not be refreshed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Determine the next triggering date
- Analyze the trace messages on the next refresh triggered

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.180 com.sap.SCC.core_server.000148

Message

```
Tax cache successfully refreshed: The data cache includes {nbVatRates}
VAT rates
```

Legend

- `{nbVatRates}`: The number of VAT rates in the cache

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has refreshed its data cache that includes the definitions of all the tax rates for all the value added taxes (VAT) configured in the system.

Additional Information

Consult the SAP CC 2023 Application Help about the tax management.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.181 com.sap.SCC.core_server.000149

Message

```
Persistent value [{sourceType}] of the parameter [{parameterName}]
is changed from [{oldValue}] to its default value [{newValue}] for
{instanceType}
instances by the SAP user {userID}.
```

Legend

- `{sourceType}`: The persistent source
- `{parameterName}`: The parameter name
- `{oldValue}`: The previous value
- `{newValue}`: The new value
- `{instanceType}`: The instance type of the SAP CC system
- `{userID}`: The SAP user who did the change

Severity

Information

Detailed Information (SYS_CHANGES Log)

The persistent value of the system parameter has been reset.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.182 com.sap.SCC.core_server.000150

Message

```
Memory value of the parameter [{parameterName}] is changed from [{oldValue}]
to its default value [{newValue}] by the SAP user {userID}.
```

Legend

- `{parameterName}`: The parameter name
- `{oldValue}`: The previous value
- `{newValue}`: The new value
- `{userID}`: The SAP user who did the change

Severity

Information

Detailed Information (SYS_CHANGES Log)

The memory value of the parameter has been reset.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.183 com.sap.SCC.core_server.000151

Message

```
Persistent value [{source}] of the parameter [{parameterName}] is changed
from [{oldValue}] to [{newValue}] for {instanceType} instances by the SAP user
{userID}.
```

Legend

- `{source}`: The persistent source

- `{parameterName}`: The parameter name
- `{oldValue}`: The previous value
- `{newValue}`: The new value
- `{instanceType}`: The instance type of the SAP CC system
- `{userID}`: The SAP user who did the change

Severity

Information

Detailed Information (SYS_CHANGES Log)

The persistent value of the parameter has been changed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.184 com.sap.SCC.core_server.000152

Message

```
Memory value of the parameter [{parameterName}] is changed from
[{oldValue}] to [{newValue}] by the SAP user {userID}.
```

Legend

- `{parameterName}`: The parameter name
- `{oldValue}`: The previous value
- `{newValue}`: The new value
- `{userID}`: The SAP user who did the change

Severity

Information

Detailed Information (SYS_CHANGES Log)

The memory value of the parameter has been changed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.185 com.sap.SCC.core_server.000153 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated since SAP CC 5.0 SP 0.

Message

This log message is now deprecated in SAP CC:

```
Shutdown request received: Shutting down {productName} instance
{instanceId} in {delay} seconds
```

Legend

- `{productName}`: The product name
- `{instanceId}`: The instance ID
- `{delay}`: The delay before shutting down

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has received a request to shut down in few seconds.

Possible Impacts

This instance will shut down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.186 com.sap.SCC.core_server.000154

Message

```
Executing shutdown of {productName} instance {instanceId} from Admin+
(waiting for the dispatcher authorization to stop).
```

Legend

- `{productName}`: The name of the SAP software product
- `{instanceId}`: The instance ID

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has received a shutdown request from the SAP CC Admin+ user interface. The instance waits for an authorization to stop from the primary dispatcher instance.

Possible Impacts

This instance will shut down.

Similar Log Message IDs

- com.sap.SCC.core_server.000625 [page 894]
- com.sap.SCC.core_server.000626 [page 896]

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.187 com.sap.SCC.core_server.000155

Message

```
Shutdown operation waiting for a new authorization to stop from the
dispatcher instance.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is still waiting for the authorization to stop.

Possible Impacts

This instance of the SAP CC Core Server system will shut down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.188 com.sap.SCC.core_server.000156

Message

```
Cannot load the bulk loader sources configuration due to an I/O error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the bulkloader sources configuration due to an input/output error.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.189 com.sap.SCC.core_server.000157

Message

```
Cannot load the bulk loader sources configuration due to an error in
the parser configuration.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the bulkloader sources configuration due to an error in the parser configuration.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.190 com.sap.SCC.core_server.000158

Message

```
Cannot load the bulk loader sources configuration due to an XML parsing
error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the bulkloader sources configuration due to an XML parsing error.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the bulkloader sources configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.191 com.sap.SCC.core_server.000159

Message

```
Cannot load the shell configuration of the charged item processor function.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the charged item processor shell configuration.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check and correct the CIF configuration of the bulkloader.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.192 com.sap.SCC.core_server.000160

Message

```
Cannot load the shell configuration of the transaction processor function.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the transaction processor shell configuration.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check and correct the CIF configuration of the rater.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.193 com.sap.SCC.core_server.000161

Message

```
Cannot load the shell configuration of the rerate processor function.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the rerate processor shell configuration.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check and correct the RIF configuration of the rater.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.194 com.sap.SCC.core_server.000162

Message

```
Cannot load the notification policy configuration.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

Cannot load the notification policy configuration.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check and correct the notification policy configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.195 com.sap.SCC.core_server.000163

Message

```
Missing parameter [{parameterName}] has been inserted in database for
the instance type {instanceType} with value [{parameterValue}]
```

Legend

- `{parameterName}`: The name of the added parameter
- `{instanceType}`: The target instance type
- `{parameterValue}`: The value of the added parameter

Severity

Information

Detailed Information (SAP CC System Configuration Log)

A missing parameter has been inserted in the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.196 com.sap.SCC.core_server.000164

Message

```
Sending SLD payload to the URL: {sldUrl}.
```

Legend

- `{sldUrl}`: The SLD[18] URL

Severity

Information

[18] System Landscape Directory

Detailed Information (APPS_COMMON Log)

The SLD payload is going to be sent by the instance of the system.

Additional Information

The server systems of SAP Convergent Charging send information about installed hardware and software components of your SAP CC system landscape. The SAP CC systems update periodically the SLD of SAP NetWeaver.

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 System Parameter Reference about the system settings dedicated to the management of SLD.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.197 com.sap.SCC.core_server.000165

Message

```
SLD updated.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The SLD[19] payload has been sent.

Additional Information

The server systems of SAP Convergent Charging send information about installed hardware and software components of your SAP CC system landscape. The SAP CC systems update periodically the SLD of SAP NetWeaver.

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 System Parameter Reference about the system settings dedicated to the management of SLD.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

[19] System Landscape Directory

5.198 com.sap.SCC.core_server.000166

Message

```
Cannot connect to the SLD at the URL: {sldUrl}.
```

Legend

- `{sldUrl}`: The SLD[20] URL

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The instance of the system cannot connect to the SLD.

Possible Impacts

The SLD payload will not be sent.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system and its settings for the SLD:

- Check the value of the SLD_URL parameter

[20] System Landscape Directory

- Check you can connect to this URL

Additional Information

The server systems of SAP Convergent Charging send information about installed hardware and software components of your SAP CC system landscape. The SAP CC systems update periodically the SLD of SAP NetWeaver.

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 System Parameter Reference about the system settings dedicated to the management of SLD.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.199 com.sap.SCC.core_server.000167

Message

```
Cannot update the SLD due to an I/O error.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

This instance of the system cannot update the SLD[21] due to an input/output (I/O) error.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Check the value of the SLD_SCHEDULER_RECURRENCE parameter
- Analyze the technical information in the traces generated on the next schedule

Additional Information

The server systems of SAP Convergent Charging send information about installed hardware and software components of your SAP CC system landscape. The SAP CC systems update periodically the SLD of SAP NetWeaver.

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 System Parameter Reference about the system settings dedicated to the management of SLD.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

[21] System Landscape Directory

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.200 com.sap.SCC.core_server.000168

Message

```
Error occurred while sending the SLD payload.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred while sending the SLD[22] payload.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

[22] System Landscape Directory

Troubleshoot your SAP CC system:

- Enable and configure the generation of trace messages
- Set up the trace severity threshold to PATH
- Determine the next sent of the SLD payload by checking the value of the SLD_SCHEDULER_RECURRENCE parameter
- Analyze the technical information in the traces generated on the next schedule

Additional Information

The server systems of SAP Convergent Charging send information about installed hardware and software components of your SAP CC system landscape. The SAP CC systems update periodically the SLD of SAP NetWeaver.

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 System Parameter Reference about the system settings dedicated to the management of SLD.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.201 com.sap.SCC.core_server.000169

Message

```
Cannot read the log entries.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Logging and Tracing Functions Log)

Cannot read the log entries.

Possible Impacts

The log extractor will not return the log entries.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.202 com.sap.SCC.core_server.000170

Message

```
Cannot load the shell configuration of the charged item processor function
of the bulkloader instance.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The charged item processor shell of the bulkloader instance could not be loaded.

Possible Impacts

The bulkloader instance may not be completely functional. The parameters defined in the charged item processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the charged item processor shell configuration for the bulkloader instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.203 com.sap.SCC.core_server.000171

Message

```
Cannot load the charged item processor shell of the bulkloader.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The charged item processor shell of the bulkloader instance could not be loaded.

Possible Impacts

The bulkloader instance may not be completely functional. The parameters defined in the charged item processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the charged item processor shell configuration for the bulkloader instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.204 com.sap.SCC.core_server.000172

Message

```
Cannot load the charged item processor shell of the rater.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The charged item processor shell of the rater instance could not be loaded.

Possible Impacts

This rater instance may not be completely functional. The parameters defined in the charged item processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the charged item processor shell configuration for the rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.205 com.sap.SCC.core_server.000173

Message

```
Cannot load the charged item processor shell of the rater.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The charged item processor shell of the rater instance could not be loaded.

Possible Impacts

This rater instance may not be completely functional. The parameters defined in the charged item processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the charged item processor shell configuration for the rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.206 com.sap.SCC.core_server.000174

Message

```
Cannot update the notification policy configuration due to an SQL error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The configuration of the notification policy could not be updated in the back-end database due to an error in the communication with the database system.

Possible Impacts

- The notification policy will not be updated
- The modifications to the notification policy will not be saved to the database

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue linked to the database access.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.207 com.sap.SCC.core_server.000175

Message

```
Cannot retrieve the notification policy configuration due to an SQL error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The configuration of the notification policy could not be retrieved from the back-end database due to an error in the communication with the database system.

Possible Impacts

The notification policy previously saved to the database will not be used in the current session.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue linked to the database access.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.208 com.sap.SCC.core_server.000176

Message

```
Cannot retrieve the notification policy configuration due to an XML
parsing error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The configuration of the notification policy could not be retrieved from the back-end database due to an error in the format of the configuration data.

Possible Impacts

The notification policy previously saved to the database will not be used in the current session.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue linked to the format of the configuration data.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.209 com.sap.SCC.core_server.000177

Message

```
Cannot load the rerate processor shell of the rater.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The rerate processor shell of the rater instance could not be loaded.

Possible Impacts

This rater instance may not be completely functional. The parameters defined in the rerate processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the rerate processor shell configuration for the rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.210 com.sap.SCC.core_server.000178

Message

```
Cannot load the rerate processor shell of the rater.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The rerate processor shell of the rater instance could not be loaded.

Possible Impacts

This rater instance may not be completely functional. The parameters defined in the rerate processor shell configuration may not be accessible.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Fix the rerate processor shell configuration for the rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.211 com.sap.SCC.core_server.000179

Message

```
Cannot retrieve the bulkLoader sources configuration due to an I/O error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The bulkloader sources configuration could not be loaded due to an input/output (I/O) error.

Possible Impacts

The bulkloader sources configuration previously saved to the database will not be used in the current session.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue preventing access to the configuration data.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.212 com.sap.SCC.core_server.000180

Message

```
Cannot retrieve the bulkLoader sources configuration due to a parser
configuration error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The bulkloader sources configuration could not be loaded due to an error in the configuration of its data parser.

Possible Impacts

The bulkloader sources configuration previously saved to the database will not be used in the current session.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue linked to the data parser.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.213 com.sap.SCC.core_server.000181

Message

```
Cannot retrieve the bulkLoader sources configuration due to an XML
parsing error.
```

Severity

Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The bulkloader sources configuration could not be loaded due to an error in the format of the configuration data.

Possible Impacts

The bulkloader sources configuration previously saved to the database will not be used in the current session.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous traces to identify the issue linked to the format of the configuration data.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.214 com.sap.SCC.core_server.000182

Message

```
Operation {opName} is stopped because the connection limit is reached.
```

Legend

- `{opName}`: The operation to stop

Severity

Warning [page 30]

Detailed Information (Common Resources Log)

The operation is stopped because the connection limit is reached. It could happen when multiple instances have been reconnected during the operation. This operation is limited to 100 connections, including lost connections.

Possible Impacts

The operation has not completed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- See the dispatcher logs to investigate on the possible unwanted reconnections
- Execute the operation again
- The operations initiated by the scheduler will be automatically triggered on the next schedule

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.215 com.sap.SCC.core_server.000183

Message

```
Admin XML Proxy received an execution request for the operation {operation}
which is unknown.
```

Legend

- `{operation}`: The unknown operation

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

Admin XML Proxy received an execution request for an unknown operation.

Possible Impacts

The request will be ignored.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.216 com.sap.SCC.core_server.000184

Message

```
VAT rule cache successfully refreshed: The data cache includes {nbVatRules}
VAT rules
```

Legend

- `{nbVatRules}`: The number of VAT rules in the cache

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has refreshed its VAT rule cache from the configuration.

Additional Information

Consult the SAP CC 2023 Application Help about the tax management.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.217 com.sap.SCC.core_server.000185

Message

```
Scheduler (triggering the expiration alerts) cannot communicate to
the dispatcher instance.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log))

This dispatcher instance of the SAP CC Core Server system cannot trigger the expiration alerts from the scheduler because it is busy, not started or shutting down

Possible Impacts

The client application is not aware of this expiration alert.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Ensure that the dispatcher instance is started. The scheduler will automatically trigger the expiration alerts on the next schedule.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.218 com.sap.SCC.core_server.000186

Message

```
License has expired.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

Your SAP Convergent Charging license has expired.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Apply for a new license file
- Install a valid license file

Additional Information

Consult the SAP CC 2023 Administration Guide and the SAP CC 2023 Installation and Maintenance Guide to know how to apply for a permanent or temporary license and how to install it in the SAP Convergent Charging Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.219 com.sap.SCC.core_server.000187

Message

```
Error was raised in the core security module; Reason: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred in the security module (`com.sap.security.core.server`) for license verification.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the reason in the log message recorded by the SAP Convergent Charging system
- Check the log file from the `com.sap.security.core.server`

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.220 com.sap.SCC.core_server.000188

Message

```
OFF configuration initialized with ID [{id}].
```

Legend

- `{id}`: The identifier of the operation factory

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The selected operation factory has been initialized successfully.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.221 com.sap.SCC.core_server.000189

Message

```
Parameter [{parameterName}] is not set or is empty. Check this parameter.
```

Legend

- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The specified parameter has not been set in the configuration or its value is invalid. The operation factory cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Correct the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.222 com.sap.SCC.core_server.000190

Message

```
Cannot find OFF class {className}. Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the OFF class
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The Java class configured for the operation factory framework cannot be found. The operation factory cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Verify that the class is in the launcher classpath

- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.223 com.sap.SCC.core_server.000191

Message

```
Cannot initialize OFF {className} due to: {errorMessage}.
Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the OFF class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the operation factory connector. The operation factory cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.224 com.sap.SCC.core_server.000192

Message

```
Cannot instantiate OFF with class {className}, exception is: {errorMessage}.
Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the OFF class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the operation factory connector. The operation factory class could not be instantiated. The operation factory cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be instantiable and have a nullary constructor
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.225 com.sap.SCC.core_server.000193

Message

```
Cannot instantiate OFF with class {className}, exception is: {errorMessage}.
Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the OFF class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the operation factory connector. The operation factory class could not be accessed by the Java Virtual Machine. The operation factory cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be accessible by the JVM[23]
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

[23] Java Virtual Machine

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.226 com.sap.SCC.core_server.000194

Message

```
Transaction processor with ID [{id}] has been initialized correctly.
```

Legend

- `{id}`: The identifier of the transaction processor

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The selected transaction processor has been initialized successfully.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.227 com.sap.SCC.core_server.000195

Message

```
Parameter [{parameterName}] is not set or is empty. Check this parameter.
```

Legend

- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The specified parameter has not been set in the configuration or its value is invalid. The transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.228 com.sap.SCC.core_server.000196

Message

```
Cannot initialize transaction processor [{id}] due to: {errorMessage}.
Check the parameter [{parameterName}].
```

Legend

- `{id}`: The identifier of the rating transaction processor

- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rating transaction processor function. The rating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.229 com.sap.SCC.core_server.000197

Message

```
Cannot initialize transaction processor [{id}] due to: {errorMessage}.
Check the CIF configuration.
```

Legend

- `{id}`: The identifier of the rating transaction processor
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rating transaction processor function. The rating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message and previous error messages
- Verify that the CIF configuration is correctly set up
- Change CIF configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.230 com.sap.SCC.core_server.000198

Message

```
Cannot find transaction processor class {className}.
Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rating transaction processor class
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The class configured for the rating transaction processor framework cannot be found. The rating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Verify that the class is in the launcher classpath
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.231 com.sap.SCC.core_server.000199

Message

```
Cannot instantiate transaction processor with class {className},
exception is: {errorMessage}. Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rating transaction processor class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rating transaction processor function. The rating transaction processor class could not be instantiated. The rating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be instantiable and have a nullary constructor
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.232 com.sap.SCC.core_server.000200

Message

```
Cannot instantiate transaction processor with class {className},
exception is: {errorMessage}. Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rating transaction processor class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rating transaction processor function. The rating transaction processor class could not be accessed by the Java Virtual Machine. The rating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP Convergent Charging Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be accessible by the JVM[24]
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[24] Java Virtual Machine

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.233 com.sap.SCC.core_server.000201

Message

```
Transaction processor with ID [{id}] has been initialized correctly.
```

Legend

- `{id}`: The identifier of the rerating transaction processor

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The selected rerating transaction processor has been initialized successfully.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.234 com.sap.SCC.core_server.000202

Message

```
Parameter [{parameterName}] is not set or is empty. Check this parameter.
```

Legend

- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The specified parameter has not been set in the configuration or its value is invalid. The rerating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.235 com.sap.SCC.core_server.000203

Message

```
Cannot initialize transaction processor [{id}] due to: {errorMessage}.
Check the parameter [{parameterName}].
```

Legend

- `{id}`: The identifier of the rerating transaction processor

- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.236 com.sap.SCC.core_server.000204

Message

```
Cannot find transaction processor class {className}. Check the
parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rerating transaction processor class
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

The class configured for the rerating transaction processor framework cannot be found. The rerating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify that the specified parameter is correctly set in the configuration
- Verify that the class is in the launcher classpath
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.237 com.sap.SCC.core_server.000205

Message

```
Cannot instantiate transaction processor with class {className}, exception is:
{errorMessage}. Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rerating transaction processor class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor class could not be instantiated. The rerating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be instantiable and have a nullary constructor
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.238 com.sap.SCC.core_server.000206

Message

```
Cannot instantiate transaction processor with class {className}, exception is:
{errorMessage}. Check the parameter [{parameterName}].
```

Legend

- `{className}`: The name of the rerating transaction processor class
- `{errorMessage}`: The error message
- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the rerating transaction processor function. The rerating transaction processor class could not be accessed by the Java Virtual Machine. The rerating transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- The class must be accessible by the JVM[25]
- Verify that the specified parameter is correctly set in the configuration
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

[25] Java Virtual Machine

5.239 com.sap.SCC.core_server.000207

Message

```
Cannot initialize the Transaction File Processor: No properties for
initialization.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the transaction file processor (TFP) function. No configuration could be found for this function. The transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.240 com.sap.SCC.core_server.000208

Message

```
Cannot initialize the Transaction File Processor: The configuration parameters
{parameterName1}, {parameterName2}, {parameterName3} or {parameterName4} are
missing or invalid.
```

Legend

- `{parameterName1}`: The first parameter name
- `{parameterName2}`: The second parameter name
- `{parameterName3}`: The third parameter name
- `{parameterName4}`: The fourth parameter name

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the transaction file processor function. The specified configuration parameters are missing or malformed. The transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify the configuration of the transaction file processor
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.241 com.sap.SCC.core_server.000209

Message

```
Cannot initialize the Transaction File Processor: Configuration parameter
{parameterName} is missing or invalid.
```

Legend

- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the transaction file processor connector. The specified configuration parameter is missing or malformed. The transaction processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify the configuration of the transaction file processor

- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.242 com.sap.SCC.core_server.000210

Message

```
Transaction file processor with ID [{id}] has been initialized correctly.
```

Legend

- `{id}`: The identifier of the transaction processor

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The transaction file processor has been initialized successfully.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.243 com.sap.SCC.core_server.000211

Message

```
Transaction File Processor - Writing channel ({channelName}) writing error.
Reason: {errorMessage}.
```

Legend

- `{channelName}`: The writing channel name
- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred in the transaction file processor when trying to write transactions to file. The transaction could not be cleared.

Possible Impacts

A new attempt will be made. If multiple attempts do not succeed, some transactions may be lost.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Verify the output file path, file access, and disk space

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.244 com.sap.SCC.core_server.000212

Message

```
Transaction File Processor - Unable to store some transactions into
Writing Channels.
```

Legend

- `{parameterName}`: The name of the configuration parameter

Severity

Fatal Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred in the transaction file processor when trying to write transactions to file. The transaction could not be cleared.

Possible Impacts

Some transactions have been lost.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error messages

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.245 com.sap.SCC.core_server.000213

Message

```
Cannot initialize the Data File Processor: System parameter {parameterName}
is missing or invalid. Parameter value is [{parameterValue}]
```

Legend

- `{parameterName}`: The name of the configuration parameter
- `{parameterValue}`: The parameter value

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The configuration system parameter is missing, malformed or invalid. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the configuration of the transaction file processor
- Change the configuration using the SAP CC Admin+ user interface

Additional Information

Consult the SAP CC 2023 System Parameter Reference documentation for information about the possible values.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.246 com.sap.SCC.core_server.000214

Message

```
Cannot initialize the Data File Processor: System parameter {parameterName}
is incorrect. Encoding [{encoding}] is not supported.
```

Legend

- `{parameterName}`: The parameter name
- `{encoding}`: The character encoding

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The specified configuration parameter refers to an unsupported character encoding. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor

- Change the configuration using the SAP CC Config Tool user interface

Additional Information

Consult the SAP CC 2023 System Parameter Reference documentation for information about the possible values.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.247 com.sap.SCC.core_server.000215

Message

```
Cannot initialize the Data File Processor: The directory [{pathName}]
cannot be initialized.
```

Legend

- `{pathName}`: The pathname

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Check that the specified pathname exists and is a valid directory
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.248 com.sap.SCC.core_server.000216

Message

```
Cannot initialize the Data File Processor: The value of configuration
parameter {parameterName} must be greater or equal to [{mininumValue}].
```

Legend

- `{parameterName}`: The parameter name
- `{mininumValue}`: The minimum value for the parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The specified configuration parameter value is less than minimal expected value. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Change the configuration using the SAP CC Config Tool user interface

Additional Information

See the SAP CC 2023 System Parameter Reference for information on possible parameter values.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.249 com.sap.SCC.core_server.000217

Message

```
Cannot initialize the Data File Processor: The path [{pathName}] is not
a path directory.
```

Legend

- `{pathName}`: The pathname

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Check that the specified pathname exists and is a valid directory

- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.250 com.sap.SCC.core_server.000218

Message

```
Cannot initialize the Data File Processor: Cannot create the directory
[{directory}].
```

Legend

- `{directory}`: The directory path

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The specified directory cannot be created on the file system. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists and is a valid directory
- Verify that there is enough space on the file system

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.251 com.sap.SCC.core_server.000219

Message

```
{writingChannelType} writing channel manager is initialized with
{channelCount} channel(s).
```

Legend

- `{writingChannelType}`: The writing channel type
- `{channelCount}`: The number of channels

Severity

Information

Detailed Information (Common Configuration Log)

The data file processor has initialized the specified writing channel. Two types of writing channels may be initialized: postpaid and prepaid.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.252 com.sap.SCC.core_server.000220

Message

```
Cannot initialize the Data File Processor: The value of
DB_FILE_PROCESSOR_DIRECTORY_COUNT parameter must be greater or equal to
[{mininumValue}].
```

Legend

- `{mininumValue}`: The minimum value for the parameter

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The specified configuration parameter value is less than minimal expected value. This could happen with the postpaid or prepaid writing channels. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor

- Change the configuration using the SAP CC Config Tool user interface

Additional Information

See the SAP CC 2023 System Parameter Reference for information on possible parameter values.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.253 com.sap.SCC.core_server.000221

Message

```
Cannot initialize Data File Processor: The directory [{directory}] is
defined twice.
```

Legend

- `{directory}`: The directory path

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The specified directory has been defined twice, which will cause inconsistencies in the storage. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the directory is only defined once
- Change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.254 com.sap.SCC.core_server.000222

Message

```
Cannot initialize the Data File Processor: The directory [{pathName}]
cannot be initialized.
```

Legend

- `{pathName}`: The pathname

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The pathname specified in the configuration is not a valid directory. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Check that the specified pathname exists and is a valid directory
- Create the directory or change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.255 com.sap.SCC.core_server.000223

Message

```
Database was not able to load some files from the directory [{directory}].
```

Legend

- `{directory}`: The directory

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

Some of the files from the specified directory could not be loaded successfully by the data file processor function.

Possible Impacts

Some of the files may not be loaded immediately in the back-end database. The bulkloader instance will attempt to load those files again on the next schedule.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Check that the specified pathname exists and is a valid directory
- Create the directory or change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.256 com.sap.SCC.core_server.000224

Message

```
Directory [{directory}] has not been loaded by the database.
```

Legend

- `{directory}`: The directory

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

The specified directory has not yet been processed. It still contains files that need to be loaded to the database.

Possible Impacts

The bulkloader instance will try again to load those files on the next schedule.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the parameter in the configuration of the data file processor
- Check that the specified pathname exists and corresponds to a valid directory
- Create the directory or change the configuration using the SAP CC Config Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.257 com.sap.SCC.core_server.000225

Message

```
Directory [{directory}] is initialized for the {writingChannelType}
Writing Channel ManagerDirectory.
```

Legend

- `{directory}`: The directory
- `{writingChannelType}`: The writing channel type

Severity

Information

Detailed Information (Common Infrastructure Log)

The specified directory is ready to be processed by the bulkloader instance. Its files will be loaded to the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.258 com.sap.SCC.core_server.000226

Message

```
Cannot initialize the Database File Encoding Processor: Encoding [{encoding}]
is not supported.
```

Legend

- `{encoding}`: The character encoding

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The configuration of character encoding for output files is not supported and cannot be used. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the encoding parameters in the configuration of the data file processor
- Change the configuration using the SAP CC Config Tool user interface

Additional Information

See the SAP CC 2023 System Parameter Reference for more information about the possible parameter values.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.259 com.sap.SCC.core_server.000227

Message

```
Cannot initialize the Data File Processor: The lock file {lockFilename}
cannot be initialized.
```

Legend

- `{lockFilename}`: The name of the lock file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The lock file cannot be created. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the specified filename is not an existing file

- Check that the file can be created on the file system
- Check that the file system has enough free space

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.260 com.sap.SCC.core_server.000228

Message

```
Cannot initialize the Data File Processor: The lock file {lockFilename}
cannot be read.
```

Legend

- `{lockFilename}`: The name of the lock file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The lock file cannot be read. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file has the correct read permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.261 com.sap.SCC.core_server.000229

Message

```
Cannot initialize the Data File Processor: The lock file {lockFilename}
cannot be modified.
```

Legend

- `{lockFilename}`: The name of the lock file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The lock file cannot be modified. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file has the correct write permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.262 com.sap.SCC.core_server.000230

Message

```
Cannot initialize the Data File Processor: The lock file {lockFilename}
is not a valid file.
```

Legend

- `{lockFilename}`: The name of the lock file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The lock file is not a valid file. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file exists

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.263 com.sap.SCC.core_server.000231

Message

```
Cannot initialize the Data File Processor: The lock file {lockFilename}
is not a valid file; Reason: {errorMessage}.
```

Legend

- `{lockFilename}`: The name of the lock file
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. An unexpected input/output (I/O) error occurred during the creation of the data file. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file exists and has the required permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.264 com.sap.SCC.core_server.000232

Message

```
Cannot initialize the Data File Processor: The data file {dataFilename}
cannot be initialized.
```

Legend

- `{dataFilename}`: The name of the data file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The data file cannot be created. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the specified filename is not an existing file
- Check that the file can be created on the file system
- Check that the file system has enough free space

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.265 com.sap.SCC.core_server.000233

Message

```
Cannot initialize the Data File Processor: The data file {dataFilename}
cannot be read.
```

Legend

- `{dataFilename}`: The name of the data file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The data file cannot be read. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file has the correct read permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.266 com.sap.SCC.core_server.000234

Message

```
Cannot initialize the Data File Processor: The data file {dataFilename}
cannot be modified.
```

Legend

- `{dataFilename}`: The name of the data file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The data file cannot be modified. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file has the correct write permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.267 com.sap.SCC.core_server.000235

Message

```
Cannot initialize the Data File Processor: The data file {dataFilename}
is not a valid file.
```

Legend

- `{dataFilename}`: The name of the data file

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. The data file is not a valid file. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file exists

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.268 com.sap.SCC.core_server.000236

Message

```
Cannot initialize the Data File Processor: The data file {dataFilename}
is not a valid file; Reason: {errorMessage}.
```

Legend

- `{dataFilename}`: The name of the data file
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Configuration Log)

An error occurred during the initialization of the data file processor function. An unexpected input/output (I/O) error occurred during the creation of the data file. The data file processor cannot be initialized.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the error message
- Check that the parent directory exists, is a valid directory and has the correct permissions
- Check that the file exists and has the required permissions

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.269 com.sap.SCC.core_server.000237

Message

```
Invalid ISO 3166 file; Reason: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Warning [page 30]

Detailed Information (Common Configuration Log)

The resource file containing country tax policies has been tampered with and is not a valid file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Application files are inconsistent or have been tampered with.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.270 com.sap.SCC.core_server.000238

Message

```
Country tax policy file not found in database.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The country tax policies file has not been imported in the database.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Import the country tax policies in the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.271 com.sap.SCC.core_server.000239

Message

```
Registering country tax policies.
```

Severity

Information

Detailed Information (Common Configuration Log)

The country tax policies file is being loaded. The tax policies are being registered in the system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.272 com.sap.SCC.core_server.000240

Message

```
Country tax policies registered.
```

Severity

Information

Detailed Information (Common Configuration Log)

The country tax policies file has been loaded. Tax policies have been registered successfully in the system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.273 com.sap.SCC.core_server.000241

Message

```
Cannot read tax policy file; Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The country tax policies file cannot be read.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Application files are inconsistent or have been tampered with.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.274 com.sap.SCC.core_server.000242

Message

```
Cannot recover major runtime error when populating country tax policies;
Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

The SAP CC Setup Tool user interface records this log message because an unexpected runtime error occurred while loading the country tax policies file.

Possible Impacts

The import of the country tax policies is canceled. The country tax policies are not changed and previous data remains available.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.275 com.sap.SCC.core_server.000243

Message

```
Cannot recover major SQL error when populating country tax policies;
Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

An unexpected SQL error occurred while loading the country tax policies file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.276 com.sap.SCC.core_server.000244

Message

```
EU taxes file not found in database.
```

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The European tax rates file has not been imported in the back-end database.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Import the European tax rates in the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.277 com.sap.SCC.core_server.000245

Message

```
Registering European tax rates.
```

Severity

Information

Detailed Information (Common Configuration Log)

The European tax rates file is being loaded. European tax rates are being registered in the system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.278 com.sap.SCC.core_server.000246

Message

```
European tax rates registered.
```

Severity

Information

Detailed Information (Common Configuration Log)

The VAT rates file has been loaded. VAT rates have been registered successfully in the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.279 com.sap.SCC.core_server.000247

Message

```
Incompatibility between tax rate and tax code for tax {taxCode},
ignoring this tax code.
```

Legend

- `{taxCode}`: The tax code

Severity

Warning [page 30]

Detailed Information (Common Configuration Log)

An issue occurred while importing the European tax rates file. There is an incompatibility between the tax rate type and the tax code. The specified tax code is not valid and will be ignored.

Possible Impacts

The tax rate for the tax code will not be available in the system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the tax rate
- Fix the potential errors
- Import the modified VAT rates file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.280 com.sap.SCC.core_server.000248

Message

```
Invalid tax rate for tax {taxCode}, ignoring this tax code.
```

Legend

- `{taxCode}`: The tax code

Severity

Warning [page 30]

Detailed Information (Common Configuration Log)

An issue occurred while importing the European tax rates file. The tax rate type is not valid.

Possible Impacts

The tax rate for the tax code will not be available in the system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the tax rate
- Fix the potential errors
- Import the modified VAT rates file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.281 com.sap.SCC.core_server.000249

Message

```
Bad effective date {effectiveDate} for tax {taxCode}, ignoring this tax code.
```

Legend

- `{effectiveDate}`: The tax effective date
- `{taxCode}`: The tax code

Severity

Warning [page 30]

Detailed Information (Common Configuration Log)

An issue occurred while importing the European tax rates file. The tax effective date is not valid.

Possible Impacts

The tax rate for the tax code will not be available in the system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the tax rate
- Fix the potential errors on the tax rate effective date
- Import the modified VAT rates file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.282 com.sap.SCC.core_server.000250

Message

```
Cannot read European tax rates file; Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The tax effective date

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The European tax rates file cannot be read.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Application files are inconsistent or have been tampered with.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.283 com.sap.SCC.core_server.000251

Message

```
Cannot recover major runtime error when populating European tax rates;
Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

An unexpected runtime error occurred while loading the European tax rates file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.284 com.sap.SCC.core_server.000252

Message

```
Cannot recover major SQL error when populating European tax rates;
Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

An unexpected SQL error occurred while loading the European tax rates file.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.285 com.sap.SCC.core_server.000253

Message

```
Cannot parse VAT rules file; Error: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rules policies file cannot be loaded and read correctly.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Application files are inconsistent or have been tampered with.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.286 com.sap.SCC.core_server.000254

Message

```
Cannot parse VAT rules file. Not enough fields in rule definition: {vatRule}.
```

Legend

- `{vatRule}`: The line describing the VAT rule

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rules file cannot interpret the VAT rule. The rule is malformed as it does not contain enough fields or it contains too many fields.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Fix the eventual errors
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.287 com.sap.SCC.core_server.000255

Message

```
VAT rule ID [{vatRuleId}] already exists.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The specified VAT rule identifier has been defined twice in the VAT rules file. It is not possible to determine which one is the correct rule.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Fix the eventual errors
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.288 com.sap.SCC.core_server.000256

Message

```
VAT rule ID is empty in VAT rule definition: {vatRule}.
```

Legend

- `{vatRule}`: The line describing the VAT rule

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rule identifier is missing in the VAT rules file. The identifier is a mandatory field of the VAT rule.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add an identifier to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.289 com.sap.SCC.core_server.000257

Message

```
Description is empty in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rule description is missing in the VAT rules file. The description is a mandatory field of the VAT rule.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a description to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.290 com.sap.SCC.core_server.000258

Message

```
Supplier country code is empty or invalid in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The supplier country code of the VAT rule is missing or invalid in the VAT rules file. The supplier country code is a mandatory field of the VAT rule.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid supplier country code to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.291 com.sap.SCC.core_server.000259

Message

```
B2B taxation place is out of range in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The B2B taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2B taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.292 com.sap.SCC.core_server.000260

Message

```
B2B taxation place is not a number in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The B2B taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2B taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.293 com.sap.SCC.core_server.000261

Message

```
B2C taxation place is out of range in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The B2C taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2C taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.294 com.sap.SCC.core_server.000262

Message

```
B2C taxation place is not a number in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The B2C taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2C taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.295 com.sap.SCC.core_server.000263

Message

```
Default B2B taxation place is out of range in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2B taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.296 com.sap.SCC.core_server.000264

Message

```
Default B2B taxation place is not a number in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2B taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2B taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.297 com.sap.SCC.core_server.000265

Message

```
Default B2B taxation place is empty in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2B taxation place of the VAT rule is not set in the VAT rules file. The default B2B taxation place is a mandatory field of the VAT rule.

The B2B taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid B2B taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.298 com.sap.SCC.core_server.000266

Message

```
Default B2C taxation place is out of range in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.

The default B2C taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid default B2C taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.299 com.sap.SCC.core_server.000267

Message

```
Default B2C taxation place is not a number in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2C taxation place of the VAT rule does have a correct value in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.

The default B2C taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid default B2C taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.300 com.sap.SCC.core_server.000268

Message

```
Default B2C taxation place is empty in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The value of the default B2C taxation place of the VAT rule is not set in the VAT rules file. The default B2C taxation place is a mandatory field of the VAT rule.

The default B2C taxation place can be one of:

- `0`: supplier country
- `1`: customer country
- `2`: user defined

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rule
- Add a valid default B2C taxation place to the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.301 com.sap.SCC.core_server.000269

Message

```
No VAT rule has been loaded.
```

Severity

Fatal Error [page 29]

Detailed Information (Common Configuration Log)

No VAT rule was loaded in the system. Either the VAT rules file was empty or incorrect, or none of the VAT rules was valid.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the validity of the VAT rules file
- Verify that the VAT rules are all valid
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.302 com.sap.SCC.core_server.000270

Message

```
EZTax output path not found (specified by the JVM option
-D{propertyName}=<eztax output path>).
```

Legend

- `{propertyName}`: The EZTax base path property name

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the tax service: The EZTax output path cannot be found.

Possible Impacts

This taxer instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check if the EZTax output path is correctly set in the JVM[26] option
- Create the EZTax output directory

Additional Information

Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[26] Java Virtual Machine

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.303 com.sap.SCC.core_server.000271

Message

```
EZTax library version {libraryVersion}, database version {databaseVersion}.
```

Legend

- `{libraryVersion}`: The EZTax library version
- `{databaseVersion}`: The EZTax database version

Severity

Information

Detailed Information (Common Configuration Log)

The taxer instance uses the specified EZTax library and database versions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.304 com.sap.SCC.core_server.000272

Message

```
EZTax could not initialize:\n 1. Make sure that BillSoft's EZTax software
is properly installed.\n\t- Make sure that the EZTax library or shared object is
present in
the Taxer 'jars' directory.\n\t- Make sure that the EZTax database files are
present in the
Taxer 'eztaxBasePath' directory.\n2. Your EZTax database files may have
expired.\n3.
Refer to the status files (.sta) in the Taxer directory for error information.
```

Severity

Information

Detailed Information (Common Configuration Log)

An error occurred during the initialization of the tax service. This error may be linked to the EZTax installation or the EZTax configuration.

Possible Impacts

This taxer instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Make sure that BillSoft's EZTax software is properly installed:

- Make sure that the EZTax library or shared object is present in the taxer `jars` directory
- Make sure that the EZTax database files are present in the taxer `eztaxBasePath` directory

Your EZTax database files may have expired:

- Refer to the status files (`.sta`) in the taxer directory for error information

Additional Information

Consult the SAP CC 2023 Application Help about the tax systems, the tax function and the tax process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.305 com.sap.SCC.core_server.000273

Message

```
Forbidden entity resolution request for publicId=[{publicId}] and
serviceId=[{systemId}] from [{sourceAddress}]:[{sourcePort}] - could be an XXE
attack.
```

Legend

- `{publicId}`: The public identifier
- `{systemId}`: The system identifier
- `{sourceAddress}`: The source address or IP
- `{sourcePort}`: The source port number

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance of the SAP CC Core Server received a message on the XML over HTTP communication channel (HCI) that could not be interpreted. The included object could not be resolved for the public ID and system ID.

This warning message could indicate a possible XXE (Xml eXternal Entity) Attack and should be investigated by the administrator.

Possible Impacts

The message on the XML over HTTP communication channel (HCI) is ignored by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check that the host identified by its address and port is allowed to query the system and that its queries are valid.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.306 com.sap.SCC.core_server.000274

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
    refused because the login or password is incorrect.
```

Legend

- `{login}`: The user login

- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the logon or password is incorrect.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.307 com.sap.SCC.core_server.000275

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the SAP CC user is locked.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the user is locked.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.308 com.sap.SCC.core_server.000276

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}]
was refused because the password has expired.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log on to the SAP CC system, however the attempt was refused because the password has expired.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.309 com.sap.SCC.core_server.000277

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}]
was refused. Reason: {reasonCode}.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP
- `{reasonCode}`: The reason code

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log on to the SAP CC system, however the attempt was refused. The reason is not known or unexpected.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the user roles and authorizations.
- Contact your SAP Support Team to investigate on this specific reason code

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.310 com.sap.SCC.core_server.000278

Message

```
Advanced password management is enabled.
```

Severity

Information

Detailed Information (Security Log)

The *Advanced Password Management* feature is enabled in this SAP CC system landscape.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.311 com.sap.SCC.core_server.000279

Message

```
User session management enabled.
```

Severity

Information

Detailed Information (Security Log)

The *User Session Management* feature is enabled in this SAP CC system landscape.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.312 com.sap.SCC.core_server.000280

Message

```
No validity period defined for user session.
```

Severity

Information

Detailed Information (Security Log)

The *User Session Management* feature is enabled in this SAP CC system landscape.

Possible Impacts

The user sessions will not expire in this SAP CC system landscape.

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on user session configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:


Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.313 com.sap.SCC.core_server.000281

Message

```
User session management is enabled and validity period is set to
[{validityPeriod}] seconds
```

Legend

- `{validityPeriod}`: The session validity period in seconds as configured in the SAP CC system

Severity

Information

Detailed Information (Security Log)

The *User Session Management* feature is enabled with the displayed validity period on each user session. This validity period is expressed in seconds.

Additional Information

Feature, Concept

Consult the SAP CC 2023 Application Help for more information and user assistance about this technical feature.

Implementation

As an IT Administrator or IT Consultant/Implementer, determine if SAP CC must manage some user sessions for the SAP CC users.

Configuration (System)

To configure the SAP CC Core Server system, see the USER_SESSION_ENABLED system parameter and the User Management Settings parameter group.

Consult the SAP CC 2023 System Parameter Reference to find more information about the system configuration settings that relate to SAP user management and user session management.

Technical Operations

- Audit: View the list of user sessions currently open with the SAP CC Admin+ user interface
- Troubleshooting: Delete a user session with the SAP CC Admin+ user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.314 com.sap.SCC.core_server.000282

Message

```
No limit per SAP CC user and user interface defined for user sessions.
```

Severity

Information

Detailed Information (Security Log)

The *User Session Management* feature is not configured to limit the number of sessions per SAP CC user and per user interface or client application that implements this feature in SAP CC.

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on user session configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.315 com.sap.SCC.core_server.000283

Message

```
User session management: Limit per SAP CC user and user interface is
set to [{limit}].
```

Legend

- `{limit}`: The session limit per user and tool

Severity

Information

Detailed Information (Security Log)

The *User Session Management* feature is configured to limit the number of sessions per user and per tool.

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on user session configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.316 com.sap.SCC.core_server.000284

Message

```
{requestCount} request(s) were received late. Maximum delay recorded
since {since}: {maxDelay} ms. Invalid configuration: increase client-side
timeout or update
parameter COLLECTOR_RTT to decrease server-side round-trip time according to
your network
average latency.
```

Legend

- `{requestCount}`: The number of late requests
- `{since}`: The starting date of the concerned period
- `{maxDelay}`: The maximum delay among the late requests, in milliseconds

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The configuration of the internal communication between system instances is not valid.

Possible Impacts

The SAP CC Core Server system may have finished processing the request(s) but the remote client application did not receive the answer(s) because of the client-side timeout.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase client-side timeout or update the COLLECTOR_RTT system parameter to decrease server-side estimated round-trip time according to your network average latency.

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on the configuration parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.317 com.sap.SCC.core_server.000285

Message

```
{requestCount} timeout(s) occurred. Maximum allocated handling time recorded
since {since}: {maxAllocatedTime} ms.
```

Legend

- `{requestCount}`: The number of timed out requests
- `{since}`: The starting date of the concerned period
- `{maxAllocatedTime}`: The maximum time allocated for handling a request, in milliseconds

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

Timeout(s) occurred during internal communication between system instances.

Possible Impacts

The SAP CC Core Server system may have finished processing the request(s) but the remote client application did not receive the answer(s) because of the client-side timeout.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the client-side timeout and the server-side parameter COLLECTOR_RTT for the estimated network round trip time explained in milliseconds

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on the configuration parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.318 com.sap.SCC.core_server.000286

Message

```
Instance [{instanceId}] ([{socket}]) is not allowed to start because the
instance [{currentInstanceId}] ([{currentSocket}]) is registered and the
connection is alive.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

- `{currentInstanceId}`: The current instance identifier
- `{currentSocket}`: The current instance socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system cannot start because another instance is already registered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.319 com.sap.SCC.core_server.000287

Message

```
Instance [{instanceId}] ([{socket}]) is allowed to replace the connection
([{currentSocket}]).
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information
- `{currentSocket}`: The current instance socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system has been allowed to replace the existing connection.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.320 com.sap.SCC.core_server.000288

Message

```
Waiting for instance [{instanceId}] ([{socket}]) is stopped.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is actually stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.321 com.sap.SCC.core_server.000289

Message

```
Instance [{instanceId}] ([{socket}]) is unregistered.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is not a registered instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.322 com.sap.SCC.core_server.000290

Message

```
Instance [{instanceId}] ([{socket}]) is registered.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system has been registered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.323 com.sap.SCC.core_server.000291

Message

```
Instance [{instanceId}] ([{socket}]) is re-registered. Previous register
connection is [{previousSocket}].
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information
- `{previousSocket}`: The previous socket information

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system has been registered once again, even though it already had a previously registered connection.

Possible Impacts

The connection was down between this instance and the instance that has just been re-registered.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the connection between this instance and the instance that has just been re-registered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.324 com.sap.SCC.core_server.000292

Message

```
Instance [{instanceId}] ([{socket}]) is not authorized to be registered
because this dispatcher is the primary dispatcher of the system
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is the primary dispatcher of the SAP CC system; it cannot be registered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.325 com.sap.SCC.core_server.000293

Message

```
Concurrent primary dispatcher detected: dispatcher [{instanceId}] ([{socket}])
will restart.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Warning [page 30]

Detailed Information (Security Log)

The identified instance of the SAP CC Core Server system has been declared as **primary** dispatcher while another primary dispatcher instance is already running. The identified instance will restart as a secondary dispatcher.

Possible Impacts

The identified instance will not be available during the restart sequence.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The identified instance will restart automatically.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.326 com.sap.SCC.core_server.000294

Message

```
Client [{client}] is registered.
```

Legend

- `{client}`: The client identifier

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified client has been registered with the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.327 com.sap.SCC.core_server.000295

Message

```
Client [{client}] is unregistered.
```

Legend

- `{client}`: The client identifier

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified client has been unregistered from the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.328 com.sap.SCC.core_server.000296

Message

```
Instance [{instanceId}] ([{socket}]) is waiting for authorization to start.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is waiting for its authorization to start.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.329 com.sap.SCC.core_server.000297

Message

```
Instance [{instanceId}] ([{socket}]) is not allowed to be registered
because an updater is already registered.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is not allowed to be registered because another updater instance is already registered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.330 com.sap.SCC.core_server.000298

Message

```
Instance [{instanceId}] ([{socket}]) is not allowed to be registered
because the updater is not the authorize updater.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is not allowed to be registered in the system. This updater is not the authorized updater.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.331 com.sap.SCC.core_server.000299

Message

```
Instance [{instanceId}] ([{socket}]) is not allowed to be registered because
a authorize updater is already registered.
```

Legend

- `{instanceId}`: The instance identifier
- `{socket}`: The socket information

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is not allowed to be registered in the system. An authorized updater has already been registered in the system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.332 com.sap.SCC.core_server.000300

Message

```
Cannot reply to the remote client. Error code: [{errorCode}],
reason: {errorMessage}.
```

Legend

- `{errorCode}`: The internal error code
- `{errorMessage}`: The internal error message

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An internal communication error has occurred in the message protocol. The instance of the SAP CC Core Server system cannot reply to the remote client.

Possible Impacts

The remote client may not receive the answer.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.333 com.sap.SCC.core_server.000301

Message

```
Cannot commit the request in database. Error code: [{errorCode}],
reason: {errorMessage}.
```

Legend

- `{errorCode}`: The internal error code
- `{errorMessage}`: The internal error message

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

Cannot commit the request in database during the processing of an operation. An error will be returned to the remote client.

Possible Impacts

All or a part of the operation has not been recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.334 com.sap.SCC.core_server.000302

Message

```
All rater instances received the order to stop the Activation process.
However, some of these rater instances could not comply with the order.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Activation process. These rater instances correctly received the order, but some of them could not comply with it.

Possible Impacts

Some rater instances may not have stopped the execution of the Activation process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the logs of the rater instances that could not stop the Activation process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.335 com.sap.SCC.core_server.000303

Message

```
Some rater instances did not receive the order to stop the Activation
process for subscriptions before the timeout expiration with the following
reason:
[{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Activation process for subscriptions. Some of these rater instances did not receive this order.

Possible Impacts

Some rater instances may not have stopped the execution of the Activation process for subscriptions.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between the dispatcher and rater instances that did not answer.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.336 com.sap.SCC.core_server.000304

Message

```
Some rater instances did not receive the order to stop the Activation
process for provider contracts before the timeout expiration with the following
```

```
reason:
[{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Activation process for provider contracts. Some of these rater instances did not receive this order.

Possible Impacts

Some rater instances may not have stopped the execution of the Activation process for subscriptions.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between the dispatcher and rater instances that did not answer.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.337 com.sap.SCC.core_server.000305

Message

```
All rater instances received the order to start the Cleanup process.
However, some of these rater instances could not comply with the order.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for starting the execution of the Cleanup process. These rater instances correctly received the order, but some of them could not comply with it.

Possible Impacts

Some rater instances may not have started the execution of the Cleanup process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the logs of the rater instances that could not start the Cleanup process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.338 com.sap.SCC.core_server.000306

Message

```
Some rater instances did not receive the order to start the Cleanup process
before the timeout expiration with the following reason: [{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for starting the execution of the Cleanup process. Some of these rater instances did not receive this order.

Possible Impacts

Some rater instances may not have started the execution of the Cleanup process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between the dispatcher and the rater instances that did not answer.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.339 com.sap.SCC.core_server.000307

Message

```
All rater instances received the order to stop the Cleanup process.
However, some of these rater instances could not comply with the order.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Cleanup process. These rater instances correctly received the order, but some of them could not comply with it.

Possible Impacts

Some rater instances may not have stopped the execution of the Cleanup process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the logs of the rater instances that could not stop the Cleanup process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.340 com.sap.SCC.core_server.000308

Message

```
Some rater instances did not receive the order to stop the Cleanup process
before the timeout expiration with the following reason: [{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Cleanup process. Some of these rater instances did not receive this order.

Possible Impacts

Some rater instances may not have stopped the execution of the Cleanup process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between the dispatcher and the rater instances that did not answer.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.341 com.sap.SCC.core_server.000309

Message

```
Some reachable servers did not acknowledge the fire expiration alerts order
before timeout expiration with following reason: [{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message to run the process triggering the expiration alerts was sent to all rater instances. However not all running rater instances acknowledged the request.

Possible Impacts

Some rater instances may not trigger the expiration alerts process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.342 com.sap.SCC.core_server.000310

Message

```
Activation process with subscriptions starts with the reference date {date}.
```

Legend

- `{date}`: The activation process reference date

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is launching the subscription activation process.

Possible Impacts

The activation process uses system resources and may take some time depending on the overall number of subscriptions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.343 com.sap.SCC.core_server.000311

Message

```
Rater instance must activate {totalCount} subscription(s) for the partition
{partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{totalCount}`: The number of subscriptions in the partition
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is about to start the activation process for the identified number of subscriptions. This message displays additional information for activation process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.344 com.sap.SCC.core_server.000312

Message

```
Activation process: {progress}% of subscription(s) activation done for
the partition {partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{progress}`: The current progress

- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system will activate the specified number of subscriptions. This message displays additional information for activation process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.345 com.sap.SCC.core_server.000313

Message

```
Subscription activation stopped by user.
```

Legend

- `{progress}`: The current progress
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

An SAP CC user has stopped the subscription activation process in this rater instance of the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.346 com.sap.SCC.core_server.000314

Message

```
Connection to the primary dispatcher is down: Activation is stopped.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

The connection to the primary dispatcher instance in the SAP CC Core Server. This rater instance cannot perform the subscription activation process and will stop the process execution.

Possible Impacts

Some subscriptions may not have been activated in customer master data.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between this rater instance and the dispatcher instances of the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.347 com.sap.SCC.core_server.000315

Message

```
Rater instance has visited {successCount} subscription(s) and {errorCount}
subscription(s) cannot be activated.
```

Legend

- `{successCount}`: The number of subscriptions successfully activated
- `{errorCount}`: The number of subscriptions that could not be activated

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system has finished the subscription activation process.

Possible Impacts

Some subscriptions may not have been activated. The number of subscriptions that could not be activated is specified in the message.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If some subscriptions could not be activated, it is mandatory to check that the previous error messages to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.348 com.sap.SCC.core_server.000316

Message

```
Activation process cannot activate [{contractOid}] due to error: {errorMessage}.
```

Legend

- `{contractOid}`: The subscription/provider contract OID
- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system cannot activate the contract identified by its internal object identifier.

Possible Impacts

The contract may not have been activated, recurring and non-recurring fees may not have been all generated.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.349 com.sap.SCC.core_server.000317

Message

```
Activation process with provider contracts starts with the reference date {date}.
```

Legend

- `{date}`: The activation process reference date

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is launching the activation process with provider contracts.

Possible Impacts

The activation process uses system resources and may take some time depending on the overall number of provider contracts.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.350 com.sap.SCC.core_server.000318

Message

```
Rater instance must activate {totalCount} provider contract(s) for the
partition {partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{totalCount}`: The number of provider contracts in the partition
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is about to start the activation process with the specified number of provider contracts. This message displays additional information for activation process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.351 com.sap.SCC.core_server.000319

Message

```
Activation process: {progress}% of provider contract(s) activation done
for the partition {partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{progress}`: The current progress
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system will activate the specified number of provider contracts. This message displays additional information for activation process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.352 com.sap.SCC.core_server.000320

Message

```
Activation process of provider contracts stopped by user.
```

Severity

Information

Detailed Information (Common Infrastructure Log)

An SAP CC user has stopped the activation process with provider contracts in this rater instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.353 com.sap.SCC.core_server.000321

Message

```
Connection to the primary dispatcher instance is down: Activation process
is stopped.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. This rater instance cannot perform the provider contract activation process and will stop the process execution.

Possible Impacts

Some provider contracts may not have been activated in customer master data.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between this rater instance and the dispatcher instances of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.354 com.sap.SCC.core_server.000322

Message

```
Rater instance has visited {successCount} provider contract(s) and
{errorCount} provider contract(s) cannot be activated.
```

Legend

- `{successCount}`: The number of provider contracts successfully activated

- `{errorCount}`: The number of provider contracts that could not be activated

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system has finished the activation process with provider contracts.

Possible Impacts

Some provider contracts may not have been activated in customer master data. The number of provider contracts that could not be activated is specified in the log message.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If some provider contracts could not be activated, it is mandatory to check that the previous error messages to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.355 com.sap.SCC.core_server.000323

Message

```
Cleanup process starts with the reference date {date}.
```

Legend

- `{date}`: The cleanup process reference date

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is launching the cleanup process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.356 com.sap.SCC.core_server.000324

Message

```
Rater must cleanup subscriber account(s) for the partition {partitionId}
({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is about to start the cleanup process for the specified partition of subscriber accounts. This message displays additional information for cleanup process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.357 com.sap.SCC.core_server.000325

Message

```
Cleanup process: {progress}% of subscriber account(s) cleanup done for
the partition {partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{progress}`: The current progress
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system will cleanup the identified number of subscriber account. This message displays additional information for cleanup process tracking.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.358 com.sap.SCC.core_server.000326

Message

```
Subscriber account cleanup stopped by user.
```

Severity

Information

Detailed Information (Common Infrastructure Log)

An SAP CC user has stopped the cleanup process in this rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.359 com.sap.SCC.core_server.000327

Message

```
Connection to the primary dispatcher instance is down: Cleanup operation
is stopped.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. In this rater instance, the cleanup process cannot proceed and will be stopped.

Possible Impacts

Some subscriber accounts may not have been cleaned.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between this rater instance and the dispatcher instances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.360 com.sap.SCC.core_server.000328

Message

```
Rater has visited {count} subscriber account(s).
```

Legend

- `{count}`: The number of subscriber accounts

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system has finished the cleanup process.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.361 com.sap.SCC.core_server.000329

Message

```
Cleanup process cannot clean [{suacOid}] due to error: {errorMessage}.
```

Legend

- `{suacOid}`: The subscriber account OID
- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system cannot cleanup the sessions for the subscriber account identified by its internal object identifier.

Possible Impacts

The sessions for this subscriber account cannot be removed from database. Further ratings on this subscriber account will be refused.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the configuration of the price plan

- Verify the error message to determine the cause
- Archive the log messages and the trace messages
- Contact your SAP Support Team

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.362 com.sap.SCC.core_server.000330

Message

```
VAT rule ID [{vatRuleId}] is too long.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rule identifier length is too long. The VAT rule identifier can contain a maximum of 256 characters.

Possible Impacts

The VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the identifier of the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.363 com.sap.SCC.core_server.000331

Message

```
Description is too long in VAT rule [{vatRuleId}].
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rule description is too long. The VAT rule description can contain a maximum of 2,000 characters.

Possible Impacts

The VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the description of the VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.364 com.sap.SCC.core_server.000332

Message

```
Description of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The description in the VAT rules file differs from the back-end database system. The description should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the description to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.365 com.sap.SCC.core_server.000333

Message

```
Supplier zone of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The supplier zone in the VAT rules file differs from the back-end database system. The supplier zone should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the supplier zone to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.366 com.sap.SCC.core_server.000334

Message

```
B2B taxation place of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The B2B taxation place in the VAT rules file differs from the back-end database system. The B2B taxation place should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the B2B taxation place to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.367 com.sap.SCC.core_server.000335

Message

```
B2C taxation place of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The B2C taxation place in the VAT rules file differs from the back-end database system. The B2C taxation place should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the B2C taxation place to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.368 com.sap.SCC.core_server.000336

Message

```
Default B2B taxation place of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The default B2B taxation place in the VAT rules file differs from the back-end database system. The default B2B taxation place should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the default B2B taxation place to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.369 com.sap.SCC.core_server.000337

Message

```
Default B2C taxation place of the existing VAT rule [{vatRuleId}] has changed.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The default B2C taxation place in the VAT rules file differs from the back-end database system. The default B2C taxation place should not be changed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Change the default B2C taxation place to the one in database for this VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.370 com.sap.SCC.core_server.000338

Message

```
Existing VAT rule [{vatRuleId}] is missing.
```

Legend

- `{vatRuleId}`: The VAT rule identifier

Severity

Error [page 29]

Detailed Information (Common Configuration Log)

The VAT rule exists in the back-end database system but is missing in the VAT rules file. The VAT rule should not be removed.

Possible Impacts

The new VAT rules are not imported in the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Add the missing VAT rule
- Import the modified VAT rules file using the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.371 com.sap.SCC.core_server.000339

Message

```
Checking license key for system "{systemId}", hardware key "{hardwareKey}",
product "{softwareProduct}".
```

Legend

- `{systemId}`: The system ID
- `{hardwareKey}`: The hardware key of the host
- `{softwareProduct}`: The name of the software product

Severity

Information

Detailed Information (APPS_COMMON Log)

The license of an SAP CC instance is going to be checked.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.372 com.sap.SCC.core_server.000340

Message

```
Rater instance cannot send the expiration alert response because the
connection to the client is down.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An expiration alert has been triggered by an SAP CC user or by the scheduler of the updater instance in the SAP CC Core Server system. The rater instance, which handles this operation, cannot send the response to the client application or system due to a communication error.

Possible Impacts

The client application (or system) is not informed about the result of the expiration alert.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the network is available
- the dispatcher instance is started

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.373 com.sap.SCC.core_server.000341

Message

```
Rater instance cannot send the expiration alert response because the
connection to the client has been interrupted.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An expiration alert has been triggered by an SAP CC user or by the scheduler of the updater instance in the SAP CC Core Server system. The rater instance, which handles this operation, cannot send the response to the client application or system due to a communication error.

Possible Impacts

The client application (or system) is not informed about the result of the expiration alert.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the network is available
- the dispatcher instance is started

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.374 com.sap.SCC.core_server.000342

Message

```
Unable to check if the activation process is running before launching
the rerating process.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The rerateBulk operation has not been able to check if the activation process was running. The connection to the dispatcher is down.

Possible Impacts

The rerateBulk operation will not be performed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the network is available
- the dispatcher instance is started

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.375 com.sap.SCC.core_server.000343

Message

```
Synchronizing of {count} bulk loader files.
```

Legend

- `{count}`: The number of files

Severity

Information

Detailed Information (APPS_COMMON Log)

The rerating external system used is BART Server of SAP CC. Bulk loader files created before the synchronization with bulkloader instances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.376 com.sap.SCC.core_server.000344

Message

```
Bulk loader files synchronized.
```

Legend

- `{count}`: The number of files

Severity

Information

Detailed Information (APPS_COMMON Log)

The rerating external system used is BART Server of SAP CC. The synchronization with bulkloader instances concerning the bulk loader files.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.377 com.sap.SCC.core_server.000345

Message

```
Cannot contact the BART server to open the rerating session.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The rerating external system used is BART Server of SAP CC. Cannot open the rerating session due to a communication error with the BART Server system.

Possible Impacts

The operations performed by the BART Server system are unavailable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the BART Server system is started
- the status of the network is OK

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.378 com.sap.SCC.core_server.000346

Message

```
Cannot contact the BART server to start the rerating session.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The rerating external system used is BART Server of SAP CC. Cannot start the rerating session due to a communication error with the BART Server system.

Possible Impacts

The operations performed by the BART Server system are unavailable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the BART Server system is started
- the status of the network is OK

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.379 com.sap.SCC.core_server.000347

Message

```
Cannot stop the opened rerating session.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The rerating external system used is BART Server of SAP CC. Cannot stop the rerating session due to a communication error with BART Server system.

Possible Impacts

The operations performed by the BART Server system are unavailable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the BART Server system is started
- the status of the network is OK

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.380 com.sap.SCC.core_server.000348

Message

```
Starting the taxer client.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

A network client is registering with instance managing taxes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.381 com.sap.SCC.core_server.000349

Message

```
Taxer client started.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

A network client is registered with instance managing taxes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.382 com.sap.SCC.core_server.000350

Message

```
Shutting down the taxer client.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

A network client is not registering with instance managing taxes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.383 com.sap.SCC.core_server.000351

Message

```
Taxer client stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

A network client is not longer registered with instance managing taxes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.384 com.sap.SCC.core_server.000352

Message

```
Cannot initialize the Transaction File Processor: Cannot open the writing
channel in [{path}].
```

Legend

- `{path}`: The writing channel location

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

Cannot initialize the Transaction File Processor (TFP) because the directory of the writing channel cannot be created.

Possible Impacts

The TFP is not initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the path/file access rights.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.385 com.sap.SCC.core_server.000353

Message

```
Cannot initialize the Transaction File Processor: Several files found for
current transaction in [{path}].
```

Legend

- `{path}`: The writing channel location

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The Transaction File Processor (TFP) expects to find only one file for the writing channel but it found several.

Possible Impacts

The TFP is not initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Rename the older file by removing '_' prefix.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.386 com.sap.SCC.core_server.000354

Message

```
Cannot initialize the Transaction File Processor: The current file name
[{fileName}] in [{path}] is malformed, its expected length is [{length}]
characters.
```

Legend

- `{fileName}`: The writing channel file
- `{path}`: The writing channel location
- `{length}`: The expected length of the writing channel file name

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The writing channel file name is malformed.

Possible Impacts

The Transaction File Processor (TFP) is not initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Rename the current file by removing the '_' prefix.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.387 com.sap.SCC.core_server.000355

Message

```
Cannot initialize the Transaction File Processor: I/O exception in [{path}].
The reason is {reason}.
```

Legend

- `{path}`: The writing channel location
- `{reason}`: The reason of the IO Exception

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

During the launch of the rater instance, the Transaction File Processor (TFP) cannot be initialized because it cannot write, read or rename files due to an input/output (I/O) system error.

Possible Impacts

The TFP is not initialized. The launching of the rater is aborted.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the disk has enough space to create or fill files
- the access rights are correct

And restart the rater instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.388 com.sap.SCC.core_server.000356

Message

```
Cannot initialize the Transaction File Processor: The current file name
[{fileName}] in [{path}] is malformed.
```

Legend

- `{fileName}`: The writing channel file
- `{path}`: The writing channel location

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The writing channel file name is malformed.

Possible Impacts

The Transaction File Processor (TFP) is not initialized.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Rename the current file by removing the '_' prefix.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.389 com.sap.SCC.core_server.000357

Message

```
Writing Channel [{path}] fell down and has been discarded. Available
writing channel count: [{writingChannelCount}].
```

Legend

- `{path}`: The writing channel location
- `{writingChannelCount}`: Still available writing channels

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

A writing channel did not work and got discarded.

Possible Impacts

A writing channel has been lost.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Analyze the previous log messages or trace messages.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.390 com.sap.SCC.core_server.000358

Message

```
Writing channel cannot be updated; Reason: {reason}.
```

Legend

- `{reason}`: The reason of the error

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

Cannot update the writing channel. It happened at the initialization of the Transaction File Processor (TFP) or during an operation.

Possible Impacts

It can occurred during:

- the launch of the rater: the launching is aborted
- an operation: the writing channel is discarded

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that:

- the disk has enough space to create or fill files
- the access rights are correct

And following the circumstance of the error:

- restart the rater instance
- re-perform the operation

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.391 com.sap.SCC.core_server.000359

Message

```
{instanceId} ({connectionInfo}) cannot be authorized to pre-register
because the dispatcher is not ready.
```

Legend

- `{instanceId}`: The instance ID
- `{connectionInfo}`: The connection information of the instance

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.392 com.sap.SCC.core_server.000360

Message

```
{instanceId} ({connectionInfo}) does not exist.
```

Legend

- `{instanceId}`: The instance ID
- `{connectionInfo}`: The connection information of the instance

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.393 com.sap.SCC.core_server.000361

Message

```
{instanceId} is not authorized to register because the timeout of {timeout}ms
has been reached due to a concurrent operation.
```

Legend

- `{instanceId}`: The instance ID
- `{timeout}`: The timeout

Severity

Warning [page 30]

Possible Impacts

The services provided by the specified instance are not available.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Restart the specified instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.394 com.sap.SCC.core_server.000362

Message

```
{instanceId} is not authorized to unregister because the timeout of {timeout}ms
has been reached due to a concurrent operation.
```

Legend

- `{instanceId}`: The instance ID
- `{timeout}`: The timeout

Severity

Warning [page 30]

Possible Impacts

The services provided by the specified instance might be unavailable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

See the logs of the dispatcher instances for details.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.395 com.sap.SCC.core_server.000363

Message

```
Dispatcher instance cannot stop because a timeout has been reached due to
a concurrent operation.
```

Severity

Warning [page 30]

Possible Impacts

The services provided by the specified instance might be unavailable.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

See the logs of the dispatcher instances for details.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.396 com.sap.SCC.core_server.000364

Message

```
Waiting for the end of the administration operations.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.397 com.sap.SCC.core_server.000365

Message

```
Waiting for the end of the administration operations.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.398 com.sap.SCC.core_server.000366

Message

```
Waiting for the primary dispatcher end of communication, {remainingMessageCount}
message(s) remaining.
```

Legend

- `{remainingMessageCount}`: The remaining message count

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.399 com.sap.SCC.core_server.000367

Message

```
Waiting for dispatcher(s) connection(s) to be closed: {connection}.
```

Legend

- `{connection}`: The list of waiting connections

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.400 com.sap.SCC.core_server.000368

Message

```
Waiting for rater(s) connection(s) to be closed: {connection}.
```

Legend

- `{connection}`: The list of waiting connections

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.401 com.sap.SCC.core_server.000369

Message

```
Concurrent modification of the raters partitions map, the process will
restart with the new map.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.402 com.sap.SCC.core_server.000370

Message

```
Concurrent modification of the guiders partitions map, the process will
restart with the new map.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.403 com.sap.SCC.core_server.000371

Message

```
Primary dispatcher emptied the raters map.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The primary dispatcher instance is not connected to any rater instance.

Possible Impacts

The rating service is not available.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Restart the rater instances or check that the logs of rater instances if they do not start.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.404 com.sap.SCC.core_server.000372

Message

```
Raters map is updated by the primary dispatcher to {instanceCount} instance(s):
{instanceList}.
```

Legend

- `{instanceCount}`: The rater instance count
- `{instanceList}`: The rater instance list

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.405 com.sap.SCC.core_server.000373

Message

```
Primary dispatcher emptied the guiders map.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

This primary dispatcher instance is not connected to any guider instance in the SAP CC Core Server system.

Possible Impacts

The guiding service is not available.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Restart the guider instances or check that the logs of guider instances if they do not start.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.406 com.sap.SCC.core_server.000374

Message

```
Guiders map is updated by the primary dispatcher to {instanceCount} instance(s):
{instanceList}.
```

Legend

- `{instanceCount}`: The guider instance count
- `{instanceList}`: The guider instance list

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.407 com.sap.SCC.core_server.000375

Message

```
{instanceType}s map is empty after a down connection.
```

Legend

- `{instanceType}`: The instance type

Severity

Warning [page 30]

Possible Impacts

The services provided by the specified instance type are not available.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The possible reasons are:

- All the instances of the specified type are stopped. Start all these instances to solve the problem
- A connection problem occurs between this dispatcher instance and all the instances of the specified type. Investigate the connection issue to solve the problem

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.408 com.sap.SCC.core_server.000376

Message

```
{instanceType}s map is updated after a down connection to {instanceCount}
instance(s): {instanceList}.
```

Legend

- `{instanceType}`: The instance type
- `{instanceCount}`: The instance count
- `{instanceList}`: Theinstance list

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.409 com.sap.SCC.core_server.000377

Message

```
No more {instanceType} instance in the map.
```

Legend

- `{instanceType}`: The instance type

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

There is no instance of the specified type connected to this primary dispatcher instance in the SAP CC Core Server system.

Possible Impacts

The business and technical services of the instances of the specified type are not provided.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the next log messages:

- If another log message (378) indicates that the map of the specified instance is updated, the problem does not occur anymore

- Otherwise this means either:
  - All the instances of the specified type are stopped. The correction action is to start all these instances to solve the problem
  - A connection problem occurs between this dispatcher instance and all the instances of the specified type. The correction action is to investigate the connection issue

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.410 com.sap.SCC.core_server.000378

Message

```
{instanceType}s map is updated to {instanceCount} instance(s): {instanceList}.
```

Legend

- `{instanceType}`: The instance type
- `{instanceCount}`: The instance count
- `{instanceList}`: Theinstance list

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.411 com.sap.SCC.core_server.000379

Message

```
{instanceId} is not authorized to start because a timeout has been reached
due to a concurrent operation.
```

Legend

- `{instanceId}`: The instance ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A "register" or "unregister" operation is in progress on the same instance type than the one which is starting.

Possible Impacts

The new instance is not started.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Restart the new instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.412 com.sap.SCC.core_server.000380

Message

```
Cannot send unregistration request to dispatcher instances.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

One or multiple secondary dispatcher instances have not received the new guiders map and raters map.

Possible Impacts

The quality of charging and guiding services is degraded until the issue resolution.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

See the logs of the dispatcher instances for details.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.413 com.sap.SCC.core_server.000381 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Starting the Data File Processor function.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.414 com.sap.SCC.core_server.000382 (Deprecated)

⚠ Caution

This log message ID is deprecated.

Message

This log message is now deprecated in SAP CC:

```
Data File Processor started.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.415 com.sap.SCC.core_server.000383

Message

```
Tax cache has been refreshed: It contains {taxCount} taxes.
```

Legend

- `{taxCount}`: The number of taxes in the cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The tax cache has been refreshed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.416 com.sap.SCC.core_server.000384

Message

```
Subscription/contract counter snapshot maximum size is {maxSnapshotSize} bytes.
```

Legend

- `{maxSnapshotSize}`: The maximum size of a counter snapshot

Severity

Information

Detailed Information (APPS_COMMON Log)

Indicates the maximum size.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.417 com.sap.SCC.core_server.000385

Message

```
Counter snapshot count is not the same for all subscriptions/contracts.
```

Severity

Warning [page 30]

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.418 com.sap.SCC.core_server.000386

Message

```
Counter snapshot count initialized to {initialValue} from the database.
```

Legend

- `{initialValue}`: The initial value

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.419 com.sap.SCC.core_server.000387

Message

```
Counter snapshot count initialized to {initialValue} from the instance
configuration.
```

Legend

- `{initialValue}`: The initial value

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.420 com.sap.SCC.core_server.000388

Message

```
Counter snapshot is set to {initialValueDB} in the database.
Value {initialValueConfig} from the instance configuration will be ignored.
```

Legend

- `{initialValueDB}`: The initial value from the database
- `{initialValueConfig}`: The initial value from the configuration

Severity

Warning [page 30]

Possible Impacts

For instance:

- If the counter snapshot count in the database is greater than the value of the COUNTER_SNAPSHOT_COUNT system parameter, then it will not be possible to rerate from this extra counter snapshot that exists in the system
- If the counter snapshot count in the database is lower than the value of the COUNTER_SNAPSHOT_COUNT system parameter, then the system will propose a rerating of more days than what exists in the system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Set the COUNTER_SNAPSHOT_COUNT system parameter to a value that is equal to the counter snapshot count in the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.421 com.sap.SCC.core_server.000389

Message

```
Threshold of {threshold} bytes reached during the counter snapshot
insertion for subscription/contract [{contractId}]: snapshot size is
{currentSnapshotSize}/{maxSnapshotSize} bytes.
```

Legend

- `{threshold}`: The counter snapshot threshold
- `{contractId}`: The subscription or contract ID
- `{currentSnapshotSize}`: The current size of the counter snapshot
- `{maxSnapshotSize}`: The maximum size of the counter snapshot

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

This warning is fired to prevent problem of counter snapshot insertion in database (ie: log message 390). The size of this counter snapshot has just reached 75% of the maximum size of a counter snapshot.

Possible Impacts

If nothing is done, a following counter snapshot will reach the maximum size of a counter snapshot and the rerating service will be compromised.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the counter snapshot value.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.422 com.sap.SCC.core_server.000390

Message

```
Maximum size of {maxSize} bytes reached during the counter snapshot insertion
for subscription/contract [{contractId}]: {errorSnapshotCount} snapshot(s)
between
{firstErrorSnapshotDate} and {lastErrorSnapshotDate} have not been inserted into
the
database.
```

Legend

- `{maxSize}`: The maximum size of the counter snapshot
- `{contractId}`: The subscription or contract ID
- `{errorSnapshotCount}`: The number of counter snapshots in error
- `{firstErrorSnapshotDate}`: The date of the first counter snapshots in error
- `{lastErrorSnapshotDate}`: The date of the last counter snapshots in error

Severity

Warning [page 30]

Possible Impacts

The counter snapshot(s) for this subscription/contract are stored as erroneous in the database between the 2 dates specified in the log message.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.423 com.sap.SCC.core_server.000391

Message

```
Cache invalidation timeout set to {timeout}ms.
```

Legend

- `{timeout}`: The value of the cache invalidation timeout

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.424 com.sap.SCC.core_server.000392

Message

```
Starting the Data File Processor function.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.425 com.sap.SCC.core_server.000393

Message

```
Data File Processor started.
```

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.426 com.sap.SCC.core_server.000394

Message

```
Cache warmed ({numberOfObjects} {objectType} in cache).
```

Legend

- `{numberOfObjects}`: The number of object in the cache
- `{objectType}`: The object type of the cache

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.427 com.sap.SCC.core_server.000395

Message

```
Starting to warm up the data cache.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache is starting.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.428 com.sap.SCC.core_server.000396

Message

```
Cache warmed.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache successfully ended.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.429 com.sap.SCC.core_server.000397

Message

```
Starting to warm up the data cache.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache is starting.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.430 com.sap.SCC.core_server.000398

Message

```
Cache warmed.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache successfully ended.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.431 com.sap.SCC.core_server.000399

Message

```
Starting to warm up the data cache.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache is starting.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.432 com.sap.SCC.core_server.000400

Message

```
Cache warmed.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache successfully ended.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.433 com.sap.SCC.core_server.000401

Message

```
Provisioning cache initialized with a size of {cacheSize} bytes.
```

Legend

- `{cacheSize}`: The size of the subscription cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The provisioning cache has been initialized according to the size specified in the SUBSCRIPTION_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.434 com.sap.SCC.core_server.000402

Message

```
Starting the warm-up of the {cacheName} cache for the partition {partitionID}.
```

Legend

- `{cacheName}`: The name of the cache
- `{partitionID}`: The partition ID

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified cache will be warmed up for the specified partition ID.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.435 com.sap.SCC.core_server.000403

Message

```
Warm-up of the {cacheName} data cache stopped because the cache is too small.
```

Legend

- `{cacheName}`: The name of the cache

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The warm-up of the data cache is stopped because the size of the data cache is too small.

Possible Impacts

All the objects will not be stored in the cache. If one of the missing objects is required, it will be fetched from the back-end database. This will have an impact on performance.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the data cache by changing the value of the related system parameter:

- SUBSCRIPTION_CACHE_SIZE: for the storage of provisioning data in each rater instance and updater instance

- GUIDING_CACHE_SIZE: for the storage of guiding information in each guider instance
- SESSION_MEMORY_SIZE: for the storage of rating sessions in each rater instance

Refer to the SAP CC 2023 System Parameter Reference for the description of these parameters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.436 com.sap.SCC.core_server.000404

Message

```
Warm-up of the {cacheName} data cache for the partition {partitionID}
stopped ({nbObjects} {objectType} in cache).
```

Legend

- `{cacheName}`: The name of the cache
- `{partitionID}`: The partition ID
- `{nbObjects}`: The number of objects in the cache
- `{objectType}`: The type of the objects in the cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified cache has been warmed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.437 com.sap.SCC.core_server.000405

Message

```
Guiding cache initialized with a size of {cacheSize} bytes.
```

Legend

- `{cacheSize}`: The size of the guiding cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The provisioning cache has been initialized according to the size specified in the GUIDING_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.438 com.sap.SCC.core_server.000406

Message

```
License will expire on {expirationDate}.
```

Legend

- `{expirationDate}`: The date when the license expires

Severity

Information

Detailed Information (APPS_COMMON Log)

Indicates the expiration date of the license.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.439 com.sap.SCC.core_server.000407

Message

```
CI operation factory connected to host {asHost} on client {client} using
user {user}.
```

Legend

- `{asHost}`: The application server host of the JCo[27] destination
- `{client}`: The client of the JCo destination

- `{user}`: The user of the JCo destination

Severity

Information

Detailed Information (APPS_COMMON Log)

This dispatcher instance of the SAP CC system is connected to SAP Convergent Invoicing (in SAP ERP) system (SAP CI).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

[27] Java Connector

5.440 com.sap.SCC.core_server.000408

Message

```
{schedulerName} scheduler paused.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is in pause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.441 com.sap.SCC.core_server.000409

Message

```
{schedulerName} scheduler resumed.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is resumed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.442 com.sap.SCC.core_server.000410

Message

```
{schedulerName} scheduler will wake up on {date}.
```

Legend

- `{schedulerName}`: The scheduler name
- `{date}`: The wake up date

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is sleeping and will wake up on the specified date.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.443 com.sap.SCC.core_server.000411

Message

```
{schedulerName} scheduler started.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is started.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.444 com.sap.SCC.core_server.000412

Message

```
Starting the {schedulerName} scheduler.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is starting.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.445 com.sap.SCC.core_server.000413

Message

```
{schedulerName} scheduler stopped.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.446 com.sap.SCC.core_server.000414

Message

```
Stopping the {schedulerName} scheduler.
```

Legend

- `{schedulerName}`: The scheduler name

Severity

Information

Detailed Information (APPS_COMMON Log)

The scheduler is stopping.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.447 com.sap.SCC.core_server.000415

Message

```
Invalidation of the cache has been performed after the re-connection to
the primary dispatcher.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The cache has been invalidated before replying to a request because the primary dispatcher has changed.

Possible Impacts

There will be an impact on performance while the cache is being reloaded from the back-end database.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check if this temporary loss of connection was expected or not.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.448 com.sap.SCC.core_server.000416

Message

```
Invalidation of the cache has been performed after a down connection to
the primary dispatcher.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The cache has been invalidated because dispatcher connection has been lost.

Possible Impacts

There will be an impact on performance while the cache is being reloaded from the back-end database.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check if this temporary loss of connection was expected or not.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.449 com.sap.SCC.core_server.000417

Message

```
Primary dispatcher has been replaced by {newPrimaryDispatcherConnection}.
```

Legend

- `{newPrimaryDispatcherConnection}`: The new primary dispatcher connection

Severity

Information

Detailed Information (APPS_COMMON Log)

The connection to the known primary dispatcher has been replaced by this new connection.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.450 com.sap.SCC.core_server.000418

Message

```
{instanceID} ({connectionInformation}) cannot be authorized to pre-register
because the connection for {instanceID} is already used.
```

Legend

- `{instanceID}`: The instance ID
- `{connectionInformation}`: The connection information

Severity

Information

Detailed Information (APPS_COMMON Log)

A server with the specified instance ID is already connected to this server instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.451 com.sap.SCC.core_server.000419

Message

```
{instanceType} {instanceID} ({connectionInformation}) is not authorized
to register because the dispatcher is reorganizing its connections.
```

Legend

- `{instanceType}`: The type of the system instance requesting its registration
- `{instanceID}`: The instance ID

- `{connectionInformation}`: The connection information of the previous instance

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system cannot be authorized to register during the reorganization of the connections of the dispatcher instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.452 com.sap.SCC.core_server.000420

Message

```
{instanceID} ({connectionInformation})) cannot be authorized to register
because the connection for {instanceID} is already used.
```

Legend

- `{instanceID}`: The instance ID
- `{connectionInformation}`: The connection information of the instance

Severity

Information

Detailed Information (APPS_COMMON Log)

A server with the specified instance ID is already connected to this server instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.453 com.sap.SCC.core_server.000421

Message

```
{instanceID} ({connectionInformation}) is not authorized to be unregistered
because the dispatcher is reorganizing its connections.
```

Legend

- `{instanceID}`: The instance ID
- `{connectionInformation}`: The connection information of the instance

Severity

Information

Detailed Information (APPS_COMMON Log)

A server with the specified instance ID is already connected to this server instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.454 com.sap.SCC.core_server.000422

Message

```
Instance {instanceID} is still associated with a partition.
```

Legend

- `{instanceID}`: The instance ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A connection associated to a partition has been lost but the dispatcher is still referencing the instance in charge of this partition. This reveal a network problem, previous log entries should help solving it.

Possible Impacts

Some requests may not be answered.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.455 com.sap.SCC.core_server.000423

Message

```
{clientConnection} is not an instance of the system ID {thisSystemID} but
an instance of system ID {clientSystemID}.
```

Legend

- `{clientConnection}`: The instance trying to connect to the current instance
- `{thisSystemID}`: The system ID of the current instance
- `{clientSystemID}`: The system ID of the remote connection

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The instance has not been authorized to connect to the current instance because their system ID are different.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

The dispatcher instances and the updater instances of the system must be specified in the instance map, a line per instance ID.

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.456 com.sap.SCC.core_server.000424

Message

```
Instance is registered to the primary dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information of the the primary dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is registered to the primary dispatcher instance specified in the log message. The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.457 com.sap.SCC.core_server.000425

Message

```
Instance is registered to the secondary dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information of the secondary dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is registered to the secondary dispatcher instance specified in the log message. The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.458 com.sap.SCC.core_server.000426

Message

```
{clientConnection} is not an instance of the system ID {thisSystemID}
but an instance of system ID {clientSystemID}.
```

Legend

- `{clientConnection}`: The instance trying to connect to the current instance
- `{thisSystemID}`: The system ID of the current instance
- `{clientSystemID}`: The system ID of the remote connection

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The instance has not been authorized to connect to the current instance because their system IDs are different.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

The dispatcher instances and the updater instances of the system must be specified in the instance map, a line per instance ID.

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.459 com.sap.SCC.core_server.000427

Message

```
Instance {connectionInformation} has been unregistered.
```

Legend

- `{connectionInformation}`: The connection information of the instance

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified instance in the SAP CC Core Server system is no longer connected to this running instance. The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.460 com.sap.SCC.core_server.000428

Message

```
Instance has not been authorized to stop.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance has not been authorized to stop.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.461 com.sap.SCC.core_server.000429

Message

```
Connection to the primary dispatcher is down: {address}.
```

Legend

- `{address}`: The address of the primary dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance is no longer connected to the primary dispatcher instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.462 com.sap.SCC.core_server.000430

Message

```
Connection to a secondary dispatcher is down: {address}.
```

Legend

- `{address}`: The address of the secondary dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance is no longer connected to the secondary dispatcher instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.463 com.sap.SCC.core_server.000431

Message

```
"Unregister" operation has been interrupted due to a timeout.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The unregister operation has been interrupted due to a timeout.

Possible Impacts

The unregister operation will be retried until it can be completed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the connection of this running instance to the primary dispatcher instance in the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.464 com.sap.SCC.core_server.000432

Message

```
Directory [{path}] created.
```

Legend

- `{path}`: The path of the directory

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified directory has been created by a file processor in this instance of the SAP CC system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.465 com.sap.SCC.core_server.000433

Message

```
File [{file}] cannot be processed completely because it is corrupted.
Processed lines: {lines}.
```

Legend

- `{file}`: The processed file
- `{lines}`: The number of processed lines

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

No line of the file has been processed. The file will be marked in error.

Possible Impacts

No line of the file has been processed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the content of the control file related to the corrupted file for error information
- Consult the Data Files Bulk Loading Process chapter of the SAP CC 2023 Application Help for more details

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.466 com.sap.SCC.core_server.000434

Message

```
File [{file}] processed. Processed lines: {lines}.
```

Legend

- `{file}`: The processed file
- `{lines}`: The number of processed lines

Severity

Information

Detailed Information (APPS_COMMON Log)

The file has been processed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.467 com.sap.SCC.core_server.000435

Message

```
Request handler queue is full for {servicePoolName}.
```

Legend

- `{servicePoolName}`: The service name

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The message queue is full and cannot handle more requests. This message will not be rewritten in the following 10 seconds.

Possible Impacts

The requests will be rejected while the queue is full.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The queue size is specified by a parameter for each service. The related parameters are:

- BATCH_SERVICE_QUEUE_SIZE
- DISPATCHER_SERVER_QUEUE_SIZE
- MULTICAST_SERVER_QUEUE_SIZE
- STATEFUL_SERVICE_QUEUE_SIZE
- STATELESS_SERVICE_QUEUE_SIZE

Additional Information

- Use the Manage SAP CC System Parameters app of the SAP CC Cockpit or the SAP CC Admin+ user interface to get the value of this system parameter
- See the SAP CC 2023 System Parameter Reference to know the correct values

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.468 com.sap.SCC.core_server.000436

Message

```
Invalid recurrence [{recurrence}] for {schedulerName} scheduler.
```

Legend

- `{recurrence}`: The invalid recurrence
- `{schedulerName}`: The scheduler name

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The recurrence has an invalid format and cannot be used.

Possible Impacts

The recurrence for the scheduler was not changed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Set a valid value for the recurrence of the scheduler. Check the syntax in the documentation of the related system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.469 com.sap.SCC.core_server.000437

Message

```
Cannot unmarshall operations with the NOP OFF framework, check your
configuration.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

A request related to the integration with SAP Convergent Invoicing was sent to a dispatcher instance, but the configuration of the dispatcher instance(s) did not allow it.

Possible Impacts

The requested operation will not be executed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Change the value of the system parameter OFF_CLASS to `com.highdeal.off.ci.CIOperationFactory`, then restart the dispatcher instance(s).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.470 com.sap.SCC.core_server.000438

Message

```
Invalid notification {notificationType} for the JCo publisher.
```

Legend

- `{notificationType}`: The notification type

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The JCo[28] publisher had to publish a notification, which it does not handle. The JCo publisher can handle `AMOUNT_ALERT` and `EXPIRATION_ALERT` notification types.

Possible Impacts

The notification will be published through the error channel configured for the JCo publisher.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Consult the notification in the error channel of the JCo publisher.

[28] Java Connector

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.471 com.sap.SCC.core_server.000439

Message

```
Instance {instanceID} is not authorized to start because its system ID
{systemID} is invalid.
```

Legend

- `{instanceID}`: The instance ID requesting registration
- `{systemID}`: The system ID of the requesting instance

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance with a different system ID than the one of the current dispatcher requires to start but the request is rejected.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.472 com.sap.SCC.core_server.000440

Message

```
Connection ({connectionInformation}) with an unknown system ID requests
to start.
```

Legend

- `{connectionInformation}`: The connection information of the client

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance which does not declare a system ID requests to start.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.473 com.sap.SCC.core_server.000441

Message

```
Connection ({connectionInformation}) with old protocol requests to start.
```

Legend

- `{connectionInformation}`: The connection information of the client

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance which does not use the latest protocol version requests to start. This occurs because the requesting instance was not updated to the latest version.

Possible Impacts

The version declared by the requesting instance will be used.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Configure the requesting instance to use the latest protocol version.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.474 com.sap.SCC.core_server.000442

Message

```
Instance {instanceID} is not authorized to register because its system ID
{systemID} is invalid
```

Legend

- `{instanceID}`: The instance ID requesting registration
- `{systemID}`: The system ID of the requesting instance

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance with a different system ID than the one of the current dispatcher requires to register but the request is rejected.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.475 com.sap.SCC.core_server.000443

Message

```
Connection ({connectionInformation}) with an unknown system ID requests
to register.
```

Legend

- `{connectionInformation}`: The connection information of the client

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance which does not declare a system ID requests to register.

Possible Impacts

The requesting instance will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the boot configuration file (`boot.config`) of the requesting instance
- Change the value of the `SYSTEM_ID` property
- Restart the requesting instance

Additional Information

Boot Configuration File (`boot.config`)

Each instance of the SAP CC Core Server system has a boot configuration file (`boot.config`) that includes information to connect to its SAP CC system..

Consult the Configuring SAP Convergent Charging section of the SAP CC 2023 Administration Guide documentation for more information about the available procedures.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.476 com.sap.SCC.core_server.000444

Message

```
Connection ({connectionInformation}) with old protocol requests to register.
```

Legend

- `{connectionInformation}`: The connection information of the client

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An instance which does not use the latest protocol version requests to register. This occurs because the requesting instance was not updated to the latest version.

Possible Impacts

The version declared by the requesting instance will be used.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Configure the requesting instance to use the latest protocol version.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.477 com.sap.SCC.core_server.000445

Message

```
Audit field OPERATION_NAME with the value [{completeValue}] has been
truncated to [{truncatedValue}].
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Archiving Log)

The value of the operation name is too large to be inserted into the database and has been truncated.

Possible Impacts

Some audit data will be lost.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.478 com.sap.SCC.core_server.000446

Message

```
Audit field OPERATOR_NAME with the value [{completeValue}] has been
truncated to [{truncatedValue}]
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Archiving Log)

The value of the operator name is too large to be inserted into the database and has been truncated.

Possible Impacts

Some audit data will be lost.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.479 com.sap.SCC.core_server.000447

Message

```
Audit field OPERAND_REFERENCE with the value [{completeValue}] has been
truncated to [{truncatedValue}].
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Archiving Log)

The value of the operand reference is too large to be inserted into the database and has been truncated.

Possible Impacts

Some audit data will be lost.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.480 com.sap.SCC.core_server.000448

Message

```
Audit field MESSAGE with the value [{completeValue}] has been truncated to
[{truncatedValue}].
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Archiving Log)

The value of the audit message is too large to be inserted into the database and has been truncated.

Possible Impacts

Some audit data will be lost.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.481 com.sap.SCC.core_server.000449

Message

```
Modification of subscription(s) ignoring pending sessions: {subscriptionIDList}.
```

Legend

- `{subscriptionIDList}`: The list of subscription IDs

Severity

Information

Detailed Information (APPS_COMMON Log)

Some subscriptions have been modified while pending sessions were running.

Possible Impacts

The results generated by the pending sessions may be impacted by the modifications performed on the subscriptions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.482 com.sap.SCC.core_server.000450

Message

```
Deletion of subscription(s) ignoring pending sessions: {subscriptionIDList}.
```

Legend

- `{subscriptionIDList}`: The list of subscription IDs

Severity

Information

Detailed Information (APPS_COMMON Log)

Some subscriptions have been deleted while pending sessions were running.

Possible Impacts

The pending sessions have been deleted.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.483 com.sap.SCC.core_server.000451

Message

```
Cannot put the data in the cache because it is larger than the cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The data is larger than the cache, it will not be cached.

Possible Impacts

The data will not be stored in the cache. If it is required, it will be fetched from the back-end database. This will have an impact on performance.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the provisioning cache by changing the value of the SUBSCRIPTION_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.484 com.sap.SCC.core_server.000452

Message

```
Cannot put the subscription in the cache because it is larger than the cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The subscription is larger than the data cache, it will not be cached in this instance of the SAP CC Core Server system.

Possible Impacts

The data will not be stored in the cache. If it is required, it will be fetched from the back-end database system. This will have an impact on performance.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the provisioning cache by changing the value of the SUBSCRIPTION_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.485 com.sap.SCC.core_server.000453

Message

```
Tax cache successfully refreshed: The data cache includes {nbVatRules}
VAT rules
```

Legend

- `{nbVatRules}`: The number of VAT rules in the cache

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has refreshed its data cache that includes the definitions of all the tax rules for all the value added taxes (VAT) configured in the system.

Additional Information

Consult the SAP CC 2023 Application Help about the tax management.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.486 com.sap.SCC.core_server.000454

Message

```
Cannot put the provider contract in the data cache because it is larger
than the cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The provider contract is larger than the data cache, it will not be cached.

Possible Impacts

The provider contract will not be stored in the cache. If it is required, it will be fetched from the back-end database system. This will have an impact on performance.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the provisioning cache by changing the value of the SUBSCRIPTION_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.487 com.sap.SCC.core_server.000455

Message

```
Cannot put the rating data in the cache because it is larger than the cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The rating data is larger than the cache, it will not be cached.

Possible Impacts

The rating data will not be stored in the cache. If it is required, it will be fetched from the back-end database system. This will have an impact on performance.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Increase the size of the rating data cache by changing the value of the SESSION_MEMORY_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.488 com.sap.SCC.core_server.000456

Message

```
Cannot read the private key and certificate for service {serviceName} from
the database.
```

Legend

- `{serviceName}`: The service using the private key and certificate

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while reading the private key and the certificate from the database for the specified service.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Import a valid private key and a valid certificate in the database for the specified service using the `keyentry` target of the SAP CC Setup Tool user interface.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.489 com.sap.SCC.core_server.000457

Message

```
Cannot read the list of trusted certificates of type {typeName} from the
database.
```

Legend

- `{typeName}`: The service using the private key and certificate

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while reading the list of trusted certificates from the database for the specified type.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Import a valid list of trusted certificates in the database for the specified type using the `certentry` target of the SAP CC Setup Tool user interface.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.490 com.sap.SCC.core_server.000458

Message

```
Cannot initialize the SSL protocol for communications via the Web Services.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while configuring SSL for the Web Services (WS) technical interface of SAP Convergent Charging.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Setup Tool user interface to:

- Verify the validity of the private key and certificate used for the security of the Web Services technical interface. Import new ones if needed using the keyentry import command of Setup Tool.Verify the validity of the private key and certificate used for the security of the Web Services technical interface. Import new ones if needed using the 'keyentry import' command of Setup Tool.
- Verify the validity of the trusted certificates configured for the Web Services technical interface. Import new ones if needed using the certentry import command

Additional Information

Consult the SAP CC 2023 Security Guide.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.491 com.sap.SCC.core_server.000459

Message

```
Cannot initialize the HTTP listener for communications via the Web Services.
```

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while initializing the HTTP listener dedicated to the Web Services technical interface.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check that the hostname specified in the instance map for the Web Services technical interface belongs to the local host. Change it if needed using the `instancemap` target of the SAP CC Setup Tool user interface.
- Check that the port number specified in the instance map for the Web Services technical interface is not already in use. Change it if needed using the `instancemap` target of the SAP CC Setup Tool user interface.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.492 com.sap.SCC.core_server.000460

Message

```
Cannot initialize the service [{webServiceName}] in the Web Services
technical interface.
```

Legend

- `{webServiceName}`: The name of the Web service

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while publishing a service (service component) of the Web Services (WS) technical interface.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.493 com.sap.SCC.core_server.000461

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] using
the Web Services and Single Sign-On was refused because the login is incorrect.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto the system using the Web Services technical interface and Single Sign-On (SSO), however the attempt was refused because the login is incorrect.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request will be rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.494 com.sap.SCC.core_server.000462

Message

```
Authentication attempt from [{sourceAddress}] using the Web Services was
    refused because the authentication data is invalid.
```

Legend

- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto the system using the Web Services technical interface, however the attempt was refused because the authentication data is invalid.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request will be rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the configuration of the web services client.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.495 com.sap.SCC.core_server.000463

Message

```
Authentication request was received from address {clientAddress} with a
client version ({clientVersion}) different from the SAP CC system version
({serverVersion}).
```

Legend

- `{clientAddress}`: The IP address of the client application
- `{clientVersion}`: The version of the client application
- `{serverVersion}`: The version of the Core Server system

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An authentication request was received from a client application whose version differs from the version of the connected SAP CC Core Server system.

Possible Impacts

Some features of the client application might not work correctly.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the versions of the SAP CC Java libraries implemented in the client application.

Update the client application or its *Customizing* to the same version than the server one.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.496 com.sap.SCC.core_server.000464

Message

```
Authentication request was received from address {clientAddress}
corresponding to a client application whose version is unknown
```

Legend

- `{clientAddress}`: The IP address of the client application

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An authentication request was received from a client application whose version is unknown.

Possible Impacts

Some features of the client application might not work correctly.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Update the client application to the same version than the server one.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.497 com.sap.SCC.core_server.000465

Message

```
No {ipAddressVersion} address found for the hostname {hostname}.
```

Legend

- `{ipAddressVersion}`: The name of the host to be resolved
- `{hostname}`: The version of the IP addresses to be used

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The host name configured in the instance map cannot be resolved as an IP address. The version of the resolved IP addresses, IP v4 or IP v6, does not correspond to the expected IP address version. For example, the configured IP address version is `FORCE_IPV4` but only IPV6 addresses have been resolved.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Export the parameter configuration from the database

- Change the value of the parameter IP_ADDRESS_VERSION according to your network configuration
- Import the parameter configuration to the database

Additional Information

Instance Map

The instance map lists all the instances of an SAP CC system deployed in your system landscape. It is managed by the primary dispatcher instance.

- View the current instance map with the SAP CC Admin+ user interface
- Export the instance map with the SAP CC Setup Tool user interface

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.498 com.sap.SCC.core_server.000466

Message

```
Initializing the resend subfunction of the reservation renewal function
(session-based charging services).
```

Severity

Information

Detailed Information (APPS_COMMON Log)

At startup time, this rater instance of the SAP CC system started the initialization of the resend subfunction of the reservation renewal function available in the session-based charging services for registered client applications or systems.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.499 com.sap.SCC.core_server.000467

Message

```
Resend subfunction of the reservation renewal function is paused by an
administrator.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the reservation renewal function is now disabled by an administrator in this instance of the SAP CC system.

This instance of the SAP CC system no longer resends any renew reservation notifications.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.500 com.sap.SCC.core_server.000468

Message

```
Stopping the resend subfunction of the reservation renewal function.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This rater instance of the SAP CC system is stopping the resend subfunction of the reservation renewal function.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.501 com.sap.SCC.core_server.000469

Message

```
Resend subfunction of the reservation renewal function is enabled and
initialized.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the reservation renewal function is now enabled and initialized in this rater instance of the SAP CC system.

According to the system settings (attempts, interval), the instance will regularly resend the renew reservation notifications as long as an acknowledgment has not been received from a registered client application (or system).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.502 com.sap.SCC.core_server.000470

Message

```
Resend subfunction of the reservation renewal function is stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system has stopped the resend subfunction of the reservation renewal function. It will no longer resend renew reservation notifications.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.503 com.sap.SCC.core_server.000471

Message

```
Cannot resend a renew reservation notification. Reason is: {message}.
```

Legend

- `{message}`: The message indicating why the scheduler was not able to complete

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An unexpected error occurred in the system. This rater instance of the SAP CC system cannot resend a renew reservation notification due to this unexpected error when trying to send one or several renew reservation notifications.

Possible Impacts

The client application (or system) will not receive the renew reservation notification and will not be able to manage properly the session-based charging services for certain end customers.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

This error must not occur.

- Check the reason indicated in your log entry. The reason is based on Java Technology.
- Archive the log messages and the trace messages
- Contact your SAP Support Team

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.504 com.sap.SCC.core_server.000472

Message

```
Pausing the resend subfunction of the reservation renewal function.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system is pausing its resend subfunction after a system configuration change.

An administrator has requested to disable the subfunction to resend renew reservation notifications.

The instance will complete its current tasks and resend the last renew reservation notifications.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.505 com.sap.SCC.core_server.000473

Message

```
Resuming the resend subfunction of the reservation renewal function.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system is resuming its resend subfunction of the reservation renewal function after a system configuration change.

An administrator has requested to re-enable the subfunction of the reservation renewal function in the session-based charging services.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.506 com.sap.SCC.core_server.000474

Message

```
Resend subfunction of the reservation renewal function is resumed by an
administrator.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the reservation renewal function is now enabled by an administrator in this rater instance of the SAP CC system.

According to the system settings (attempts, interval), the instance will regularly resend the renew reservation notifications as long as an acknowledgment has not been received from a registered client application (or system).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.507 com.sap.SCC.core_server.000475

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was refused
because the SAP CC user credentials are not valid.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto the system, however the attempt was refused because the provided user credentials are not valid.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Core Tool user interface to check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.508 com.sap.SCC.core_server.000476

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the SAP CC user is not allowed to perform the operation.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto the system, however the attempt was refused because the user has not be configured to be allowed to perform the operation.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Core Tool user interface to check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.509 com.sap.SCC.core_server.000477

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the SAP CC user credentials have expired.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Information

Detailed Information (Security Log)

A known SAP CC user tried to log onto the system, however the attempt was refused because the user credentials are no longer valid.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Core Tool user interface to check the user roles and authorizations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.510 com.sap.SCC.core_server.000478

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the SAP CC user password must be changed.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Information

Detailed Information (Security Log)

A known SAP CC user tried to log on to the SAP CC Core Server system, however the attempt was refused because the user password must be changed due to the configured password management policy.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Use the SAP CC Core Tool user interface to check the user roles and authorizations

- In your running Core Server system, verify the values of the PASSWORD_MANAGEMENT_EXPIRATION_DELAY system parameter

Additional Information

- Use the Manage SAP CC System Parameters app of the SAP CC Cockpit or the SAP CC Admin+ user interface to get the values of this system parameter
- See the SAP CC 2023 System Parameter Reference to know the correct values

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.511 com.sap.SCC.core_server.000479

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the user session [{userSessionId}] does not belong to the SAP CC
user.
```

Legend

- `{login}`: The user login

- `{sourceAddress}`: The source address or IP
- `{userSessionId}`: The user session ID

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto an SAP CC system, however the attempt was refused because the session does not belong to the user.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Admin+ user interface to check the user sessions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.512 com.sap.SCC.core_server.000480

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the provided session [{userSessionId}] is unknown.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP
- `{userSessionId}`: The user session ID

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log onto the system, however the attempt was refused because the provided session identifier is unknown for this user.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Use the SAP CC Admin+ user interface to check the user sessions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.513 com.sap.SCC.core_server.000481

Message

```
SAP CC user [{login}] (from [{sourceAddress}]) is not allowed to request
the WS operation because this user is not assigned to a catalog.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Information

Detailed Information (Security Log)

This operation via the Web Services can only be requested by an SAP CC user, which is assigned to a pricing catalog in master data.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify that the SAP CC user has a default catalog assigned.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.514 com.sap.SCC.core_server.000501

Message

```
Allowances Purge mechanism starts with the reference date {date}.
```

Legend

- `{date}`: The reference date of the Allowances Purge mechanism

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is launching the allowance purge mechanism.

Possible Impacts

The allowance purge mechanism uses system resources and may take some time depending on the overall number of charging contracts and allowances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.515 com.sap.SCC.core_server.000502

Message

```
Rater instance must purge {totalCount} charging contract(s) for the partition
{partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{totalCount}`: The number of allowances in the partition
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system is about to start the allowance purge mechanism for the specified number of allowances.

This message displays additional information for tracking the allowance purge mechanism.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.516 com.sap.SCC.core_server.000503

Message

```
Allowances Purge mechanism: {progress}% of charging contract(s) are purged
for the partition {partitionId} ({partitionIndex}/{partitionTotal} partitions).
```

Legend

- `{progress}`: The current progress
- `{partitionId}`: The partition identifier
- `{partitionIndex}`: The partition index overall
- `{partitionTotal}`: The total number of partitions

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system will purge the specified number of allowances.

This message displays additional information for tracking the allowance purge mechanism.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.517 com.sap.SCC.core_server.000504

Message

```
Allowances Purge mechanism is stopped by a user.
```

Severity

Information

Detailed Information (Common Infrastructure Log)

A user has stopped the Allowances Purge mechanism of the rating engine of SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.518 com.sap.SCC.core_server.000505

Message

```
Connection to the primary dispatcher is down: the Allowances Purge mechanism
is stopped.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

The connection to the primary dispatcher instance of the SAP CC Core Server system has been lost. The Allowances Purge mechanism cannot proceed and will be stopped.

Possible Impacts

All expired allowances will not be purged from the system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Run the Allowances Purge mechanism again after the connection to the primary dispatcher is restored to complete the purge of the expired allowances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.519 com.sap.SCC.core_server.000506

Message

```
Rater instance has visited {successCount} charging contract(s),
{allowanceVisited} allowance(s) is/are visited, {allowancePurged} allowance(s)
is/are purged
and {errorCount} charging contract visit(s) cannot be purged
```

Legend

- `{successCount}`: The number of charging contracts with allowances successfully purged
- `{allowanceVisited}`: The number of allowances visited
- `{allowancePurged}`: The number of allowances successfully purged
- `{errorCount}`: The number of charging contracts with allowances that could not be purged

Severity

Information

Detailed Information (Common Infrastructure Log)

This rater instance of the SAP CC Core Server system has finished the Allowances Purge mechanism.

Possible Impacts

Some charging contracts may not have been purged. The number of charging contracts that could not be purged is specified in the message.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If some charging contract could not be purged, it is mandatory to check that the previous error messages to determine the cause.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.520 com.sap.SCC.core_server.000507

Message

```
Allowances Purge mechanism is already running. The request is refused.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The Allowances Purge mechanism is already running.

Possible Impacts

The request will be refused.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Wait for the current execution of the Allowances Purge mechanism to complete before trying to execute it again.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.521 com.sap.SCC.core_server.000508

Message

```
Allowances Purge mechanism is completed with the status {status}.
{nbVisitedObjects} charging contract(s) have been visited to purge the
allowances.
```

Legend

- `{status}`: The overall execution status
- `{nbVisitedObjects}`: The number of visited charging contracts

Severity

Information

Detailed Information (APPS_COMMON Log)

The Allowances Purge mechanism is completed by the system. Check the final status.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.522 com.sap.SCC.core_server.000509

Message

```
Allowances Purge mechanism is starting with the reference date {toDate}
and a maximum throughput set to {throughput} per second per rater instance.
```

Legend

- `{toDate}`: The reference date for the activation
- `{throughput}`: The throughput

Severity

Information

Detailed Information (APPS_COMMON Log)

The execution of the Allowances Purge mechanism is starting. See the logs of the rater instances for details.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.523 com.sap.SCC.core_server.000510

Message

```
All rater instances received the order to stop the Allowances Purge mechanism.
However, some of these rater instances could not comply with the order.
```

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Allowances Purge mechanism. These rater instances correctly received the order, but some of them could not comply with it.

Possible Impacts

Some rater instances may not have stopped the execution of the Allowances Purge mechanism.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the logs of the rater instances which could not stop the Allowances Purge mechanism.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.524 com.sap.SCC.core_server.000511

Message

```
Some rater instances did not receive the order to stop the Allowances Purge
mechanism before the timeout expiration with the following reason:
[{errorMessage}].
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

An internal message was sent to all rater instances for stopping the execution of the Allowances Purge mechanism. Some of these rater instances did not receive this order.

Possible Impacts

Some rater instances may not have stopped the execution of the Allowances Purge mechanism.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the network connections between the dispatcher and the rater instances which did not answer.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.525 com.sap.SCC.core_server.000512

Message

```
Next conditions for triggering the Activation scheduler and the Allowances
Purge scheduler are synchronized. The provider contracts will not be activated
by the Activation process.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

Because the Activation scheduler and the Allowances Purge scheduler are triggered at the same time, the Activation process will not activate the provider contracts to improve performance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.526 com.sap.SCC.core_server.000513

Message

```
Next conditions for triggering the Activation scheduler and the Allowances
Purge scheduler are synchronized. The provider contracts will be activated by
the Allowances Purge mechanism.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

Because the Activation scheduler and the Allowances Purge scheduler are triggered at the same time, the Allowances Purge mechanism will activate the provider contracts to improve performance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.527 com.sap.SCC.core_server.000514

Message

```
Activation process of the provider contracts is running. The provider
contracts will not be activated by the Allowances Purge mechanism.
```

Severity

Information

Detailed Information (Common Infrastructure Log)

Because the Activation process is already running, the Allowances Purge mechanism will not activate the provider contracts.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.528 com.sap.SCC.core_server.000515

Message

```
Retention period for rerating ({retentionPeriodForRerating} days) is greater
than the retention period for expired allowances
({retentionPeriodForExpiredAllowances} days).
```

Legend

- `{retentionPeriodForRerating}`: The retention period for rerating (in days)
- `{retentionPeriodForExpiredAllowances}`: The retention period for expired allowances (in days)

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The retention period for rerating (parameter COUNTER_SNAPSHOT_COUNT) is greater than the retention period for allowances (parameter ALLOWANCES_PURGE_RETENTION_PERIOD).

Possible Impacts

Expired allowances may be deleted by the Allowances Purge mechanism while they are still usable by the chargeable items rerating process. This could result in invalid results during the execution of the chargeable items rerating process.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If allowances are used by the rerating process, increase the retention period for expired allowances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.529 com.sap.SCC.core_server.000526

Message

```
Initializing the resend subfunction of the spending status function.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

At startup time, this rater instance of the SAP CC system started the initialization of the resend subfunction of the spending status function available for registered client applications or systems.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.530 com.sap.SCC.core_server.000527

Message

```
Resend subfunction of the spending status function is paused by an administrator.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the spending status function is now disabled by an administrator in this instance of the SAP CC system.

This instance of the SAP CC system no longer resends any spending status reports.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.531 com.sap.SCC.core_server.000528

Message

```
Stopping the resend subfunction of the spending status monitoring.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This rater instance of the SAP CC system is stopping the resend subfunction of the spending status monitoring.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.532 com.sap.SCC.core_server.000529

Message

```
Resend subfunction of the spending status monitoring is enabled and initialized.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the spending status monitoring is now enabled and initialized in this rater instance of the SAP CC system.

According to the system settings (attempts, interval), the instance will regularly resend the spending status reports as long as an acknowledgment has not been received from a registered client application (or system).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.533 com.sap.SCC.core_server.000530

Message

```
Resend subfunction of the spending status monitoring is stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC system has stopped the resend subfunction of the spending status monitoring. It will no longer resend spending status reports.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.534 com.sap.SCC.core_server.000531

Message

```
Cannot resend a spending status report. Reason is: {reasonMessage}.
```

Legend

- `{reasonMessage}`: The additional info indicating why the scheduler was not able to complete

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An unexpected error occurred in the SAP CC Core Server system. This rater instance of the SAP CC system cannot resend a spending status report due to this unexpected error when trying to send one or several spending status reports.

Possible Impacts

The client application (or system) will not receive the spending status report and will not be able to manage properly the spending status monitoring services for certain end customers.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

This error must not occur.

- Check the reason information recorded in your log entry. The reason is based on Java Technology
- Archive the log messages and the trace messages
- Contact your SAP Support Team

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.535 com.sap.SCC.core_server.000532

Message

```
Pausing the resend subfunction of the spending status monitoring.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is pausing its resend subfunction after a system configuration change.

An administrator has requested to disable the subfunction to resend spending status reports.

The instance will complete its current tasks and resend the last spending status reports.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.536 com.sap.SCC.core_server.000533

Message

```
Resuming the resend subfunction of the spending status monitoring.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is resuming its resend subfunction of the spending status monitoring after a system configuration change.

An administrator has requested to re-enable the report resend subfunction of the spending status monitoring.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.537 com.sap.SCC.core_server.000534

Message

```
Resend subfunction of the spending status monitoring is resumed by an
administrator.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The resend subfunction of the spending status monitoring is now enabled by an administrator in this rater instance of the SAP CC Core Server system.

According to the system settings (attempts, interval), the instance will regularly resend the spending status reports as long as an acknowledgment has not been received from a registered client application (or system).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.538 com.sap.SCC.core_server.000552

Message

```
List of transport destinations is empty.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

No transport destination is currently defined in the SAP system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.539 com.sap.SCC.core_server.000553

Message

```
List of transport destinations contains the following aliases: [{aliases}].
```

Legend

- `{aliases}`: The list of configured system aliases, separated by semicolons

Severity

Information

Detailed Information (APPS_COMMON Log)

A modification of these destinations only concerns the transport requests which reference them.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.540 com.sap.SCC.core_server.000554

Message

```
SAP CC user [{login}] (from [{sourceAddress}]) is not allowed to request
the WS operation because this user is assigned to a catalog.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Information

Detailed Information (Security Log)

This operation via the Web Services (WS) technical interface, can only be requested by an SAP CC user, which is not assigned to a pricing catalog in master data.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Unassign the catalog from the user or execute the operation with a user with no catalog assigned.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.541 com.sap.SCC.core_server.000555

Message

```
Transport requests execution already running. Request ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The transport requests execution operation is already running.

Possible Impacts

The execution of transport requests will be ignored.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

You should wait for the current operation of transport requests execution to complete.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.542 com.sap.SCC.core_server.000556

Message

```
Transport scheduler execution error.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The execution of the transport scheduler encountered an error.

Possible Impacts

The transport requests execution has not been performed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC Core Server system to identify a possible cause:

- Enable and configure the generation of traces
- Set up the trace severity threshold to PATH
- Wait for the next transport scheduler execution
- Analyze the technical information in the trace messages
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.543 com.sap.SCC.core_server.000557

Message

```
Error occurred while receiving an asynchronous response for the transport
web service: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

An error occurred while receiving an asynchronous response for the transport web service. Some parameters of the response are missing or invalid.

Possible Impacts

No transport request will be updated.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.544 com.sap.SCC.core_server.000558

Message

```
Waiting for {instanceType}(s) connection(s) to be closed: {connection}.
```

Legend

- `{instanceType}`: The instance type of waiting connections
- `{connection}`: The list of waiting connections

Severity

Information

Detailed Information (APPS_COMMON Log)

The dispatcher instance is waiting for client connections to be closed before shutting down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.545 com.sap.SCC.core_server.000559

Message

```
Allowances Purge mechanism is already running. The request is ignored.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The Allowances Purge mechanism is already running. It is not possible to execute the Allowances Purge mechanism more than once at the same time.

Possible Impacts

Any new execution of the Allowances Purge mechanism will be ignored by the SAP CC Core Server system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If you need to run the Allowances Purge mechanism again:

- You should either wait for the current execution of the Allowances Purge mechanism to complete
- Or terminate the current Allowances Purge mechanism using the SAP CC Admin+ user interface or by implementing the `stopPurgeAllowances` operation

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.546 com.sap.SCC.core_server.000571

Message

```
Data file [{file}] cannot be cleaned because the cleaning queue is full.
```

Legend

- `{file}`: The data file to archive

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The data file cannot be cleaned before its archiving because there is too much data files to clean.

Possible Impacts

The data file is not archived and will not be available for the bulkloader instance or for the third-party system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The data file will be cleaned again when the rater instance will be restarted.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.547 com.sap.SCC.core_server.000572

Message

```
Data file [{file}] cannot be archived due to an error during cleaning.
```

Legend

- `{file}`: The data file to archive

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred during the cleaning of the data file before its archiving.

The possible errors are (but not restricted to):

- I/O error (e.g. there is not enough space in the file system)
- File format error (e.g. when a crash occurs during data file compression)

Possible Impacts

The data file is set in error (`cleanErr` file extension) and will not be available for the bulkloader instance or for the third-party system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

If the data file is not corrupted (e.g. when the error is due to insufficient space in the file system):

- Rename the erroneous file to remove the cleaning error extension (`.cleanErr`)
- Restart the rater instance, to make the data file be cleaned again when the associated channel will be used

You could disable the compression of the data files in the bulkWriter CIF processors:

- Set the deflate parameters to false (XXX_DEFLATE (BulkWriter)) for the rater bulkWriter CIF processors
- Restart your system to activate this configuration

You could elevate the trace level to have detailed information when this error occurs:

- Enable and configure the generation of traces
- Set up the trace severity threshold to PATH
- Ensure that the tracing domain for the bulk loading mechanism (BLK) is enabled
- After the error occurs, analyze the technical information in the trace messages
- Correct the error(s)

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.548 com.sap.SCC.core_server.000573

Message

```
Instance is registered to the dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information of the dispatcher instance

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is registered to the specified dispatcher instance. The connection information identifies the IP address and communication port.

ⓘ Note

This running instance in the SAP CC system does not know if the dispatcher instance is master or slave.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.549 com.sap.SCC.core_server.000574

Message

```
Connection to a dispatcher instance is down: {address}.
```

Legend

- `{address}`: The address of the dispatcher instance

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is no longer connected to the specified dispatcher instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.550 com.sap.SCC.core_server.000575

Message

```
Applying change list on destination [{transportDestination}]
```

Legend

- `{transportDestination}`: The alias of the transport destination

Severity

Information

Detailed Information (APPS_COMMON Log)

Call of the `changeListApply` operation of the transport webservice for the specified destination.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.551 com.sap.SCC.core_server.000576

Message

```
Cannot send the change list to current destination due to error: {error}.
```

Legend

- `{error}`: The error which occurred during the sending of the change list to the transport destination

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The change list cannot be sent on the destination.

Possible Impacts

The change list is not applied on the configured destination(s).

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the dispatcher URL of the transport destination
- Check the user credentials within the transport destination
- Check that the system which is referenced by the transport destination is started
- Check that the Web Services are available in the SAP CC system referenced by the transport destination
- Check the imported certificates if a secured connection is configured

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.552 com.sap.SCC.core_server.000577

Message

```
Execution of transport request [{transportRequestId}] is ended.
```

Legend

- `{transportRequestId}`: The reference of the transport request

Severity

Information

Detailed Information (APPS_COMMON Log)

The transport request was executed on its associated transport destination(s).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.553 com.sap.SCC.core_server.000578

Message

```
Execution of transport request [{transportRequestId}] relating to the
change list [{changeListName}] is starting.
```

Legend

- `{transportRequestId}`: The reference of the transport request
- `{changeListName}`: The name of the change list to transport

Severity

Information

Detailed Information (APPS_COMMON Log)

The SAP CC Core Server system executes a transport request.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.554 com.sap.SCC.core_server.000579

Message

```
Transport request cannot be executed due to error: {error}.
```

Legend

- `{error}`: The error which occurred before the execution of the transport request

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The change list cannot be transported to the configured destination(s).

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.555 com.sap.SCC.core_server.000580

Message

```
Guider instance is not configured to store the unique identifier of
subscriber accounts in the guiding cache.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

This guider instance is not configured to store the unique identifier of subscriber accounts related to accessible charges in the guiding cache and cannot thus provide it in responses to guiding requests.

Possible Impacts

The vertical scalability of the rater instances will not be optimal.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Refer to the Multihost System Recommendations section of the SAP CC 2023 Administration Guide documentation for more information about rater scalability.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.556 com.sap.SCC.core_server.000581

Message

```
Rater instance is not configured to use the unique identifier of subscriber
accounts for workload distribution.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

This rater instance is not configured to use the unique identifier of subscriber accounts of the accessible charges and cannot thus use it to distribute the workload between the threads of the stateful service.

Possible Impacts

The vertical scalability of the rater instances will not be optimal.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Refer to the Multihost System Recommendations section of the SAP CC 2023 Administration Guide documentation for more information about rater scalability.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.557 com.sap.SCC.core_server.000582 (Deprecated)

> ⚠ Caution
>
> This log message ID is deprecated since SAP CC 4.0 SP07.

Message

This log message is now deprecated in SAP CC:

```
Invalid CIF configuration: inconsistent number of channels between bulkWriter
"{bulkWriterName}" ({bulkWriterChannelCount} channels) and bulkReader
"{bulkReaderName}"
({bulkReaderChannelCount} channels).
```

Legend

- `{bulkWriterName}`: The function name of the bulkWriter
- `{bulkWriterChannelCount}`: The number of writing channels of the bulkWriter
- `{bulkReaderName}`: The function name of the bulkReader
- `{bulkReaderChannelCount}`: The number of reading channels of the bulkReader

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The number of writing channels allocated to the specified bulkWriter function in the rater instances differs from the number of reading channels allocated to the specified bulkReader function in the bulkloader instances.

For each type of output data, the SAP CC system instances handle several channels to manage multiple files. The mechanisms provide mass parallel processing and a high level of performance. Each channel handles a unique file.

> ### Example
>
> The `POSTPAID_CIT_WRITER` function in the rater instances must have the same number of channels as the `POSTPAID_CIT_READER` function in the bulkloader instances.

Possible Impacts

Some output data files generated by the specified bulkWriter function in the rater instances will not be processed by the corresponding bulkReader function in the bulkloader instances.

Next Steps (Troubleshooting)

> ### → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Update the CIF configuration so that the number of writing channels for the specified bulkWriter in the rater instances is equal to the number of reading channels for specified bulkReader in the bulkloader instances.

- Use the SAP CC Setup Tool user interface and the cif export command
- Edit the exported text file and change the relevant value
- Import the changed configuration file with the SAP CC Setup Tool user interface and the cif import command

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.558 com.sap.SCC.core_server.000583

Message

```
Instance stopping and starting again for an internal reason.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system is stopping for an internal reason. The startup framework will start the SAP CC system instance again.

The current state of this instance is not consistent with the complete SAP CC system. There are several reasons that explain this issue:

- Concurrence between two primary dispatcher instances (see message ID com.sap.SCC.core_server.000293 [page 559])

- Concurrence between two active updater instances
- Instance reconnecting to the primary dispatcher instance, and then not authorized by the primary dispatcher instance, for some reason

Try to determine the reason that is relevant for you and your SAP system landscape.

Possible Impacts

This instance will not be available during the restart sequence.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

This instance restarts automatically. Determine the preventive actions to perform. To troubleshoot this potential anomaly, you analyze the cause of this stop and restart sequence:

- Verify the previous log messages of this instance
- Verify the previous trace messages of this instance
- Verify the previous log messages of all dispatcher instances

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.559 com.sap.SCC.core_server.000584

Message

```
Loading and initializing the CIF configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader is loading and initializing the CIF configuration.

The CIF configuration defines the way the bulkloaders must process the charged items and chargeable items generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.560 com.sap.SCC.core_server.000585

Message

```
CIF configuration loaded and initialized.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader has successfully loaded and initialized the CIF configuration.

The CIF configuration defines the way the bulkloaders must process the charged items and chargeable items generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.561 com.sap.SCC.core_server.000586

Message

```
Loading and initializing the CIF configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater is loading and initializing the CIF configuration.

The CIF configuration defines the way the raters must output charged items and chargeable items.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.562 com.sap.SCC.core_server.000587

Message

```
CIF configuration loaded and initialized.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater has successfully loaded and initialized the CIF configuration.

The CIF configuration defines the way the raters must output charged items and chargeable items.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.563 com.sap.SCC.core_server.000588

Message

```
Loading and initializing the RIF configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater is loading and initializing the RIF configuration.

The RIF configuration defines the way the raters must handle rerating orders from the BART Server.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.564 com.sap.SCC.core_server.000589

Message

```
RIF configuration loaded and initialized.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater has successfully loaded and initialized the RIF configuration.

The RIF configuration defines the way the raters must handle rerating orders from the BART Server.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.565 com.sap.SCC.core_server.000590

Message

```
Loading the notification policy.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater or bulkloader is loading the notification policy.

The notification policy defines the way the raters or bulkloaders must handle the notifications:

- On raters side, the notifications are generated during the charging operations
- On bulkloaders side, the notifications are retrieved from the locations defined in the bulkloader policy

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.566 com.sap.SCC.core_server.000591

Message

```
Notification policy loaded.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater or bulkloader has successfully loaded the notification policy.

The notification policy defines the way the raters or bulkloaders must handle the notifications:

- On raters side, the notifications are generated during the charging operations
- On bulkloaders side, the notifications are retrieved from the locations defined in the bulkloader policy

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.567 com.sap.SCC.core_server.000592

Message

```
Initializing the notification policy.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater or bulkloader is initializing the notification policy.

The notification policy defines the way the raters or bulkloaders must handle the notifications:

- On raters side, the notifications are generated during the charging operations
- On bulkloaders side, the notifications are retrieved from the locations defined in the bulkloader policy

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.568 com.sap.SCC.core_server.000593

Message

```
Notification policy initialized.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The rater or bulkloader has successfully initialized the notification policy.

The notification policy defines the way the raters or bulkloaders must handle the notifications:

- On raters side, the notifications are generated during the charging operations
- On bulkloaders side, the notifications are retrieved from the locations defined in the bulkloader policy

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.569 com.sap.SCC.core_server.000594

Message

```
Loading the bulkloader policy.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader is loading the bulkloader policy.

The bulkloader policy defines the locations that the bulkloader must use to read notifications generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.570 com.sap.SCC.core_server.000595

Message

```
Bulkloader policy loaded.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader has successfully loaded the bulkloader policy.

The bulkloader policy defines the locations that the bulkloader must use to read notifications generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.571 com.sap.SCC.core_server.000596

Message

```
Initializing the bulkloader policy.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader is initializing the bulkloader policy.

The bulkloader policy defines the locations that the bulkloader must use to read notifications generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.572 com.sap.SCC.core_server.000597

Message

```
Bulkloader policy initialized.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The bulkloader has successfully initialized the bulkloader policy.

The bulkloader policy defines the locations that the bulkloader must use to read notifications generated by raters.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.573 com.sap.SCC.core_server.000598

Message

```
Initializing OFF configuration.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The instance is initializing the OFF configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.574 com.sap.SCC.core_server.000599

Message

```
Instance is registering to the dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information about the dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is registering to the dispatcher instance specified in the log message.

The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.575 com.sap.SCC.core_server.000600

Message

```
Instance is connecting to the dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information about the dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is connecting to the dispatcher instance specified in the log message.

The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.576 com.sap.SCC.core_server.000601

Message

```
Instance is connected to the dispatcher [{connectionInformation}].
```

Legend

- `{connectionInformation}`: The connection information about the dispatcher

Severity

Information

Detailed Information (APPS_COMMON Log)

The instance of the SAP CC Core Server system is connected to the dispatcher instance specified in the log message.

The connection information identifies the IP address and communication port.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.577 com.sap.SCC.core_server.000602

Message

```
Connecting to the JCo destination {jcoDestinationAlias} on host
{jcoDestinationHost} using client {jcoDestinationClient} and user
{jcoDestinationUser} with
version {jcoVersion} of the JCo library.
```

Legend

- `{jcoDestinationAlias}`: The alias of the JCo[29] destination
- `{jcoDestinationHost}`: The host (application server or message server) configured in the JCo destination
- `{jcoDestinationClient}`: The client configured in the JCo destination
- `{jcoDestinationUser}`: The user configured in the JCo destination
- `{jcoVersion}`: The version of the JCo library

Severity

Information

Detailed Information (APPS_COMMON Log)

SAP Convergent Charging is connecting to a JCo destination.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

[29] Java Connector

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.578 com.sap.SCC.core_server.000603

Message

```
Connected to the JCo destination {jcoDestinationAlias}.
```

Legend

- `{jcoDestinationAlias}`: The alias of the JCo[30] destination

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance in the SAP CC system is connected to a JCo destination.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[30] Java Connector

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.579 com.sap.SCC.core_server.000604

Message

```
Logging and tracing successfully configured with system parameters.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

Both the logging and tracing functions are configured now in the corresponding SAP CC system instance. The functions use the system parameters such as the LDF1_ENABLED system parameter and LDF2_ENABLED system parameter.

See the Logging and Tracing Settings parameter group in the SAP CC 2023 System Parameter Reference.

Additional Information

Configuration (System)

To configure some SAP CC system parameters in the SAP CC Core Server system, see the app Manage SAP CC System Parameters in the SAP CC 2020 Convergent Charging Cockpit user interface or see the SAP CC Admin+ user interface.

For more information and user assistance, consult the SAP CC 2023 System Parameter Reference.

Features, Concepts

SAP CC 2023 Application Help

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.580 com.sap.SCC.core_server.000611

Message

```
SAP CC user [{login}] (from [{sourceAddress}]) is not allowed to use the
technical interface.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

An SAP CC user tried to log on to the system, however the attempt was refused because the security profile of the user (service user or individual user) does not allow it to use the technical interface.

This security message is intended to warn of a possible attack and should be investigated by the administrator.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the security profile of the user.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.581 com.sap.SCC.core_server.000612

Message

```
Starting the cleanup service for processing unclosed data files.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The cleanup service is starting in order to process the data files that have not been properly released by the associated rater, and which must thus be archived for further bulk loading operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.582 com.sap.SCC.core_server.000613

Message

```
Cleanup service executed. {nbArchivedFiles} data files archived and
{nbFailedFiles} data files failed to be processed.
```

Legend

- `{nbArchivedFiles}`: The number of data files archived by the cleanup service
- `{nbFailedFiles}`: The number of data files failed to be processed by the cleanup service

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The execution of the cleanup service ended for targeted data files. The data files that failed to be processed will not be available for further bulk loading operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.583 com.sap.SCC.core_server.000614

Message

```
Thread dump generated in file {threadDumpFilePath} for the following
reason: {threadDumpReason}
```

Legend

- `{threadDumpFilePath}`: The path of the thread dump file
- `{threadDumpReason}`: The reason why the thread dump file has been generated

Severity

Information

Detailed Information (APPS_COMMON Log)

A thread dump file has been generated because a triggering condition has been reached within an instance of the SAP CC Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.584 com.sap.SCC.core_server.000615

Message

```
An error occurred during the generation of a thread dump file:
{errorDescription}.
```

Legend

- `{errorDescription}`: The reason why the thread dump file has not been generated

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

The generation of a thread dump file failed due to an internal error. The thread dump file could not be generated.

Possible Impacts

The thread dump file will not be generated, and no information will thus be available for the execution context of the related thread.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Troubleshoot your SAP CC system by analyzing the description of the internal error that is provided as an argument of this log message.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.585 com.sap.SCC.core_server.000616

Message

```
{deletedFileCount} file(s) deleted during the cleanup operation related
to thread dump files.
```

Legend

- `{deletedFileCount}`: The number of thread dump files deleted during the cleanup operation

Severity

Information

Detailed Information (APPS_COMMON Log)

The execution of the cleanup operation ended for targeted thread dump files.

For further information about the recurrence of this operation, refer to the description of the THREAD_DUMP_RETENTION_PERIOD system parameter available in the SAP CC 2023 System Parameter Reference documentation.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.586 com.sap.SCC.core_server.000617

Message

```
List of thread dump files whose generation aborted due to the generation
interval condition: {attemptsAndReasonsList}.
```

Legend

- `{attemptsAndReasonsList}`: The list of thread dump files (including the related reason) whose generation aborted

Severity

Information

Detailed Information (APPS_COMMON Log)

The automated generation of thread dump files is enabled in this instance of the running SAP CC Core Server system.

The THREAD_DUMP_MINIMUM_INTERVAL system parameter gives the possibility to define the minimum number of seconds between two generations of a thread dump file relating to the same triggering reason. In rare case multiple thread dump files must be generated for the same reason within this defined interval, corresponding generation operations are aborted but listed for information purpose.

For more information about the definition of the minimum interval, refer to the THREAD_DUMP_MINIMUM_INTERVAL system parameter available in the SAP CC 2023 System Parameter Reference documentation.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Thread dump files provide your SAP Support Team with some advanced supportability tools. Consult the SAP CC 2023 Administration and Operation Guide and contact a support specialist from your SAP Support Team to know how to work with thread dump files of SAP Convergent Charging.

- System configuration:
  - THREAD_DUMP_ENABLED system parameter
  - Thread Dump File Generation Troubleshooting Settings parameter group
- Technical operations:
  - Troubleshooting of SAP CC
  - Thread Dump metric node

See also SAP CC 2023 Performance Metric Reference

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.587 com.sap.SCC.core_server.000618

Message

```
File [{file}] was not processed completely because the instance is shutting down.
```

Legend

- `{file}`: The processed file

Severity

Information

Detailed Information (APPS_COMMON Log)

This bulkloader instance is shutting down. It did not process the identified file completely. The instance automatically resumes processing the file after its restart.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.588 com.sap.SCC.core_server.000619

Message

```
Starting the service in charge of creating data files.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

Raters and bulkloaders use the Charging output Integration Framework to generate data files. The pre-creation service is used to create these data files before they are really used, in order to increase performances regarding contention and latency during writing operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.589 com.sap.SCC.core_server.000620

Message

```
The service in charge of creating data files is stopped.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The pre-creation service is stopped.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.590 com.sap.SCC.core_server.000621

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the login or the password is incorrect.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

A client application tried to log on to the SAP CC system, but the attempt was refused because the login or the password is incorrect.

This security message warns of a possible attack that the administrator should investigate.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user login or the password.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.591 com.sap.SCC.core_server.000622

Message

```
Authentication attempt with login [{login}] from [{sourceAddress}] was
refused because the user does not have the Message Charging Client role.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

A client application tried to log on to the SAP CC system, but the attempt was refused because the user does not have the Message Charging Client role.

This security message warns of a possible attack that the administrator should investigate.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the user roles.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.592 com.sap.SCC.core_server.000623

Message

```
Authentication attempt without credential from [{sourceAddress}] was refused
because authentication is required.
```

Legend

- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

A client application tried to log on to the SAP CC system, but the attempt was refused because credentials are needed.

This security message warns of a possible attack that the administrator should investigate.

Possible Impacts

The operation request is rejected by the SAP CC system.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the credentials.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.593 com.sap.SCC.core_server.000624

Message

```
{numberOfRemainingPartitionsToRelease} remaining partitions to release
before completing the shutdown of this instance of the SAP CC Core Server
system. List of
remaining partitions: {remainingPartitionListToRelease}
```

Legend

- `{numberOfRemainingPartitionsToRelease}`: The number of partitions to release
- `{remainingPartitionListToRelease}`: The CSV[31] list of remaining partitions to release

Severity

Information

[31] Comma Separated Value

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has received a shutdown request. This instance must release the set of handled partitions to give the primary dispatcher the possibility to distribute this set among the other running instances of the same type.

For further information, refer to the Partitions Mapping Reorganization section of the SAP CC 2023 Application Help documentation.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.594 com.sap.SCC.core_server.000625

Message

```
Executing hard shutdown of {productName} instance {instanceId} with a
configured timeout of {shutdownTimeout} seconds (waiting for the dispatcher
authorization
to stop).
```

Legend

- `{productName}`: The product name
- `{instanceId}`: The instance ID

- `{shutdownTimeout}`: The shutdown timeout configured in the startup framework

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has received a hard shutdown request from the startup framework.

For further information, refer to the Starting and Stopping the Server Systems section of the SAP CC 2023 Installation and Maintenance Guide documentation.

The instance waits for an authorization to stop from the primary dispatcher instance.

Possible Impacts

This instance will shut down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.595 com.sap.SCC.core_server.000626

Message

```
Executing soft shutdown of {productName} instance {instanceId} (waiting for
the dispatcher authorization to stop).
```

Legend

- `{productName}`: The product name
- `{instanceId}`: The instance ID

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance of the SAP CC Core Server system has received a soft shutdown request from the startup framework.

For further information, refer to the Starting and Stopping the Server Systems section of the SAP CC 2023 Installation and Maintenance Guide documentation.

The instance waits for an authorization to stop from the primary dispatcher instance.

Possible Impacts

This instance will shut down.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.596 com.sap.SCC.core_server.000627

Message

```
Shared Allowance cache initialized with a size of {cacheSize} bytes.
```

Legend

- `{cacheSize}`: The size of the shared Allowance cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The shared allowance cache has been initialized according to the size specified in the SHARED_ALLOWANCE_CACHE_SIZE system parameter.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.597 com.sap.SCC.core_server.000628

Message

```
{victimizedCount} shared Allowances were victimized due to the update of
the shared Allowance cache.
```

Legend

- `{victimizedCount}`: The number of shared Allowances victimized due to the update of the shared Allowance cache

Severity

Information

Detailed Information (APPS_COMMON Log)

The number of shared Allowances victimized due to the update of the Shared Allowance cache.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.598 com.sap.SCC.core_server.000629

Message

```
Refreshing the shared allowance cache.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The refreshing operation of the cached structure containing shared allowances is starting.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.599 com.sap.SCC.core_server.000630

Message

```
The shared allowance cache has been refreshed.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The refreshing operation of the cached structure containing shared allowances successfully ended. The shared allowances cache is now up-to-date.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.600 com.sap.SCC.core_server.000631

Message

```
The shared allowances cache could not be refreshed.
```

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred during the refreshing operation of the cached structure containing shared allowances. The shared allowances cache has not been refreshed and is thus not up-to-date.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.601 com.sap.SCC.core_server.000632

Message

```
The recharging feature is deactivated.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Chargeable Items Recharging feature is deactivated within your SAP CC landscape.

Possible Impacts

Recharging operations cannot be performed anymore.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.602 com.sap.SCC.core_server.000633

Message

```
Starting the recording service for file metadata.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance is starting the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.603 com.sap.SCC.core_server.000634

Message

```
Recording service for file metadata successfully started.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance has successfully started the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.604 com.sap.SCC.core_server.000635

Message

```
Stopping the recording service for file metadata.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance is stopping the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.605 com.sap.SCC.core_server.000636

Message

```
Recording service for file metadata successfully stopped.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance has successfully stopped the service in charge of recording metadata about data files generated by SAP CC during the execution of the different processes.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.606 com.sap.SCC.core_server.000637

Message

```
An error occurred while recording file metadata in the Core database.
{fileCount} files could not be recorded. Reason is: {errorMessage}.
```

Legend

- `{fileCount}`: The number of files for which metadata could not be recorded in the database
- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred while recording file metadata in the Core Database.

Possible Impacts

Metadata will not be recorded for the impacted data files. The data available in the Analyze Item Files web application will not be consistent for these data files.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the reason provided in the log message
- Verify for additional traces about the error

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.607 com.sap.SCC.core_server.000638

Message

```
Starting the purge of file metadata with the reference date {referenceDate}.
```

Legend

- `{referenceDate}`: The reference date of the purge operation

Severity

Information

Detailed Information (APPS_COMMON Log)

This updater instance of the SAP CC Core Server system is executing a purge operation of file metadata.

Possible Impacts

The purge of file metadata uses system resources and may take some time depending on the overall number of file metadata that exist in the Core Database.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the reason provided in the log message
- Verify for additional traces about the error

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.608 com.sap.SCC.core_server.000639

Message

```
Purge of file metadata ended. {successCount} file metadata purged.
```

Legend

- `{successCount}`: The number of file metadata successfully purged

Severity

Information

Detailed Information (APPS_COMMON Log)

This updater instance of the SAP CC Core Server system has finished a purge operation of file metadata.

Possible Impacts

Some file metadata may not have been purged. Verify the previous log message to get information about the reason of the possible errors.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.609 com.sap.SCC.core_server.000640

Message

```
An error occurred while purging file metadata from the Core database.
Reason is: {errorMessage}.
```

Legend

- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

An error occurred while purging file metadata from the Core Database.

Possible Impacts

Some metadata will not be purged.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify the reason provided in the log message
- Verify for additional traces about the error
- Perform the purge of file metadata again

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.610 com.sap.SCC.core_server.000650

Message

```
Cleanup service still running for {nbPendingFiles} data files containing
uncommitted items that must be removed.
```

Legend

- `{nbPendingFiles}`: The number of data files for which the cleanup service is still running

Severity

Information

Detailed Information (SAP CC System Configuration Log)

The execution of the cleanup service is still running asynchronously for data files containing uncommitted items that must be removed. The related data files will be available for further bulk loading operations once the cleanup ends.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.611 com.sap.SCC.core_server.000651

Message

```
Shutdown request received: closing opened data files.
```

Severity

Information

Detailed Information (SAP CC System Configuration Log)

This instance of the SAP CC Core Server system has received a request to shut down. Opened data files will be closed if possible to ensure that a maximum of these data files are closed properly for further bulk loading operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.612 com.sap.SCC.core_server.000652

Message

```
The SLD server was not recognized.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The SLD[32] registration request was sent to an HTTP server that could not be identified.

This security message warns of a possible error in the configuration of the System Landscape Directory (SLD) or of your SAP CC Core Server system.

Possible Impacts

The SAP CC system cannot confirm that the SLD registration has been taken into account.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Verify whether the SAP CC system has been properly registered in the SLD
- Verify that the SLD system is correctly running
- Verify that the SLD_URL system parameter points to the `Data Supplier` service of the SLD

[32] System Landscape Directory

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.613 com.sap.SCC.core_server.000653

Message

```
Audit field INSTANCE_ID with the value [{completeValue}] has been truncated
to [{truncatedValue}].
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Archiving Log)

The value of the audit instance identifier is too large to be inserted into the database and has been truncated.

Possible Impacts

Some audit data will be lost.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.614 com.sap.SCC.core_server.000654

Message

```
{startOperationsCount} session start operation(s) refused because the
subscriber account has already more than {maxAllowedStartedSessions} started
session(s).
```

Legend

- `{startOperationsCount}`: The number of refused requests
- `{maxAllowedStartedSessions}`: The maximum number of allowed sessions per subscriber account

Severity

Warning [page 30]

Detailed Information (Common Infrastructure Log)

Some session start operations have been refused because the limit of started sessions per subscriber account has been reached.

For further information, refer to the description of the RATING_SESSION_PER_SUBSCRIBER_ACCOUNT_LIMIT system parameter.

Possible Impacts

The operation is refused.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

The configured limit has been reached. The operations are refused to limit the potential impact on the system stability. You should investigate the reason why the subscriber account(s) have reached the configured limit.

Additional Information

Consult the SAP CC 2023 System Parameter Reference to find more information on the configuration parameter RATING_SESSION_PER_SUBSCRIBER_ACCOUNT_LIMIT.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.615 com.sap.SCC.core_server.000701

Message

```
Cleanup operation fails on subscriber account {subscriberAccountId} for
session {sessionId} and reservation {reservationId} due to error: {errorMessage}.
```

Legend

- `{subscriberAccountId}`: The identifier of the subscriber account
- `{sessionId}`: The identifier of the charging session

- `{reservationId}`: The identifier of the reservation
- `{errorMessage}`: The error message

Severity

Error [page 29]

Detailed Information (Common Infrastructure Log)

The cleanup operation failed. The expired charging session cannot be cleanup and removed.

Possible Impacts

The operation is refused, it may be a cleanup operation or the operation that triggered the cleanup. The expired session is still attached to the subscriber account in the session history and may lead to other failures.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Verify the error message and the expired session for the subscriber account in error to determine the cause and an action plan.

Possible solutions are:

- Try to cleanup again this subscriber account in case of a temporary failure
- Correct the customer data of the subscriber account, such as its prepaid accounts, subscriber mapping tables, counters or allowances
- Cancel the subscriber account expired charging session in error
- Correct the pricing catalog that cause the error, such as mapping tables, price plan or charging plan

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.616 com.sap.SCC.core_server.000702

Message

```
Publish the list of available dispatchers to the internal clients.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

Publish the list of available dispatchers to the internal clients.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.617 com.sap.SCC.core_server.000703

Message

```
Retry to publish the list of available dispatchers to the internal clients.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

Retry to publish the list of available dispatchers to the internal clients.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.618 com.sap.SCC.core_server.000704

Message

```
The list of available dispatchers to the internal clients has been published.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The list of available dispatchers to the internal clients has been published.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.619 com.sap.SCC.core_server.000705

Message

```
Cannot publish the list of available dispatchers to the internal clients.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

Cannot publish the list of available dispatchers to the internal clients.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.620 com.sap.SCC.core_server.000706

Message

```
The connection to the {identifier} cannot be close because {identifier2}
has not be unregistered (Process has started at {startdate}).
```

Legend

- `{identifier}`: Identifier of the connection
- `{identifier2}`: Identifier of the connection
- `{startdate}`: Start date of the process

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The connection of one dispatcher instance cannot be close because it has not be unregistered. It will be retried.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.621 com.sap.SCC.core_server.000707

Message

```
Stop to check the status of the {identifier} (the timeout is reached,
process has started at {startdate}).
```

Legend

- `{identifier}`: Identifier of the connection
- `{startdate}`: Start date of the process

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The timeout of 45 seconds has been expired. This stops the check of the status of the dispatcher instance.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.622 com.sap.SCC.core_server.000708

Message

```
The connection to the {identifier} can be closed, the {identifier2} is
already unregistered (Process has started at {startdate}).
```

Legend

- `{identifier}`: Identifier of the connection
- `{identifier2}`: Identifier of the connection
- `{startdate}`: Start date of the process

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The connection to the dispatcher instance can be closed, it is already unregistered.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.623 com.sap.SCC.core_server.000709

Message

```
Stopping to waiting for {instanceType} connection(s) to be closed due to
timeout: {connection}.
```

Legend

- `{instanceType}`: Instance type
- `{connection}`: Connection

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

Stopping to waiting for {instanceType}(s) connection(s) to be closed due to timeout: {connection}.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.624 com.sap.SCC.core_server.000710

Message

```
The maintenance mode has been enabled.
```

Severity

Information

Detailed Information (SYS_CHANGES Log)

Due to maintenance operations, the Core Server system now runs in maintenance mode.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.625 com.sap.SCC.core_server.000711

Message

```
The maintenance mode has been disabled.
```

Severity

Information

Detailed Information (SYS_CHANGES Log)

The maintenance mode has been disabled for the Core Server system.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.626 com.sap.SCC.core_server.000712

Message

```
The standby status of some instances has changed. Current status is:
{standbyStatus}.
```

Legend

- `{standbyStatus}`: Standby status of the concerned instances

Severity

Information

Detailed Information (SYS_CHANGES Log)

The standby status of some instances has changed.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.627 com.sap.SCC.core_server.000713

Message

```
Warm-up of the {cacheName} data cache for the partition {partitionID}
stopped ({nbObjects} {objectType} in cache, {nbDataTransferObjects} warmed using
network
data transfer).
```

Legend

- `{cacheName}`: The name of the cache
- `{partitionID}`: The partition ID
- `{nbObjects}`: The number of objects in the cache
- `{objectType}`: The type of objects in the cache
- `{nbDataTransferObjects}`: The number of objects warmed using network data transfer

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified cached structure has been warmed using network data transfer operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.628 com.sap.SCC.core_server.000714

Message

```
Starting to update the instance map.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The dispatcherdispatcher is starting the reorganization of the instance map.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.629 com.sap.SCC.core_server.000715

Message

```
Cache warm-up configuration: \n- Network data transfer:
{networkDataTransferStatus}\n- Instances incompatible with network data
transfer:
{instanceList}.
```

Legend

- `{networkDataTransferStatus}`: The network data transfer status: enabled or disabled
- `{instanceList}`: The list of instances incompatible with network data transfer, or none if there is no instance incompatible with network data transfer

Severity

Information

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.630 com.sap.SCC.core_server.000716

Message

```
No new partition to assign to the following instances: {instanceList}.
```

Legend

- `{instanceList}`: The list of instances with no new partition to assign

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified instances are not concerned by the instance map reorganization and will not receive any new partition.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.631 com.sap.SCC.core_server.000717

Message

```
No new partition to assign to the following instances: {instanceList}.
```

Legend

- `{instanceList}`: The list of instances with the partition(s) to assign to them

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified instances are concerned by the instance map reorganization and will receive the specified set of partitions.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.632 com.sap.SCC.core_server.000718

Message

```
Assigned new partition(s) to the following instances: {instanceList}.
```

Legend

- `{instanceList}`: The list of instances with their assigned partition(s)

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified set of partitions have been assigned to the specified instances.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.633 com.sap.SCC.core_server.000719

Message

```
{instanceId} is authorized to stop: no more partition are assigned to that
instance.
```

Legend

- `{instanceId}`: The identifier of the instance

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified instance does not handle any partition and no longer takes part in any process. Therefore, that instance can stop.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.634 com.sap.SCC.core_server.000720

Message

```
{instanceId} is authorized to stop: no more data transfer activity on the
network for that instance.
```

Legend

- `{instanceId}`: The identifier of the instance

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified instance does not handle any partition and no longer takes part in any process. Therefore, that instance can stop.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.635 com.sap.SCC.core_server.000721

Message

```
The update of the instance map has stopped due to a new reorganization.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The status of some instances has changed in parallel, which leads to a new reorganization of the currently computed instance map. As a consequence, the dispatcher needs to stop the current reorganization operation to perform a new one.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.636 com.sap.SCC.core_server.000722

Message

```
Waiting for the end of partitions warm-up operations.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

All partitions have been distributed to the running instances. The dispatcher is waiting for the end of the related warm-up operations.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.637 com.sap.SCC.core_server.000723

Message

```
All warm-up operations ended.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

All warm-up operations performed by all the running instances ended. The reorganization of the instance map is thus finished.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.638 com.sap.SCC.core_server.000724

Message

```
Starting the warm-up of the {cacheName} cache for the partition {partitionID}
from the database.
```

Legend

- `{cacheName}`: The name of the cache

- `{partitionID}`: The partition ID

Severity

Information

Detailed Information (APPS_COMMON Log)

The specified cached structure will be warmed up from the database using data related to the specified partition ID.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.639 com.sap.SCC.core_server.000725

Message

```
Unable to send {nbObjects} object(s) due to exceeded message size
({messageSize}).
```

Legend

- `{nbObjects}`: The number of objects
- `{messageSize}`: The maximum exceeding message size

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The size of the data sent over the network exceeded the value defined in the CONNECTION_MESSAGE_MAX_SIZE system parameter.

This warning message will not be displayed in the following 10 seconds.

Possible Impacts

The requesting instance will not receive the data and may have to load this data from the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.640 com.sap.SCC.core_server.000726

Message

```
Unable to receive {nbObjects} {objectType} due to exceeded message size
during warm-up of the partition {partitionID}.
```

Legend

- `{nbObjects}`: The number of objects
- `{objectType}`: The type of objects in the cache
- `{partitionID}`: The partition ID

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The size of the data sent over the network exceeded the value defined in the CONNECTION_MESSAGE_MAX_SIZE system parameter.

Possible Impacts

The requested data will not be warmed up and the instance may have to load this data from the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.641 com.sap.SCC.core_server.000727

Message

```
Prefix for parameter names is missing in the CIF configuration for the
{cifProcessorNodeName} CIF processor. Change the system settings.
```

Legend

- `{cifProcessorNodeName}`: The name of the CIF processor and the name of the XML element in the CIF configuration

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

The CIF configuration for the specified CIF processor is incorrect. A prefix for the parameter names is missing in these system settings.

The CIF configuration is an XML structure. It must include the attribute `adminParameterPrefixName` in the XML elements that are specified in your log message. Note that the CIF configuration depends on the type of the instances in the SAP CC Core Server system.

Possible Impacts

In the SAP CC Core Server system, this instance will start but the system parameters for this CIF processor will not be available when using the SAP CC Admin+ and the SAP CC Cockpit user interfaces or the SAP CC APIs[33].

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Correct the CIF configuration of your SAP CC Core Server system:

- Determine the type of instances in the system that generated the log message
- Export the CIF configuration for this type of instances using the SAP CC Setup Tool user interface
- Verify that the CIF configuration is correctly set. Add some missing mandatory XML attributes adminParameterPrefixName to define the system parameters properly. Refer to the SAP Note 2470720 for more information and user assistance
- Import the modified CIF configuration

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

[33] Application Programming Interface

5.642 com.sap.SCC.core_server.000728

Message

```
The Prepaid Accounts Management feature is disabled.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The Prepaid Accounts Management feature is disabled.

This means that master data related to prepaid accounts are no more available in both user interfaces and operations from the Web Services and HCI technical interfaces:

- Prepaid Account in Subscriber Account
- Refill Item Class
- Refill Record Class
- Refill Logic
- Refill Plan

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.643 com.sap.SCC.core_server.000729

Message

```
Loading the instance configuration from the boot configuration file.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

This instance is loading the settings related to its communication channels from its boot configuration file.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.644 com.sap.SCC.core_server.000730

Message

```
SCIM REST API is enabled.
```

Severity

Information

Detailed Information (APPS_COMMON Log)

The *SCIM 2.0 Web Service (REST)* feature and its functions are enabled in this instance of the running SAP CC Core Server system.

The SCIM services are available on the REST Web Service of SAP CC. SCIM-based systems or applications can consume it to manage the provisioning, creation, and maintenance of individual users.

See also: Users Management via External Systems

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.645 com.sap.SCC.core_server.000731

Message

```
SCIM REST API cannot be enabled because the Web Services are not secured.
```

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

To enable the SCIM REST API feature and its relating System for Cross-domain Identity Management (SCIM) functions and mechanisms, the Web Services must be secured.

You must secure the *REST on HTTP* communication channel.

Troubleshooting and Resolution Plans

Immediate correction actions:

Integrating SAP CC with a SCIM-Based System

Parent Message

com.sap.SCC.core_server.000730 [page 951]

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.646 com.sap.SCC.core_server.000732

Message

```
Cannot initialize the rest application [{restApplicationName}] in the Web
Services technical interface.
```

Legend

- `{restApplicationName}`: The name of the REST application

Severity

Fatal Error [page 29]

Detailed Information (SAP CC System Log)

An error occurred while publishing an application (service component) of the Web Services (WS) technical interface.

Possible Impacts

This instance of the SAP CC Core Server system will not start.

Next Steps (Troubleshooting)

→ Remember

This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

→ Recommendation

Contact your SAP Support Team at https://support.sap.com/incident.

You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.647 com.sap.SCC.core_server.000733

Message

```
Rest application published and available at: {protocol}://{hostname}:
{port}/{restApplicationName}.
```

Legend

- `{protocol}`: The HTTP protocol
- `{hostname}`: The hostname
- `{port}`: The port number
- `{restApplicationName}`: The REST application technical name

Severity

Information

Detailed Information (APPS_COMMON Log)

The URL of the published REST application. This URL is required by the systems connected to the SAP CC Core Server system with this technical interface (Web Services).

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.648 com.sap.SCC.core_server.000734

Message

```
Immediate loading of output items into SAP Convergent Invoicing is enabled with
{jcoConnectionCount} JCo connections
```

Legend

- `{jcoConnectionCount}`: The number of JCo connections available for the immediate loading of output items

Severity

INFO

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is enabled with some dedicated JCo connections. As soon as the feature is triggered for a charging operation request, the rater instance directly and synchronously sends related billable items (and their corresponding consumption items) to SAP Convergent Invoicing by using the *RFC/JCo* technical interface. By recording this log message, the rater instance informs the SAP CC user that the corresponding function is ready and some JCo connections are available for the processing threads of the function.

Dedicated log messages exist when using this feature. Refer to these logs when troubleshooting the system. For example, see com.sap.SCC.core_server.000739 [page 963].

For more information, consult the sections about the processes and functions. See Immediate Loading of Billable Items.

See Also

com.sap.SCC.core_server.000735 [page 957]

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

JCO_CONNECTION_COUNT
Billable Items Immediate Loading

5.649 com.sap.SCC.core_server.000735

Message

```
Immediate loading of output items into SAP Convergent Invoicing is disabled
```

Severity

INFO

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is not available. The rater instance can send neither billable items nor corresponding consumption items to SAP Convergent Invoicing in its SAP system

via the *RFC/JCo* technical interface. If you need this feature in your integrated SAP system landscape, see Enabling the Billable Items Immediate Loading.

Possible reasons for the feature being disabled are:

- The JCO_CONNECTION_COUNT system parameter is set to 0 for this rater instance.
- There are no customer management areas (CMAs) configured in the SAP CC system.
- There are no JCo destinations configured in the SAP CC system.

> → Remember
>
> If the rater instance disables this feature, then the default behavior applies:
>
> - The rater instance generates item files with the results of the charging operation requests.
> - Its associated bulkloader instances read these item files, convert these items into billable items and consumption items, and bulk load these output items into the relevant SAP Convergent Invoicing components in their SAP systems.
>
> SAP CC uses the customized system settings.

See Also

com.sap.SCC.core_server.000734 [page 956]

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

com.sap.SCC.core_server.000734 [page 956]
Enabling the Billable Items Immediate Loading

5.650 com.sap.SCC.core_server.000736

Message

```
Failed to commit transaction during the loading of output items with charged
item set identifiers {chargedItemSetList} into SAP Convergent Invoicing
```

Legend

- `{chargedItemSetList}`: The list of charged item set identifiers of the related output items

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but an error occurred during the commit in SAP Convergent Invoicing. The rater instance warns the SAP CC user about the situation. The commit in SAP Convergent Invoicing failed, so the output items already-loaded into SAP Convergent Invoicing are automatically canceled (once the JCo stateful sequence is ended). The rater instance will also trigger the cancellation of the relating changes in SAP Convergent Charging (counter updates, balances, allowance creations).

See Also

com.sap.SCC.core_server.000737 [page 960]

Additional Information

To commit a billable item in SAP Convergent Invoicing, the rater instance calls the RFC function module: BAPI_TRANSACTION_COMMIT.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

com.sap.SCC.core_server.000734 [page 956]

5.651 com.sap.SCC.core_server.000737

Message

```
Failed to rollback transaction during the loading of output items with charged
item set identifiers {chargedItemSetList} into SAP Convergent Invoicing
```

Legend

- `{chargedItemSetList}`: The list of charged item set identifiers of the related output items

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but an error occurred and the rater instance decided to roll back the changes in SAP Convergent Invoicing but this rollback failed. The rater instance warns the SAP CC user about the situation. The rollback of the billable items failed so the output item already-loaded into SAP Convergent Invoicing are automatically canceled (once the JCo stateful sequence is ended).

See Also

com.sap.SCC.core_server.000736 [page 959]

Additional Information

To roll back a billable item, the rater instance calls the RFC function module: BAPI_TRANSACTION_ROLLBACK.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

com.sap.SCC.core_server.000734 [page 956]

5.652 com.sap.SCC.core_server.000738

Message

```
Successfully reversed output items with charged item set identifiers
{chargedItemSetList} in SAP Convergent Invoicing after an error during Core
Database commit
```

Legend

- `{chargedItemSetList}`: The list of charged item set identifiers of the related output items

Severity

Warning [page 30]

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but a commit error occurred with the SAP CC Core Database system and the rater instance decided to reverse the relating billable items (and corresponding consumption items) in SAP Convergent Invoicing. This reversal is now successful. The rater instance warns the SAP CC user about the situation. Some billable items are still stored in SAP Convergent Invoicing whereas the relating changes (balances, counters, allowances) are not applied in SAP Convergent Charging. Note that these billable items are in reversed state, so they are not eligible for billing.

See Also

com.sap.SCC.core_server.000739 [page 963]

Additional Information

To reverse a billable item, the rater instance calls the RFC function module: FKK_BIX_BIT_REVERSE_CC.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

com.sap.SCC.core_server.000734 [page 956]

5.653 com.sap.SCC.core_server.000739

Message

```
Failed to reverse output items with charged item set identifiers
{chargedItemSetList} in SAP Convergent Invoicing after an error during Core
Database commit
```

Legend

- `{chargedItemSetList}`: The list of charged item set identifiers of the related output items

Severity

Error [page 29]

Detailed Information (APPS_COMMON Log)

In this rater instance, the *Billable Items Immediate Loading* feature is enabled and was triggered for the processing of a charging operation request but a commit error occurred with the SAP CC Core Database system and the rater instance decided to reverse the relating billable items (and corresponding consumption items) in SAP Convergent Invoicing. But this reversal finally failed in SAP Convergent Invoicing. The situation led to an error because billable items are committed in SAP Convergent Invoicing and the relating changes (balances, counters, allowances) are not committed in SAP Convergent Charging.

1. Immediately plan corrective actions.
2. Using the error information recorded in the log message, identify the billable items and consumption items.
3. In the relevant SAP Convergent Invoicing component in its SAP system, try to reverse these billable items manually.

See Also

com.sap.SCC.core_server.000738 [page 962]

Additional Information

To reverse a billable item, the rater instance calls the RFC function module: FKK_BIX_BIT_REVERSE_CC.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Related Information

com.sap.SCC.core_server.000734 [page 956]

5.654 com.sap.SCC.core_server.000740

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because the token is null or empty.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

The token retrieved from the authentication server is empty.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.655 com.sap.SCC.core_server.000741

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because the token cannot be validated.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

The certificate saved in the Core Database is out of date.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

Next Steps (Troubleshooting)

- Verify that the certificate saved in the Core Database is up-to-date

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.656 com.sap.SCC.core_server.000742

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because the token is out of date.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

The token retrieved from the authentication server has expired.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

Next Steps (Troubleshooting)

- Log on to the Cockpit again to be re-authenticated

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.657 com.sap.SCC.core_server.000743

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because the token claim that contains 'sap_cc_user_profiles' must
contain at least one valid profile.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

The user profile is not valid.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

Next Steps (Troubleshooting)

- Verify the user has a profile as declared in the authorization server

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.658 com.sap.SCC.core_server.000744

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because no certificate with ‘oauth2’ alias was found to validate the
token.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

No certificate is saved in the Core Database.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

Next Steps (Troubleshooting)

- Verify that a certificate is saved in the Core Database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.659 com.sap.SCC.core_server.000745

Message

```
The validation of the token for Oauth2 user {login} from {sourceAddress} was
refused because the certificate with ‘oauth2’ alias is invalid.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP address

Severity

Warning [page 30]

Detailed Information (Security Log)

The certificate saved in the Core Database is not valid.

Possible Impacts

The individual user cannot access Cockpit and its related resources.

Next Steps (Troubleshooting)

- Import a new certificate in the Core Database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.660 com.sap.SCC.core_server.000746

Message

```
Object change log field CHANGE_MESSAGE with the value {completeValue} has been
truncated to {truncatedValue}.
```

Legend

- `{completeValue}`: The complete and too large value
- `{truncatedValue}`: The truncated value

Severity

Warning [page 30]

Detailed Information (Security Log)

The text message in the `CHANGE_MESSAGE` field oversizes 256 characters.

Possible Impacts

The value of the `CHANGE_MESSAGE` field is truncated to 256 characters.

Next Steps (Troubleshooting)

- Shorten the value of the `CHANGE_MESSAGE` field.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.661 com.sap.SCC.core_server.000748

Message

```
Authentication attempt with login {login} from {sourceAddress} using the Web
Services
and Single Sign-On was refused because SAML authentication is disabled for this
user.
```

Legend

- `{login}`: The user login
- `{sourceAddress}`: The source address or IP

Severity

Warning [page 30]

Detailed Information (Security Log)

SAML authentication protocol is not supported for the user.

Possible Impacts

The user cannot use the web services.

Next Steps (Troubleshooting)

- Enable the SAML authentication protocol for this user.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.662 com.sap.SCC.infra.000000

Message

```
Transaction {SQLTransactionHashCode} cannot perform a commit operation.
Error message: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The JDBC connection cannot perform a commit operation. This database access error mainly occurs when the connection was closed.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.663 com.sap.SCC.infra.000001

Message

```
Transaction {SQLTransactionHashCode} cannot perform a rollback operation.
Error message: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The JDBC connection cannot perform a rollback operation. This database access error mainly occurs when the connection was closed.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.664 com.sap.SCC.infra.000002

Message

```
Transaction {SQLTransactionHashCode} cannot execute the query {query}.
Parameters: [{parameters}]. Error reason: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{query}`: The SQL query
- `{parametersparameters}`: The SQL query parameters as a CSV[34]
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The `SELECT` statement is invalid or the query execution is in error.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

[34] Comma Separated Value

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.665 com.sap.SCC.infra.000003

Message

```
Transaction {SQLTransactionHashCode} cannot execute the query {query}.
Parameters: [{parameters}]. Error reason: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{query}`: The SQL query
- `{parametersparameters}`: The SQL query parameters as a CSV[35]
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

[35] Comma Separated Value

Detailed Information (Database System Log)

The `UPDATE` or `DELETE` statement is invalid or the query execution is in error.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.666 com.sap.SCC.infra.000004

Message

```
Switching connection dedicated to the generation of unique identifiers,
from database {dbUriFrom} to {dbUriTo}.
```

Legend

- `{dbUriFrom}`: The database URI[36] switching from
- `{dbUriTo}`: The database URI switching to

Severity

Warning [page 30]

Detailed Information (Database System Log)

The SAP CC Core Server system handles a particular connection to the database system dedicated to the management of unique identifiers for its data objects.

The database is used to provide these unique identifiers. This message indicates that this dedicated connection to the primary database is not possible. An attempt to create a connection to the backup database system will be done by the SAP CC system.

Possible Impacts

During the time of the switch, no database operation can be executed.

[36] Uniform Resource Identifier

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.667 com.sap.SCC.infra.000005

Message

```
Multiple entries found in table {tableName}. A single result is expected.
```

Legend

- `{tableName}`: The database table name that manages unique identifiers

Severity

Error [page 29]

Detailed Information (Database System Log)

SAP Convergent Charging data identification relies on this unique identifier mechanism to internally identify its objects.

Only one single entry is expected that indicates the latest next available object identifier. If several entries are available corrupted identifiers can be generated.

Possible Impacts

SAP Convergent Charging will encounter master data corruption since some data objects may end up having the same identifier.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Stop all SAP Convergent Charging activity
- Contact SAP Support Services to help in restoring the unicity of this entry

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.668 com.sap.SCC.infra.000006

Message

```
Connection to database is refused. URI is: {dbUri}. User login is: {login}.
```

Legend

- `{dbUri}`: The database URI[37] to connect to
- `{login}`: The user login used to connect to database

Severity

Error [page 29]

Detailed Information (Database System Log)

An attempt to create a connection to database was not successful.

The creation of this connection will be attempted several times, according to configuration.

Possible Impacts

Some instances of the SAP CC Core Server system will not be fully functional. Unexpected behavior of the system may occur.

[37] Uniform Resource Identifier

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.669 com.sap.SCC.infra.000007

Message

```
Cannot be connected to the database. URI is: {dbUri}. User login is: {login}.
```

Legend

- `{dbUri}`: The database URI[38] to connect to

[38] Uniform Resource Identifier

- `{login}`: The user login used to connect to database

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

Several attempts to create a connection to database was not successful.

The creation of a connection to the database is not possible.

Possible Impacts

Some instances of the SAP CC Core Server system will not be fully functional. Unexpected behavior of the system may occur.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.670 com.sap.SCC.infra.000008

Message

```
SQL manager is connected to {dbUri} as {login} ({poolSize} connections in pool,
{statementSize} statements in cache).
```

Legend

- `{dbUri}`: The database URI[39] to connect to
- `{login}`: The user login used to connect to database
- `{poolSize}`: The number of connections in the pool
- `{statementSize}`: The number of statements in cache

Severity

Information

Detailed Information (Database System Log)

SAP Convergent Charging is connected to the database..

Several connections have been created and the statement cache is configured.

Additional Information

Relates to two former messages: `SQL_MANAGER_CONNECTED` used to indicate which database is connected and `SQL_MANAGER_RUNNING` to indicate how connections are configured.

[39] Uniform Resource Identifier

SAP User Experience

Enrich your SAP user experience and join our community of professionals:



Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.671 com.sap.SCC.infra.000009

Message

```
SQL manager is not able to connect to {dbUri} as {login}.
```

Legend

- `{dbUri}`: The database URI[40] to connect to
- `{login}`: The user login used to connect to database

Severity

Error [page 29]

Detailed Information (Database System Log)

SAP Convergent Charging cannot be connected to the database.

[40] Uniform Resource Identifier

Possible Impacts

Some instances of the SAP CC Core Server system will not be fully functional. Unexpected behavior of the system may occur.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.672 com.sap.SCC.infra.000010

Message

```
SQL manager has lost connection to database {dbUri}.
```

Legend

- `{dbUri}`: The database URI[41]

Severity

Warning [page 30]

Detailed Information (Database System Log)

The connection to the database is not available anymore.

Possible Impacts

No database operation will be available until SAP Convergent Charging successfully reconnects to a database.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error messages
- Verify the configuration of the database parameters

[41] Uniform Resource Identifier

- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.673 com.sap.SCC.infra.000011

Message

```
SQL manager is switching from {dbUriFrom} to {dbUriTo} because database is
not ready during reconnection.
```

Legend

- `{dbUriFrom}`: The database URI[42] switching from
- `{dbUriTo}`: The database URI switching to

Severity

Warning [page 30]

[42] Uniform Resource Identifier

Detailed Information (Database System Log)

SAP Convergent Charging is switching from its primary database to its backup database because it cannot be reconnected to the database it was previously connected to.

Possible Impacts

During the time of the switch, no database operation can be executed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.674 com.sap.SCC.infra.000012

Message

```
SQL manager is switching from {dbUriFrom} to {dbUriTo} because database
is no longer available.
```

Legend

- `{dbUriFrom}`: The database URI[43] switching from
- `{dbUriTo}`: The database URI switching to

Severity

Warning [page 30]

Detailed Information (Database System Log)

SAP Convergent Charging is switching from its primary database to its backup database using the database failover mechanism.

Possible Impacts

During the time of the switch, no database operation can be executed.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

[43] Uniform Resource Identifier

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.675 com.sap.SCC.infra.000013

Message

```
Connection refused from {connectionFrom} because the maximum count of
simultaneous connections ({maxSimultaneousConnectionCount}) has been reached.
```

Legend

- `{connectionFrom}`: Connection refused from
- `{maxSimultaneousConnectionCount}`: Number of maximum count of simultaneous connections

Severity

Error [page 29]

Detailed Information (Network and Communication Log)

The server will not accept any new incoming client connection because the maximum number of simultaneous connections has been reached.

Possible Impacts

No new client will be able to connect until existing clients release their connections.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Increase the maximum number of simultaneous connections
- Connect your client again
- Try to connect your client again as soon as some concurrent clients release their connections

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.676 com.sap.SCC.infra.000014

Message

```
New remote connection from address {connectionFrom} is refused for IO
exception reason: {reason}.
```

Legend

- `{connectionFrom}`: Connection refused from
- `{reason}`: The reason why connection is refused

Severity

Error [page 29]

Detailed Information (Network and Communication Log)

The remote client is not authorized to connect because of an I/O exception during socket creation and initialization.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error messages.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.677 com.sap.SCC.infra.000015

Message

```
New remote connection from address {connectionFrom} is refused for out of
memory reason: {reason}.
```

Legend

- `{connectionFrom}`: Connection refused from
- `{reason}`: The reason why connection is refused

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The remote client is not authorized to connect because of an out of memory exception during socket creation.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error log messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.678 com.sap.SCC.infra.000016

Message

```
New remote connection from address {connectionFrom} is refused for the
connection error reason: {reason}.
```

Legend

- `{connectionFrom}`: Connection error with
- `{reason}`: The reason why connection is refused

Severity

Error [page 29]

Detailed Information (Network and Communication Log)

The remote client is not authorized to connect because of an IO exception during socket registration.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error messages.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.679 com.sap.SCC.infra.000017

Message

```
Request from remote connection from address {connectionFrom} has caused a
buffer underflow error. Reason is: {reason}.
```

Legend

- `{connectionFrom}`: Connection error with
- `{reason}`: The reason why connection is refused

Severity

Information

Detailed Information (Network and Communication Log)

This message is expected when the request is not completely received. The request will be read again later when new bytes will be received.

Possible Impacts

The remote client will not get any service from the server.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.680 com.sap.SCC.infra.000018

Message

```
Connection with the remote client {remoteAddress} is closing because it
has sent an invalid request. Reason is: {reason}.
```

Legend

- `{remoteAddress}`: The remote address
- `{reason}`: The reason why connection is refused

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

This message occurs when client and server are using the same protocol version but there is a header error in the request.

The server rejects the request by sending an answer to the remote client indicating a bad protocol is used.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error log messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.681 com.sap.SCC.infra.000019

Message

```
Connection with the remote client {remoteAddress} is closing because it
has sent an invalid request. Reason is: {reason}.
```

Legend

- `{remoteAddress}`: The remote address
- `{reason}`: The reason why connection is refused

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

This message occurs when client and server are not using the same protocol version.

Then server rejects the request without answering the client. Since the protocol versions differ, the client would not be able to understand the answer.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error log messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.682 com.sap.SCC.infra.000020

Message

```
Request sent by the remote client {remoteAddress} has caused an internal error.
Reason is: {reason}.
```

Legend

- `{remoteAddress}`: The remote address
- `{reason}`: The error reason string

Severity

Warning [page 30]

Detailed Information (Network and Communication Log)

This message occurs on the server when the processing of the request leads to an unexpected error.

The server will recover and will handle next requests.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.683 com.sap.SCC.infra.000021

Message

```
Connection with the remote client {remoteAddress} is closing because an
error occurred with the socket network. Reason is: {reason}.
```

Legend

- `{remoteAddress}`: The remote address
- `{reason}`: The error reason string

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages

- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.684 com.sap.SCC.infra.000022

Message

```
Connection with the remote client {remoteAddress} is closing because an
error occurred with the connection selector thread. Reason is: {reason}.
```

Legend

- `{remoteAddress}`: The remote address
- `{reason}`: The error reason string

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.685 com.sap.SCC.infra.000023

Message

```
Connection with the remote client {selectorThreadName} is closing because
the server ran out of memory when writing the answer in the socket. Reason is:
{reason}.
```

Legend

- `{selectorThreadName}`: The name of the selector thread
- `{reason}`: The error reason string

Severity

Fatal Error [page 29]

Detailed Information (Network and Communication Log)

The connection will be closed because the socket reached an illegal state that may prevent server to handle further requests.

Possible Impacts

The remote client will not get any service from the server.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Archive the log messages and the trace messages
- Contact your SAP Support Team

> → Recommendation
>
> Contact your SAP Support Team at https://support.sap.com/incident.
>
> You can create a customer message and report an incident in SAP Support Portal. Use **IS-CC** as SAP Component identifier dedicated to your SAP Convergent Charging software product.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.686 com.sap.SCC.infra.000024

Message

```
Transaction {SQLTransactionHashCode} cannot perform a checkpoint operation.
Error message: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The JDBC connection cannot perform a checkpoint operation.

This database access error mainly occurs if the connection was closed.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages

- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.687 com.sap.SCC.infra.000025

Message

```
Transaction {SQLTransactionHashCode} cannot perform a reset checkpoint
operation. Error message: {errorMessage}.
```

Legend

- `{SQLTransactionHashCode}`: The SQL transaction hash code
- `{errorMessage}`: The error message

Severity

Fatal Error [page 29]

Detailed Information (Database System Log)

The JDBC connection cannot perform a checkpoint operation.

This database access error mainly occurs if the connection was closed.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.688 com.sap.SCC.infra.000026

Message

```
Timeout occurred on SQL connection: SQL manager has lost connection to
database {dbUri}.
```

Legend

- `{dbUri}`: The database URI[44]

Severity

Warning [page 30]

Detailed Information (Database System Log)

The connection to the database system is not available anymore.

As a consequence no database operation is available until the SAP CC system successfully reconnects to the back-end database system.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

[44] Uniform Resource Identifier

- Check the previous error log messages
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.689 com.sap.SCC.infra.000027

Message

```
Timeout occurred on SQL connection: The connections to {dbUri} are closed.
```

Legend

- `{dbUri}`: The database URI[45]

Severity

Warning [page 30]

[45] Uniform Resource Identifier

Detailed Information (Database System Log)

The connection to the database system is not available anymore.

As a consequence no database operation is available until the SAP CC system successfully reconnects to the back-end database system.

Possible Impacts

A part or the whole of the current operation could not be recorded.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error log messages
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.690 com.sap.SCC.infra.000028

Message

```
Connection to database is refused. URI is: {dbUri}. Properties are: {properties}.
```

Legend

- `{dbUri}`: The database URI[46] to connect to
- `{properties}`: The properties used to connect to database

Severity

Error [page 29]

Detailed Information (Database System Log)

An attempt to create a connection to database was not successful.

The creation of this connection will be attempted several times, according to configuration.

Possible Impacts

Some instances of the SAP CC Core Server system will not be fully functional. Unexpected behavior of the system may occur.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

[46] Uniform Resource Identifier

Check the previous error messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

 **Questions and Answers for SAP Convergent Charging**

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.691 com.sap.SCC.infra.000029

Message

```
Cannot be connected to the database. URI is: {dbUri}. Properties are:
{properties}.
```

Legend

- `{dbUri}`: The database URI[47] to connect to
- `{properties}`: The properties used to connect to database

Severity

Fatal Error [page 29]

[47] Uniform Resource Identifier

Detailed Information (Database System Log)

Several attempts to create a connection to database were not successful.

The creation of a connection to the database is not possible.

Possible Impacts

Some instances of the SAP CC Core Server system will not be fully functional. Unexpected behavior of the system may occur.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

Check the previous error messages and verify the database configuration.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.692 com.sap.SCC.infra.000030

Message

```
SQL manager is connected to {dbUri} using properties {properties} ({poolSize}
connections in pool, {statementSize} statements in cache).
```

Legend

- `{dbUri}`: The database URI[48] connected to
- `{properties}`: The properties used to connect to database
- `{poolSize}`: The number of connections in the pool
- `{statementSize}`: The number of statements in cache

Severity

Information

Detailed Information (Database System Log)

SAP Convergent Charging is connected to the database. Several connections have been created and the statement cache is configured.

Additional Information

Relates to two former messages: `SQL_MANAGER_CONNECTED` used to indicate which database is connected and `SQL_MANAGER_RUNNING` to indicate how connections are configured.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[48] Uniform Resource Identifier

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.693 com.sap.SCC.infra.000031

Message

```
SQL manager is not able to connect to {dbUri} using properties {properties}.
```

Legend

- `{dbUri}`: The database URI[49] connected to
- `{properties}`: The properties used to connect to database

Severity

Error [page 29]

Detailed Information (Database System Log)

SAP Convergent Charging cannot be connected to the database.

[49] Uniform Resource Identifier

Possible Impacts

Some instances of SAP Convergent Charging will not be fully functional. Unexpected behavior of the system may occur.

Next Steps (Troubleshooting)

> → Remember
>
> This section provides you with some troubleshooting operations to identify the correction actions to be performed. In a production system landscape, contact your SAP Support Team for each fatal error message in the logs.

- Check the previous error messages
- Verify the configuration of the database parameters
- Verify the status of the database

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.694 com.sap.SCC.infra.000032

Message

```
Connecting SQL manager to {dbUri} as {login} ({poolSize} connections in pool,
{statementSize} statements in cache).
```

Legend

- `{dbUri}`: The database URI[50] connected to
- `{login}`: The user login used to connect to database
- `{poolSize}`: The number of connections in the pool
- `{statementSize}`: The number of statements in cache

Severity

Information

Detailed Information (Database System Log)

SAP Convergent Charging is connecting to the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

[50] Uniform Resource Identifier

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.695 com.sap.SCC.infra.000033

Message

```
Connecting SQL manager to {dbUri} using properties {properties} ({poolSize}
connections in pool, {statementSize} statements in cache).
```

Legend

- `{dbUri}`: The database URI[51] connected to
- `{properties}`: The properties used to connect to database
- `{poolSize}`: The number of connections in the pool
- `{statementSize}`: The number of statements in cache

Severity

Information

Detailed Information (Database System Log)

SAP Convergent Charging is connecting to the database.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

Questions and Answers for SAP Convergent Charging

[51] Uniform Resource Identifier

→ Recommendation

SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.

You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

5.696 com.sap.SCC.infra.000034

Message

```
SQL manager is disconnected from {dbUri}.
```

Legend

- `{dbUri}`: The database URI[52] connected to

Severity

Information

Detailed Information (Database System Log)

SAP Convergent Charging is disconnected from one database node.

SAP User Experience

Enrich your SAP user experience and join our community of professionals:

[52] Uniform Resource Identifier

Questions and Answers for SAP Convergent Charging

> → Recommendation
>
> SAP provides you with the https://community.sap.com/ platform. You can benefit from a wide range of technical and business guidance from a community of experts and share knowledge and your best practices.
>
> You cannot find the answers you are looking for? Contact our community of experts. Share your SAP user experience and feedbacks.

Share your symptoms or step-by-step resolutions to a wide range of problems that may occur in your work with SAP Convergent Charging.

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.
About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.
The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

www.sap.com/contactsap

© 2025 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see https://www.sap.com/about/legal/trademark.html for additional trademark information and notices.

THE BEST RUN SAP