

## Built-in Functions

```
In [4]: #print("hello")
print("hello")
```

hello

```
In [6]: #max()
max(23,4,65,9,2)
```

Out[6]: 65

```
In [8]: #min()
min(23,4,65,9,2)
```

Out[8]: 2

```
In [16]: #sum()
a=[1,2,6,8]
sum(a)
```

Out[16]: 17

```
In [18]: sum([1,2,6,8])
```

Out[18]: 17

```
In [16]: #item()
```

```
In [20]: #len()
len([20,45,34,56])
```

Out[20]: 4

```
In [22]: #type()
type(20)
```

Out[22]: int

```
In [7]: #range()
list(range(0,12))
```

Out[7]: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]

```
In [ ]:
```

```
In [9]: ##eval - evaluate
a,b,c=eval(input("enter values:"))
print("a= ",a)
print("b= ",b)
print("c= ",c)
```

```
a= 10
b= dog
c= 2.5
```

# Functions : A reusable piece of code. Block of statements that does some specific task and returns something.

By including functions, we can prevent repeating the same code block repeatedly in a program.

Python functions, once defined, can be called many times and from

anywhere in a program.

If our Python program is large, it can be separated into numerous

functions which is simple to track.

The key accomplishment of Python functions is we can return as many

outputs as we want with different arguments.

Syntax of Python Function:

```
def function_name(parameters):  
    # code block
```

```
In [14]: # function with no argument  
def greet(): #function declaretion  
    print("Hello") #function defination
```

```
In [16]: #function call  
greet()
```

Hello

```
In [30]: #function with one argument  
def greet(name):  
    print("Hello",name)
```

```
In [32]: greet("ayesha")
```

Hello ayesha

```
In [38]: # function with two arguments  
#return - it is a keyword which is use to return the result of a function  
  
def add(num1,num2):  
    return num1 + num2
```

```
In [40]: add(10,30)
```

Out[40]: 40

```
In [42]: def add(*args):  
    return sum(args)
```

```
In [44]: add(20,30,40,50)
```

Out[44]: 140

In [ ]: