

Hands-on Lab: Create and Load Tables using SQL Scripts



Estimated time needed: 20 minutes

In this lab, you will learn how to create tables and load data using the phpMyAdmin graphical user interface (GUI) tool in the MySQL database service.

Objectives

After completing this lab, you will be able to use phpMyAdmin with MySQL to:

- Create a database on MySQL
- Create tables using SQL scripts
- Load data into tables directly from CSV files

MySQL

In this lab, you will use [MySQL](#). MySQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.



To complete this lab, you will use MySQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE, the virtual lab environment used in this course.

Database Used in this Lab

The database used in this lab is internal. You will be working on a sample Cardio-Vascular Diseases (CVD) database. This CVD database schema consists of five tables: PATIENTS, MEDICAL_HISTORY, MEDICAL_PROCEDURES, MEDICAL_DEPARTMENTS, and MEDICAL_LOCATIONS.

Each table has a few rows of sample data. The following diagram shows the contents of the CVD database:

SIMPLE CVD DATABASE TABLES

PATIENTS								MEDICAL HISTORY					
PATIENT_ID	FIRST_NAME	LAST_NAME	SSN	BIRTH_DATE	SEX	ADDRESS	DEPT_ID	MEDICAL_HISTORY_ID	PATIENT_ID	DIAGNOSIS_DATE	DIAGNOSIS_CODE	MEDICAL_CONDITION	DEPT_ID
P001	John	Doe	123456789	1990-05-15	M	123 Main St	D001	MH001	P001	2022-12-10	I20.0	Coronary Artery Disease	D001
P002	Jane	Smith	987654321	1985-10-20	F	456 Oak Ave	D002	MH002	P001	2023-07-30	I25.10	Hypertensive Heart Disease	D002
P003	Michael	Johnson	111222333	1975-03-12	M	789 Elm St	D003	MH003	P002	2023-08-01	I25.10	Hypertensive Heart Disease	D002
P004	Emily	Brown	444555666	1980-09-25	F	321 Pine Rd	D004	MH004	P003	2023-08-01	I20.9	Unstable Angina	D003
P005	William	Miller	777888999	1992-11-18	M	567 Maple Ave	D003	MH005	P004	2023-08-01	I25.5	Ischemic Cardiomyopathy	D004
								MH006	P005	2023-08-02	I50.9	Heart Failure, Unspecified	D003

MEDICAL PROCEDURES				
PROCEDURE_ID	PROCEDURE_NAME	PROCEDURE_DATE	PATIENT_ID	DEPT_ID
PR001	Angioplasty	2023-07-30	P001	D002
PR002	Cardiac Catheterization	2023-08-01	P002	D002
PR003	Electrocardiogram	2023-08-02	P003	D003
PR004	Echocardiogram	2023-08-03	P004	D004
PR005	Stress Test	2023-08-03	P005	D003
PR006	Coronary Angiogram	2023-08-04	P003	D003
PR007	Pacemaker Implantation	2023-08-04	P005	D003

MEDICAL DEPARTMENTS			
DEPT_ID	DEPT_NAME	MANAGER_ID	LOCATION_ID
D001	Angioplasty	NULL	L001
D002	Cardiac Catheterization	NULL	L002
D003	Electrocardiogram	NULL	L001
D004	Echocardiogram	NULL	L002

MEDICAL LOCATIONS		
DEPT_ID	DEPT_NAME	MANAGER_ID
L001	D001	City Hospital
L002	D002	Medical Center

Your task is to create this database in MySQL. This task is divided into three parts.

Task 1: Create the database on MySQL using the phpMyAdmin GUI.

Task 2: Create all the tables in MySQL using an SQL script.

Task 3: Populate each table with the data in respective CSV files.


Task 1 : Create the database

Follow the instructions shared below to create the database cvd in MySQL.


Launch phpMyAdmin

1. Click on **Skills Network Toolbox**. In the **Database** section, click **MySQL**.

To start the MySQL, click **Create**.



2. Once **MySQL** has started, click the **phpMyAdmin** button to open **phpMyAdmin** in the same window. Alternatively, click the **toggle** button next to the phpMyAdmin button to open phpMyAdmin in a new browser tab.



3. You will see the phpMyAdmin GUI tool.

4. In the tree view, click **New** to create a new empty database. Then, enter **CVD** as the name of the database and click **Create**.

Leave the default **utf8** encoding. UTF-8 is the most commonly used character encoding for content or data.

Database	Collation	Master replication	Action
☐ information_schema	utf8_general_ci	✓ Replicated	Check privileges
☒ mysql	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ performance_schema	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ sys	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges

Total: 4

⬆️ ☐ Check all With selected: [Drop](#)

⚠️ Note: Enabling the database statistics here might cause heavy traffic between the web server and the MySQL server.

- [Enable statistics](#)

Task 2 : Create tables using SQL script

In this exercise, you will learn how to execute a script containing the CREATE TABLE commands for all the tables rather than create each table manually by typing the DDL commands in the SQL editor.

Note: SQL scripts are basically a set of SQL commands compiled in a single file. Each command must be terminated with a semicolon ;. The extension of the file is to be kept as .sql. Upon importing this file in the phpMyAdmin interface, the commands in the file are run sequentially.

Follow the steps shared below.

- Download the script file to your local machine:
[CVD_Database_Create_Tables_Script.sql](#)
- Select the CVD database. Then click the **Import** tab.
- Click **Choose File**, browse for the file and upload it.
- Once uploaded, scroll down and click **Go**.

phpMyAdmin

Server: mysql 3306 Database: CVD

Structure SQL Search Query Export Import Operations Privileges Routines Events Triggers Designer

Recent Favorites

New

CVD

information_schema

mysql

performance_schema

sys

Importing into the database "CVD"

File to import:

File may be compressed (gzip, bzip2, zip) or uncompressed.
A compressed file's name must end in `.[format].[compression]`. Example: `.sql.zip`

Browse your computer: **Choose File** CVD_Datab...es_Script.sql (Max: 2.048KiB)

You may also drag and drop a file on any page.

Character set of the file: utf-8

Partial import:

☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This might be a good way to import large files, however it can break transactions.)

Skip this number of queries (for SQL) starting from the first one: 0

Other options:

☒ Enable foreign key checks

Format:

SQL


Format-specific options:

SQL compatibility mode: NONE


☒ Do not use AUTO_INCREMENT for zero values

Go

- The script then gets executed successfully, and the interface shows entries in the image below.



- Click any of the tables to see its Table Definition (its list of columns, data types, and so on). The image below displays the structure of the table PATIENTS.



Task 3 : Load data into tables

You now need to load the data to the tables. You could manually insert each row into the table one by one, but that is highly inefficient. Instead, MySQL (and almost every other database) lets you load data from CSV files directly to the tables.

The steps below explain loading data into the tables you created in Task 2.


1. Download the 5 CSV files below to your local machine.

- [Patients.csv](#)
- [MedicalHistory.csv](#)
- [MedicalProcedures.csv](#)
- [MedicalDepartments.csv](#)
- [MedicalLocations.csv](#)

The steps to load a CSV to a table are as follows.

- Select the table.
- Click the Import tab.
- Browse to the location of the CSV file and click 'Go' to load the CSV file.

The images below share how to load the CSV data to the PATIENTS table.



Once the table is loaded, you will get a message that the records are inserted successfully.

Further, you can click on browse and view the table's data.

Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

```
SELECT * FROM `PATIENTS`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

				PATIENT_ID	FIRST_NAME	LAST_NAME	SSN	BIRTH_DATE	SEX	ADDRESS	DEPT_ID
☐	Edit	Copy	Delete	P001	John	Doe	123456789	1990-05-15	M	123 Main St	D001
☐	Edit	Copy	Delete	P002	Jane	Smith	987654321	1985-10-20	F	456 Oak Ave	D002
☐	Edit	Copy	Delete	P003	Michael	Johnson	111222333	1975-03-12	M	789 Elm St	D003
☐	Edit	Copy	Delete	P004	Emily	Brown	444555666	1980-09-25	F	321 Pine Rd	D004
☐	Edit	Copy	Delete	P005	William	Miller	777888999	1992-11-18	M	567 Maple Ave	D003

☐ Check all | With selected: Edit Copy Delete Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Practice exercise

Repeat the same process for all of the other tables.

Conclusion

Congratulations on completing this lab.

In this lab, you learned how to :

- Use phpMyAdmin GUI to operate on MySQL servers
- Create a new database in phpMyAdmin.
- Create the tables for the dataset using SQL scripts
- Load data from a CSV file directly to a table in MySQL.

Author(s)

[Dmytro Yesyp](#)

Additional Contributor(s)

[Abhishek Gagneja](#)

© IBM Corporation 2023. All rights reserved.