Probability: Dos and Don’ts

Alexander Shen

LIRMM / CNRS & University of Montpellier

Outline

Not Equiprobable Outcomes

More About Finite Spaces

Not All Questions Make Sense

World is Not Perfect

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different
- but stabilize around $p_1, p_2, \ldots, p_6$

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different
- but stabilize around $p_1, p_2, \ldots, p_6$
- that's OK: probability of even number

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different
- but stabilize around $p_1, p_2, \ldots, p_6$
- that's OK: probability of even number $= p_2 + p_4 + p_6$

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different
- but stabilize around $p_1, p_2, \ldots, p_6$
- that's OK: probability of even
  number $= p_2 + p_4 + p_6$
- in a long series an even number appears
  with this frequency (approximately)

World is Not Perfect

- equiprobable outcomes:
  more exercises than RL
- real dice may be asymmetric
- frequencies of outcomes different
- but stabilize around $p_1, p_2, \ldots, p_6$
- that's OK: probability of even
  number $= p_2 + p_4 + p_6$
- in a long series an even number appears
  with this frequency (approximately)
- $p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$

Finite Probability Space

Finite Probability Space

- a finite set X of *outcomes*

Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$

Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$
- $\sum p_i = 1$

Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$
- $\sum p_i = 1$
- *event*: a set of outcomes

Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$
- $\sum p_i = 1$
- *event*: a set of outcomes
- *probability* of the event: sum of outcome probabilities


Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$
- $\sum p_i = 1$
- *event*: a set of outcomes
- *probability* of the event: sum of outcome probabilities
- $p_i = 0$ possible?


Finite Probability Space

- a finite set X of *outcomes*
- each outcome i has some probability $p_i \geq 0$
- $\sum p_i = 1$
- *event*: a set of outcomes
- *probability* of the event: sum of outcome probabilities
- $p_i = 0$ possible? formally yes, but these outcomes do not matter

An Example




An Example



$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$


An Example



$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$


An Example



$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$; $\Pr[A] = p_1 + p_2 + p_3$

An Example




$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$; $\Pr[A] = p_1 + p_2 + p_3$

event $B = \{5, 6\}$

An Example




$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$; $\Pr[A] = p_1 + p_2 + p_3$

event $B = \{5, 6\}$; $\Pr[B] = p_5 + p_6$

An Example




$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$; $\Pr[A] = p_1 + p_2 + p_3$

event $B = \{5, 6\}$; $\Pr[B] = p_5 + p_6$

A or $B = \{1, 2, 3, 5, 6\}$;

An Example



$$p_1 + p_2 + p_3 + p_4 + p_5 + p_6 = 1$$

event $A = \{1, 2, 3\}$; $\Pr[A] = p_1 + p_2 + p_3$

event $B = \{5, 6\}$; $\Pr[B] = p_5 + p_6$

A or $B = \{1, 2, 3, 5, 6\}$;

$\Pr[A \text{ or } B] = \Pr[A] + \Pr[B] = p_1 + p_2 + p_3 + p_5 + p_6$

Outline

Not Equiprobable Outcomes

More About Finite Spaces

Not All Questions Make Sense

Mutually Exclusive Events

Mutually Exclusive Events

- disjoint sets of outcomes

Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)

Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)
- $\Pr[A \text{ or } B] = \Pr[A] + \Pr[B]$
  if A and B are mutually exclusive

Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)
- $\Pr[A \text{ or } B] = \Pr[A] + \Pr[B]$
  if A and B are mutually exclusive
- $\Pr[\text{not A}] = 1 - \Pr[A]$

Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)
- $\Pr[A \text{ or } B] = \Pr[A] + \Pr[B]$
  if A and B are mutually exclusive
- $\Pr[\text{not A}] = 1 - \Pr[A]$
  "A" and "not A" are mutually exclusive and fill the entire space


Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)
- $\Pr[A \text{ or } B] = \Pr[A] + \Pr[B]$
  if A and B are mutually exclusive
- $\Pr[\text{not A}] = 1 - \Pr[A]$
  "A" and "not A" are mutually exclusive and fill the entire space
- what if A and B are not mutually exclusive?


Mutually Exclusive Events

- disjoint sets of outcomes
  (in the same probability space!)
- $\Pr[A \text{ or } B] = \Pr[A] + \Pr[B]$
  if A and B are mutually exclusive
- $\Pr[\text{not A}] = 1 - \Pr[A]$
  "A" and "not A" are mutually exclusive and fill the entire space
- what if A and B are not mutually exclusive?
  $\Pr[A \text{ or } B] <> \Pr[A] + \Pr[B]$?

Inclusion and Exclusion




Inclusion and Exclusion




$\Pr[A] = p_1 + p_2 + p_3$

Inclusion and Exclusion



$\Pr[A] = p_1 + p_2 + p_3;$ $\Pr[B] = p_3 + p_4$


Inclusion and Exclusion



$\Pr[A] = p_1 + p_2 + p_3$; $\Pr[B] = p_3 + p_4$

$\Pr[A \text{ or } B] = p_1 + p_2 + p_3 + p_4$

Inclusion and Exclusion



$$\Pr[A] = p_1 + p_2 + p_3; \qquad \Pr[B] = p_3 + p_4$$

$$\Pr[A \text{ or } B] = p_1 + p_2 + p_3 + p_4$$
$$= \Pr[A] + \Pr[B] - \Pr[A \text{ and } B]$$

Sequential Choice

Sequential Choice

- selecting a reasonable model

Sequential Choice

- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$

Sequential Choice

- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$
- in two boxes: $(1, 2)$ and $(3, 4, 5, 6)$

Sequential Choice

- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$
- in two boxes: $(1, 2)$ and $(3, 4, 5, 6)$
- “choose a random box and then choose a random ball”

Sequential Choice

- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$
- in two boxes: $(1, 2)$ and $(3, 4, 5, 6)$
- “choose a random box and then choose a random ball”
- two boxes are equiprobable

Sequential Choice


- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$
- in two boxes: $(1, 2)$ and $(3, 4, 5, 6)$
- “choose a random box and then choose a random ball”
- two boxes are equiprobable
- all balls in each box are equiprobable

Sequential Choice


- selecting a reasonable model
- six balls labeled $1, 2, 3, 4, 5, 6$
- in two boxes: $(1, 2)$ and $(3, 4, 5, 6)$
- “choose a random box and then choose a random ball”
- two boxes are equiprobable
- all balls in each box are equiprobable
- what are $p_1, p_2, p_3, p_4, p_5, p_6$?

Choice Tree

Choice Tree




Choice Tree




at each point all choices are equiprobable

Choice Tree



$$p_1 + p_2 = 1/2, \quad p_3 + p_4 + p_5 + p_6 = 1/2$$


Choice Tree



$$p_1 + p_2 = 1/2, \quad p_3 + p_4 + p_5 + p_6 = 1/2$$

$$p_1 = p_2, \quad p_3 = p_4 = p_5 = p_6$$

Choice Tree



$$p_1 + p_2 = 1/2, \quad p_3 + p_4 + p_5 + p_6 = 1/2$$

$$p_1 = p_2, \quad p_3 = p_4 = p_5 = p_6$$

$$p_1 = p_2 = 1/4, \quad p_3 = p_4 = p_5 = p_6 = 1/8$$

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

I choose a random box and then a random ball in it. If it is white, you will be set free.

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

I choose a random box and then a random ball in it. If it is white, you will be set free.

What should the prisoner do?

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

I choose a random box and then a random ball in it. If it is white, you will be set free.

What should the prisoner do?

(yes, he wants to be free; no cheating)

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

I choose a random box and then a random ball in it. If it is white, you will be set free.

What should the prisoner do?

(yes, he wants to be free; no cheating)

answer: [1 white, 0 black], [14 white, 15 black]

Prisoner and King

King:

Here are 15 white and 15 black balls and two boxes.

You may put balls in the boxes as you wish (each should contain at least one ball)

I choose a random box and then a random ball in it. If it is white, you will be set free.

What should the prisoner do?

(yes, he wants to be free; no cheating)

answer: [1 white, 0 black], [14 white, 15 black]

why optimal?

Mathematics for the Prisoners

Mathematics for the Prisoners

- two parameters:

Mathematics for the Prisoners

- two parameters:
  (a) 30 balls = box1+box2

Mathematics for the Prisoners

- two parameters:
    (a) 30 balls = box1+box2
    (b) colors: 15 black and 15 white

Mathematics for the Prisoners

- two parameters:
    (a) 30 balls = box1+box2
    (b) colors: 15 black and 15 white
- fix the proportion between boxes

Mathematics for the Prisoners

- two parameters:
  - (a) 30 balls = box1+box2
  - (b) colors: 15 black and 15 white
- fix the proportion between boxes
- ball's color matters more in a small box

Mathematics for the Prisoners

- two parameters:
  - (a) 30 balls = box1+box2
  - (b) colors: 15 black and 15 white
- fix the proportion between boxes
- ball's color matters more in a small box
- can improve situation by (C notation): small.numwhite++, big.numwhite−−

Mathematics for the Prisoners

- two parameters:
  - (a) 30 balls = box1+box2
  - (b) colors: 15 black and 15 white
- fix the proportion between boxes
- ball's color matters more in a small box
- can improve situation by (C notation): small.numwhite++, big.numwhite−−
- until small box: all white

Mathematics for the Prisoners

- two parameters:
  - (a) 30 balls = box1+box2
  - (b) colors: 15 black and 15 white
- fix the proportion between boxes
- ball's color matters more in a small box
- can improve situation by (C notation): small.numwhite++, big.numwhite−−
- until small box: all white
- more than one white ball not needed

Mathematics for the Prisoners

- two parameters:
  - (a) 30 balls = box1+box2
  - (b) colors: 15 black and 15 white
- fix the proportion between boxes
- ball's color matters more in a small box
- can improve situation by (C notation): small.numwhite++, big.numwhite−−
- until small box: all white
- more than one white ball not needed
- [case of boxes of equal size]

Outline

Not Equiprobable Outcomes

More About Finite Spaces

Not All Questions Make Sense

Probability of the Past Events

Probability of the Past Events

- you may read something like “it is quite probable that, in the 12th century, Arabian alchemists have obtained elementary phosphorus through the distillation of urine”

Probability of the Past Events

- you may read something like “it is quite probable that, in the 12th century, Arabian alchemists have obtained elementary phosphorus through the distillation of urine”
- …perfectly OK, but far from mathematical probability theory

Probability of the Past Events

- you may read something like “it is quite probable that, in the 12th century, Arabian alchemists have obtained elementary phosphorus through the distillation of urine”
- …perfectly OK, but far from mathematical probability theory
- what is the probability that I have a dollar bill in my pocket?

Probability of Being Prime

Probability of Being Prime

- large prime numbers are useful for cryptography

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms
- give different answers depending on the “internal coin”

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms
- give different answers depending on the “internal coin”
- good algorithm: *for every X the probability of wrong answer* $< 10^{-2}$

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms
- give different answers depending on the “internal coin”
- good algorithm: *for every X the probability of wrong answer* $< 10^{-2}$ (OK)

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms
- give different answers depending on the “internal coin”
- good algorithm: *for every X the probability of wrong answer* $< 10^{-2}$ (OK)
- “the number $(2^{5240707} - 1)/75392810903$ is prime with probability > 0.99”

Probability of Being Prime

- large prime numbers are useful for cryptography
- fast randomized algorithms
- give different answers depending on the “internal coin”
- good algorithm: *for every X the probability of wrong answer* $< 10^{-2}$ (OK)
- “the number $(2^{5240707} - 1)/75392810903$ is prime with probability > 0.99” No!!

Good News

Good News

It is not in our course, but…

Good News

It is not in our course, but…

- infinite probability spaces:

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)
  - random point in a square

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)
  - random point in a square
- market interpretation:

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)
  - random point in a square
- market interpretation:
  - 'probability that X will be reelected is 80%'

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)
  - random point in a square
- market interpretation:
  - 'probability that X will be reelected is 80%'
  - = the obligation "to pay \$1 if X is reelected" is traded now around \$0.8

Good News

It is not in our course, but…

- infinite probability spaces:
  - random n in $0, 1, 2, \ldots$ with probabilities $1/2, 1/4, 1/8, \ldots$ [#heads before tail]
    (but cannot make $0, 1, 2 \ldots$ equiprobable)
  - random point in a square
- market interpretation:
  - 'probability that X will be reelected is 80%'
  - = the obligation "to pay \$1 if X is reelected" is traded now around \$0.8
  - can you "prove" the sum rule for mutual exclusive events?