20:02 7.00 KB/S Vo 5G 40
claude.ai/chat/d9l 2

Diagram documentation and MVP implementation review

Share

Here are all the artifact/diagram topics covered in the PDF: 1. System architecture 2. Database schema (ERD) 3. User flow diagram 4. DevScore algorithm 5....

PASTED

Read the whole pdf and the attached text! have included some features to this. after adding the new features how much of a difference does it bring to the ...

PASTED

I've read through your entire PDF and the documentation history. You now have **226+ diagrams** across all your prior sessions, with the execution engine (E1–E38, F1–F20, and the final alignment batches) fully covered.

After a thorough cross-reference audit, here are the **genuinely remaining gaps** — things not covered in any prior batch, specifically needed given the full portfolio execution engine addition and the overall DevFolio system:

New topics to cover (Batch 1 of 20):

1. PortfolioCode debounce + save race condition prevention
2. combineCode() utility — exact string template
3. iframe onLoad event + skeleton swap timing
4. Portfolio form isDirty + useBeforeUnload lifecycle
5. Settings sub-nav 4-tab outlet rendering context
6. React data flow updated — LivePreview as display leaf
7. Leaderboard ranking query updated with portfolio pill
8. Admin panel updated — PortfolioCode delete cascade trigger
9. Recruiter search + filter flow with portfolio pill pass-through
10. DevScore badge placement — 5th appearance on PortfolioPreview
11. Middleware chain updated — portfolio routes middleware stacks
12. "Which files do I touch" map extended with portfolio scenarios
13. Nightly cron job updated — PortfolioCode excluded
14. Loading/empty states map extended — PortfolioEditor + PortfolioPreview screens
15. Toast notification map extended — 8 new portfolio-specific events
16. Component props map extended — CodePanel + LivePreview props documented
17. Portfolio update + re-render cycle — debounce connects to srcDoc in LivePreview
18. Profile.jsx exact changes — 3 additions needed for Live badge
19. Portfolio submission form lifecycle — isDirty + useBeforeUnload
20. Complete route table — all 30 endpoints with guards shown

Let me generate them now in batches of 20.









20:03 0.11 KB/S
claude.ai/chat/d9l
2

Diagram documentation and MVP implementation review

Share

React data flow updated — LivePreview as display leaf



Key difference — LivePreview vs all other display components

All other components render React JSX → virtual DOM → real DOM patches
LivePreview renders a browser document inside an iframe — fully isolated DOM
State lives in PortfolioEditor — CodePanel is purely presentational (fires onChange)
LivePreview has no state, no API calls — receives htmlContent prop only

Leaderboard ranking query — updated with portfolio pill



LeaderboardRow.jsx — conditional render

hasPortfolio prop passed from Leaderboard.jsx via checkPortfolio call
hasPortfolio && Portfolio — renders pill after college
No backend change — leaderboard API response shape unchanged

MVP shortcut — skip per-row exists call

Add hasPortfolio field to DevScore.populate data — zero extra API calls, one backend change

Admin panel — PortfolioCode delete cascade trigger



Recruiter search + filter flow — portfolio pill pass-through



Not blocking — portfolio pill check runs in parallel with leaderboard fetch

DevScore badge — all 5 placement appearances

Location	Size prop	Circle px	Shown to
Dashboard — header are	size="lg"	48px	logged-in developer
Profile.jsx — top-right co	size="lg"	48px	all visitors
LeaderboardRow.jsx — ir	size="sm"	32px	leaderboard viewers
RecruiterSearch card —	size="sm"	32px	recruiters only
PortfolioPreview — NEW	size="sm"	32px	recruiters · public visitors

PortfolioPreview — 2 fetches on mount

Promise.all([GET /api/portfolio/{userId}/review, GET /api/profile/{username}])
profile gives username · college · tech stack · DevScore for badge
ScoreBadge component: size="sm" = 32px circle · 12px score text — same as leaderboard row
getTier(score) helper — unchanged — used in ScoreBadge + LeaderboardRow

Middleware chain — updated with portfolio route stacks

Global middleware — app.js order
cors() → helmet() → express.json() → morgan() → routes → errorMiddleware

Route-specific middleware stacks — per route

Protected routes — existing
/api/profile · /api/projects · /api/stats
stack: [verifyJWT, controller]
role routes: [verifyJWT, roleCheck, ctrl]

Portfolio routes — new
POST/PATCH/DELETE /api/portfolio/code
stack: [verifyJWT, roleCheck('developer'), rateLimit, ct
GET /api/portfolio/mine: [verifyJWT, ctrl]

Public routes
GET /api/portfolio/{userId}/review
GET /api/portfolio/{userId}/exists
no verifyJWT — public GET routes skip auth entirely

Rate limit placement note
portfolioWriteLimit placed inside portfolio.routes.js
per-route is cleaner than app.use — same pattern as a

Order is critical — cors + json BEFORE routes · errorMiddleware AFTER all routes

errorMiddleware — MUST remain last
catches any error passed via next(err) from all routes above

20:03 0.22 KB/S 39
claude.ai/chat/d9l
2
Diagram documentation and MVP implementation review
Share

"Which files do I touch" — portfolio scenarios extended

Task	File sequence	Layer
Portfolio XSS edit in preview	portfolio.service.js → check DOMPurify options FORCE_BO	Service only
Portfolio — preview not updating live	PortfolioEditor.jsx → check debounce useEffect deps → Liv	Frontend only
Portfolio — Live badge not showing	Profile.jsx useEffect → GET /api/portfolio/{userId}/exists ca	Profile page
Portfolio — /review returns 403	portfolio.controller.js → check isPublic field + PortfolioCode	Controller fix
Portfolio — delete user leaves portfolio	user.controller.js deleteUserCascade() → add PortfolioCod	Controller fix
Portfolio tab not visible in settings	features.js PORTFOLIO: false → flip to true · SettingsLayout	Feature flag
Portfolio — save 422 validation fails	portfolio.routes.js express-validator rules → check title req	Routes/validator

Blue rows = portfolio-specific debug scenarios · Gray = existing unchanged scenarios

Zero-touch files for portfolio feature

auth routes · score service · stats service · DevScore model · cron job
any existing middleware · GitHub sync · LeetCode sync
Navbar.jsx — no changes needed to navigation
The feature is fully isolated — those 4 touch files need only 1-3 lines each

Nightly cron job — updated scope (PortfolioCode excluded)

index.js server starts → registerCronJobs()
↓
node-cron — every night 2am
schedule '0 2 * * *'
↓
User.find({}) — all active accounts
for..of loop — sequential await
↓
syncGitHub(userId) — github.service.js
syncDSA(userId) — dsa.service.js
computeScore(userId) — score.service.js

PortfolioCode is NOT synced by cron — deliberately excluded
user-submitted content · no external API · updated on-demand only when developer clicks Save & Publish

Loading/empty states map — PortfolioEditor + PortfolioPreview added

Screen	Loading state	Empty state	Error state
Profile page	skeleton circle + 3 bars	cannot be empty	toast "Could not load profile"
Dashboard	skeleton 4 stat cards	onboarding banner 4 steps	toast error message
Projects list	skeleton 2 gray card outlines	"Add your first project" button	inline retry button
Leaderboard	skeleton 10 row placeholders	always has data	toast "Leaderboard unavailable"
New screens added — portfolio engine			
PortfolioEditor NEW	gray rect pulse animation save	"Write your portfolio code" placeholder	"Write your portfolio code" placeholder + dashed border
PortfolioPreview NEW	gray rect w-full h-96 pulse ani	"Portfolio not published yet"	"Preview unavailable" + retry

iframe preview — 5 states every screen handles

loading (API fetch) — gray rect animate-pulse w-full h-96 bg-gray-200 rounded-lg
rendered (success) — <iframe srcDoc={html} /> — skeleton swaps on onLoad event
error (fetch fails) — "Preview unavailable" + retry button — toast-red-500
empty (no code yet) — "Write your portfolio code" placeholder — empty state component
iframe render crash — <iframe onError={...}> — iframeError fallback shown

Toast notification map — 8 new portfolio-specific events

Event	Type	Toast call
Login success — existing unchanged		toast.success('Welcome back!')
Portfolio flows — new		
Portfolio saved — POST /api/portfolio/code 20	success	toast.success('Portfolio saved!')
Portfolio published — isPublic flipped to true	success	toast.success('Portfolio is now live!')
Portfolio set private — isPublic flipped to false	info	toast('Portfolio is now private')
Portfolio fails save — 422 stripped content	error	toast.error('Code contains unsafe content')
Portfolio fails — 413 code too large	error	toast.error('Exceeds 50KB limit')
Portfolio fails — 429 rate limit hit	warning	toast.warn('Too many saves, slow down')
Portfolio deleted — DELETE /api/portfolio/cod	success	toast.success('Portfolio removed')
Preview load fails — iframe onError	error	shown inline — not toast (inside iframe area)

All portfolio mutation toasts use same pattern as GitHub sync

toast.promise(savePortfolio(data), {loading: '...', success: 'Portfolio saved!', error: (err) => err.message})
replaces loading + success + error with one line — same pattern as diagram 63 and 87

Component props map — CodePanel + LivePreview

CodePanel — props: {html, css, js, onCodeChange}

html — string — Req — raw HTML from parent state
css — string — Req — raw CSS string from parent state
js — string — Req — raw JS string from parent state
onCodeChange — fn — Req — called with {html, css, js}
activeTab — local state only — CodePanel owns it
3 textareas rendered, only one visible at a time
onCodeChange bubbles up via PortfolioEditor parent

LivePreview — props: {htmlContent}

htmlContent — string — Req — combined sanitized HTML
No other props — display-only leaf component
single-responsibility: renders srcDoc={htmlContent}
sandbox="allow-scripts allow-forms allow-popups"
onLoad={() => setIsLoading(false)} — handled internally
frame re-renders when htmlContent prop changes

PortfolioEditor.jsx (parent)
state: {html, css, js, title, isPublic, loading, errors, isDirty}
setCode({...code, [activeTab]: value})

Debounce connects CodePanel to LivePreview

useEffect watching code state → 300ms timeout → combineCode() → setLiveHtml → LivePreview re-renders

Portfolio update + re-render cycle — debounce to srcDoc

developer types in — textarea / CodeMirror
↓
onCodeChange fires — CodePanel → PortfolioEditor
↓
setCode state updates — PortfolioEditor re-renders
↓
useEffect watches code state — 300ms debounce timeout fires
↓
combineCode(html, css, js) — client-side — no server call
↓
setLiveHtml(combined) — LivePreview receives new prop
↓
iframe srcDoc updates — browser re-renders instantly

Key rules

combineCode() = client-side — no API call on every keystroke
DOMPurify runs server-side only on Save — never in browser
Local preview uses raw combineCode() — shows developer the truth
Server sanitize runs only on Save/Publish click — keeps UX snappy



Profile.jsx exact changes — 3 additions for Live badge

Profile.jsx — starting state (unchanged content)
existing fetches: getProfile(username) + getStats(username)

Addition 1 — new state

Addition 2 — new useEffect

ublic) setHasPortfolio(true)
rray

Addition 3 — JSX render

00"{'>'} Live {'<'}/span{'>'}{'<'}Link to="/portfolio/{'{'}username{'}'}/preview"{'>'} View Portfolio{'<'}/Link{'>'}{'<'}/div{'>'})
io instead of preview link

Complete route table — all 30 API endpoints with guards

Method	Route	Guard	Description
	— Public routes — no login needed —		
	/ + /login + /register + /leaderboard + /auth/callback		
	/profile/:username (GET)		
	/portfolio/:username/preview (GET)		
	— API routes — auth required unless noted —		
POST	/api/auth/register	public	
POST	/api/auth/login	public	
GET	/api/profile/:username	public*	
PATCH	/api/profile/:username	auth	
GET	/api/projects	auth	
POST	/api/projects	auth	
POST	/api/integrations/sync/github	auth	
POST	/api/scores/recompute	auth	
GET	/api/leaderboard/global	public	
GET	/api/recruiter/shortlist	recruiter	
	— Portfolio routes (new, section 16) —		
POST	/api/portfolio/code	developer	submit/upsert code
GET	/api/portfolio/mine	auth	get own for editor
PATCH	/api/portfolio/code	developer	toggle isPublic
GET	/api/portfolio/:userId/review	public*	get HTML if isPublic
GET	/api/portfolio/:userId/exists	public*	check if live portfolio exists
DELETE	/api/portfolio/code	developer	remove portfolio entirely

*public GET routes skip verifyJWT — no Authorization header needed · total: 24 existing + 6 new = 30 endpoints

That completes **Batch 1 — 20 visual inline artifacts** covering the genuinely remaining gaps after the execution engine addition:

1. Portfolio debounce + save race condition prevention
2. combineCode() utility — exact string template
3. iframe onLoad event + skeleton swap timing
4. Portfolio form isDirty + useBeforeUnload lifecycle
5. Settings sub-nav 4-tab outlet rendering context
6. React data flow updated — LivePreview as display leaf
7. Leaderboard ranking query updated with portfolio pill
8. Admin panel — PortfolioCode delete cascade trigger
9. Recruiter search + filter flow with portfolio pill pass-through
10. DevScore badge — all 5 placement appearances documented
11. Middleware chain updated — portfolio route stacks
12. "Which files do I touch" map extended with portfolio scenarios
13. Nightly cron job — PortfolioCode excluded scope
14. Loading/empty states map extended — PortfolioEditor + PortfolioPreview
15. Toast notification map extended — 8 new portfolio events
16. Component props map — CodePanel + LivePreview
17. Portfolio update + re-render cycle — debounce to srcDoc
18. Profile.jsx exact changes — 3 additions for Live badge
19. Portfolio form isDirty + useBeforeUnload lifecycle (detailed)
20. Complete route table — all 30 endpoints with guards

On beginner feasibility: The iframe srcDoc MVP is genuinely buildable without complications. It uses skills you already have: a new Mongoose model, Express routes, DOMPurify (one npm install), and an iframe using `srcDoc` instead of `src`. The feature touches only 7 files and adds 1-3 lines to 4 existing ones. Docker/Cloudinary are post-placement upgrades — skip them for MVP.

Want me to continue with Batch 2 covering the remaining gaps?

20:04 0.17 KB/S 39
claude.ai/chat/d9l
Diagram documentation and MVP implementation review
Share

DevFolio Visual Documentation — Master Index

Total artifacts: 260+ diagrams across 16 sections *Read from top to bottom within each section. Each artifact name is the canonical reference title.*

Section 0 — Overview (4 diagrams)

The starting point. Read these before anything else to understand what you're building.

#	Artifact name
0.1	System architecture — 4-layer overview
0.2	User flow diagram — developer · recruiter · mentor · admin
0.3	Updated system architecture — execution engine layer added
0.4	New user onboarding flow — 4-step completion tracker

Section 1 — DevScore algorithm (3 diagrams)

#	Artifact name
1.1	DevScore formula — weighted sub-scores
1.2	DevScore math breakdown — step by step with examples
1.3	DevScore tier + badge system — Unranked through Diamond

Section 2 — Architecture and data (8 diagrams)

The structural backbone. Read schema diagrams before writing any Mongoose model.

#	Artifact name
2.1	Project folder structure — updated with portfolio files
2.2	Database schema (ERD) — all 9 collections
2.3	MongoDB schema patterns — all 9 Mongoose models overview
2.4	MongoDB index strategy — all collections
2.5	MongoDB query patterns — find · populate · aggregate
2.6	MongoDB full-text search — one-time index + $search query
2.7	Data persistence map — state vs localStorage vs API
2.8	PortfolioCode collection schema — 9th collection

Section 3 — API routes reference (3 diagrams)

#	Artifact name
3.1	API routes — all 30 endpoints updated
3.2	API request + response shapes — shape contracts
3.3	Portfolio API endpoints — 6 new routes reference

Section 4 — Auth and security (9 diagrams)

#	Artifact name
4.1	Auth sequence flow — register · login · JWT
4.2	JWT token anatomy + lifecycle
4.3	JWT token sign/verify options — every option explained
4.4	JWT expiry + session handling — silent refresh pattern
4.5	Password hashing lifecycle — bcryptjs salt rounds tradeoff
4.6	Forgot password / reset flow
4.7	Email verification flow
4.8	Malicious code prevention stack — 5-layer defence
4.9	XSS attack vector — injection path + DOMPurify defence

Section 5 — Infrastructure (9 diagrams)

#	Artifact name
5.1	Frontend component tree — updated with portfolio components
5.2	Backend app.js wiring — updated (portfolio routes added)
5.3	Express middleware chain — updated with portfolio route stacks
5.4	Deployment architecture — 3 phases overview
5.5	Environment variables guide
5.6	Vite dev proxy — React:5173 to Express:5000
5.7	CORS configuration map
5.8	Helmet.js security headers — 7 headers explained
5.9	Profile folder structure — updated folder layout

Section 6 — Data sync pipeline (5 diagrams)

#	Artifact name
6.1	GitHub API integration trace
6.2	LeetCode + Codeforces API integration trace
6.3	Data sync pipeline — nightly cron job (PortfolioCode excluded)
6.4	Score recompute trigger flow
6.5	External API rate limits + retry strategy

Section 7 — DevScore system (1 diagram)

#	Artifact name
7.1	Portfolio + DevScore integration decision — score stays pure

Note: DevScore formula and tier badge are in Section 1. Score recompute is in Section 6. This section covers only the portfolio-to-score relationship decision.

20:04 0.14 KB/S claude.ai/chat/d9l 2

Section 8 — Feature flows (14 diagrams)

The complete catalogue of user-facing features as end-to-end flows.

#	Artifact name
8.1	New user onboarding flow — updated 4 steps
8.2	Profile edit flow
8.3	Project CRUD lifecycle
8.4	Recruiter search + filter flow — portfolio pill pass-through
8.5	Mentor + admin panel flows — updated with cascade
8.6	Avatar upload flow
8.7	Portfolio submission — developer end to end
8.8	Recruiter viewing live portfolio
8.9	Portfolio update + re-render flow
8.10	Public preview URL flow — shareable link
8.11	Portfolio visibility settings — isPublic toggle
8.12	Portfolio-to-recruiter full journey
8.13	Local testing workflow for portfolio feature
8.14	Role upgrade request flow

Section 9 — React patterns (8 diagrams)

#	Artifact name
9.1	React data flow — updated with LivePreview as display leaf
9.2	Form state + validation flow
9.3	React component lifecycle
9.4	Custom hooks usage map — useDebounce · useLocalStorage · useOnClickOutside
9.5	Context providers nesting
9.6	iframe srcDoc rendering pattern
9.7	LivePreview + CodePanel component architecture
9.8	Code editor decision — textarea vs CodeMirror

Section 10 — Role-based access control (2 diagrams)

#	Artifact name
10.1	RBAC matrix — all roles · all resources
10.2	Portfolio RBAC additions — 6 new permission rows

Section 11 — Auth flows (detailed, 5 diagrams)

Companion section to Section 4 — these are the detailed implementation flows rather than concept diagrams.

#	Artifact name
11.1	ProtectedRoute decision tree
11.2	GitHub OAuth callback detail
11.3	Refresh token rotation — full cycle
11.4	req.user attachment + cookie-parser middleware
11.5	Timing-safe comparison + CSRF protection

Section 12 — UI components (10 diagrams)

#	Artifact name
12.1	Component props map — all existing components
12.2	Component props map extended — CodePanel + LivePreview
12.3	Dashboard charts map — Recharts component anatomy
12.4	Dashboard + profile screen wireframes
12.5	Preview loading states — all 5 states skeleton to error
12.6	Preview error handling — all failure cases
12.7	Profile live badge component
12.8	Settings portfolio tab addition — 4-tab outlet rendering
12.9	Portfolio submission form lifecycle — isDirty + useBeforeUnload
12.10	PortfolioEditor desktop + mobile wireframes

Section 13 — API reference (2 diagrams)

#	Artifact name
13.1	Portfolio API endpoints — 6 new routes reference
13.2	Rate limiting for portfolio code endpoints

Section 14 — Tooling, testing, and config (6 diagrams)

#	Artifact name
14.1	Build sequence — 8-phase updated with Phase 7 portfolio engine
14.2	Git workflow + branching strategy
14.3	Testing strategy pyramid for DevFolio
14.4	ESLint + Prettier + Husky pre-commit chain
14.5	concurrently + nodemon dev setup
14.6	npm audit security + npm outdated maintenance workflow

20:04 0.32 KB/S claude.ai/chat/d9l 2

Section 15 — Concepts (18 diagrams)

Foundational concepts every beginner must understand. Read before coding.

#	Artifact name
15.1	HTTP request lifecycle — DNS to TCP to TLS to response
15.2	Same-origin policy — the foundation of CORS
15.3	REST idempotency — GET · PUT · PATCH · DELETE · POST
15.4	Preflight OPTIONS request — when and why cors handles it
15.5	HMAC-SHA256 JWT signing — how signature is computed
15.6	Base64url encoding — why JWT parts look the way they do
15.7	OAuth 2.0 authorization code flow — full redirect dance
15.8	N+1 query problem — how leaderboard silently makes 21 DB calls
15.9	Normalisation vs denormalisation — why DevFolio separates scores
15.10	ACID properties + MongoDB session transactions
15.11	Node.js event loop mental model
15.12	Promise.allSettled vs Promise.all — failure handling difference
15.13	Memory leak patterns + cleanup
15.14	Virtual DOM reconciliation + React key diffing
15.15	React 18 automatic rendering batching
15.16	Promise chaining vs async/await — when each reads cleaner
15.17	Index cardinality — high vs low + DevFolio field decisions
15.18	MongoDB 16MB document size limit — why scores are separate

Section 16 — Execution engine (all new, 38 diagrams)

The complete portfolio code execution feature. Read E1 first, then proceed in order.

#	Artifact name
E1	Beginner feasibility map — Easy · Medium · Hard · Skip for MVP
E2	Updated system architecture — execution engine layer
E3	Execution engine — 3 options comparison (srcDoc · static · Docker)
E4	Code storage decision tree — MongoDB vs Cloudinary
E5	PortfolioCode collection schema — 9th Mongoose model
E6	HTML/CSS/JS combine + DOMPurify sanitize flow
E7	iframe srcDoc rendering pattern
E8	iframe sandbox attribute — every flag explained
E9	Portfolio code submission API — POST flow end to end
E10	Portfolio API endpoints reference — 6 new routes
E11	Developer submission flow end to end
E12	Recruiter viewing live portfolio
E13	LivePreview + CodePanel component architecture
E14	Preview loading states — all 4 states
E15	CSP headers for preview protection
E16	Portfolio visibility settings — isPublic toggle
E17	Code editor decision — textarea vs CodeMirror
E18	Portfolio update + re-render flow
E19	Rate limiting for execution endpoints
E20	Malicious code prevention stack — 5 layers
E21	Source code hiding — what stays server-side vs browser
E22	Public preview URL flow
E23	Multer config for code file uploads Phase 2
E24	Portfolio submission form lifecycle
E25	Code obfuscation approach — optional Phase 2
E26	Portfolio feature RBAC additions
E27	Settings portfolio tab addition
E28	Profile live badge component
E29	Updated build sequence — Phase 7 added
E30	Preview error handling — all failure cases
E31	Updated documentation index additions
E32	Complete change summary — every section affected
E33	DOMPurify exact allowlist for portfolio preview
E34	Portfolio + DevScore integration decision
E35	ProjectCard live preview link
E36	Mobile split-panel layout for PortfolioEditor
E37	Local testing workflow for portfolio feature
E38	PortfolioCode as the 9th collection — relationship map

20:04 2.00 KB/S Vo 5G 39
claude.ai/chat/d9l
2
Diagram documentation and MVP implementation review
Share

Section 17 — Final alignment batch (20 diagrams)

The last batch. These fill every cross-section gap after the execution engine addition.

#	Artifact name
F1	Portfolio debounce + save race condition prevention
F2	combineCode() utility — string template and usage
F3	iframe onLoad event + skeleton swap timing
F4	Portfolio form isDirty + useBeforeUnload lifecycle
F5	Settings sub-nav 4-tab outlet rendering context
F6	React data flow updated — LivePreview as display leaf
F7	Leaderboard ranking query — updated with portfolio pill
F8	Admin panel updated — PortfolioCode delete cascade
F9	Recruiter search + filter — portfolio pill pass-through
F10	DevScore badge — all 5 placement appearances
F11	Middleware chain updated — portfolio route stacks
F12	"Which files do I touch" — portfolio scenarios extended
F13	Nightly cron job — PortfolioCode excluded
F14	Loading + empty states map — portfolio screens added
F15	Toast notification map — 8 portfolio events added
F16	Component props map — CodePanel + LivePreview
F17	Portfolio update + re-render cycle — debounce to srcDoc
F18	Profile.jsx exact changes — 3 additions for live badge
F19	Portfolio submission form — isDirty lifecycle (detailed)
F20	Complete route table — all 30 endpoints with guards

Reading order recommendation

For a developer building DevFolio from scratch, read sections in this sequence:

Phase 1 — Understand the system → Sections 0, 1, 2, 15

Phase 2 — Build auth → Sections 4, 11, 3

Phase 3 — Build core features → Sections 8 (8.1–8.3), 5, 6, 7, 10

Phase 4 — Build UI → Sections 9, 12, 13

Phase 5 — Polish and tooling → Sections 14, 15 (remaining concepts)

Phase 6 — Portfolio execution engine → Section 16 (E1 through E38 in order), then Section 17 (F1–F20)

Now generating the final remaining artifact batch — the few gaps not yet covered:



20:04
0.12 KB/S
Vo 5G
39
claude.ai/chat/d9l
2
Diagram documentation and MVP implementation review
Share
Portfolio publish → notification trigger via Mongoose post-save hook
Developer clicks Save & Publish
portfolio.service.js runs
PortfolioCode.findOneAndUpdate upsert:true
Mongoose post('findOneAndUpdate') hook fires
isPublic changed → true
Notification.create({'{'}user_id, type: 'portfolio_published'{'}'}
isPublic unchanged
no notification created
post-save still fires — just exits early
MVP shortcut — skip the hook, create notification in controller instead
hook detects isPublic flip: compare doc.isPublic vs this.getUpdate().$set?.isPublic
notification bell badge increments — polling picks it up within 30s
Portfolio feature flag — config/features.js integration
config/features.js — single source of truth
module.exports = {'{'}EMAIL_VERIFY, NOTIFICATIONS, PORTFOLIO{'}'}
Backend guard
portfolio.routes.js — top of file
if (!features.PORTFOLIO) res.status(404).json()
Frontend guard
SettingsLayout.jsx — conditional tab
features.PORTFOLIO && <NavLink to="portfolio">
PORTFOLIO: false
all 6 endpoints return 404
PORTFOLIO: true
all endpoints active · tab visible
Env var alternative (frontend only)
VITE_PORTFOLIO=true in .env.local → import.meta.env.VITE_PORTFOLIO
frontend only — backend still needs features.js guard
Set all MVP flags = false in .env.example — flip to true when feature is built and tested
Never hardcode feature checks inline — always read from features.js or import.meta.env
Updated folder structure — portfolio additions
Teal = new file · Amber = existing touched · Gray = existing unchanged
server/
models/PortfolioCode.model.js — NEW
routes/portfolio.routes.js — NEW
controllers/portfolio.controller.js — NEW
services/portfolio.service.js — NEW
app.js — +1 import +1 app.use line — TOUCH
routes/auth.routes.js — unchanged
services/github.service.js — unchanged
services/score.service.js — unchanged
middleware/auth.middleware.js — unchanged
client/
pages/settings/PortfolioEditor.jsx — NEW
pages/portfolio/PortfolioPreview.jsx — NEW
components/LivePreview.jsx — NEW
components/CodePanel.jsx — NEW
api/portfolio.api.js — NEW Axios helper
router.jsx — +2 Route entries — TOUCH
settings/SettingsLayout.jsx — 4th tab + NavLink — TOUCH
Profile.jsx — hasPortfolio useEffect + badge — TOUCH
pages/Dashboard.jsx — unchanged
Install (server folder only)
npm install dompurify jsdom — only new dependency — no client installs needed for Phase 1
Summary: 7 new files · 4 existing touched (1-3 lines each) · zero changes to auth/score/stats
Optional — config/features.js
add PORTFOLIO: false flag — flip to true when ready to ship · no features.js needed for hard-launch
Account deletion cascade — updated for 9 collections
DELETE /admin/users/:userId
deleteUserCascade(userId) — async
await in order — 9 sequential deletes
GithubStats
DsaStats
Project
Notification
DevScore
Profile soft del
Score
PortfolioCode NEW
User.isDeleted = true
soft delete — keeps User doc in DB
Soft delete rule: Profile · Notification → isDeleted=true · hard delete: all others including PortfolioCode
PortfolioCode.findOneAndDelete(user_id) — add this one line to user.controller.js deleteUserCascade()
Updated onboarding flow — 4 steps (was 3)
POST /api/auth/register
User + empty Profile created — JWT issued → /dashboard
Dashboard — all empty states
0 commits · 0 score · no projects · banner shown
computeCompletion(user, profile, githubStats, dsaStats, portfolioCode) — 4 steps · 25% each
Step 1 — 25%
Fill bio + college
profile fields not null
Step 2 — 25%
Connect GitHub
user.github_id not null
Step 3 — 25%
Add DSA username
profile.lc_username set
Step 4 — 25% NEW
Add live portfolio
portfolioCode.isPublic true
Implementation changes
ompletion() change — add portfolioCode param · check portfolioCode?.isPublic === true
.jsx change — add GET /api/portfolio/{'{'}userId{'}'}/exists to dashboard fetch · pass portfolioCode to computeCompletion
otional — hide banner at 75% (3/4 done) also acceptable for MVP · Flag: HIDE_AT_75 in features.js
Updated leaderboard row + recruiter card — portfolio pill added
Before vs after — conditional render driven by hasPortfolio prop
LeaderboardRow — before
1 JD subhash_dev IIT Hyderabad 74
(no portfolio pill)
LeaderboardRow — after
1 JD subhash_dev IIT Hydbd Portfolio 74
pill conditionally rendered — hasPortfolio=true only
RecruiterSearch card — before
JD john_doe IIT Hyderabad 74
React · Node
View profile · Shortlist
RecruiterSearch card — after
JD john_doe Portfolio IIT Hydbd 74
React · Node
View profile · View Portfolio · Shortlist
hasPortfolio prop — where it comes from
Leaderboard.jsx: Promise.all cards.map(c => GET /api/portfolio/{'{'}c.user_id{'}'}/exists) → sets hasPortfolio per card
RecruiterSearch.jsx: same pattern — one /exists call per SearchCard — not blocking main search
No API shape change — leaderboard + recruiter search endpoints return same data as before
Master file-touch checklist — portfolio feature
Teal = create new · Amber = touch existing (1-3 lines) · Gray = zero changes
server/
models/PortfolioCode.model.js — CREATE
routes/portfolio.routes.js — CREATE
controllers/portfolio.controller.js — CREATE
services/portfolio.service.js — CREATE
app.js — +1 import +1 app.use — TOUCH
user.controller.js — +1 cascade line — TOUCH
client/
pages/settings/PortfolioEditor.jsx — CREATE
pages/portfolio/PortfolioPreview.jsx — CREATE
components/LivePreview.jsx — CREATE
components/CodePanel.jsx — CREATE
api/portfolio.api.js — CREATE
router.jsx — +2 Route entries — TOUCH
settings/SettingsLayout.jsx — 4th tab — TOUCH
Profile.jsx — live badge additions — TOUCH
Install (server only)
npm install dompurify jsdom
Zero-touch files
mary: 10 new files created · 4 existing touched (1-3 lines each) · no schema changes to 8 existing collect



That completes the final artifact batch. Here is a clean summary of everything delivered in this last session:

Final batch — 12 remaining artifacts generated:

#	Artifact	Section
1	DOMPurify exact allowlist for portfolio preview	E33 / Section 16
2	ProjectCard live preview link	E35 / Section 16
3	Portfolio notification trigger — Mongoose post-save hook	F11 extended
4	Portfolio feature flag integration	F12
5	Updated folder structure — portfolio additions	F1
6	Account deletion cascade — updated for 9 collections	Section 8
7	Updated onboarding flow — 4 steps	F9 updated
8	Leaderboard row + recruiter card — portfolio pill	F10 extended
9	Master file-touch checklist — portfolio feature	F20
10	Portfolio upsert pattern — findOneAndUpdate	F14
11	Complete change summary — all sections affected	E32
12	Portfolio debounce + save race condition	F1 (from prior batch)

The documentation index above is the authoritative reference. Every artifact maps to a named section with a reading order. When you open a new conversation or share this project with collaborators, start them at Section 0 and direct them to Section 16 only after Phase 5 is working.

continue the above task completely and also add the new feature where the user able to compare his profile with his friends by giving their profile details give me all those related inline artifacts that involve with the addition of this new feature

20:05 0.04 KB/S 39
claude.ai/chat/d9l 2

Complete topic inventory — Developer Comparison feature (20 artifacts)

C1 — Comparison feature — feasibility + beginner complexity rating C2 — Comparison system architecture — where it fits in existing layers C3 — API endpoint design — GET /api/compare?userA=&userB= C4 — Backend data-fetch strategy — Promise.all for two profiles C5 — ComparisonResult shape — response envelope structure C6 — No new schema — zero Mongoose model changes C7 — Frontend routing — /compare/:usernameA/:usernameB C8 — CompareView page — component tree C9 — CompareCard component — side-by-side stat layout C10 — Radar/spider chart — multi-metric visual (Recharts) C11 — Winner badge logic — per-category highlight C12 — URL sharing — copy-to-clipboard compare link C13 — Access control — public vs auth visibility rules C14 — RBAC additions — who can use comparison C15 — Entry points — where "Compare" button appears C16 — Empty/loading/error states — comparison page C17 — useCompare custom hook — data-fetch encapsulation C18 — Comparison page wireframe — desktop layout C19 — Files touched — what to create vs what to touch C20 — Updated master documentation index — Section 18 added

Now generating all 20 artifacts in order.

C1 — Comparison feature — feasibility map

Easy — build now · Medium — needs research · Hard — post-placement · Skip for MVP

Sub-feature	Rating	Reason
GET /api/compare endpoint — fetch two profiles in one call	Easy	Promise.all — same patterns you know
Side-by-side stat display — CompareCard layout	Easy	CSS grid — no new concepts
URL routing — /compare/userA/userB	Easy	useParams — already in your app
Winner badge per category — highlight logic	Easy	Simple Math.max comparison in JSX
Radar chart — Recharts ResponsiveContainer	Medium	New Recharts component — 1hr research
Copy-link share button — navigator.share	Easy	Same pattern as profile share (diagram 14)
Real-time live comparison — WebSockets	Skip MVP	Not needed — scores rarely change live
Save comparison history — new collection	Skip MVP	Extra complexity — URL sharing covers it

MVP verdict — genuinely beginner-buildable in 1 day
Zero new Mongoose models · reuses existing API patterns · only new file is CompareView.jsx + CompareCard.jsx

C2 — Comparison feature — where it fits in existing layers

Client layer — React + Tailwind CSS
CompareView.jsx · CompareCard.jsx · useCompare hook · radar chart · share button — ALL NEW

↓

Server layer — Node.js / Express REST API
compare.controller.js · compare.routes.js · GET /api/compare — NEW · all other routes untouched

↓

Execution engine layer — portfolio only
No changes — comparison does not touch portfolio code or iframe preview

↓

Data layer — MongoDB
reads Profile · DevScore · GithubStats · DsaStats — NO new collections · NO schema changes

Zero schema impact — comparison is a read-only aggregation of existing data

C3 — API endpoint design — GET /api/compare

GET /api/v1/compare?userA=john_doe&userB=jane_dev
query params — both required · no auth required (uses public profile data only)

Validation — express-validator

Missing param → 400
userA and userB both required

Same username → 400
userA === userB not allowed

↓

Promise.all — fetch both users in parallel
getProfileData(userA) · getProfileData(userB) — same helper, called twice

User not found → 404
message: "User 'john_doe' not found"

Both found → 200
build ComparisonResult envelope

Response envelope — 200 OK

```
{
  userA: { username, avatar, college, totalScore, tier, githubCommits, dsaSolved, projects },
  userB: { username, avatar, college, totalScore, tier, githubCommits, dsaSolved, projects },
  winner: { overall: "userA" | "userB" | "tie"
  byCategory: { score:"userA", github:"userB", dsa:"tie", projects:"userA" } }
}
```

C4 — Backend data-fetch strategy — Promise.all for two profiles

compare.controller.js
asyncHandler wraps everything

↓

const [a, b] = await Promise.all([getProfileData(userA), getProfileData(userB)])
both fetches fire simultaneously — not sequential — halves response time

↓

getProfileData(username) — reusable helper in compare.service.js

```
const profile = await Profile.findOne({ username });
const score = await DevScore.findOne({ user_id: profile._id }).lean()
const github = await GithubStats.findOne({ user_id: profile._id }).lean()
const dsa = await DsaStats.findOne({ user_id: profile._id }).lean()
```

↓

returns shaped object — one per user
username · avatar · college · totalScore · tier · githubCommits · dsaSolved · projectCount

Why .lean() on all queries
comparison is read-only — .lean() returns plain JS objects, 3-5x faster, no Mongoose overhead
never call .lean() on PATCH routes — mutations need full Mongoose document methods

C5 — ComparisonResult response envelope + winner logic

Field	Type	Notes
userA / userB	ProfileShape	identical structure — both users
ProfileShape.username	String	used for display + URL
ProfileShape.avatar	String | null	relative path — prepend VITE_API_BASE_URL
ProfileShape.totalScore	Number	0–100 — from DevScore.total_score
ProfileShape.tier	String	Unranked · Bronze · Silver · Gold · Platinum · Diamond
ProfileShape.githubCommits	Number	GithubStats.total_commits
ProfileShape.dsaSolved	Number	DsaStats.lc_easy + lc_medium + lc_hard
ProfileShape.projectCount	Number	Project.countDocuments({ user_id })
winner.overall	"userA"|"userB"|"tie"	computed on server — based on totalScore
winner.byCategory	Object	score · github · dsa · projects — each "userA"|"userB"|"tie"

Winner logic — computed in compare.service.js

```
const winner = (a, b) => a > b ? 'userA' : b > a ? 'userB' : 'tie'
byCategory.score = winner(a.totalScore, b.totalScore)
byCategory.github = winner(a.githubCommits, b.githubCommits) — and so on
```

20:05 0.09 KB/S 39
claude.ai/chat/d9
Diagram documentation and MVP implementation review
Share

C6 — No new schema — comparison reads existing collections only

All 9 existing collections — zero changes to any model

- **User** — READ — _id, role
- **Profile** — READ — bio, college
- **DevScore** — READ — total_score
- **GithubStats** — READ — total_commits
- **DsaStats** — READ — solved counts
- **Project** — COUNT — per user
- **Notification** — not touched
- **PortfolioCode** — not touched

What this means in practice

No npm install needed — no new dependencies
No mongoose migration — all schemas stay exactly as they are
No cron job changes — comparison is purely on-demand

Optional future extension — ComparisonHistory collection

If you want to save past comparisons: {userA_id, userB_id, snapshotData, createdAt} — skip for MVP

C7 — Frontend routing — /compare/:usernameA/:usernameB

router.jsx — 1 new Route line inside ProtectedRoute

<Route path="compare/:usernameA/:usernameB" element={<CompareView />} />
Public route alternative (no auth needed — reads public profiles)

↓

CompareView.jsx — reads params
const {usernameA, usernameB} = useParams()

↓

useCompare(usernameA, usernameB)
fires GET /api/compare?userA=john&userB=jane

Navigation sources — how users reach /compare

Profile page — "Compare with friend" button → modal to enter username → navigate('/compare/me/friend')
Leaderboard row — "Compare" action button → navigate('/compare/me/' + row.username)
Direct URL share — /compare/userA/userB — anyone with the link can view
useNavigate('/compare/' + usernameA + '/' + usernameB) — same pattern as profile navigation

C8 — CompareView page — full component tree

pages/CompareView.jsx
owns all state · calls useCompare hook

- **CompareHeader** — avatars · names · share btn
- **CompareCard × 2** — side-by-side stat panels
- **RadarChart** — Recharts spider chart
- **WinnerBanner** — overall result

CompareCard (userA) — score · github · dsa · projects
CompareCard (userB) — score · github · dsa · projects

StatRow × 4 — label · value · winner highlight
StatRow × 4 — label · value · winner highlight

Shared/existing components used unchanged

Navbar · ScoreBadge · Avatar · ErrorBoundary — no props changes needed
useCompare custom hook — data fetching abstracted away from view layer

C9 — CompareCard — side-by-side stat layout + props

CompareCard — props: {user, winner, isLeft}
user = ProfileShape · winner = byCategory object · isLeft = boolean for layout mirror

Visual layout — desktop side-by-side · mobile stacked

john_doe — IIT Hyderabad · Gold		jane_dev — NIT Trichy · Platinum	
DevScore	74	DevScore	81
GitHub commits	312 ↑	GitHub commits	198
DSA solved	122	DSA solved	210 ↑
Projects	4	Projects	7 ↑

Winner highlight rule

Teal highlight row = winner in that category · ↑ arrow suffix on the winning value
winner.byCategory.github === 'userA' → highlight john_doe's github row · plain for userB
Tie → neither row highlighted · no arrow

C10 — Radar chart — Recharts spider chart for comparison

Recharts component nesting — radar chart

```
<ResponsiveContainer width="100%" height={280}>
  <RadarChart data={radarData}>
<PolarGrid /> <PolarAngleAxis dataKey="metric" /> <PolarRadiusAxis angle={30} domain={[0, 100]} />
<Radar name={userA} dataKey="a" stroke="#1D9E75" fill="#1D9E75" fillOpacity={0.2} />
```

radarData — normalised 0–100 per metric

```
[ {metric: 'Score', a: userA.totalScore, b: userB.totalScore}
{metric: 'GitHub', a: normalise(userA.githubCommits), b: normalise(userB.githubCommits)}
{metric: 'DSA', a: normalise(userA.dsaSolved), b: normalise(userB.dsaSolved)} ]
```

normalise() — cap raw counts to 0–100 scale

GitHub: Math.min(commits / 5, 100) — 500 commits = 100 · prevents one axis dominating
DSA: Math.min(solved / 4, 100) — 400 problems = 100
Projects: Math.min(count * 10, 100) — 10 projects = 100

Two Radar elements — one per user — different stroke colours · semi-transparent fills

userA = teal (#1D9E75) · userB = purple (#534AB7) · both on same RadarChart

20:06 0.00 KB/S 39
claude.ai/chat/d9l 2

C11 — Winner badge logic — per-category + overall

winner object arrives from API
computed server-side in compare.service.js

↓

WinnerBanner — overall winner display
winner.overall === 'userA' → "john_doe wins!" in teal · 'tie' → "It's a tie!" in amber

Per-category row highlight in CompareCard

winner.byCategory.github === 'userA'
highlight left card GitHub row teal
add ↑ suffix to userA's value

winner.byCategory.github === 'userB'
highlight right card GitHub row teal
add ↑ suffix to userB's value

StatRow highlight helper — JSX pattern

```
const isWinner = winner.byCategory[category] === side // side = 'userA' or 'userB'
className={clsx('flex justify-between px-3 py-2 rounded',
isWinner && 'bg-teal-50 dark:bg-teal-900/20 border border-teal-200'){} }
{label} <span>{value}{isWinner ? ' ↑' : ''}</span>
```

C12 — URL sharing — copy-to-clipboard + navigator.share

CompareHeader — share button
always visible · top-right of comparison page

↓

shareUrl = window.location.origin + '/compare/' + usernameA + '/' + usernameB

navigator.share available
mobile — opens native share sheet
title · text · url passed in

navigator.share unavailable
desktop — copy to clipboard
navigator.clipboard.writeText(url)

ShareButton — full pattern

```
const handleShare = async () => {
if (navigator.share) { await navigator.share({title:'DevFolio Compare', url: shareUrl}) }
else { await navigator.clipboard.writeText(shareUrl) · toast.success('Link copied!') }
}
```

C13 — Access control — public vs auth visibility rules

GET /api/compare?userA=X&userB=Y
incoming request

Auth check — optional · reads public data only

No JWT / not logged in
comparison still works
public profiles are always readable

Logged in — any role
same result — no extra data
no private fields exposed

What is and is not shared in comparison response

Shared: username · avatar · college · totalScore · tier · commits · dsaSolved · projectCount
Never shared: email · password_hash · githubToken · resetToken · role · private GitHub repos

Frontend route guard — recommendation

Option A: public route (no ProtectedRoute wrapper) — anyone with the link can view
Option B: auth required — forces login before comparison · better for engagement

C14 — RBAC additions — comparison permissions

Action	Developer	Recruiter	Mentor	Admin
Compare any two public profiles	yes	yes	yes	yes
View comparison without login	yes (pub)	yes (pub)	yes (pub)	yes (pub)
Share comparison URL	yes	yes	yes	yes
Save comparison history	skip MVP	skip MVP	skip MVP	skip MVP

Backend guard — compare.routes.js

Option A — no middleware: router.get('/compare', compareController.compare)
Option B — optional auth: router.get('/compare', optionalJWT, compareController.compare)
optionalJWT = tries to verify token but calls next() even if absent
req.user = decoded payload if valid token · undefined if no token · controller handles both

C15 — Entry points — where "Compare" button appears

Profile page
"Compare with friend"
opens CompareModal
user enters friend username

Leaderboard row
"Compare" action btn
navigate to /compare/
me / rowUsername

Direct URL
/compare/userA/userB
shared link — anyone
with the URL can view

↓

CompareView — /compare/:usernameA/:usernameB
all three entry points converge here

CompareModal — how Profile page entry point works

User clicks "Compare with friend" → CompareModal opens (React Portal)
Single text input: "Enter friend's username"
On submit: navigate('/compare/' + myUsername + '/' + friendUsername)
myUsername comes from: useAuth() context → user.username
Validation: trim whitespace · not empty · not same as own username · show inline error if fails
If user not found: API returns 404 → shown as inline error state on compare page

C16 — Empty / loading / error states — comparison page

State	What to render	Tailwind / technique
loading	two skeleton cards side by side	animate-pulse · w-full · h-48 · bg-gray-200
user not found (404)	"User 'X' not found" inline error	text-red-500 · same username from URL shown
same username	"Can't compare a user with themselves"	caught at validation layer before API call
network error	ErrorBoundary fallback + retry button	reuse existing ErrorBoundary component
both users found	full comparison view rendered	CompareCard × 2 + RadarChart + WinnerBanner
tie — all categories	"It's a tie!" amber banner	no rows highlighted · no ↑ arrows shown

useCompare hook — state machine

```
const {data, loading, error} = useCompare(usernameA, usernameB)
if (loading) return <CompareSkeleton /> — two side-by-side pulse rects
if (error?.status === 404) return <UserNotFoundError message={error.message} />
if (error) return <ErrorBoundary fallback />
return <CompareLayout data={data} />
```



All 19 artifacts (C1–C19) are complete and rendered. The final artifact (C20 — updated master documentation index) is the section addition, delivered here in text:

C20 — Updated master documentation index — Section 18 added

Add the following section to the master index after Section 17:

Section 18 — Developer comparison feature (20 diagrams)

#	Artifact name
C1	Comparison feature — feasibility + beginner complexity rating
C2	Comparison system architecture — placement in existing layers
C3	API endpoint design — GET /api/compare query params + response

20:06 22.0 KB/S Vo 5G 39
claude.ai/chat/d9l
2

Generating all remaining artifacts now.

Compare service layer — controller vs service responsibility split

GET /api/compare?userA=X&userB=Y

compare.controller.js — HTTP concerns only
reads req.query · validates params · calls service · sends res.json()
NEVER touches MongoDB directly · knows about HTTP, not data

compare.service.js — business logic
getProfileData(username) — 4 parallel Mongoose queries per user
buildComparisonResult(a, b) — shapes output + computes winner
normalise(value, cap) — scales raw counts to 0–100

MongoDB — 4 collections read per user
Profile · DevScore · GithubStats · DsaStats · Project.countDocuments

normalise() — lives in compare.service.js

```
const normalise = (value, cap) => Math.min(Math.round((value / cap) * 100), 100)
```

caps: github=500 commits · dsa=400 solved · projects=10 count — all tunable

CompareModal flow — from button click to navigation

Profile page — "Compare with friend"
button below stats row · logged-in user only

CompareModal opens (React Portal)
rendered via createPortal into document.body
z-50 backdrop · modal centers on screen

Input: "Enter friend's username"
controlled input · trim whitespace on blur
disabled if empty · Enter key submits

Client-side validation before any API call

same as own username	empty string	valid username
inline error — no navigation	button stays disabled	proceed to navigate

navigate('/compare/' + myUsername + '/' + friendUsername)
modal closes · CompareView mounts · useCompare fires

Mobile comparison layout — stacked single-column

Desktop — md: and above

CompareCard userA | CompareCard userB

RadarChart
full width · height 280

grid-cols-2 gap-4

Mobile — below md:

CompareCard — userA
full width

CompareCard — userB
full width

RadarChart
height 200 · collapsed

grid-cols-1 gap-4

Tailwind responsive wrapper
className="grid grid-cols-1 md:grid-cols-2 gap-4" — CompareCard wrapper div in CompareView

Toast notifications — comparison-specific events

Event	Type	Toast call
Link copied to clipboard	success	toast.success('Compare link copied!')
native share succeeded (mobile)	none	OS handles feedback — no toast needed
user not found — 404 from API	error	inline error state — not toast (avoids double)
network error — fetch failed	error	toast.error('Could not load comparison')
same username entered in modal	warning	inline modal error — not toast

Rule — inline vs toast decision
Use inline error when the failure is tied to a specific field (modal input, page content)
Use toast when the failure is ambient (network, clipboard) — not tied to UI location
Never show both for the same error — pick one based on where the user is looking

Comparison endpoint added — route table now 31 total

Method	Route	Guard	Description
... existing 30 routes unchanged above ...			
Comparison route — new addition			
GET	/api/compare	optionalJWT	compare two profiles

optionalJWT middleware — the new pattern this route introduces

```
const optionalJWT = (req, res, next) => {
const header = req.headers.authorization
if (!header) return next() // no token — continue as unauthenticated
try {
const decoded = jwt.verify(header.split(' ')[1], JWT_SECRET)
req.user = decoded · next() }
catch {
next() }
// invalid token — still continue
}
// req.user = decoded payload if valid token · undefined if no/invalid token
```

20:07 0.12 KB/S 38
claude.ai/chat/d9l
2

Updated frontend component tree — comparison additions

Teal = new · Gray = existing unchanged



Shared components used in CompareView — zero changes needed

Navbar · ScoreBadge · Avatar · ErrorBoundary — imported unchanged
useCompare hook · compare.api.js — new · live in hooks/ and api/ folders
CompareModal — also new · opened from Profile.jsx and LeaderboardRow.jsx

LeaderboardRow — updated with Compare button

Before	After
1 JD subhash_dev IIT Hyd Portfolio 74 Profile	1 JD subhash_dev IIT Profile Compare

LeaderboardRow.jsx — Compare button logic

Compare button shown only when: user is logged in AND row.username !== loggedInUser.username
const {user} = useAuth() // from context
const canCompare = user && user.username !== row.username
onClick: navigate('/compare/' + user.username + '/' + row.username)
no modal needed from leaderboard — both usernames already known

Props change — 1 addition only

LeaderboardRow already receives score data including username
only add: import useNavigate + useAuth · add canCompare condition · add button JSX

Profile.jsx — Compare entry point additions

Profile page layout — existing + new elements

r row: [avatar] [username · college] [DevScore badge] [Live badge — if portfolio]
row: commits · stars · LC solved · CF rating
Action row — NEW: [View Live Portfolio button] [Compare with friend button]

Profile.jsx — 3 additions for Compare

ion 1 — state: const [showCompareModal, setShowCompareModal] = useState(false)
ion 2 — JSX: {!isOwnProfile && user && <button onClick={() => setShowCompareModal(true)}>Compare</button>}
ion 3 — conditional render: {showCompareModal && <CompareModal myUsername={user.username}
lUsername={profile.username} onClose={() => setShowCompareModal(false)} />}

Visibility rules for Compare button

profile (isOwnProfile=true) → button hidden — no point comparing with yourself
ng another user's profile while logged in → button shown
ng while not logged in → button hidden — compare requires knowing who "you" are

Comparison end-to-end trace — profile entry point to result



Updated build sequence — Phase 9 comparison engine added

"Which files do I touch" — comparison scenarios

Task	File sequence	Layer
Comparison returns wrong winner	compare.service.js → check winner() function + normalise() caps	Service only
Radar chart not rendering	CompareView.jsx → check radarData shape · normalise() output · Resp height	Frontend only
Compare button not visible on profile	Profile.jsx → check isOwnProfile condition + user context value	Profile page
User not found 404 on compare	compare.controller.js → check username lookup + error response shap	Controller
Share link not copying	CompareHeader.jsx → check navigator.clipboard call + toast.success	Frontend only
Compare route 404 on live server	app.js → confirm app.use('/api', compareRoutes) added · compare.rout	Routes/app.js
Winner highlight not showing	CompareCard.jsx → check winner.byCategory prop + clsx condition in	Frontend only

Zero-touch files for comparison feature

auth routes · score service · portfolio service · cron job · all Mongoose models
GitHub sync · DSA sync · admin panel · notifications · leaderboard query logic
Comparison is fully isolated — reads data, writes nothing, touches no existing business logic



All remaining artifacts are now complete. Here is the final summary of everything delivered in this continuation:

Section 19 — Comparison continuations (13 artifacts)

#	Artifact name
1	Compare service layer separation — controller vs service responsibility split
2	CompareModal flow detail — from button click to navigation
3	Mobile comparison layout — stacked single-column responsive
4	Comparison toast notifications — inline vs toast decision rule
5	optionalJWT middleware pattern + compare in the route table (total 31)
6	Updated frontend component tree — all comparison components placed
7	LeaderboardRow — Compare button addition + visibility condition
8	Profile.jsx — Compare entry point additions (3 changes)
9	Comparison end-to-end trace — profile page to result render
10	Updated build sequence — Phase 9 comparison engine added
11	"Which files do I touch" — comparison debug scenarios
12	CompareSkeleton — loading state design + Tailwind rule
13	Complete master documentation index — all 19 sections, ~259 total artifacts

The documentation is now complete. The full DevFolio visual blueprint covers every aspect of the system across 19 sections: core architecture, all feature flows, the portfolio

20:07 0.10 KB/S 38
claude.ai/chat/d9l
Diagram documentation and MVP implementation review
Share

DevFolio — Complete Visual Documentation Index

Professional Master Reference · All 280+ Artifacts · 20 Sections

Reading order by build phase

Phase 1 — Understand the system: Sections 0 → 1 → 2 → 15 → 20

Phase 2 — Build auth: Sections 4 → 11 → 3

Phase 3 — Core features: Sections 8 → 5 → 6 → 7 → 10

Phase 4 — UI: Sections 9 → 12 → 13

Phase 5 — Polish: Sections 14 → 15 (remaining)

Phase 6 — Portfolio engine: Section 16 (E1–E38 in order) → Section 17

Phase 7 — Comparison feature: Sections 18 → 19

Phase 8 — Unified system view: Section 20 (this batch)

Section 0 — Overview (4 diagrams)

#	Artifact name
0.1	System architecture
0.2	User flow diagram
0.3	Updated system architecture — execution engine layer added
0.4	New user onboarding flow

Section 1 — DevScore algorithm (3 diagrams)

#	Artifact name
1.1	DevScore formula — weighted sub-scores
1.2	DevScore math breakdown
1.3	DevScore tier + badge system

Section 2 — Architecture and data (8 diagrams)

#	Artifact name
2.1	Project folder structure
2.2	Database schema (ERD) — all 9 collections
2.3	MongoDB schema patterns — all 9 Mongoose models overview
2.4	MongoDB index strategy
2.5	MongoDB query patterns
2.6	MongoDB full-text search
2.7	Data persistence map
2.8	PortfolioCode collection schema — 9th collection

Section 3 — API routes reference (3 diagrams)

#	Artifact name
3.1	API routes — all 31 endpoints
3.2	API request + response shapes
3.3	Portfolio API endpoints — 6 new routes

Section 4 — Auth and security (9 diagrams)

#	Artifact name
4.1	Auth sequence flow
4.2	JWT token anatomy + lifecycle
4.3	JWT token sign/verify options
4.4	JWT expiry + session handling
4.5	Password hashing lifecycle
4.6	Forgot password / reset flow
4.7	Email verification flow
4.8	Malicious code prevention stack
4.9	XSS attack vector + DOMPurify defence

Section 5 — Infrastructure (9 diagrams)

#	Artifact name
5.1	Frontend component tree — updated with portfolio + comparison
5.2	Backend app.js wiring — updated
5.3	Express middleware chain — updated
5.4	Deployment architecture
5.5	Environment variables guide
5.6	Vite dev proxy
5.7	CORS configuration map
5.8	Helmet.js security headers
5.9	Project folder structure — updated

Section 6 — Data sync pipeline (5 diagrams)

#	Artifact name
6.1	GitHub API integration trace
6.2	LeetCode + Codeforces API integration trace
6.3	Data sync pipeline — nightly cron job
6.4	Score recompute trigger flow
6.5	External API rate limits + retry strategy

Section 7 — DevScore system (1 diagram)

#	Artifact name
7.1	Portfolio + DevScore integration decision

20:08 0.04 KB/S claude.ai/chat/d9l 2

Section 8 — Feature flows (14 diagrams)

#	Artifact name
8.1	New user onboarding flow — 4 steps
8.2	Profile edit flow
8.3	Project CRUD lifecycle
8.4	Recruiter search + filter flow
8.5	Mentor + admin panel flows
8.6	Avatar upload flow
8.7	Portfolio submission — developer end to end
8.8	Recruiter viewing live portfolio
8.9	Portfolio update + re-render flow
8.10	Public preview URL flow
8.11	Portfolio visibility settings — isPublic toggle
8.12	Portfolio-to-recruiter full journey
8.13	Local testing workflow for portfolio feature
8.14	Role upgrade request flow

Section 9 — React patterns (8 diagrams)

#	Artifact name
9.1	React data flow — updated with LivePreview leaf
9.2	Form state + validation flow
9.3	React component lifecycle
9.4	Custom hooks usage map
9.5	Context providers nesting
9.6	iframe srcDoc rendering pattern
9.7	LivePreview + CodePanel component architecture
9.8	Code editor decision — textarea vs CodeMirror

Section 10 — RBAC (2 diagrams)

#	Artifact name
10.1	Role-based access control (RBAC)
10.2	Portfolio RBAC additions — 6 new permission rows

Section 11 — Auth flows detailed (5 diagrams)

#	Artifact name
11.1	ProtectedRoute decision tree
11.2	GitHub OAuth callback detail
11.3	Refresh token rotation
11.4	req.user attachment + cookie-parser middleware
11.5	Timing-safe comparison + CSRF protection

Section 12 — UI components (10 diagrams)

#	Artifact name
12.1	Component props map
12.2	Component props map extended — CodePanel + LivePreview
12.3	Dashboard charts map
12.4	Dashboard + profile screen wireframes
12.5	Preview loading states — all 5 states
12.6	Preview error handling
12.7	Profile live badge component
12.8	Settings portfolio tab addition
12.9	Portfolio submission form lifecycle
12.10	PortfolioEditor desktop + mobile wireframes

Section 13 — API rate limiting (2 diagrams)

#	Artifact name
13.1	Portfolio API endpoints — rate limiting reference
13.2	Rate limiting for execution endpoints

Section 14 — Tooling, testing, and config (6 diagrams)

#	Artifact name
14.1	Build sequence — 8-phase + Phase 9 comparison
14.2	Git workflow + branching strategy
14.3	Testing strategy pyramid for DevFolio
14.4	ESLint + Prettier + Husky pre-commit chain
14.5	concurrently + nodemon dev setup
14.6	npm audit security + npm outdated maintenance

20:08 2.00 KB/S 38
claude.ai/chat/d9l 2

Section 15 — Concepts (18 diagrams)

#	Artifact name
15.1	HTTP request lifecycle
15.2	Same-origin policy
15.3	REST idempotency
15.4	Preflight OPTIONS request
15.5	HMAC-SHA256 JWT signing
15.6	Base64url encoding
15.7	OAuth 2.0 authorization code flow
15.8	N+1 query problem
15.9	Normalisation vs denormalisation
15.10	ACID properties + MongoDB session transactions
15.11	Node.js event loop mental model
15.12	Promise.allSettled vs Promise.all
15.13	Memory leak patterns + cleanup
15.14	Virtual DOM reconciliation + React key diffing
15.15	React 18 automatic rendering batching
15.16	Promise chaining vs async/await
15.17	Index cardinality
15.18	MongoDB 16MB document size limit

Section 16 — Execution engine (38 diagrams)

#	Artifact name
E1	Beginner feasibility map
E2	Updated system architecture — execution engine
E3	Execution engine — 3 options comparison
E4	Code storage decision tree — MongoDB vs Cloudinary
E5	PortfolioCode collection schema
E6	HTML/CSS/JS combine + DOMPurify sanitize flow
E7	iframe srcDoc rendering pattern
E8	iframe sandbox attribute
E9	Portfolio code submission API
E10	Portfolio API endpoints reference
E11	Developer submission flow end to end
E12	Recruiter viewing live portfolio
E13	LivePreview component architecture
E14	Preview loading states
E15	CSP headers for preview
E16	Portfolio visibility settings
E17	Code editor decision — textarea vs CodeMirror
E18	Portfolio update + re-render flow
E19	Rate limiting for execution endpoints
E20	Malicious code prevention stack
E21	How source code is hidden
E22	Public preview URL flow
E23	Multer config for code file uploads Phase 2
E24	Portfolio submission form flow
E25	Code obfuscation approach
E26	Portfolio feature — RBAC changes
E27	Settings portfolio tab addition
E28	Profile live badge component
E29	Updated build sequence
E30	Preview error handling
E31	Updated documentation index additions
E32	Complete change summary
E33	DOMPurify exact allowlist for portfolio preview
E34	Portfolio + DevScore integration decision
E35	ProjectCard live preview link
E36	Mobile split-panel layout for PortfolioEditor
E37	Local testing workflow for portfolio feature
E38	PortfolioCode as the 9th collection

20:08 0.00 KB/S 38
claude.ai/chat/d9l 2
Diagram documentation and MVP implementation review
Share

Section 17 — Final alignment batch (20 diagrams)

#	Artifact name
F1	Portfolio debounce + save race condition prevention
F2	combineCode() utility — string template
F3	iframe onLoad event + skeleton swap timing
F4	Portfolio form isDirty + useBeforeUnload lifecycle
F5	Settings sub-nav 4-tab outlet rendering context
F6	React data flow updated — LivePreview as display leaf
F7	Leaderboard ranking query — updated with portfolio pill
F8	Admin panel updated — PortfolioCode delete cascade
F9	Recruiter search + filter — portfolio pill pass-through
F10	DevScore badge — all 5 placement appearances
F11	Middleware chain updated — portfolio route stacks
F12	"Which files do I touch" — portfolio scenarios
F13	Nightly cron job — PortfolioCode excluded
F14	Loading + empty states map — portfolio screens
F15	Toast notification map — 8 portfolio events
F16	Component props map — CodePanel + LivePreview
F17	Portfolio update + re-render cycle
F18	Profile.jsx exact changes — 3 additions for live badge
F19	Portfolio submission form — isDirty lifecycle
F20	Complete route table — all 30 endpoints

Section 18 — Developer comparison feature (20 diagrams)

#	Artifact name
C1	Comparison feature — feasibility map
C2	Comparison system architecture
C3	API endpoint design — GET /api/compare
C4	Backend data-fetch strategy — Promise.all
C5	ComparisonResult response shape + winner logic
C6	No new schema — zero Mongoose changes
C7	Frontend routing — /compare/:usernameA/:usernameB
C8	CompareView page — component tree
C9	CompareCard — side-by-side stat layout
C10	Radar chart — Recharts spider chart
C11	Winner badge logic — per-category highlight
C12	URL sharing — navigator.share + clipboard
C13	Access control — public vs auth visibility
C14	RBAC additions — comparison permissions
C15	Entry points — where Compare button appears
C16	Empty / loading / error states — comparison page
C17	useCompare custom hook
C18	Comparison page wireframe — desktop layout
C19	Files touched — comparison feature
C20	Updated master documentation index

Section 19 — Comparison continuations (13 diagrams)

#	Artifact name
19.1	Compare service layer separation
19.2	CompareModal flow detail
19.3	Mobile comparison layout
19.4	Comparison toast notifications
19.5	optionalJWT middleware + route table (31 total)
19.6	Updated component tree — comparison additions
19.7	LeaderboardRow — Compare button addition
19.8	Profile.jsx — Compare entry point additions
19.9	Comparison end-to-end trace
19.10	Build sequence — Phase 9 added
19.11	"Which files do I touch" — comparison scenarios
19.12	CompareSkeleton — loading state design
19.13	Complete master documentation index — all 19 sections

20:08 1.00 KB/S 38
claude.ai/chat/d9l
2
Diagram documentation and MVP implementation review
Share

Section 20 — Unified system view (20 diagrams) ← This batch

#	Artifact name
U1	Complete website sitemap — all pages + routes
U2	Full user journey map — all 4 roles
U3	Complete data flow — one action through all 3 layers
U4	Unified state management map
U5	Cross-feature interaction map — comparison + portfolio + leaderboard
U6	Complete middleware execution order
U7	Full notification system end-to-end
U8	Role-based dashboard differences — what each role sees
U9	Complete error taxonomy
U10	Full session lifecycle
U11	Progressive profile completion — all 4 steps
U12	Complete recruiter search pipeline
U13	DevFolio landing page component map
U14	Public vs private visibility matrix
U15	New developer lifecycle — onboarding to power user
U16	Full admin capabilities map
U17	Tech stack dependency map
U18	Complete feature flag map
U19	DevFolio at a glance — one-page system summary
U20	Final complete documentation master index

Now generating all 20 unified artifacts.

Complete website sitemap — all pages + routes
Green = public · Blue = auth required · Purple = role-gated



All routes summary — 16 frontend · 31 API endpoints

Public frontend (6): / · /login · /register · /leaderboard · /profile/:username · /portfolio/:username/preview
Auth frontend (7): /dashboard · /settings/* (4 tabs) · /compare/:a/:b · /integrations
Role frontend (4): /recruiter/search · /recruiter/view/:user · /mentor/dashboard · /admin/*
API: 9 auth+profile · 5 sync+score · 2 leaderboard · 3 recruiter · 2 mentor · 2 admin · 6 portfolio · 1 compare · 1 stats

Full user journey map — all 4 roles from landing to key actions



Cross-role interactions

eveloper publishes portfolio → Recruiter sees "Portfolio" pill on search card → views live preview → shortlists
eveloper compares with peer → both see radar chart + winner banner → share URL with friend
lentor links college → Developer's profile shows college → Leaderboard filters by college → Mentor sees cohort
eveloper requests role upgrade → Admin approves → Developer gets recruiter/mentor dashboard access
ightly cron syncs GitHub + DSA for ALL developers → DevScore recomputes → Rankings update → All roles see fresh data
dmin batch recomputes → DevScore updates → Leaderboard + all badges refresh → Recruiters see updated ranking

Complete data flow — "sync GitHub" touches all 3 layers
representative action tracing client → server → DB → response

Client layer
1. SyncButton click → handleSync() → setStatus('syncing') · button disabled
2. axiosInstance.post('/integrations/sync/github') → Bearer token auto-attached by interceptor

Server layer
3. cors() → helmet() → express.json() → morgan() (global middleware chain)
4. verifyJWT → req.user attached → roleCheck (developer) → integrations.controller.js
5. github.service.js → fetch GitHub API → map response → GithubStats.findOneAndUpdate(upsert)
6. score.service.js → computeScore(userId) → DevScore.findOneAndUpdate(upsert)

Data layer
7. GithubStats.findOneAndUpdate({{}user_id{}}, {{}$set: stats{}}, {{}upsert:true, new:true{}})
8. DevScore.findOneAndUpdate({{}user_id{}}, {{}$set: scores{}}, {{}upsert:true, new:true{}}) · post-save h

Response + client update
9. res.json({{}success:true, github, score{}}) → 200 OK
10. Axios response interceptor → setStatus('success') → toast.success('GitHub synced!') · StatsCard re-renders

Same pattern applies to DSA sync · portfolio save · profile update · score recompute

20:09 7.00 KB/S 38
claude.ai/chat/d9l 2
Diagram documentation and MVP implementation review
Share

Unified state management map — what lives where

React Context
AuthContext
user · token · setUser
ThemeContext
theme · toggleTheme
Persists across
all routes
App-wide truth

useState (local)
Dashboard: profile, stats
score, loading, error
EditProfile: bio, college
techStack (useReducer)
PortfolioEditor: html
css, js, isDirty
CompareView: result

localStorage (persisted)
token — JWT string
theme — "light"/"dark"
onboarding_done — bool
Read on mount only
Cleared on logout
Never store user object
5MB limit enforced

URL params (searchParams)
Leaderboard page
college · minScore · tech
Survives page refresh
Shareable filter links
useSearchParams hook

Server state (API)
All user data
Fetched on mount
Re-fetched on mutation
Never cached long-term
Source of truth

useRef (no re-render)
DOM nodes — input focus
Interval IDs — polling
Abort controllers
Debounce timers
Previous score value

Decision rule — where to put new state
· must persist after navigation → Context · Local to one component → useState · Survive refresh + shareable → URL params

Cross-feature interaction map — how all features interconnect

DevScore engine
GitHub 40% · DSA 30% · Projects 20% · Consistency 10%

- **Leaderboard** — sorted by total_score · global + college filter
- **Profile page** — badge · tier · stats · portfolio · compare button · live badge
- **Recruiter search** — filter by score · tech · portfolio pill · shortlist
- **Portfolio engine** — HTML/CSS/JS + iframe · DOMPurify · isPublic
- **Comparison engine** — two profiles · radar chart · winner badges · share URL
- **Notifications** — score updates · portfolio publish · bell badge

Key interconnections — no feature is an island

o publish → post-save hook → Notification created → bell badge increments · Leaderboard shows "Portfolio" pill
ecompute → DevScore updates → Leaderboard re-sorts · Profile badge tier may change · Recruiter search results update
rison reads DevScore + GithubStats + DsaStats → same data that powers Leaderboard and Profile
er search → clicks Profile → sees portfolio live badge → views /portfolio/username/preview → clicks Shortlist
board row → clicks Compare → CompareView opens → radar chart uses normalised scores from same DevScore collection

Complete middleware execution order — every request lifecycle

Incoming HTTP request
1. cors() — Access-Control headers · blocks disallowed origins
2. helmet() — 7 security headers added automatically
3. express.json() — parses req.body from JSON
4. morgan() — logs method + path + status + time
5. Route matching — authRoutes · profileRoutes · portfolioRoutes · compareRoutes · …
6. Per-route middleware stack — verifyJWT · optionalJWT · roleCheck · rateLimit (varies by route)
7. express-validator — req.body field validation
8. Controller → Service → Model → DB query
9. res.json() — response sent to client
10. errorMiddleware — MUST be last · catches all next(err) calls

Full notification system end-to-end

Trigger sources
Score updated
Portfolio published
Role approved

Mongoose post-save hook
Notification.create({{}user_id, type, message, is_read:false{}})

Notification stored in DB
is_read: false
user_id FK · type · message

Navbar polls every 30s
GET /api/notifications/unread-count

Bell icon badge updates
red dot · unread count shown

User clicks bell
GET /api/notifications → list shown
PATCH /notifications/mark-all → is_read:true

Bell count resets to 0
updateMany({{}is_read:false{}}, {{}$set:{{}is_read:true{}}{}}) — one query

Role-based dashboard differences — what each role sees

Developer /dashboard	Recruiter /recruiter/search	Mentor /mentor/dashboard	Admin /admin/*
DevScore badge	SearchFilter panel	College link prompt	All users list + roles
Stat cards: commits	college · tech · minScore	College leaderboard tab	Role request queue
stars · LC · CF rating	SearchCard grid	Student cohort table	Approve / Reject btn
Recharts graphs	score · badges · tech sta	username · score · rank	Batch recompute all
Onboarding banner	Portfolio pill	Score badges inline	Score manager panel
Projects list	"View Portfolio" btn	Profile link per row	DELETE user cascade
Sync buttons	Shortlist button	Read-only view	PATCH role on any user
Settings shortcut	/recruiter/shortlist page	Scoped to own college	Full leaderboard access
Notification bell	Saved candidate list	No edit capabilities	Full portfolio access
Compare button	Compare from results	No shortlist access	Full comparison access

Routing guard — how the right dashboard loads
Login → JWT decoded → role extracted → navigate based on role
Developer: /dashboard · Recruiter: /recruiter/search · Mentor: /mentor/dashboard · Admin: /admin/users
ProtectedRoute wraps all · roleMiddleware.js guards API routes per role
Shared: Navbar · notification bell · profile link · dark mode toggle — same for all roles

20:09 0.19 KB/S Vo 5G 38
claude.ai/chat/d9l
2

Diagram documentation and MVP implementation review

Share

Complete error taxonomy — all types + handling strategy

HTTP status	Error class	When it fires	Frontend
400 Bad Request	ValidationError	express-validator fails · missing param	inline field error
401 Unauthorized	UnauthorizedError	JWT missing · expired · invalid signature	redirect /login
403 Forbidden	ForbiddenError	role insufficient · not owner · private portfolio	toast.error
404 Not Found	NotFoundError	user not found · project not found	inline empty state
409 Conflict	ConflictError	username taken · duplicate register	inline field error
413 Payload Too Large	PayloadError	portfolio code exceeds 50KB	toast.error
422 Unprocessable	SanitizeError	DOMPurify stripped unsafe content	toast.error
429 Rate Limited	RateLimitError	too many portfolio saves / auth attempts	toast.warn
500 Server Error	AppError (non-op)	programmer bug · unhandled rejection	ErrorBoundary

Error handling architecture — server + client

Server: AppError class → isOperational flag → errorMiddleware reads statusCode → JSON response
isOperational: true → user error · log at warn level · return JSON error
isOperational: false → programmer bug · log at error level · return generic 500
Client: Axios response interceptor → catches 401 → redirect login · catches 403/404/422/429 → toast / inline
React ErrorBoundary → wraps Suspense chunks → catches render crashes → shows fallback + retry button

Full session lifecycle — login to logout

POST /api/auth/login

Server issues JWT
jwt.sign({userId, role}, JWT_SECRET, {expiresIn:'7d'}) · 200 OK

Client stores token
localStorage.setItem('token', jwt) · setUser(decoded) in AuthContext

Every API request
Axios interceptor attaches Authorization: Bearer {token}

Token expires or user logs out

Token expired — 401 returned
interceptor catches · clears storage · redirect /login

Manual logout
localStorage.clear() · setUser(null) · navigate('/login')

MVP: single access token · No refresh token rotation needed for MVP · Add refresh token post-placement

Complete recruiter search pipeline — filter to shortlist

Recruiter navigates to /recruiter/search

SearchFilter component — useSearchParams synced to URL
college dropdown · min score slider · tech stack tags · debounce 400ms

GET /api/leaderboard/global?college=X&minScore=Y&tech=Z
DevScore.find(filter).populate('user_id').sort({total_score:-1}).skip().limit()

Developer cards rendered
Promise.all → GET /api/portfolio/{userId}/exists per card → hasPortfolio prop

No portfolio
View profile · Shortlist buttons only
No "View Portfolio" shown

Has public portfolio
View profile · View Portfolio · Shortlist
Compare button if logged in

ortlist — POST /api/recruiter/shortlist/{userId} · GET /api/recruiter/shortlist → saved candidates pa

DevFolio landing page component map

Navbar — logo · /login · /register — no auth required

HeroSection — headline + CTA
GET /api/stats/public → "X developers · Y colleges · avg score Z" — 3 DB queries via Promise.all
CTA: "Get started" → /register · "View leaderboard" → /leaderboard

FeaturesGrid
DevScore · Integrations
Leaderboard · Portfolio

HowItWorks
3-step graphic
Connect → Score → Stand out

TargetUsers
Developer · Recruiter
Mentor cards

LeaderboardPreview — top 5 developers
GET /api/leaderboard/global?limit=5 · username · score · tier badge · college — public route

CTABanner — final call to action
"Join X developers building their DevFolio" → /register button · social proof numbers

Footer — links + copyright
GitHub repo · /leaderboard · /login · /register — all public links

Public vs private visibility matrix — all content types

Content	Not logged in	Any logged in	Recruiter	Own profile
Public profile page	visible	visible	visible	visible
Leaderboard	visible	visible	visible	visible
Live portfolio preview	if isPublic	if isPublic	if isPublic	always
Portfolio editor	no	no	no	own only
Dashboard	no	own only	role dash	own only
Comparison view	visible	visible	visible	visible
Email / password	never	never	never	never

Enforcement layers

Frontend: ProtectedRoute · roleCheck in router.jsx · conditional render based on useAuth()
Backend: verifyJWT · roleMiddleware · ownership check (req.user._id === resource.user_id)
Portfolio preview: isPublic field check in portfolio.controller · returns 403 if false
populate() with field selection strips password_hash from every query that populates user_id

New developer lifecycle — onboarding to power user

Day 1 — Register
create account
fill basic profile

Day 1 — Connect
add GitHub PAT
add LC username

Day 1 — First sync
GitHub synced
DevScore computed

Ranked
appears on leaderboard

Week 1 — Projects
add 3 projects
Projects score rises

Week 1 — Portfolio
write HTML/CSS/JS
publish → "Live" badge

Month 1 — Nightly cron keeps score fresh
GitHub commits accumulate → consistency score rises · LeetCode problems → DSA score rises
DevScore increases → rank improves → recruiter visibility grows

Power user — compare + share
compare with peers → identify gaps → improve targeted areas
share compare URL with friend · request role upgrade (mentor/recruiter)

Profile completion bar drives the journey

0% empty → fill profile +25% → connect GitHub +25% → add DSA username +25% → publish portfolio +25% = 100%



Diagram documentation and MVP implementation review

Share

Full admin capabilities map



Admin guard — applied to every admin route

roleMiddleware.js: if (req.user.role !== 'admin') return res.status(403).json(...)
Both MentorDashboard and ScoreAdmin panels check role on every route — no bypass possible

Tech stack dependency map — what depends on what



Complete feature flag map — config/features.js

nfig/features.js — module.exports = {'{'}EMAIL_VERIFY, NOTIFICATIONS, PORTFOLIO, COMPARISON{'

Flag	MVP default	What it gates	When to enable
EMAIL_VERIFY	false	email verify on register	after nodemailer configured
NOTIFICATIONS	false	bell icon · Notification model	after notification system built
PORTFOLIO	false	/settings/portfolio tab · all 6 endpoints	after portfolio engine built + tested
COMPARISON	false	Compare btn · /compare route · endpoint	after compare engine built + tested

Two-layer check pattern — backend + frontend must both check

Backend: portfolio.routes.js — if (!features.PORTFOLIO) return res.status(404).json({'{'}error:'Not available'{'}'})
Frontend: SettingsLayout.jsx — {'{'}features.PORTFOLIO && <NavLink to="portfolio">Portfolio</NavLink>{'}'}
Env alternative: VITE_PORTFOLIO=true in .env.local — frontend only, backend still needs features.js guard
Workflow: build feature → test locally → set flag=true in .env → merge → never hardcode feature checks inline

DevFolio at a glance — complete one-page system summary



9 build phases · 280+ visual artifacts · MERN stack · beginner-buildable · production-grade patterns

Progressive profile completion — all 4 steps + what unlocks

What each step unlocks

% (profile filled) → appears on leaderboard with college tag · mentor can find via cohort · basic profile page visible
% (GitHub connected) → DevScore computed from commits · GitHub stat cards shown on dashboard · sync button active
% (DSA connected) → Full DevScore including DSA component · LC/CF stats displayed · rank improves significantly
0% (portfolio published) → "Live" badge on profile · View Portfolio button for recruiters · Portfolio pill on leaderboard
nner hides at 75% (optional) or at 100% — configured via HIDE_AT_75 flag in features.js

computeCompletion() implementation

nction computeCompletion(user, profile, githubStats, dsaStats, portfolioCode) {'{'}
nst steps = [profile?.bio, user?.github_id, profile?.lc_username, portfolioCode?.isPublic]
turn (steps.filter(Boolean).length / steps.length) * 100 {'}'}

20:10 1.00 KB/S Vo 5G 38
claude.ai/chat/d9l
2

Diagram documentation and MVP implementation review

Share

Generating all 20 now.

Global vs college leaderboard — query difference + UI

Global leaderboard
GET /api/leaderboard/global?page=1&limit=20
DevScore.find({'{'}}{'}'}).populate(...).sort
No college filter — all developers ranked

College leaderboard
GET /api/leaderboard/global?college=IIT+Hyd
DevScore.find({'{'}}{'}'}).populate where
profile.college matches — scoped result

Single endpoint handles both — college param is optional filter
const filter = college ? {'{'} 'profile.college': college {'}'} : {'{'}}{'}'} — empty object = no filter = global
ProfileSchema index on college field — compound index {'{'}college, total_score{'}'} for fast filtered sort

Global tab — UI
All developers ranked 1 to N
Sort column headers — clickable
Pagination: Prev / Next + page indicator
Portfolio pill per row — hasPortfolio
Compare button — logged-in users only

College tab — UI
College dropdown filter — COLLEGE_LIST
Re-fetches on selection change
useSearchParams — college in URL
Mentor sees own college by default
Empty state if no matching devs

Integrations page flow — /settings/integrations

GitHub PAT section

Not connected
input: "Enter GitHub PAT" · Save button
↓
PATCH /api/profile/:username
{'{'}github_token: pat{'}'} → stored encrypted
↓
Connected state
masked token shown: "ghp_****xxxx"
Sync Now button · Disconnect button

LeetCode / Codeforces section

Not connected
input: "LeetCode username" · Save button
↓
PATCH /api/profile/:username
{'{'}lc_username, cf_handle{'}'} stored
↓
Connected state
username displayed · Sync Now button
last synced timestamp shown

Sync Now button — SyncButton states
idle → click → syncing (spinner, disabled) → POST /api/integrations/sync/github → success (2s green tick) → idle
error path: API fails → error state (red, retry available) → idle after 3s
StatsCard below shows last-synced timestamp — "Last synced 3d ago" if stale {'>'} 24h → amber warning
GitHub PAT note: PAT is stored server-side only — never returned in API response · masked on display
Codeforces: optional field — profile.cf_handle · not required for DevScore but adds CF rating display

Score badge visual states — all 6 tiers

size="lg" = 48px circle · size="sm" = 32px circle · getTier(score) drives color

0 Unranked	25 Bronze	38 Silver	62 Gold	76 Platinum	91 Diamond
score 0–9 gray ring	score 10–29 amber ring	score 30–49 gray-400 ring	score 50–69 amber-500 ring	score 70–84 teal ring	score 85–100 purple ring

getTier(score) — single source of truth
lives in client/src/utils/tier.js — imported by ScoreBadge + LeaderboardRow + PortfolioPreview
returns {'{'}color, ringColor, label{'}'} — 3 values · clsx uses color for background · ringColor for border
size="sm" → 32px circle · 12px score text · shown in leaderboard rows + recruiter cards
size="lg" → 48px circle · 15px score text · shown in dashboard header + profile page

Axios interceptor setup — api/axiosInstance.js

axios.create({'{'}baseURL, timeout: 10000{'}'})

Request interceptor
runs before EVERY request
const token = localStorage.getItem('token')
if (token) config.headers.Authorization = 'Bearer ' + token

Response interceptor
runs after EVERY response
success: return res.data (unwrap)
401 error: clear token · redirect /login

Error handling in response interceptor
error.response.status === 401 → localStorage.clear() · window.location.href = '/login'
all other errors → reject promise → caller's catch block handles

Usage rule — always import axiosInstance, never plain axios
import axiosInstance from '../api/axiosInstance' — every api/*.js file uses this
baseURL prepended automatically — axiosInstance.get('/profile/john') resolves to full URL
Never import from 'axios' directly — bypasses token attachment and error handling

20:13 1.00 KB/S 37
claude.ai/chat/d9l 2
Diagram documentation and MVP implementation review Share

Avatar / image fallback chain



Avatar.jsx — complete fallback implementation

```
const initials = username ? username.slice(0,2).toUpperCase() : '??'
const [imgError, setImgError] = useState(false)
if (!avatar || imgError) → render <div className="initials-circle">{'{'}initials{'}'}</div>
else → <img src={'{'}avatar{'}'} alt={'{'}username + ' avatar'{'}'} onError={() => setImgError(true)} />
```

Dark mode toggle mechanism — ThemeContext + localStorage + Tailwind

Dark mode toggle — ThemeContext + localStorage + Tailwind class



toggleTheme() — called from Navbar dark mode button

```
const newTheme = theme === 'light' ? 'dark' : 'light'
setTheme(newTheme) · localStorage.setItem('theme', newTheme)
document.documentElement.classList.toggle('dark', newTheme === 'dark') · all dark: classes activate
```

Full route guard decision tree — all routes + all roles



StatsCard last-synced timestamp — staleness indicator



Staleness logic — formatSyncTime utility

```
const diff = Date.now() - new Date(lastSynced).getTime() // milliseconds
const hours = diff / (1000 * 60 * 60)
if (hours {'<'} 1) return 'Just now'
if (hours {'<'} 24) return Math.floor(hours) + 'h ago' // fresh — gray
if (hours {'<'} 168) return Math.floor(hours/24) + 'd ago' // stale → amber if {'>'} 24h
else return Math.floor(hours/168) + 'w ago' // very stale → red if {'>'} 7d
Stale threshold: {'>'} 24h → amber · {'>'} 7d → red danger border on card
```

20:14 0.00 KB/S Vo 5G 37
claude.ai/chat/d9l
2

Diagram documentation and MVP implementation review

Share

Recruiter view vs owner view — /profile/:username

isOwnProfile = user?.username === profile.username

Recruiter / other user views

- Avatar · username · college · DevScore badge
- Stats: commits · stars · LC solved · CF rating
- "View Live Portfolio" (if isPublic=true)
- "Compare with friend" button (if logged in)
- "Shortlist" button (if recruiter role)
- Projects showcase — read only
- Tech stack tags — read only
- Social links (GitHub, LinkedIn)
- Notification bell — hidden
- Settings link — hidden
- Sync buttons — hidden
- Edit controls — hidden

Owner views own profile

- Same header: avatar · username · college · badge
- Same stats display
- "Edit Portfolio" → /settings/portfolio (not preview)
- Compare button — hidden (can't compare self)
- Shortlist button — hidden
- Projects with Edit/Delete controls visible
- Tech stack — editable inline
- Social links — editable
- Settings shortcut — visible
- Sync buttons — visible
- Notification bell — visible

isOwnProfile detection — Profile.jsx

const {user} = useAuth() · const {username} = useParams()
const isOwnProfile = user?.username === username — used for all conditional renders above

GitHub PAT vs OAuth — which DevFolio uses and why

GitHub Personal Access Token (PAT)

- Developer generates in GitHub settings
- Pastes into DevFolio integrations page
- Stored server-side · masked on display
- DevFolio MVP approach — simpler

GitHub OAuth App

- User clicks "Connect GitHub"
- Redirect flow → GitHub → callback
- access_token stored server-side
- Post-placement enhancement

Comparison — DevFolio decision per feature

Feature	PAT approach	OAuth approach
Login with GitHub	not supported	full OAuth callback flow
Repo data sync	works · user provides PAT	works · token from OAuth flow
Beginner complexity	Easy — input field only	Medium — callback URL, env vars
DevFolio MVP choice	PAT — build this first	OAuth — add post-placement

Pagination pattern — offset/limit + totalPages math

GET /api/leaderboard/global?page=2&limit=20

↓

Server — Promise.all both queries in parallel

```
const [data, total] = await Promise.all([
DevScore.find(filter).skip((page-1)*limit).limit(limit), // data query
DevScore.countDocuments(filter) // total count — same filter!
```

↓

Response envelope

```
res.json({data, page: +page, limit: +limit, totalPages: Math.ceil(total/limit), total})
```

Frontend — Leaderboard.jsx pagination controls

Prev button: disabled when page === 1
Next button: disabled when page === totalPages
Page indicator: "Page 2 of 7" · onClick → setPage(n) → useEffect re-fetches

Dashboard charts anatomy — Recharts components + data source

Chart	Recharts component	Data source	Updates
Commit activity	AreaChart + Area	GithubStats.commit_history[]	on sync
DSA breakdown	PieChart + Pie + Cell	DsaStats.lc_easy/medium/hard	on sync
Score over time	LineChart + Line	DevScore.score_history[]	nightly cron
Tech stack	RadarChart + Radar	Profile.tech_stack tags → count	on profile edit
Comparison chart	RadarChart (2 Radars)	ComparisonResult.userA/userB	on compare load

Recharts Recharts zero-height trap — the most common bug

WRONG: <AreaChart width={500} height={300}> — fixed width breaks responsive layout
RIGHT: wrap in <ResponsiveContainer width="100%" height={300}> — fills parent, respects height
Zero-height trap: if parent div has no explicit height, ResponsiveContainer collapses to 0px
Fix: always give the parent div an explicit min-height — <ResponsiveContainer>
Tooltip: <Tooltip formatter={(val) => [formatCount(val), 'Commits']} /> — always format numbers
aspect-ratio alternative: <ResponsiveContainer width="100%" aspect={2}> — height = width / 2
PieChart innerRadius creates donut — DevFolio uses innerRadius={40} for DSA breakdown
CustomTooltip pattern: contentStyle={{}} itemStyle={{}} to match Tailwind theme

Continue

20:14 0.05 KB/S 37
claude.ai/chat/d9l
Diagram documentation and MVP implementation review
Share



Now the final and definitive master documentation index — the single authoritative reference for the complete DevFolio visual documentation.

DevFolio — final master documentation index

~300 visual artifacts · 21 sections · complete MERN stack developer identity platform

Section 0 — Overview (4) · Section 1 — DevScore algorithm (3) · Section 2 — Architecture + data (8)
Section 3 — API routes (3) · Section 4 — Auth + security (9) · Section 5 — Infrastructure (9)
Section 6 — Data sync (5) · Section 7 — DevScore system (1) · Section 8 — Feature flows (14)
Section 9 — React patterns (8) · Section 10 — RBAC (2) · Section 11 — Auth flows detailed (5)
Section 12 — UI components (10) · Section 13 — Rate limiting (2) · Section 14 — Tooling (6)
ction 15 — Concepts (18) · Section 16 — Execution engine E1–E38 (38) · Section 17 — Alignment F1–F20 (2
Section 18 — Comparison feature C1–C20 (20) · Section 19 — Comparison continuations (13)
Section 20 — Unified system view U1–U19 (19) · Section 21 — Final supplementary batch (19)

Section 21 — Final supplementary batch (19 artifacts)

21.1 — Global vs college leaderboard — query difference + UI
21.2 — Integrations page flow — GitHub PAT + LeetCode/CF connected states
21.3 — Score badge visual states — all 6 tiers
21.4 — Axios interceptor setup — request + response chain
21.5 — Avatar fallback chain
21.6 — Dark mode toggle mechanism — ThemeContext + localStorage + Tailwind
21.7 — Full route guard decision tree — all routes + all roles
21.8 — StatsCard last-synced staleness indicator
21.9 — Recruiter view vs owner view of profile
21.10 — GitHub PAT vs OAuth decision
21.11 — Pagination pattern — offset/limit + totalPages math
21.12 — Dashboard charts anatomy — Recharts components + data source
21.13 — Settings page full sub-nav layout — all 4 tabs
21.14 — Navbar state transitions — unauthenticated vs each role
21.15 — Project CRUD lifecycle — detailed state machine
21.16 — Settings profile edit flow — explicit save pattern
21.17 — Navbar mobile hamburger open/close
21.18 — Final master documentation index (this artifact)

20:14 0.08 KB/S Vo 5G 37
claude.ai/chat/d9l 2
Diagram documentation and MVP implementation review
Share

Authoritative reading order — by build phase

Phase 1 — Understand the system: S0 → S1 → S2 → S15 → S20
Phase 2 — Auth: S4 → S11 → S3 (API routes)
Phase 3 — Core features: S8 → S5 → S6 → S7 → S10
Phase 4 — UI: S9 → S12 → S13 → S21 (supplementary)
Phase 5 — Polish: S14 → S15 (remaining concepts)
Phase 6 — Portfolio engine: S16 E1–E38 in order → S17 F1–F20
Phase 7 — Comparison: S18 C1–C20 → S19 continuations
Phase 8 — Unified view: S20 U1–U19 → S21 supplementary → this index

Section 21 — Final supplementary batch: complete status

#	Artifact name	Status
21.1	Global vs college leaderboard — query difference + UI	✓
21.2	Integrations page flow — connected/disconnected states	✓
21.3	Score badge visual states — all 6 tiers	✓
21.4	Axios interceptor setup — request + response chain	✓
21.5	Avatar fallback chain	✓
21.6	Dark mode toggle mechanism	✓
21.7	Full route guard decision tree	✓
21.8	StatsCard last-synced staleness indicator	✓
21.9	Recruiter view vs owner view of profile	✓
21.10	GitHub PAT vs OAuth decision	✓
21.11	Pagination pattern	✓
21.12	Dashboard charts anatomy	✓
21.13	Settings page — all 4 tabs layout	✓
21.14	Navbar state transitions — all roles	✓
21.15	Project CRUD lifecycle	✓
21.16	Settings profile edit — explicit save flow	✓
21.17	Navbar mobile hamburger open/close	✓
21.18	Final master documentation index	✓

The DevFolio visual documentation is now complete and closed. All 21 sections, ~300 inline artifacts, covering every layer of the system — frontend, backend, database, three feature engines, four user roles, all security patterns, all UI states, and the full unified system view. The final master documentation index (21.18) is the single authoritative reference for reading order and section placement.

did you give final inline artifact documentation part that tells about the whole website blueprint combined every field like a proffesional document part of the project

Yes — let me be honest about what was actually delivered vs what you're asking for.

What was delivered across all sessions: ~300 individual inline SVG/HTML artifacts, each covering one narrow topic (one API endpoint, one component, one flow). They are comprehensive but **fragmented** — scattered across 21 sections with no single artifact that reads as a unified professional document combining architecture + frontend + backend + UI + features into one cohesive blueprint view.

What you're asking for: a **professional project documentation artifact** — the kind that would sit at the front of a software project, combining the whole website blueprint in one place, readable as a unified document, covering all major aspects together.

That has not been delivered yet. Generating it now.
This is the unified professional blueprint document — a single cohesive HTML artifact that presents DevFolio as a complete project, combining architecture, frontend, backend, UI, features, data, and roles in one readable, scrollable document the way a real project

20:15 0.00 KB/S Vo 5G 37
claude.ai/chat/d9l 2

Yes — let me be honest about what was actually delivered vs what you're asking for.

What was delivered across all sessions: ~300 individual inline SVG/HTML artifacts, each covering one narrow topic (one API endpoint, one component, one flow). They are comprehensive but **fragmented** — scattered across 21 sections with no single artifact that reads as a unified professional document combining architecture + frontend + backend + UI + features into one cohesive blueprint view.

What you're asking for: a **professional project documentation artifact** — the kind that would sit at the front of a software project, combining the whole website blueprint in one place, readable as a unified document, covering all major aspects together.

That has not been delivered yet. Generating it now.
This is the unified professional blueprint document — a single cohesive HTML artifact that presents DevFolio as a complete project, combining architecture, frontend, backend, UI, features, data, and roles in one readable, scrollable document the way a real project README or technical spec would.

DevFolio — complete project blueprint

A developer identity and analytics platform. Developers build a scored profile by connecting GitHub and DSA accounts. Recruiters search and compare candidates. Mentors track college cohorts. Admins manage the platform. Built on a MERN stack with production-grade patterns throughout.

React 18 · Node.js + Express · MongoDB Atlas · JWT Auth · 4-role RBAC · Portfolio engine · Comparison engine · Recharts · Tailwind CSS · node-cron

4	9	31	16	9
user roles	DB collections	API endpoints	frontend pages	build phases

System architecture

CLIENT — REACT 18 + TAILWIND CSS + VITE
16 pages · 40+ components · Axios interceptors (auto-attach JWT + handle 401) · Recharts dashboards · iframe srcDoc portfolio preview · React Router v6 · react-hot-toast · ThemeContext + AuthContext · custom hooks (useCompare, useFetch, useCompare, useDebounce)

SERVER — NODE.JS + EXPRESS + ASYNCHANDLER
31 REST endpoints · cors + helmet + morgan + express-validator · verifyJWT middleware · roleCheck middleware · optionalJWT for public+auth hybrid routes · rateLimit per route group · DOMPurify + jsdom for portfolio sanitisation

EXECUTION ENGINE — PORTFOLIO PREVIEW
combineCode(html, css, js) → DOMPurify.sanitize() → iframe srcDoc · sandbox="allow-scripts" · CSP headers · isPublic toggle · PortfolioCode stored in MongoDB · Phase 2: Cloudinary for file uploads

DATA — MONGODB ATLAS (9 COLLECTIONS)
User · Profile · DevScore · GithubStats · DsaStats · Project · Notification · PortfolioCode · (ComparisonHistory — post-MVP) · All reads use .lean() for performance · Compound indexes on college+score, user_id+createdAt

BACKGROUND — NODE-CRON NIGHTLY SCHEDULER
00:00 UTC daily · GitHub API sync (commits, stars, repos) → LeetCode API → Codeforces API → computeScore() for all users · PortfolioCode excluded from cron · Manual sync available via button

Frontend pages + routing

PUBLIC ROUTES — NO AUTH REQUIRED

/ Landing
Hero · features grid · leaderboard preview (top 5) · stats from /api/stats/public

/login · /register
JWT issued on login · stored in localStorage · AuthContext updated

/leaderboard
Global + college tabs · pagination · filters sync to URL params · portfolio pill per row

/profile/:username
Public profile · isOwnProfile controls edit visibility · avatar fallback chain

/portfolio/:user/preview
Live iframe preview · public only if isPublic=true · 403 if private

/compare/:a/:b
Comparison view · public URL · no auth needed to view

AUTH-REQUIRED ROUTES — PROTECTEDROUTE WRAPPER

/dashboard
DevScore badge · stat cards (commits, stars, LC solved, CF rating) · Recharts: area chart (commits), pie (DSA breakdown), line (score history) · sync buttons · onboarding banner · profile completion bar

/settings/* — 4 tabs
Profile: bio, college, social links, avatar upload · Projects: CRUD with modal · Integrations: GitHub PAT + LC username + CF handle · Portfolio: CodePanel (HTML/CSS/JS tabs) + LivePreview + isPublic toggle

/integrations
Connected/disconnected states · Sync Now button with spinner/success/error states · masked PAT display · last-synced staleness indicator

/compare/:a/:b
CompareHeader (avatars + share) · CompareCard ×2 · RadarChart (Recharts, 2 Radar overlays) · WinnerBanner · side-by-side stat highlight



Diagram documentation and MVP implementation review

Share

AUTH-REQUIRED ROUTES — PROTECTEDROUTE WRAPPER

/dashboard
DevScore badge · stat cards (commits, stars, LC solved, CF rating) · Recharts: area chart (commits), pie (DSA breakdown), line (score history) · sync buttons · onboarding banner · profile completion bar

/settings/* — 4 tabs
Profile: bio, college, social links, avatar upload · Projects: CRUD with modal · Integrations: GitHub PAT + LC username + CF handle · Portfolio: CodePanel (HTML/CSS/JS tabs) + LivePreview + isPublic toggle

/integrations
Connected/disconnected states · Sync Now button with spinner/success/error states · masked PAT display · last-synced staleness indicator

/compare/:a/:b
CompareHeader (avatars + share) · CompareCard ×2 · RadarChart (Recharts, 2 Radar overlays) · WinnerBanner · side-by-side stat highlight

ROLE-GATED ROUTES

/recruiter/search + /recruiter/view/:user
SearchFilter panel (college, minScore, tech stack) · developer cards with portfolio pill · Shortlist button · Compare button · /recruiter/shortlist saved list

/mentor/dashboard · /admin/*
Mentor: college cohort table · Admin: user list, role approval queue, batch score recompute, cascade delete · both guard on req.user.role server-side

Backend API — all 31 endpoints

Group	Endpoint	Guard	Description
POST	/api/auth/register	/auth	public	create account · bcrypt password · issue JWT
POST	/api/auth/login	/auth	public	verify credentials · return JWT
POST	/api/auth/forgot-password	/auth	public	send reset email via nodemailer
POST	/api/auth/reset-password	/auth	public	verify token · update password hash
GET	/api/profile/:username	/profile	public	fetch profile + stats · never returns password
PATCH	/api/profile/:username	/profile	JWT + owner	update bio, college, socialLinks, avatar
GET	/api/projects/:userId	/projects	public	list all projects for a user
POST	/api/projects	/projects	JWT	create project
PATCH	/api/projects/:id	/projects	JWT + owner	update project fields
DEL	/api/projects/:id	/projects	JWT + owner	delete project
POST	/api/integrations/sync/github	/integrations	JWT + developer	fetch GitHub API · upsert GithubStats · recompute score
POST	/api/integrations/sync/dsa	/integrations	JWT + developer	fetch LC + CF · upsert DsaStats · recompute score
GET	/api/leaderboard/global	/leaderboard	public	paginated · optional college filter · portfolio pill data
GET	/api/leaderboard/stats	/leaderboard	public	platform-wide stats for landing page
GET	/api/recruiter/search	/recruiter	JWT + recruiter	same as leaderboard with extended filters
POST	/api/recruiter/shortlist/:userId	/recruiter	JWT + recruiter	save candidate to shortlist
GET	/api/recruiter/shortlist	/recruiter	JWT + recruiter	list shortlisted candidates
GET	/api/notifications	/notifications	JWT	list notifications for current user
PATCH	/api/notifications/mark-all	/notifications	JWT	set all is_read:true · reset bell count
GET	/api/portfolio/:userId	/portfolio	optionalJWT	fetch PortfolioCode · 403 if private + not owner
POST	/api/portfolio	/portfolio	JWT + developer	create or upsert PortfolioCode document
PATCH	/api/portfolio/:userId	/portfolio	JWT + owner	update html/css/js/isPublic
PATCH	/api/portfolio/:userId/visibility	/portfolio	JWT + owner	toggle isPublic only
DEL	/api/portfolio/:userId	/portfolio	JWT + owner	delete PortfolioCode document
GET	/api/portfolio/:userId/exists	/portfolio	public	boolean — used by recruiter cards to show pill
GET	/api/compare	/compare	optionalJWT	?userA=X&userB=Y · Promise.all 2 profile fetches · winner computed server-side
GET	/api/admin/users	/admin	JWT + admin	all users with roles
PATCH	/api/admin/users/:id/role	/admin	JWT + admin	approve/reject role requests · change role
POST	/api/admin/scores/compute-all	/admin	JWT + admin	batch recompute DevScore for every user
DEL	/api/admin/users/:id	/admin	JWT + admin	cascade delete across all 9 collections
PATCH	/api/mentor/link-college	/mentor	JWT + mentor	link mentor to college · scopes cohort view

Database schema — 9 collections

User
_id · email · password_hash · role (developer/recruiter/mentor/admin) · github_id · createdAt · Indexes: email (unique)

Profile
user_id FK · username (unique) · bio · college · avatar · tech_stack[] · socialLinks · github_token (encrypted) · lc_username · cf_handle · Indexes: username, college

20:15 2.00 KB/S Vo 5G 37
claude.ai/chat/d9l 2

Database schema — 9 collections

User
_id · email · password_hash · role (developer/recruiter/mentor/admin) · github_id · createdAt · Indexes: email (unique)

Profile
user_id FK · username (unique) · bio · college · avatar · tech_stack[] · socialLinks · github_token (encrypted) · lc_username · cf_handle · Indexes: username, college

DevScore
user_id FK · total_score (0–100) · github_score · dsa_score · project_score · consistency_score · tier · score_history[] · updatedAt · Indexes: total_score desc, college+score compound

GithubStats
user_id FK · total_commits · total_stars · total_repos · top_languages[] · commit_history[] (30 days) · last_synced · Indexes: user_id (unique)

DsaStats
user_id FK · lc_easy · lc_medium · lc_hard · lc_total · cf_rating · cf_rank · last_synced · Indexes: user_id (unique)

Project
user_id FK · name · description · techStack[] · liveUrl · repoUrl · imageUrl · createdAt · Indexes: user_id

Notification
user_id FK · type · message · is_read · createdAt · Indexes: user_id + is_read · post-save Mongoose hook triggers creation

PortfolioCode
user_id FK (unique) · html · css · js · isPublic · updatedAt · Max 50KB combined · DOMPurify sanitised before storage · Indexes: user_id (unique)

DevScore algorithm

Formula — total_score = Σ(component × weight)

- **GitHub 40%** commits + stars + repos → normalised 0–100
- **DSA 30%** LC (easy×1 + medium×2 + hard×3) + CF rating → normalised
- **Projects 20%** count × 10, capped at 100 · liveUrl bonus +5 each
- **Consistency 10%** commit streak days in last 30 → normalised 0–100

Unranked
score 0–9

Bronze
score 10–29

Silver
score 30–49

Gold
score 50–69

Platinum
score 70–84

Diamond
score 85–100

The 3 feature engines

1. Portfolio execution engine
Developer writes HTML + CSS + JS in CodePanel (3-tab textarea) → combineCode() wraps in template → DOMPurify.sanitize(html, allowlist) → stored in PortfolioCode collection → iframe srcDoc renders live in LivePreview → sandbox="allow-scripts" blocks fetch/storage → CSP header blocks external requests → isPublic toggle controls recruiter visibility → "Live" badge appears on profile → public URL /portfolio/:username/preview shareable

2. Developer comparison engine
Entry: Profile "Compare with friend" button (CompareModal) → or Leaderboard row "Compare" button → navigate('/compare/userA/userB') → useCompare hook fires GET /api/compare?userA=X&userB=Y → server: Promise.all([getProfileData(A), getProfileData(B)]) each = 5 DB queries → buildComparisonResult() computes winner per category using normalised 0–100 scores → CompareCard ×2 side-by-side + RadarChart (2 overlapping Radar) + WinnerBanner → share via navigator.share or clipboard fallback → Zero new Mongoose models

3. Data sync engine
Nightly: node-cron 00:00 UTC → for each user with github_token: fetch GitHub REST API → upsert GithubStats → fetch LeetCode unofficial API → fetch Codeforces API → upsert DsaStats → computeScore() → upsert DevScore → Notification.create (score change) → On-demand: developer clicks "Sync Now" → same pipeline for that user only → rate limit: 3 syncs per hour per user

4-role RBAC

Developer
Own profile + settings
Sync GitHub + DSA
Build portfolio
Compare with peers
Request role upgrade

Recruiter
Search + filter devs
View portfolios
Shortlist candidates
Compare any two devs
Read-only access

Mentor
Link to a college
View cohort leaderboard
Track student scores
Scoped to own college
No edit capabilities

Admin
All user management
Approve role requests
Batch recompute scores
Cascade delete users
Full read access

Security layers

Auth
JWT HS256 · 7-day expiry · bcrypt salt=12 · timing-safe comparison · password never returned in any

Transport
helmet() 7 headers · CORS allowlist · CSP on portfolio preview · rate limiting per route

Portfolio XSS
DOMPurify allowlist (a, img, div, p, span, h1-h6, ul, ol, li) · iframe sandbox · no eval() · no external

20:15 0.00 KB/S Vo 5G 36

claude.ai/chat/d9l 2

Diagram documentation and MVP implementation review

Share

Security layers

Auth
JWT HS256 · 7-day expiry · bcrypt salt=12 · timing-safe comparison · password never returned in any API response

Transport
helmet() 7 headers · CORS allowlist · CSP on portfolio preview · rate limiting per route group · express-validator input sanitisation

Portfolio XSS
DOMPurify allowlist (a, img, div, p, span, h1-h6, ul, ol, li) · iframe sandbox · no eval() · no external fetch · source hidden by iframe boundary

Key technical patterns

Axios interceptors
Request: auto-attach Bearer token from localStorage · Response: 401 → clear token + redirect /login · 403 → toast.error · All API files import axiosInstance, never plain axios

State management
AuthContext + ThemeContext (app-wide) · useState local (per component) · localStorage: token + theme only · URL params: leaderboard filters · useRef: timers, abort controllers

Error handling
Server: AppError class with isOperational flag · errorMiddleware last in chain · Client: ErrorBoundary wraps routes · inline field errors vs toast by context

Performance
.lean() on all read queries · Promise.all for parallel DB reads · Compound indexes on hottest query paths · Debounced search inputs · Abort controllers on re-render

Build sequence — 9 phases

1 Setup + DB → 2 Auth → 3 Profile + Projects → 4 Sync pipeline → 5 DevScore + Dashboard → 6 Leaderboard + Roles → 7 Portfolio engine → 8 Test + Deploy → 9 Comparison engine

Tech stack

Frontend
React 18 · React Router v6 · Tailwind CSS · Vite · Axios · Recharts · react-hot-toast · clsx

Backend
Node.js · Express · Mongoose · jsonwebtoken · bcryptjs · helmet · cors · morgan · express-validator · dompurify + jsdom · multer · nodemailer · node-cron

Infrastructure + tooling
MongoDB Atlas · ESLint + Prettier · Husky + lint-staged · Jest + Supertest · concurrently · nodemon · config/features.js feature flags

That is the unified professional project blueprint document — a single cohesive artifact that combines every field of the DevFolio system into one readable, structured document:

- Project overview and tech badges
- Platform-wide statistics (4 roles, 9 collections, 31 endpoints, 16 pages, 9 build phases)
- 5-layer system architecture with descriptions
- All 16 frontend pages, organised by auth requirement
- Complete API endpoint table — all 31 routes with method, group, guard, and description
- All 9 database collections with fields and indexes
- DevScore algorithm — formula, weights, and all 6 tier thresholds
- All 3 feature engines described end-to-end in prose
- 4-role RBAC breakdown
- Security layers (auth, transport, portfolio XSS)
- Key technical patterns (interceptors, state, errors, performance)
- Build sequence — all 9 phases in order
- Full tech stack

This is the document that should sit at the front of your project, before the 300 individual artifacts. It gives any reader — developer, recruiter, mentor, or evaluator — the complete picture of what DevFolio is and how it works.

give me the ui layout inline artifact of the whole website including every feature with best layout and ui structuring

Landing | Dashboard | Profile | Leaderboard | Settings — profile | Settings — projects | Settings — integrations | Settings — portfolio | Comparison | Recruiter search | Admin panel | Notifications



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps



give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised





Diagram documentation and MVP implementation review

Share

give me the ui layout inline artifact of the whole website including every feature with best layout and ui structuring



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised



Diagram documentation and MVP implementation review

Share

give me the ui layout inline artifact of the whole website including every feature with best layout and ui structuring



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised





This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai



Diagram documentation and MVP implementation review

Share

give me the ui layout inline artifact of the whole website including every feature with best layout and ui structuring



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised





give me the ui layout inline artifact of the whole website including every feature with best layout and ui structuring



This is the complete interactive UI layout for the entire DevFolio website — click any tab at the top to browse every screen:

12 screens included:

1. **Landing** — hero section, platform stats, live leaderboard preview, feature cards, CTAs
2. **Dashboard** — DevScore ring, tier badge, rank, 4 stat cards, commit activity chart, score breakdown bars, recent projects
3. **Profile** — full profile card, avatar, badges, tech stack tags, stats row, projects list, activity heatmap, social links, compare button
4. **Leaderboard** — global/college tabs, filter bar (college + score + stack), paginated table with score rings, tier badges, portfolio pills, compare buttons
5. **Settings — profile** — sidebar nav, avatar upload, bio/college/social link fields, tech stack tag management, explicit save
6. **Settings — projects** — project cards with live/draft badge, edit and delete controls, add project button
7. **Settings — integrations** — GitHub PAT connected state with masked token + sync, LeetCode connected, Codeforces not connected
8. **Settings — portfolio** — code editor (HTML/CSS/JS tabs with syntax highlighting), live preview iframe, public toggle, save button
9. **Comparison** — vs header with avatars, overall winner banner, side-by-side stat cards with winner highlights (teal rows + ↑ arrows), radar chart placeholder with legend, share link button
10. **Recruiter search** — search header, filter bar with portfolio-only toggle, developer cards with portfolio pill + shortlist button
11. **Admin panel** — stats row, role upgrade request queue with approve/reject, user management table with role selector and delete
12. **Notifications** — unread (highlighted) vs read items, mark all read button, timestamps

give me the logo design and badge design and other designing elements needed for the websit e the designs should be modern styling with and dynamic dashing minimal touch and it should not look too much like ai designed it should be human designed creative and humanised