Advanced CSS Cheat Sheet with Examples

```
1. display: grid
```

```
.container {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 10px;
}
```

2. display: flex

```
.box {
  display: flex;
  justify-content: space-between;
  align-items: center;
}
```

3. filter()

```
.image {
  filter: grayscale(100%) brightness(1.2);
  transition: filter 0.3s;
}
.image:hover {
  filter: none;
}
```

4. backdrop-filter

```
.card {
  backdrop-filter: blur(10px);
  background-color: rgba(255, 255, 255, 0.3);
  padding: 20px;
}
```

5. aspect-ratio

```
.video {
  aspect-ratio: 16 / 9;
```

```
width: 100%;
background: black;
}
```

6. object-fit

```
img {
  width: 300px;
  height: 200px;
  object-fit: cover;
}
```

7. clip-path

```
.shape {
  clip-path: polygon(50% 0%, 0% 100%, 100% 100%);
  background: red;
  width: 200px;
  height: 200px;
}
```

8. scroll-snap

```
.container {
    scroll-snap-type: x mandatory;
    overflow-x: scroll;
    display: flex;
}
.section {
    scroll-snap-align: start;
    flex: 0 0 100%;
}
```

9. mix-blend-mode

```
.text {
    mix-blend-mode: difference;
    color: white;
    background: black;
}
```

```
10. transform + transition
```

```
.box {
  transform: scale(1);
  transition: transform 0.3s;
}
.box:hover {
  transform: scale(1.1) rotate(3deg);
}
```

11. scroll-behavior

```
html {
   scroll-behavior: smooth;
}
```

12. CSS Variables

```
:root {
    --primary-color: #3498db;
    --text-size: 18px;
}
.button {
    background: var(--primary-color);
    font-size: var(--text-size);
}
```

13. :is()

```
:is(h1, h2, h3) {
  font-family: 'Poppins', sans-serif;
}
```

14. :has()

```
.card:has(img:hover) {
  transform: scale(1.05);
  border-color: blue;
}
```

15. Custom Scrollbar

```
::-webkit-scrollbar {
  width: 10px;
}
::-webkit-scrollbar-thumb {
  background: #888;
  border-radius: 5px;
}
::-webkit-scrollbar-thumb:hover {
  background: #555;
}
```

16. @layer

```
@layer reset, base, components, utilities;

@layer base {
   body {
     font-family: Arial;
   }
}
```

17. Animation and @keyframes

```
@keyframes fadeSlide {
   from {
     opacity: 0;
     transform: translateY(20px);
   }
   to {
     opacity: 1;
     transform: translateY(0);
   }
}
.fade-in {
   animation: fadeSlide 0.6s ease-out;
}
```

18. accent-color

```
input[type="checkbox"] {
  accent-color: crimson;
}
```

19. Container Queries

```
@container (min-width: 500px) {
   .card {
    flex-direction: row;
   }
}
```

20. Responsive Typography with clamp()

```
h1 {
  font-size: clamp(1.5rem, 5vw, 3rem);
}
```