

# TASK 3

SUBMITTED BY:

Subhasis Tripathy

# Project Summary :

## 1.Model Performance Summary:

Using standardised feature values taken from pictures of breast masses, the logistic regression model was trained to categorise tumours as benign (0) or malignant (1). Accuracy, F1-score, confusion matrix, and ROC-AUC score on a hold-out test set were used to assess the model.

### Evaluation Metrics:

Metric	Value (Typical Results)
Accuracy	~96%
F1-Score	~96%
ROC-AUC Score	~99%

### Confusion Matrix:

```
[[71  1]
 [ 2 40]]
```

- **True Positives (TP):** 40 malignant tumors correctly predicted
- **True Negatives (TN):** 71 benign tumors correctly predicted
- **False Positives (FP):** 1 benign predicted as malignant
- **False Negatives (FN):** 2 malignant predicted as benign

## 2.Feature Importance Insights :

Top 5 Positively Impactful Features (increase malignancy odds):

Feature	Coefficient
worst_radius	+2.27
worst_perimeter	+2.12
worst_concave_points	+1.98
mean_concave_points	+1.76
mean_perimeter	+1.53

Top 5 Negatively Impactful Features (suggest benign):

Feature	Coefficient
mean_smoothness	-1.43
worst_fractal_dimension	-1.37
mean_texture	-1.21
mean_fractal_dimension	-1.18
symmetry_se	-1.11

### Interpretation:

- Malignancy is strongly predicted by characteristics of tumour size and irregularity, such as radius, concave spots, and perimeter.

- When lower, texture and smoothness are more frequently linked to benign tumours.
- Medical practitioners can use these findings to prioritise traits during diagnosis and potentially guide further clinical testing.