

Compare the Triplets

Alice and Bob each created one problem for HackerRank. A reviewer rates the two challenges, awarding points on a scale from **1** to **100** for three categories: *problem clarity*, *originality*, and *difficulty*.

We define the rating for Alice's challenge to be the triplet $A = (a_0, a_1, a_2)$, and the rating for Bob's challenge to be the triplet $B = (b_0, b_1, b_2)$.

Your task is to find their *comparison scores* by comparing a_0 with b_0 , a_1 with b_1 , and a_2 with b_2 .

- If $a_i > b_i$, then Alice is awarded **1** point.
- If $a_i < b_i$, then Bob is awarded **1** point.
- If $a_i = b_i$, then neither person receives a point.

Given A and B , can you compare the two challenges and print their respective comparison points?

Input Format

The first line contains **3** space-separated integers, a_0 , a_1 , and a_2 , describing the respective values in triplet A .

The second line contains **3** space-separated integers, b_0 , b_1 , and b_2 , describing the respective values in triplet B .

Constraints

- $1 \leq a_i \leq 100$
- $1 \leq b_i \leq 100$

Output Format

Print two space-separated integers denoting the respective comparison scores earned by Alice and Bob.

Sample Input

```
5 6 7
3 6 10
```

Sample Output

```
1 1
```

Explanation

In this example:

- $A = (a_0, a_1, a_2) = (5, 6, 7)$
- $B = (b_0, b_1, b_2) = (3, 6, 10)$

Now, let's compare each individual score:

- $a_0 > b_0$, so Alice receives **1** point.

- $a_1 = b_1$, so nobody receives a point.
- $a_2 < b_2$, so Bob receives **1** point.

Alice's comparison score is **1**, and Bob's comparison score is **1**. Thus, we print **1 1** (Alice's comparison score followed by Bob's comparison score) on a single line.