Namespace CJson

Classes

CJson<Type>

CJson entrypoint class.

Object must be created for any CJson file or content for deserializing.

Only class object to JSON string conversion can be done without object creation.

Path

For file path related operations, use this class object.

Class CJson<Type>

Namespace: CJson

Assembly: CJson.dll

CJson entrypoint class.
Object must be created for any CJson file or content for deserializing.
Only class object to JSON string conversion can be done without object creation.

```
public sealed class CJson<Type> : Decode
```

Type Parameters

`Type`

Class Type should be passed. For more info, see official docs

Inheritance

object ← Base ← Is ← Json ← Decode ← CJson<Type>

Inherited Members

Decode.DecodeKeywords , Decode.InjectData(string, dynamic) , Json.ParseValue(string) , Json.Parse(string) , Is.MatchAndConfirm , Base.Read(string) , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

CJson(Path)

Constructor for CJSON/ JSON file path
CJson/JSON file path to be passed with CJson.Path class constructor.
For loading CJSON/JSON raw content, please call CJSON(string content) contructor

```
public CJson(Path filePath)
```

Parameters

`filePath` Path

CJson.Path class constructor

CJson(string)

Constructor for raw CJSON/ JSON content
CJson content to be passed.
For loading CJSON/ JSON file, please create constructor with CJson.Path class For import statements, please specify absolute path to the file to be imported.

```
public CJson(string content)
```

Parameters

`content` string

CJson content in string format

Methods

Deserialize()

Call this method to deserialize CJSON content to ClassType.
If any error in format of the class hierarchy exists, this function will return a null valued object to the provided ClassType

```
public Type? Deserialize()
```

Returns

Type

Deserialized class object of Type. Null if Type and CJSON content mismatches

DeserializeAsString()

```
public string DeserializeAsString()
```

Returns

string

Inject(Dictionary<string, dynamic>)

Call this function to inject value which expects a dynamic injection.
You can use this function for bulk injection.

For more info, check this link

```
public Type? Inject(Dictionary<string, dynamic> injectingValues)
```

Parameters

`injectingValues` Dictionary<string, dynamic>

Dictionary whose key is location and value is data to be inject

Returns

Type

Inject(string, dynamic)

Call this function to inject value which expects a dynamic injection.
Please note, inject doesnt work on inject at jpath, or inject at any json key.

For more info, check this link

```
public Type? Inject(string key, dynamic value)
```

Parameters

`key` string

Where you want to inject

`value` dynamic

Value which you want to inject at key

Returns

Type

Deserialized class object of Type. Null if Type and CJSON content mismatches

ToString(dynamic)

Use this function to convert a class object to a JSON string. No CJSON operation can be performed after this function.

```
public static string ToString(dynamic value)
```

Parameters

`value` dynamic

class object

Returns

string

Class Path

Namespace: CJson

Assembly: CJson.dll

For file path related operations, use this class object.

```
public class Path
```

Inheritance

object ← Path

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object)

Constructors

Path(params string[])

Constructor for object creation.
Please provide absolute path for this operation.

```
public Path(params string[] filePath)
```

Parameters

`filePath` string[]

Properties

ToString

Get the string value of the path

```
public string ToString { get; }
```

Property Value

string

Methods

IsAbsolutePath(string)

Returns true if the path is absolute, else false.
This method is not tested in IOS. For bug report, refer to the github

```
public static bool IsAbsolutePath(string filePath)
```

Parameters

`filePath` string

Test path

Returns

bool

true if path is absolute, else false in boolean

Namespace CJson.Exceptions

Classes

AbsolutePathConstraintError

IllegalImportStatement

UnrecognizedTypeException

UnsupportedFileExtension

Class AbsolutePathConstraintError

Namespace: CJson.Exceptions

Assembly: CJson.dll

```
public class AbsolutePathConstraintError : Exception, ISerializable
```

Inheritance

object ← Exception ← AbsolutePathConstraintError

Implements

ISerializable

Inherited Members

Exception.GetBaseException() , Exception.GetObjectData(SerializationInfo, StreamingContext) , Exception.GetType() , Exception.ToString() , Exception.Data , Exception.HelpLink , Exception.HResult , Exception.InnerException , Exception.Message , Exception.Source , Exception.StackTrace , Exception.TargetSite , Exception.SerializeObjectState , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.MemberwiseClone() , object.ReferenceEquals(object, object)

Constructors

AbsolutePathConstraintError()

```
public AbsolutePathConstraintError()
```

Class IllegalImportStatement

Namespace: CJson.Exceptions

Assembly: CJson.dll

```
public class IllegalImportStatement : Exception, ISerializable
```

Inheritance

object ← Exception ← IllegalImportStatement

Implements

ISerializable

Inherited Members

Exception.GetBaseException() , Exception.GetObjectData(SerializationInfo, StreamingContext) , Exception.GetType() , Exception.ToString() , Exception.Data , Exception.HelpLink , Exception.HResult , Exception.InnerException , Exception.Message , Exception.Source , Exception.StackTrace , Exception.TargetSite , Exception.SerializeObjectState , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.MemberwiseClone() , object.ReferenceEquals(object, object)

Constructors

IllegalImportStatement()

```
public IllegalImportStatement()
```

IllegalImportStatement(string)

```
public IllegalImportStatement(string message)
```

Parameters

`message` string

Class UnrecognizedTypeException

Namespace: CJson.Exceptions

Assembly: CJson.dll

```
public class UnrecognizedTypeException : Exception, ISerializable
```

Inheritance

object ← Exception ← UnrecognizedTypeException

Implements

ISerializable

Inherited Members

Exception.GetBaseException() , Exception.GetObjectData(SerializationInfo, StreamingContext) , Exception.GetType() , Exception.ToString() , Exception.Data , Exception.HelpLink , Exception.HResult , Exception.InnerException , Exception.Message , Exception.Source , Exception.StackTrace , Exception.TargetSite , Exception.SerializeObjectState , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.MemberwiseClone() , object.ReferenceEquals(object, object)

Constructors

UnrecognizedTypeException()

```
public UnrecognizedTypeException()
```

UnrecognizedTypeException(string)

```
public UnrecognizedTypeException(string message)
```

Parameters

`message` string

Class UnsupportedFileExtension

Namespace: CJson.Exceptions

Assembly: CJson.dll

```
public class UnsupportedFileExtension : Exception, ISerializable
```

Inheritance

object ← Exception ← UnsupportedFileExtension

Implements

ISerializable

Inherited Members

Exception.GetBaseException() , Exception.GetObjectData(SerializationInfo, StreamingContext) , Exception.GetType() , Exception.ToString() , Exception.Data , Exception.HelpLink , Exception.HResult , Exception.InnerException , Exception.Message , Exception.Source , Exception.StackTrace , Exception.TargetSite , Exception.SerializeObjectState , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.MemberwiseClone() , object.ReferenceEquals(object, object)

Constructors

UnsupportedFileExtension()

```
public UnsupportedFileExtension()
```

UnsupportedFileExtension(string)

```
public UnsupportedFileExtension(string message)
```

Parameters

`message` string

Namespace CJson.Types

Classes

ParsedValue

Try

Class ParsedValue

Namespace: CJson.Types

Assembly: CJson.dll

```
public class ParsedValue
```

Inheritance

object ← ParsedValue

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

ParsedValue(object, string)

```
public ParsedValue(object value, string type)
```

Parameters

`value` object

`type` string

Fields

type

```
public string type
```

Field Value

string

value

```
public dynamic value
```

Field Value

dynamic

Class Try

Namespace: CJson.Types

Assembly: CJson.dll

```
public class Try
```

Inheritance

object ← Try

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

GetType(dynamic)

```
public static string GetType(dynamic value)
```

Parameters

`value` dynamic

Returns

string

TryBoolean(JValue)

```
public static bool TryBoolean(JValue jValue)
```

Parameters

`jValue` JValue

Returns

bool

TryDouble(JValue)

```
public static bool TryDouble(JValue jValue)
```

Parameters

`jValue` JValue

Returns

bool

TryInt32(JValue)

```
public static bool TryInt32(JValue jValue)
```

Parameters

`jValue` JValue

Returns

bool

TryNull(JValue)

```
public static bool TryNull(JValue jValue)
```

Parameters

`jValue` JValue

Returns

bool

TryString(JValue)

```
public static bool TryString(JValue jValue)
```

Parameters

`jValue` JValue

Returns

bool

Namespace CJson.Utils

Classes

Base

Decode

Is

Json

Class Base

Namespace: CJson.Utils

Assembly: CJson.dll

```
public class Base
```

Inheritance

object ← Base

Derived

Is

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

Base(string)

```
public Base(string content)
```

Parameters

`content` string

Base(string, bool)

```
public Base(string filePath, bool isFilePath)
```

Parameters

`filePath` string

`isFilePath` bool

Fields

commaSeparatedLines

```
protected string[] commaSeparatedLines
```

Field Value

string[]

content

```
protected string content
```

Field Value

string

filePath

```
protected string filePath
```

Field Value

string

isFilePath

```
protected bool isFilePath
```

Field Value

bool

Methods

GetType(dynamic)

```
protected static string GetType(dynamic testVar)
```

Parameters

`testVar` dynamic

Returns

string

ParseJson(string)

```
protected static dynamic ParseJson(string jsonString)
```

Parameters

`jsonString` string

Returns

dynamic

Read(string)

```
public static string Read(string filePath)
```

Parameters

`filePath` string

Returns

string

Class Decode

Namespace: CJson.Utils

Assembly: CJson.dll

```
public class Decode : Json
```

Inheritance

object ← Base ← Is ← Json ← Decode

Derived

CJson<Type>

Inherited Members

Json.json , Json.ParseValue(string) , Json.RedefineJson(string) , Json.Parse(string) , Is.MatchAndConfirm , Is.Scan() , Base.filePath , Base.content , Base.commaSeparatedLines , Base.isFilePath , Base.Read(string) , Base.ParseJson(string) , Base.GetType(dynamic) , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

Decode(Path)

```
public Decode(Path filePath)
```

Parameters

`filePath` Path

Decode(string)

```
public Decode(string content)
```

Parameters

`content` string

Fields

isDeseralized

```
protected bool isDeseralized
```

Field Value

bool

matchedPaths

```
protected List<string> matchedPaths
```

Field Value

List<string>

runtimeValList

```
protected static List<string> runtimeValList
```

Field Value

List<string>

Properties

DecodeKeywords

Decode root for all keywords

```
public string DecodeKeywords { get; }
```

Property Value

string

Methods

Get()

```
protected string Get()
```

Returns

string

GetAsString(dynamic)

```
protected static string GetAsString(dynamic value)
```

Parameters

`value` dynamic

Returns

string

InjectData(string, dynamic)

```
public string InjectData(string key, dynamic value)
```

Parameters

`key` string

`value` dynamic

Returns

string

ReplaceContent(string, dynamic)

```
protected Decode ReplaceContent(string key, dynamic value)
```

Parameters

`key` string

`value` dynamic

Returns

Decode

Class Is

Namespace: CJson.Utils

Assembly: CJson.dll

```
public class Is : Base
```

Inheritance

object ← Base ← Is

Derived

Json

Inherited Members

Base.filePath , Base.content , Base.commaSeparatedLines , Base.isFilePath , Base.Read(string) , Base.ParseJson(string) , Base.GetType(dynamic) , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

Is(string)

```
public Is(string content)
```

Parameters

`content` string

Is(string, bool)

```
public Is(string filePath, bool isFilePath)
```

Parameters

`filePath` string

`isFilePath` bool

Fields

MatchAndConfirm

```
public static Func<string, string, List<string>> MatchAndConfirm
```

Field Value

Func<string, string, List<string>>

Methods

Scan()

```
protected void Scan()
```

Class Json

Namespace: CJson.Utils

Assembly: CJson.dll

```
public class Json : Is
```

Inheritance

object ← Base ← Is ← Json

Derived

Decode

Inherited Members

Is.MatchAndConfirm , Is.Scan() , Base.filePath , Base.content , Base.commaSeparatedLines , Base.isFilePath , Base.Read(string) , Base.ParseJson(string) , Base.GetType(dynamic) , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

Json(Path)

```
public Json(Path filePath)
```

Parameters

`filePath` Path

Json(string)

```
public Json(string content)
```

Parameters

`content` string

Fields

json

```
protected dynamic json
```

Field Value

dynamic

Methods

Parse(string)

```
public dynamic Parse(string key)
```

Parameters

`key` string

Returns

dynamic

ParseValue(string)

```
public ParsedValue ParseValue(string key)
```

Parameters

`key` string

Returns

ParsedValue

RedefineJson(string)

```
protected void RedefineJson(string content)
```

Parameters

`content` string