1.Source code:

```
import mysql.connector as  sql

conn=sql.connect(host= 'localhost' ,user= 'root' ,password=
'manager', database='courier_service_system2' )

cust1=conn.cursor()

print('WELCOME TO BATMAN COURIER SERVICE:')

print('Hi')

o=input('Press enter to begin your courier surfing')

print('1.CREATE YOUR COURIER SERVICE ACCOUNT')

print('2.LOGIN')

choose=int(input('ENTER (1) FOR NEW ACCOUNT OR (2) FOR LOGIN:'))

if choose==1:

    name=input('Enter your user-name:')

    passwd=input('Set your password here:')

    passwd1=input('Confirm password:')

    cust1.execute("INSERT INTO login VALUES(' "+name+" ','
"+passwd+" ')")

    conn.commit()

    print('ACCOUNT CREATED CONGRATULATIONS')

    move_in=input('press enter to login:')

    import B_COURIER_MENU

elif choose==2:

    email=input('Enter your email-id')

    passwd=input('Enter your PASSWORD:')

    cust1.execute('select * from login where user_name=" '+email+' "
and password=" '+passd+' " ')

    if cust1.fetchone() is None:
```

```python
            print(' sorry your password in wrong')
        else:

            import B_COURIER_MENU
```

B_COURIER_MENU :

```python
import mysql.connector as  sql

conn=sql.connect(host= 'localhost' ,user= 'root' ,passwd= 'manager',
database='courier_service_system2' )

cust1=conn.cursor()

for i in range(0,76):

 print('WELCOME TO BATMAN COURIER SERVICE:')

 print('1.Courier_order and customer_details')

 print('2.billing_procedure')

 print('3.courier_service_boys')

 print('4.exit')

 choice=int(input('enter the section you want to
access:....(1,2,3or4)........:'))

 if choice==1:

    print('A.courier placement')

    print('B.courier order list')

    sect=str(input('enter the section that you want to access:'))

    if sect=="A":

       print('COURIER-ORDER')

       a=(input('enter the customer name:'))

       b=int(input('enter the customer mobile number:'))

       c=(input('enter the customer address:'))

       d=(input('enter the receiver name:'))

       e=int(input('enter the receiver mobile number:'))
```

```python
        f=(input('enter the receiver address:'))

        cust1.execute("INSERT INTO couriers VALUES(' "+a+"
','"+str(b)+",' "+c+" ',' "+d+" ','"+str(e)+",' "+f+" ')")

        conn.commit()

        print(cust1.rowcount,'courier (s) placed')


print('================================================================
=================================================')

    elif sect=="B":

        S=str(input('do you want to see your
courier_order''(yes...\..no):'))

        if S=="yes":

         a=input('enter the customer mob number:')

         cust1.execute('select * from couriers where
customer_mobile_number="{}" '.format(a))

         order=cust1.fetchall()

         print('customer name,','customer mob no,','customer
address,','receiver name,','receiver mob no,','receiver address:')

         for j in order:

             print(j)


print('================================================================
=============================================')

        else:

            print('Thank you')


print('================================================================
==========================================')

 elif choice==2:

      print('BILLING
PROCEDURE:[weight_in_kgs......AND.......cost_in_rupees]')
```

```python
        cust1.execute("select * from couriers2")

        bill=cust1.fetchall()

        for x in bill:

            print(x)


print('==============================================================
=================================================')

  if choice==3:

        city1=input('enter your city name:')

        cust1.execute("select * from couriers3 where city='{}'
".format(city1))

        boys=cust1.fetchall()

        print(' City                  courier_boy     mobile no:')

        for y in boys:

            print(y)


print('==============================================================
=================================================')

  elif choice==4:

            quit()
```