Contains Duplicate

Solved ✓

Easy | Topics | Company Tags | Hints

Given an integer array `nums`, return `true` if any value appears **more than once** in the array, otherwise return `false`.

Example 1:

```
Input: nums = [1, 2, 3, 3]

Output: true
```

Example 2:

```
Input: nums = [1, 2, 3, 4]

Output: false
```

Solution 1 +

NeetBot | Hint | Ln 1, Col 1

```java
class Solution {
    public boolean hasDuplicate(int[] nums) {
        HashSet<Integer> set = new HashSet<>();

        for (int num : nums) {
            if (set.contains(num)) {
                return true;
            }
            set.add(num);
        }

        return false;
    }
}
```

Console ^ Run Submit

Score of a String

Solved ✓

Easy | Topics | Company Tags

You are given a string `s`. The **score** of a string is defined as the sum of the absolute difference between the **ASCII** values of adjacent characters.

Return the **score** of `s`.

Example 1:

```
Input: s = "code"

Output: 24
```

Explanation: The **ASCII** values of the characters in the given string are: `'c' = 99`, `'o' = 111`, `'d' = 100`, and `'e' = 101`. The score of `s` will be: `|111 - 99| + |100 - 111| + |101 - 100|`.

Example 2:

```
Input: s = "neetcode"
```

Solution 1 +

NeetBot | Hint | Ln 1, Col 1

```java
class Solution {
    public int scoreOfString(String s) {
     int score = 0;

        for (int i = 0; i < s.length() - 1; i++) {
            score += Math.abs(s.charAt(i) - s.charAt(i + 1));
        }

        return score;
    }
}
```

Console ^ Run Submit

Concatenation of Array

Solved ✓

Easy | Topics | Company Tags

You are given an integer array `nums` of length `n`. Create an array `ans` of length `2n` where `ans[i] == nums[i]` and `ans[i + n] == nums[i]` for `0 <= i < n` **(0-indexed)**.

Specifically, `ans` is the concatenation of two `nums` arrays.

Return the array `ans`.

Example 1:

```
Input: nums = [1,4,1,2]

Output: [1,4,1,2,1,4,1,2]
```

Example 2:

```
Input: nums = [22,21,20,1]

Output: [22,21,20,1,22,21,20,1]
```

Solution 1 +

NeetBot | Hint | Ln 1, Col 1

```java
class Solution {
    public int[] getConcatenation(int[] nums) {
        int n = nums.length;
        int[] ans = new int[2 * n];

        for (int i = 0; i < n; i++) {
            ans[i] = nums[i];
            ans[i + n] = nums[i];
        }

        return ans;
    }
}
```

Console ^ Run Submit