Introduction to regular expressions

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Katharine Jarmul
Founder, kjamistan

datacamp

What is Natural Language Processing?

- Field of study focused on making sense of language
  - Using statistics and computers
- You will learn the basics of NLP
  - Topic identification
  - Text classification
- NLP applications include:
  - Chatbots
  - Translation
  - Sentiment analysis
  - ... and many more!

What exactly are regular expressions?

- Strings with a special syntax
- Allow us to match patterns in other strings
- Applications of regular expressions:

→ Find all web links in a document

→ Parse email addresses

→ Remove/replace unwanted characters

```
import re
re.match('abc', 'abcdef')
```

```
<_sre.SRE_Match object; span=(0, 3), match='abc'>
```

```
word_regex = '\w+'
re.match(word_regex,
         'hi there!')
```

```
<_sre.SRE_Match object; span=(0, 2), match='hi'>
```

Common regex patterns

pattern	matches	example
\w+	word	'Magic'

Common regex patterns (2)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9

Common regex patterns (3)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9
\s	space	' '

Common regex patterns (4)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9
\s	space	' '
.*	wildcard	'username74'

Common regex patterns (5)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9
\s	space	' '
.*	wildcard	'username74'
+ or *	greedy match	'aaaaaa'

Common regex patterns (6)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9
\s	space	' '
.*	wildcard	'username74'
+ or *	greedy match	'aaaaaa'
\S	**not** space	'no_spaces'

Common regex patterns (7)

pattern	matches	example
\w+	word	'Magic'
\d	digit	9
\s	space	' '
.*	wildcard	'username74'
+ or *	greedy match	'aaaaaa'
\S	**not** space	'no_spaces'
[a-z]	lowercase group	'abcdefg'

Python's re module

- `re` module
- `split` : split a string on regex
- `findall` : find all patterns in a string
- `search` : search for a pattern
- `match` : match an entire string or substring based on a pattern
- Pattern first, and the string second
- May return an iterator, string, or match object

```
re.split('\s+', 'Split on spaces.')
```

```
['Split', 'on', 'spaces.']
```

Let's practice!

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Introduction to tokenization

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Katharine Jarmul
Founder, kjamistan

datacamp

What is tokenization?

- Turning a string or document into **tokens** (smaller chunks)
- One step in preparing a text for NLP
- Many different theories and rules
- You can create your own rules using regular expressions
- Some examples:
  - Breaking out words or sentences
  - Separating punctuation
  - Separating all hashtags in a tweet

nltk library

- `nltk` : natural language toolkit

```
from nltk.tokenize import word_tokenize
word_tokenize("Hi there!")
```

```
['Hi', 'there', '!']
```

Why tokenize?

- Easier to map part of speech
- Matching common words
- Removing unwanted tokens
- "I don't like Sam's shoes."
- "I", "do", "n't", "like", "Sam", "'s", "shoes", "."

Other nltk tokenizers

- `sent_tokenize` : tokenize a document into sentences
- `regexp_tokenize` : tokenize a string or document based on a regular expression pattern
- `TweetTokenizer` : special class just for tweet tokenization, allowing you to separate hashtags, mentions and lots of exclamation points!!!

More regex practice

- Difference between `re.search()` and `re.match()`

```
import re
re.match('abc', 'abcde')
```

```
<_sre.SRE_Match object; span=(0, 3), match='abc'>
```

```
re.search('abc', 'abcde')
```

```
<_sre.SRE_Match object; span=(0, 3), match='abc'>
```

```
re.match('cd', 'abcde')
re.search('cd', 'abcde')
```

```
<_sre.SRE_Match object; span=(2, 4), match='cd'>
```

Let's practice!

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Advanced tokenization with regex

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Katharine Jarmul
Founder, kjamistan

datacamp

Regex groups using or "|"

- OR is represented using `|`
- You can define a group using `()`
- You can define explicit character ranges using `[]`

```
import re
 match_digits_and_words = ('(\d+|\w+)')
re.findall(match_digits_and_words, 'He has 11 cats.')
```

```
['He', 'has', '11', 'cats']
```

Regex ranges and groups

pattern	matches	example
[A-Za-z]+	upper and lowercase English alphabet	'ABCDEFghijk'
[0-9]	numbers from 0 to 9	9
[A-Za-z\-\.]+	upper and lowercase English alphabet, - and .	'My-Website.com'
(a-z)	a, - and z	'a-z'
(\s+|,)	spaces or a comma	', '

Character range with `re.match()`

```
import re
my_str = 'match lowercase spaces nums like 12, but no commas'
re.match('[a-z0-9 ]+', my_str)
```

```
<_sre.SRE_Match object;
          span=(0, 42), match='match lowercase spaces nums like 12'>
```

Let's practice!

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Charting word length with nltk

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON

Katharine Jarmul
Founder, kjamistan

datacamp

Getting started with matplotlib

- Charting library used by many open source Python projects
- Straightforward functionality with lots of options
  - Histograms
  - Bar charts
  - Line charts
  - Scatter plots
- ... and also advanced functionality like 3D graphs and animations!

Plotting a histogram with matplotlib

```
from matplotlib import pyplot as plt
plt.hist([1, 5, 5, 7, 7, 7, 9])
```

```
(array([ 1., 0., 0., 0., 0., 2., 0., 3., 0., 1.]),
 array([ 1., 1.8, 2.6, 3.4, 4.2, 5., 5.8, 6.6, 7.4, 8.2, 9.]),
        <a list of 10 Patch objects>)
```

```
plt.show()
```

Generated histogram



Combining NLP data extraction with plotting

```
from matplotlib import pyplot as plt
from nltk.tokenize import word_tokenize
words = word_tokenize("This is a pretty cool tool!")
word_lengths = [len(w) for w in words]
plt.hist(word_lengths)
```

```
(array([ 2., 0., 1., 0., 0., 0., 3., 0., 0., 1.]),
 array([ 1., 1.5, 2., 2.5, 3., 3.5, 4., 4.5, 5., 5.5, 6.]),
        <a list of 10 Patch objects>)
```

```
plt.show()
```

Word length histogram



Let's practice!

INTRODUCTION TO NATURAL LANGUAGE PROCESSING IN PYTHON