

Q1. Electric Battery Manufacturing

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
int main(){
    int monthly, annual, average;
    scanf("%d %d %d", &monthly, &annual, &average);
    if(average > 5000)
        printf("Yes Incentive\n");
    else
        printf("No Incentive\n");
    if (average < 4000)
        printf("Yes Inspection");
    else
        printf("No Inspection");
    return 0;
}
```

INPUT

5500

OUTPUT

No Incentive
Yes Inspection

Q2. Maintenance

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
#include <string.h>
int main()
{
    int load;
    char m[10];
    scanf("%d%s", &load, m);
    if(strcmp(m, "Yes")==0)
    {
        printf("Substation Under Maintenance");
        return 0;
    }
    if(load>500)
    {
        printf("Grid Failure");
        return 0;
    }
    printf("Load Percentage = %.0f%%\n", load*100.0/500);
    printf("Available Capacity = %d MW\n", 500-load);
    if(load≤300)
        printf("Status = Normal");
    else if(load≤425)
        printf("Status = High Load");
    else
        printf("Status = Critical");
    return 0;
}
```

INPUT

470 No

OUTPUT

Load Percentage = 94%
Available Capacity = 30 MW
Status = Critical

Q3. Medical

Score: 25.00 TC: 3/3 passed

CODE

```
#include <stdio.h>
#include <string.h>
int main()
{
    int dose, stock = 250000;
    char status[10];
    scanf("%d%s", &dose, status);
    if(strcmp(status, "CLOSED") == 0)
    {
        printf("Hospital Closed");
        return 0;
    }
    stock = stock - dose;
    if(dose ≥ 10000)
        printf("Hospital Status = Sufficient\n");
    else if(dose ≥ 8000)
        printf("Hospital Status = Minimum Requirement\n");
    else
        printf("Hospital Status = Emergency Supply Required\n");
    printf("Remaining Stock = %d doses", stock);
    return 0;
}
```

INPUT

12000
OPEN

OUTPUT

Hospital Status = Sufficient
Remaining Stock = 238000 doses

Q4. Storage

Score: 8.33 TC: 1/3 passed

CODE

```
#include <stdio.h>
int main(){
    int used, total = 100, extra = 0;
    if(scanf("%d", &used) != 1) return 0;
    if (used ≤ 100){
        total = 100;
    }else if (used ≤ 500){
        total = 500;
    }
    else {
        total = 2000;
    }
    if(used > total)
        extra = used - total;
    printf("Total Storage = %d GB\n", total);
    printf("Remaining = %d GB\n", used > total ? 0 : total - used);
    printf("Extra Storage = %d GB\n", extra);
    printf("Extra Charge = Rs. %d\n", extra * 4);
    if(used ≥ (0.95 * total))
        printf("Status = Warning\n");
    else
        printf("Status = Normal\n");
    return 0;
}
```

INPUT

1950

OUTPUT

Total Storage = 2000 GB
Remaining = 50 GB
Extra Storage = 0 GB
Extra Charge = Rs. 0
Status = Warning