SFCollab
Profile, Roles, Social, and Momentum Architecture

Detailed team documentation - revised profile structure, role activation, dashboards, discovery, posting, and ecosystem loop

Version	Purpose	Primary thesis
2.0	Product + design + implementation alignment	Execution, not hype



Current dashboard baseline referenced in this document. The recommendation is to preserve execution tools while repositioning the emotional center of the product toward ecosystem momentum, visions, startup activity, and visible progress.

1. Executive Summary

SFCollab should not behave like a normal social network, a normal task manager, or a normal profile page. It should behave like a startup formation operating system where profiles, visions, teams, startup workspaces, posts, trust, and discovery all reinforce one ecosystem loop.

- Profiles are builder/creator operating identities, not vanity bios.
- Roles are multi-activation modes, not locked account types.
- Dashboards are role-specific interfaces over one unified identity and reputation graph.
- The home dashboard and landing page should show opportunity and momentum first.
- Calendar and task views should remain inside startup workspaces and execution contexts, not as the emotional center of the product.
- External account connections should autofill identity and audience data, while native SF execution remains the dominant trust signal.
- Posting should originate on SF and optionally distribute outward to connected platforms.

Core rule: every major feature should strengthen the loop Vision -> Team -> Startup -> Milestones -> Visible Progress -> Reputation -> Discovery -> Next Vision.

2. What the Product Is - and Is Not

This section exists to prevent future drift.

SF is primarily	SF is not primarily
startup formation infrastructure	generic social media platform
builder collaboration system	generic project management tool
execution visibility engine	resume-only network

3. Recommended Role System

The current roles Builder, Founder, Investor, and Influencer/Creator are strong enough to anchor the ecosystem. They should remain the primary dashboard roles. Additional identities such as Operator, Advisor, Mentor, and Reviewer should usually be modeled as support roles, capability badges, or team roles unless they later need full dashboards.

Role	Purpose	Main dashboard emphasis
Builder	Executes work: code, design, product, growth, ops, AI, research.	execution opportunities, milestones, active startups, contribution history
Founder	Creates visions, recruits teams, activates startups, drives roadmap.	visions, recruiting, startup progress, readiness, milestone oversight

Investor	Discovers opportunities, tracks traction, provides funding or support.	startup traction, signal quality, launches, funding opportunities
Creator / Influencer	Provides distribution, promotion, audience growth, storytelling.	posts, campaigns, distribution settings, audience analytics
Support roles inside teams	Advisor, Mentor, Operator, Reviewer.	best shown as badges, qualifications, and team roles on profiles/startups

4. Multi-Role Activation and Dashboard Logic

Users should be able to hold multiple roles at once and switch dashboard mode depending on what they are doing. The profile, trust state, and reputation remain unified across modes.

- A user can be Founder + Builder + Creator at the same time.
- One role is marked as primary to define the default dashboard and top-line profile label.
- Secondary roles unlock additional modules, discovery placement, and feed recommendations.
- Role switching changes interface emphasis, not identity, trust state, or historical record.

Profile identity = **unified.** Recommended model:

Dashboard mode = **contextual lens.** Dashboard mode = contextual lens.

Permissions = **role** + **verification** + **trust** + **state gating.** Permissions = role + verification + trust + state gating.

5. The Ideal Profile Structure

The profile should answer six questions immediately: who is this person, what can they do, what are they building now, what have they delivered, are they trusted, and where are they active.

Profile layer	What it must contain
Identity layer	name, username, photo, headline, location, sectors, primary role, active roles, verification state
Capability layer	skills, tools, role preferences, collaboration types, experience, creator formats, availability
Execution layer	active startups, milestones completed, completed projects, contribution history,

	current roles, recent execution
Reputation layer	execution consistency, activity level, collaboration quality, sector percentile, reliability trend
Audience layer	followers, followed entities, recent launches, collaborations, connected platforms, external presence
Trust layer	verification tier, founder/builder/mentor badges, payout eligibility, trust violations, rehabilitation status

6. Detailed Profile Information Architecture

6.1 Header block - must be visible immediately

• Avatar, display name, username, verification badge, primary role, active role chips.

• Short headline such as 'Founder building AI workflow tools' or 'Creator helping startups grow with short-form content'.

• Location, sector tags, and collaboration status such as Open to Build, Recruiting, Investing, or Available for Campaigns.

• Quick actions: Follow, Message, View Startups, Invite, Apply, or Connect depending on relationship state.

6.2 Overview block

• Short bio focused on current direction rather than generic autobiography.

• What they are building now.

• Top skills and top sectors.

• Preferred collaboration types and current availability.

6.3 Execution snapshot block

• Active startups count.

• Completed projects count.

• Milestones completed count.

• Current execution streak or recent activity state.

• Most recent project events: joined startup, milestone completed, demo published, prototype released.

6.4 Reputation and trust block

• Execution consistency, collaboration quality, activity multiplier, trust level, and sector percentile.

- Trust violation and rehabilitation status should be visible if applicable but not globally searchable.
- Followers should never be mixed into reputation calculations.

6.5 Portfolio and team history

- Current startups first, then past startups, launches, demos, contribution proof, and notable collaborations.
- Team history should show repeat collaboration patterns and successful team combinations where useful.

6.6 Social and connected accounts

- Connected platforms, imported identity data, distribution-enabled platforms, and external links.
- This section supports autofill and outbound distribution, but must not overpower native SF execution.

6.7 Activity feed on profile

- Recent project updates, milestones completed, startup activations, posts, launches, and role changes.
- This makes the profile feel alive and proves recency.

7. Profile Tabs / Sections Recommended for UI

Tab	Why it exists
Overview	identity, headline, sectors, current work, top metrics, connected accounts summary
Execution	active startups, milestones, current roles, contribution history, recent proof
Startups	startups founded, joined, launched, recruiting, archived, founder-only drafts if relevant
Posts & Updates	native SF posts, build logs, milestone announcements, optionally imported highlights
Reputation	consistency, activity, collaboration feedback, sector ranking, trend
Network	followers, followed visions, followed startups, collaborators
Trust	verification, payout status, mentor or founder

	badges, trust history if applicable

8. Profile Field Specification

Identity fields: user_id, username, display_name, profile_photo, headline, bio, location, timezone, languages, website, primary_role, active_roles[], sectors[], verification_status

Capability fields: skills[], tools[], creator_formats[], experience_level, availability_status, preferred_collaboration_types[], desired_roles[], open_to_join

Execution fields: active_startups_count, completed_projects_count, milestones_completed_count, current_roles[], startup_history[], contribution_history[], recent_execution_events[], launch_count

Reputation fields: execution_consistency_score, activity_level, collaboration_quality_score, risk_capital_score, activity_multiplier, sector_percentile, reputation_tier, peer_feedback_summary

Audience fields: followers_count, following_count, followed_visions_count, followed_startups_count, collaborations_count, recent_launches_count

Trust fields: trust_level, payout_eligible, founder_verified, builder_verified, mentor_verified, trust_badges[], violation_state, rehabilitation_state

Integration fields: linkedin_url, github_url, twitter_url, instagram_url, tiktok_url, youtube_url, facebook_url, medium_url, devto_url, hashnode_url, connected_platforms[], distribution_enabled_platforms[]

9. How External Accounts Should Work

External account connections serve two distinct purposes: profile autofill and outbound publishing/distribution.

9.1 Connection types

- Identity connections: LinkedIn, GitHub, Google, X/Twitter - mainly for autofill and trust context.
- Creator distribution connections: Instagram, TikTok, YouTube, Facebook, Threads - mainly for audience presence and outbound content distribution.
- Builder publishing connections: Dev.to, Hashnode, Medium, Product Hunt - mainly for professional content distribution and portfolio proof.

9.2 Imported data rules

- Import only what improves the SF profile: headline, bio, work history, skills, links, audience presence, repos, contribution patterns, creator channels.
- Never let imported audience metrics dominate trust or ranking.
- Native SF execution data should remain the main collaboration signal.
- Every imported field should remain editable by the user.

9.3 Connection methods

- Prefer OAuth where official APIs exist and permissions are available.
- Use login-based account connection in settings, not API keys from normal users.
- Scraping should be fallback-only and used carefully because platform restrictions can break it.

10. Posting and Social Distribution Architecture

SFCollab should be the origin point of content. Users post on SF first, then choose whether to distribute outward.

- Native post types should include Build Update, Startup Milestone, Idea, Knowledge Post, Tutorial, Question, Showcase, and Launch Update.
- The posting composer should include a distribution settings block where users select connected platforms.
- The same post should always exist natively on SF even when external distribution fails.
- External distribution status should be tracked per platform: pending, posted, failed, retrying.

10.1 Distribution UI rules

- Default selection should always include SFCollab itself.
- Available platform toggles should adapt to the user's connected accounts and role emphasis.
- Builder-oriented users should see LinkedIn, GitHub-related proof links, X, Dev.to, Hashnode, Medium first.
- Creator-oriented users should see Instagram, TikTok, YouTube, Facebook first.

10.2 Why Facebook is harder

- Personal profile posting is heavily restricted.
- Meta review requirements and page permissions make implementation slower.
- Page and business account workflows are usually more realistic than personal timeline automation.

11. Home Dashboard vs Startup Workspace

This was one of the most important product decisions discussed.

Recommendation: Recommendation:

- Keep task and calendar systems, but move them into startup workspaces and execution views.
- Do not make generic tasks/calendars the emotional center of the product.
- The main home dashboard should answer: Where can I help build something right now?

Main home / landing experience	Startup workspace / execution experience
• trending visions • startups launched or launching	• milestone board • tasks and owners

• teams recruiting • milestones completed • suggested collaborations • momentum and opportunity	• calendar and due dates • documentation and assets • AI tools and automations • team panel and role assignments
Goal: make the ecosystem feel alive.	Goal: help teams execute.

12. Landing Page and Daily Home Recommendations

- Landing page should show what SF is, live projects launching, trending visions, top builders this season, sector highlights, and active momentum.
- Daily home dashboard should show opportunity feed, momentum panel, followers' activity, recruiting teams, and AI-suggested collaborations.
- This creates the emotional outcome described in your docs: opportunity + momentum.

13. Vision, Startup, and Lifecycle State Model

Lifecycle states should be explicit so the ecosystem looks active rather than full-but-dead.

Vision states: Draft Vision, Public Vision, Emerging, Team Forming, Ready for Activation, Archived Vision

Startup states: Founder-Only Draft, Activated Startup, Active, Recruiting, Slowing, At Risk, Dormant, Archived, Launched

Visibility rule: Main feeds should emphasize active, recruiting, and recently launched entities - not dormant or abandoned ones.

Migration rule: Old founder-only startups should be reclassified, not deleted. Preserve them on dashboards and profiles but remove them from primary discovery until they gain real signals.

14. Discovery System and Matching

Discovery should serve one simple question: where can I contribute right now?

14.1 What should be discoverable

- Visions needing collaborators
- Startups recruiting specific roles
- Recently completed milestones
- Recent project updates
- Builders, founders, creators, and investors filtered by fit
- Sector hubs and seasonal rankings

14.2 Discovery filters

- Sector
- Role needed or role offered
- Skills and tools
- Readiness score
- Execution state
- Availability
- Verification and trust gates where appropriate
- Location / timezone when collaboration requires it

15. Reputation, Audience, and Trust - Keep Them Separate

This separation is one of the strongest structural rules in SF and should be repeated clearly in the documentation.

System	What drives it	What it affects
Reputation	milestones, execution consistency, activity recency, collaboration quality, constrained feedback	trust score, matchmaking priority, ranking weight, activation privileges
Audience	followers, launch reach, collaborations, distribution, attention	visibility, demand, applications, marketplace interest
Trust	verification, violations, rehabilitation status, payment / dispute integrity	eligibility for payouts, startup activation, governance, sensitive actions

16. Event System - the Backbone of Visibility

Profiles, feeds, dashboards, notifications, and momentum should all run on a common event model.

- Vision created
- Vision gained traction
- Builder applied to vision
- Application accepted
- Role assigned
- Startup activated
- Milestone created
- Milestone status changed

- Milestone completed
- Progress update posted
- Demo published
- Launch announced
- User followed builder / vision / startup / sector
- Distribution post sent externally
- Trust state changed
- Ranking tier changed

Event payload minimum: Every event should specify actor, entity type, entity id, related startup or vision, timestamp, visibility scope, and downstream effects such as profile update, feed insertion, reputation trigger, and notification trigger.

17. Momentum Engine

This is the system loop that ties everything together.

Vision -> Traction -> Team Formation -> Startup Activation -> Milestones -> Execution -> Reputation -> Discovery -> Next Vision

- Visions attract collaborators and prove demand.
- Readiness and team formation convert ideas into structured startups.
- Milestones create visible proof of execution.
- Execution raises reputation and trust.
- Reputation and visible progress improve discovery and applications.
- Discovery increases traction on the next vision.
- This creates compounding builder momentum.

18. Onboarding Flow Recommended

- Create account.
- Select sector interests and top skills.
- Choose primary role and optional active secondary roles.
- Connect recommended external accounts based on role emphasis.
- Autofill profile fields.
- Ask SF-native questions external platforms cannot answer: what are you building, what roles do you want, what sectors do you want to build in, are you open to collaborate, invest, advise, or promote?
- Push the user into a first meaningful action within one day: create a vision, apply to help, join a startup, complete a milestone, or post a visible update.

19. Missing Implementation Rules That Should Be Explicit

- Profile should show team roles not just platform roles; for example a Founder profile may currently be acting as Builder on one startup and Advisor on another.
- Planned pause should freeze momentum decay for legitimate inactivity windows.
- Distribution failures should never erase the native SF post.
- Visibility rules should suppress dormant entities from primary feeds without deleting history.
- Verification should gate serious actions such as payouts, startup activation beyond threshold, governance, and marketplace transactions.
- Support roles such as Mentor and Reviewer should appear on profiles and startup team panels even if they do not yet have dedicated dashboards.
- External account connections should be used to reduce onboarding friction, not replace native execution data.
- Home feed must prioritize opportunity and recent execution, not generic popularity.

20. Implementation Priority Order

Priority	Scope
P0 - keep aligned with current product	unified profile schema, role activation logic, dashboard-to-profile relationship, event model, visibility rules
P1 - improve user quality	profile UI restructuring, onboarding autofill, connected accounts, execution-first profile blocks
P2 - strengthen daily usage	home momentum dashboard, opportunity feed, suggested collaborations, profile activity events
P3 - social and growth	native posting system, outbound distribution engine, creator platform grouping, campaign-oriented creator flows
P4 - advanced ecosystem systems	sector rankings, influence credits, governance, advanced investor flows, deeper marketplace integration

21. Final Product Rule

Whenever the team is unsure how to structure a feature, ask one question first: does this make it easier for the right people to discover a vision, form a team, execute milestones,

show progress, and build trust?