Χ



## (https://swayam-uat-central.appspot.com)



central.appspot.com/nc\_details/AICTE)

suchetajjw47@gmail.com >

AICTE (https://swayam-uat-central.appspot.com/explorer?ncCode=AICTE) » Programming and Data Structures with Python (course)



## Practice Assignment 3

Course outline

Due on 2021-12-31, 23:59 IST

## Practice Assignments

Practice

Assignment 1

(/programming\_2021/progassignment? name=4)

Practice

Assignment 2

(/programming\_2021/progassignment?

name=13)

Practice

**Assignment 3** 

(/programming\_2021/progassignment?

name=18)

**Practice Quiz 1** 

Quiz 1, Mon 25 Oct 2021

PDSP

Assignment 1, due Tue 2 Nov

2021

**PDSP** 

Assignment 2,

due Fri 12 Nov 2021

Quiz 2, Mon 8 Nov 2021

PDSP Assignment 3, due Wed 24 Nov 2021

PDSP Assignment 4, due Fri 17 Dec 2021

Quiz 3, Thu 16 Dec 2021

PDSP Quiz 4, Thu 23 Dec 2021

PDSP Assignment 5, due Fri 31 Dec 2021 Complete the definition of the Python class LList given in the code window as specified below. Make sure the indentation for your code is correct with respect to the enclosing class definition.

Your function will be tested using the function testlist() which is shown above the class definition. This function creates an empty LList and then performs the list of operations provided to it. Each element of the list is either ("i",v), indicating that v has to be inserted in the list using mylist.insert(v), or ("d",v), indicating that v has to be deleted using mylist.delete(v).

- Do not write commands to read any input or print any output.
- You may define additional auxiliary functions as needed.
- In all cases you may assume that the value passed to the function is of the expected type, so your function does not have to check for malformed inputs.
- There are normally some public test cases and some (hidden) private test cases
- "Compile and run" will evaluate your submission against the public test cases.
- "Submit" will evaluate your submission against the hidden private test cases. There are 10 private test cases, with equal weightage. You will get feedback about which private test cases pass or fail, though you cannot see the actual test cases.
- Ignore warnings about "Presentation errors".
- You can submit as many times as you like. Your final submission will be used for scoring.

Function: delete(v)

Add a function to the LList class such that if myl is a LList object, then myl.delete(v) deletes the **first** occurrence of v from myl. If there are no occurrences of v in myl, the function has no effect.

Here are some examples to show how your function should work.

```
>>> testlist([("i",1),("i",2),("d",1)])
[2]

>>> testlist([("i",1),("i",2),("d",2),("d",2),("d",1),("i",2),
("i",1)])
[1, 2]
```

## **Sample Test Cases**

```
Input Output

Test
Case testlist([("i",1),("i",2),("d",1)]) [2]
```

```
Test
     testlist([("i",1),("i",2),("d",2),("d",2),("d",1),
Case
                                                                    [1, 2]
      ("i",2),("i",1)])
2
Test
Case testlist([("i",1),("i",2),("d",2)])
                                                                    [1]
3
     testlist([('i',10),('i',9),('i',8),('i',7),('i',6),
                                                                    [10, 9, 8,
Test
     ('i',5),('i',4),('i',3),('i',2),('i',1),('i',0),('i',1),
                                                                   7, 5, 3,
Case
     ('i',2),('i',3),('i',4),('i',5),('i',6),('i',7),('i',8),
                                                                   1, 1, 3,
4
                                                                   5, 7, 8,
     ('i',9),('i',10),('d',6),('d',4),('d',2),('d',0),('d',6),
      ('d',4),('d',2),('d',0)])
                                                                   9, 10]
                                                                    [10, 9, 8,
     testlist([('i',10),('i',9),('i',8),('i',7),('i',6),
                                                                   7, 5, 3,
Test
      ('i',5),('i',4),('i',3),('i',2),('i',1),('i',0),('i',1),
                                                                   1, 1, 2,
Case
      ('i',2),('i',3),('i',4),('i',5),('i',6),('i',7),('i',8),
                                                                   3, 4, 5,
5
      ('i',9),('i',10),('d',6),('d',4),('d',2),('d',0)])
                                                                   6, 7, 8,
                                                                   9, 10]
     testlist([('i',10),('i',9),('i',8),('i',7),('i',6),
                                                                    [10, 9, 8,
Test
     ('i',5),('i',4),('i',3),('i',2),('i',1),('i',0),('i',1),
                                                                   7, 5, 3,
Case
     ('i',2),('i',3),('i',4),('i',5),('i',6),('i',7),('i',8),
                                                                   1, 0, 1,
6
     ('i',9),('i',10),('d',6),('d',4),('d',2),('d',6),('d',4),
                                                                   3, 5, 7,
                                                                    8, 9, 10]
     ('d',2)])
Test
     testlist([('i',1),('i',2),('i',3),('i',4),('i',5),
                                                                    [10, 9, 8,
Case
     ('i',6),('i',7),('i',8),('i',9),('i',10),('d',6),('d',4),
                                                                   7, 5, 3,
7
                                                                   1]
     ('d',2),('d',6),('d',4),('d',2)])
Test
     testlist([('d',6),('d',4),('d',2),('d',6),('d',4),
Case
                                                                    []
     ('d',2)])
     testlist([('i',10),('d',10),('i',9),('d',9),('i',8),
Test
     ('d',8),('i',7),('d',7),('i',6),('d',6),('i',5),('d',5),
Case
                                                                    [0]
      ('i',4),('d',4),('i',3),('d',3),('i',2),('d',2),('i',1),
9
     ('d',1),('i',0)])
     testlist([('d',10),('i',10),('d',9),('i',9),('d',8),
                                                                    [1, 2, 3,
Test
     ('i',8),('d',7),('i',7),('d',6),('i',6),('d',5),('i',5),
                                                                   4, 5, 6,
Case
      ('d',4),('i',4),('d',3),('i',3),('d',2),('i',2),('d',1),
                                                                   7, 8, 9,
10
      ('i',1),('d',0)])
                                                                    10]
Test
Case testlist([("i",1),("i",2),("d",1)])
                                                                    [2]
11
Test
     testlist([("i",1),("i",2),("d",2),("d",2),("d",1),
Case
                                                                    [1, 2]
      ("i",2),("i",1)])
12
```

The due date for submitting this assignment has passed.

As per our records you have not submitted this assignment.