

# Cucumber Report

27-Dec-2023, 10:48:52 am

**Start : Dec 27, 10:40:09.792 am**

**End : Dec 27, 10:48:51.657 am**

**Duration : 8 m 41.865 s**

Features





PASSED - 0  
FAILED - 1  
SKIPPED - 0


Scenarios

PASSED - 2  
FAILED - 8  
SKIPPED - 0


Steps

PASSED - 54  
FAILED - 8  
SKIPPED - 55






| # | Feature Name                          | T  | P | F | S | Duration     |
|---|---------------------------------------|----|---|---|---|--------------|
| 1 | <u>E-Commerce website healthcheck</u> | 10 | 2 | 8 | 0 | 8 m 41.865 s |




| # | Feature Name                          | Scenario Name   | T  | P  | F | S  | Duration     |
|---|---------------------------------------|---|----|----|---|----|--------------|
| 1 | <u>E-Commerce website healthcheck</u> | User naviaget to URL, User redirect to landing page with expected current URL | 3  | 3  | 0 | 0  | 6.759 s      |
| 2 | <u>E-Commerce website healthcheck</u> | HomePage- Sign Up with OTP  | 7  | 4  | 1 | 2  | 48.428 s     |
| 3 | <u>E-Commerce website healthcheck</u> | HomePage- Login with Email Id -OTP  | 6  | 3  | 1 | 2  | 47.500 s     |
| 4 | <u>E-Commerce website healthcheck</u> | HomePage- Login with Mobile no -OTP   | 6  | 3  | 1 | 2  | 49.129 s     |
| 5 | <u>E-Commerce website healthcheck</u> | Login using Google Account  | 5  | 5  | 0 | 0  | 21.486 s     |
| 6 | <u>E-Commerce website healthcheck</u> | CheckoutPage- Sign Up with OTP  | 13 | 8  | 1 | 4  | 1 m 4.895 s  |
| 7 | <u>E-Commerce website healthcheck</u> | CheckOutPage- Login with Email Id -OTP  | 17 | 6  | 1 | 10 | 1 m 4.351 s  |
| 8 | <u>E-Commerce website healthcheck</u> | CheckOutPage- Login with Mobile no -OTP                                       | 14 | 6  | 1 | 7  | 1 m 3.210 s  |
| 9 | <u>E-Commerce website healthcheck</u> | Checkout Login using Google   | 22 | 12 | 1 | 9  | 1 m 45.821 s |




| #  | Feature Name                          | Scenario Name  | T  | P | F | S  | Duration |
|----|---------------------------------------|--|----|---|---|----|----------|
| 10 | <u>E-Commerce website healthcheck</u> | <u>Order Journey (includes other pdp,plp and cart page functionalities ) till payment page functionality</u> | 24 | 4 | 1 | 19 | 49.862 s |

## (F)- E-Commerce website healthcheck




## (S)- User naviaget to URL, User redirect to landing page with expected current URL



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)            | PASSED | 1.800 s  |
|   | Browser get invoked   |        |          |
| 1 | Given - Given User navigate to URL and open the landing page                    | PASSED | 4.497 s  |
| 2 | When - When User is on landing page   | PASSED | 0.002 s  |
|   | User is on landing page after navigating to base URL                            |        |          |
| 3 | Then - Then Validate current URL of landing page with expected URL              | PASSED | 0.219 s  |
|   | Validate current URL is: https://www.candere.com/                               |        |          |
|   | AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario) | PASSED | 0.007 s  |
|   | Test case get passed, no screenshot is captured                                 |        |          |
|   | AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)          | PASSED | 0.206 s  |
|   | Browser is quit   |        |          |


## (S)- HomePage- Sign Up with OTP



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked  | PASSED | 1.299 s  |
| 1 | Given - Given User navigate to URL and open the landing page   | PASSED | 4.402 s  |
| 2 | When - When User see Your Account and click on SignUp from home page<br><br>Click on the User Icon<br>Click on the signUp Button   | PASSED | 0.936 s  |
| 3 | And - And User enters "cucumber" and "447867xdgg3@candere.com" and "7906457645"  | PASSED | 0.346 s  |
| 4 | And - And User click on Send Otp<br><br>Otp send successful  | PASSED | 0.207 s  |
| 5 | And - And User enter otp<br><br>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.130) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 29938ffe26f573d476f9b66090090450<br><br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) | FAILED | 40.557 s |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:106) at PageObjects.HomePageObjects.validateRegisterOTP(HomePageObjects.java:345) at StepDefination.HomeStepDef.user_enter_otp(HomeStepDef.java:789) at ?.User enter otp(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:17) * Not displayable characters are replaced by '?'.</pre> |         |          |
| 6 | And - And Click on Verify Otp & Register   | SKIPPED | 0.001 s  |
| 7 | Then - Then User successfully redirected to "Online Jewellery Shopping India   Candere By Kalyan Jewellers   Most Trusted Online Jewellery Store"  | SKIPPED | 0.001 s  |
|   | <p>AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)</p> <p>Name of failed step is: HomePage- Sign Up with OTP<br/>Attach a screenshot as step get failed</p>   | PASSED  | 0.448 s  |
|   | <p>AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)</p> <p>Browser is quit</p>   | PASSED  | 0.220 s  |


### (S)- HomePage- Login with Email Id -OTP



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario) | PASSED | 0.888 s  |
|   | Browser get invoked  |        |          |
| 1 | Given - Given User navigate to URL and open the landing page         | PASSED | 4.571 s  |


| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 2 | When - When User see Your Account and click on Log In from home page<br><br>Click on the User Icon<br>Click on the login Button  | PASSED  | 1.051 s  |
| 3 | And - And User enters "suchita.tayde@candere.com"  | PASSED  | 0.167 s  |
| 4 | And - And User click on continue button<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[normalize-space()=OTP has been sent successfully.]"} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52658}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b106911131a5389c8c08f1f517d989fa *** Element info: {Using>xpath, value=/p[normalize-space()='OTP has been sent successfully.']}<br><br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)<br>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)<br>at StepDefinination.HomeStepDef.user_click_on_continue_button(HomeStepDef.java:838)<br>at ?.User click on continue button(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:33)<br>* Not displayable characters are replaced by '?'. | FAILED  | 40.308 s |
| 5 | And - And User enter otp manually and click on login   | SKIPPED | 0.001 s  |
| 6 | Then - Then User successfully redirected to homepage "Online Jewellery Shopping India   Candere By Kalyan Jewellers   Most Trusted Online Jewellery Store"   | SKIPPED | 0.001 s  |
|   | AFTER - StepDefinination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.328 s  |
|   | Name of failed step is: HomePage- Login with Email Id -OTP   |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | Attach a screenshot as step get failed<br> |        |          |
|   | AFTER - StepDefinatoin.HomeStepDef.tearDown(io.cucumber.java.Scenario)  | PASSED | 0.178 s  |
|   | Browser is quit   |        |          |

**(S)- HomePage- Login with Mobile no -OTP**


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefinatoin.HomeStepDef.setUp(io.cucumber.java.Scenario)  | PASSED | 0.745 s  |
|   | Browser get invoked   |        |          |
| 1 | Given - Given User navigate to URL and open the landing page  | PASSED | 6.596 s  |
| 2 | When - When User see Your Account and click on Log In from home page<br>Click on the User Icon<br>Click on the login Button   | PASSED | 0.883 s  |
| 3 | And - And User enters "1234444444"  | PASSED | 0.126 s  |
| 4 | And - And User click on continue button<br><code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[normalize-space()=‘OTP has been sent successfully.’]"} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: ‘3.141.59’, revision: ‘e82be7d358’, time: ‘2018-11-14T08:17:03’ System info: host: ‘DESKTOP-2HTH62H’, ip: ‘192.168.2.138’, os.name: ‘Windows 10’, os.arch: ‘amd64’, os.version: ‘10.0’, java.version: ‘17.0.7’ Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52770}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss</code> | FAILED | 40.190 s |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c2ae78fc4023f7cab677a67e587ab30d *** Element info: {Using=xpath, value=//p[normalize-space()='OTP has been sent successfully.']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br/> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br/> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)<br/> at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)<br/> at StepDefination.HomeStepDef.user_click_on_continue_button(HomeStepDef.java:838)<br/> at ?.User click on continue button(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:45)</p> <p>* Not displayable characters are replaced by '?'.</p> |         |          |
| 5 | And - And User enter otp manually and click on login   | SKIPPED | 0.001 s  |
| 6 | Then - Then User successfully redirected to homepage "Online Jewellery Shopping India   Candere By Kalyan Jewellers   Most Trusted Online Jewellery Store"   | SKIPPED | 0.000 s  |
|   | <p>AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)</p> <p>Name of failed step is: HomePage- Login with Mobile no -OTP<br/> Attach a screenshot as step get failed</p>   | PASSED  | 0.353 s  |
|   | <p>AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)</p> <p>Browser is quit</p>   | PASSED  | 0.227 s  |

**(S)- Login using Google Account**

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked  | PASSED | 0.806 s  |
| 1 | Given - Given User navigate to URL and open the landing page   | PASSED | 4.746 s  |
| 2 | When - When User see Your Account and click on Log In from home page<br><br>Click on the User Icon<br>Click on the login Button  | PASSED | 0.968 s  |
| 3 | And - And User click on Login Using Google<br><br>Click on the LoginUsingGoogle Button   | PASSED | 2.218 s  |
| 4 | And - And User enters Emailid or mobileno ,password and click on next button<br><br>Click on the Next Button   | PASSED | 8.512 s  |
| 5 | Then - Then User successfully redirected to homepage<br><br>AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)<br><br>Test case get passed, no screenshot is captured | PASSED | 4.010 s  |
|   | AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)<br><br>Browser is quit  | PASSED | 0.222 s  |


## (S)- CheckoutPage- Sign Up with OTP



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked   | PASSED | 0.845 s  |
| 1 | Given - Given User navigate to URL and open the landing page  | PASSED | 7.195 s  |
| 2 | When - When User search for the "EARRINGS"  | PASSED | 3.672 s  |
| 3 | And - And choose to buy the first item in list<br><br>User clicked on a product   | PASSED | 2.265 s  |
| 4 | And - And Add first product to the shopping cart<br><br>Add to cart button is displayed   | PASSED | 5.099 s  |
| 5 | And - And User click on Checkout Securely<br><br>Checkout Securely button is displayed  | PASSED | 4.346 s  |
| 6 | And - And User are able to see the signup and login popup and click on signup   | PASSED | 0.094 s  |
| 7 | And - And User enters "selenium" and "d2566565ddgf@candere.com" and "8456805731"  | PASSED | 0.328 s  |
| 8 | And - And User click on Send Otp<br><br>Otp send successful   | PASSED | 0.152 s  |
| 9 | And - And User enter otp<br><br><pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.130) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53010}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad115cf44c1947e8f29c4edcfbcf0a96 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</pre> | FAILED | 40.148 s |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)<br>at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:106)<br>at PageObjects.HomePageObjects.validateRegisterOTP(HomePageObjects.java:345)<br>at StepDefinatoin.HomeStepDef.user_enter_otp(HomeStepDef.java:789)<br>at ?.User enter otp(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:69)<br>* Not displayable characters are replaced by '?'. |         |          |
| 10 | And - And Click on Verify Otp & Register   | SKIPPED | 0.000 s  |
| 11 | And - And Shipping page is open then user fill all details "Peter" and "9023458934" and "400068" and "flat no 201,sanlkalp chsl dahisar east" and click on continue  | SKIPPED | 0.000 s  |
| 12 | And - And User see the payment page and click on UPI   | SKIPPED | 0.000 s  |
| 13 | Then - Then User enter "suchitatayde@oksbi" and click on placeorder  | SKIPPED | 0.000 s  |
|    | AFTER - StepDefinatoin.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.531 s  |
|    | Name of failed step is: CheckoutPage- Sign Up with OTP<br>Attach a screenshot as step get failed   |         |          |
|    |  +   | PASSED  | 0.212 s  |
|    | AFTER - StepDefinatoin.HomeStepDef.tearDown(io.cucumber.java.Scenario)   |         |          |
|    | Browser is quit  |         |          |


## (S)- CheckOutPage- Login with Email Id -OTP



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked   | PASSED | 0.705 s  |
| 1 | Given - Given User navigate to URL and open the landing page  | PASSED | 7.550 s  |
| 2 | When - When User search for the "RINGS"   | PASSED | 3.592 s  |
| 3 | And - And choose to buy the first item in list<br><br>User clicked on a product   | PASSED | 2.163 s  |
| 4 | And - And Add first product to the shopping cart<br><br>Add to cart button is displayed   | PASSED | 5.495 s  |
| 5 | And - And User click on Checkout Securely<br><br>Checkout Securely button is displayed  | PASSED | 3.615 s  |
| 6 | And - And User enters "suchita.tayde@candere.com"   | PASSED | 0.120 s  |
| 7 | And - And User click on continue button<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[normalize-space()='OTP has been sent successfully.']} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53174}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5ee0d3ae8f21570b5f9e4e615649943b *** Element info: {Using=xpath, value=//p[normalize-space()='OTP has been sent successfully.']}<br><br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | FAILED | 40.172 s |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)<br>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)<br>at StepDefination.HomeStepDef.user_click_on_continue_button(HomeStepDef.java:838)<br>at ?.User click on continue button(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:86)<br>* Not displayable characters are replaced by '?'. |         |          |
| 8  | And - And User enter otp manually and click on login   | SKIPPED | 0.000 s  |
| 9  | And - And Click on SHIP TO SAME ADDRESS  | SKIPPED | 0.001 s  |
| 10 | And - And Click on Add new   | SKIPPED | 0.000 s  |
| 11 | And - And Fill all details "Wadhe" and "9178458934" and "400068" and "flat no 201,sanlkalp chsl dahisar east" and click on continue  | SKIPPED | 0.001 s  |
| 12 | And - And Select the payment method CreditDebit Card   | SKIPPED | 0.000 s  |
| 13 | And - And User enter "4111 1111 1111 1111" and "testing" and "123" and "24" and "12" click on placeorder   | SKIPPED | 0.000 s  |
| 14 | And - And User see the candere razorpay page   | SKIPPED | 0.000 s  |
| 15 | And - And User mouseover to my account and click on my order   | SKIPPED | 0.000 s  |
| 16 | And - And Click on view details and scroll down  | SKIPPED | 0.000 s  |
| 17 | Then - Then Go back to my orders   | SKIPPED | 0.000 s  |
|    | AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.739 s  |
|    | Name of failed step is: CheckOutPage- Login with Email Id -OTP<br>Attach a screenshot as step get failed   |         |          |
|    |  +  |         |          |
|    | AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)   | PASSED  | 0.189 s  |
|    | Browser is quit  |         |          |

## (S)- CheckOutPage- Login with Mobile no -OTP



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked   | PASSED | 0.844 s  |
| 1 | Given - Given User navigate to URL and open the landing page  | PASSED | 5.685 s  |
| 2 | When - When User search for the "Earring"   | PASSED | 4.302 s  |
| 3 | And - And choose to buy the first item in list<br><br>User clicked on a product   | PASSED | 2.792 s  |
| 4 | And - And Add first product to the shopping cart<br><br>Add to cart button is displayed   | PASSED | 4.084 s  |
| 5 | And - And User click on Checkout Securely<br><br>Checkout Securely button is displayed  | PASSED | 4.330 s  |
| 6 | And - And User enters "1234444444"  | PASSED | 0.092 s  |
| 7 | And - And User click on continue button<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[normalize-space()='OTP has been sent successfully.']} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53318}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60cd03b237fc5bb0ff4428072d788914 *** Element info: {Using=xpath, value=//p[normalize-space()='OTP has been sent successfully.']}<br><br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | FAILED | 40.173 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)<br>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)<br>at StepDefination.HomeStepDef.user_click_on_continue_button(HomeStepDef.java:838)<br>at ?.User click on continue button(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:109)<br>* Not displayable characters are replaced by '?'. |         |          |
| 8  | And - And User enter otp manually and click on login  | SKIPPED | 0.000 s  |
| 9  | And - And Click on SHIP TO NEARBY CANDERE/KALYAN STORE  | SKIPPED | 0.000 s  |
| 10 | And - And User enter "400066" and click on submit   | SKIPPED | 0.000 s  |
| 11 | And - And User select the store address   | SKIPPED | 0.000 s  |
| 12 | And - And User see the payment page and click on NetBanking   | SKIPPED | 0.000 s  |
| 13 | And - And Select the bank as per there choice   | SKIPPED | 0.000 s  |
| 14 | Then - Then User click on place order and see the bank page   | SKIPPED | 0.000 s  |
|    | AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.676 s  |
|    | Name of failed step is: CheckOutPage- Login with Mobile no -OTP<br>Attach a screenshot as step get failed   |         |          |
|    |    |         |          |
|    | AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)  | PASSED  | 0.221 s  |
|    | Browser is quit   |         |          |


**(S)- Checkout Login using Google**

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)<br><br>Browser get invoked                               | PASSED | 0.827 s  |
| 1  | Given - Given User navigate to URL and open the landing page  | PASSED | 27.351 s |
| 2  | When - When User search for "Earrings"  | PASSED | 6.780 s  |
| 3  | And - And choose to buy the first item<br><br>Clicked on First product link   | PASSED | 1.144 s  |
| 4  | And - And Add product to shopping cart<br><br>Add to cart button is displayed   | PASSED | 3.877 s  |
| 5  | And - And User clicks on continue shopping<br><br>Clicked continue shopping button  | PASSED | 12.852 s |
| 6  | And - And User search for "Rings"   | PASSED | 5.604 s  |
| 7  | And - And choose to buy the second item<br><br>Clicked on First product link  | PASSED | 0.486 s  |
| 8  | And - And Add this item to the cart<br><br>Add to cart button is displayed  | PASSED | 2.923 s  |
| 9  | And - And User click on Checkout Securely<br><br>Checkout Securely button is displayed  | PASSED | 8.966 s  |
| 10 | And - And User click on Login Using Google<br><br>Click on the LoginUsingGoogle Button  | PASSED | 2.379 s  |
| 11 | And - And User enters Emailid or mobileno ,password and click on next button on checkout page<br><br>Click on the Next Button | PASSED | 2.571 s  |
| 12 | And - And User click on edit order<br><br>Click on EDIT ORDER   | PASSED | 28.280 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 13 | <p>And - And User are able to remove the item on cart page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;a href="javascript:void(0); title="Remove item" class="action action-delete action_delete" data-remove-item="&amp;quot;action&amp;quot;&amp;quot;https://www.candere.com/checkout/cart/delete/&amp;quot;&amp;quot;data&amp;quot;:{&amp;quot;id&amp;quot;:&amp;quot;11188844&amp;quot;,&amp;quot;uenc&amp;quot;:&amp;quot;aHR0cHM6Ly93d3cuY2FuZGVyZS5jb20vY2hIY2tvdXQvY2FydC8,&amp;quot;}&gt;...&lt;/a&gt; is not clickable at point (707, 512). Other element would receive the click: &lt;div class="loading-mask" data-role="loader"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.130) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53466}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f622aff9a99c5cbe20aa79ab84cc0c0f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at StepDefinition.HomeStepDef.user_are_able_to_remove_the_item_on_cart_page(HomeStepDef.java:1833) at ?.User are able to remove the item on cart page(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:135)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED  | 1.292 s  |
| 14 | And - And User are able to see the popup Do you want to remove this product from Cart ?   | SKIPPED | 0.001 s  |
| 15 | And - And User clicks on OK button  | SKIPPED | 0.000 s  |
| 16 | And - And User click on Checkout Securely   | SKIPPED | 0.000 s  |
| 17 | And - And User select the payment method CreditDebit Card   | SKIPPED | 0.000 s  |
| 18 | And - And User enter "4111 1111 1111 1111" and "testing" and "123" and "23" and "12" click on placeorder  | SKIPPED | 0.000 s  |
| 19 | And - And User see the candere razorpay page  | SKIPPED | 0.001 s  |
| 20 | And - And User mouseover to my account and click on my order  | SKIPPED | 0.000 s  |
| 21 | And - And Click on view details and scroll down   | SKIPPED | 0.000 s  |
| 22 | Then - Then Go back to my orders  | SKIPPED | 0.000 s  |
|    | AFTER - StepDefinition.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.183 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>Name of failed step is: Checkout Login using Google<br/>Attach a screenshot as step get failed</p>  |        |          |
|   | <p>AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)</p> <p>Browser is quit</p>  | PASSED | 0.298 s  |

## (S)- Order Journey (includes other pdp,plp and cart page functionalities ) till payment page functionality



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - StepDefination.HomeStepDef.setUp(io.cucumber.java.Scenario)  | PASSED | 0.945 s  |
|   | Browser get invoked   |        |          |
| 1 | Given - Given User navigate to URL and open the landing page  | PASSED | 6.716 s  |
| 2 | When - When User see Your Account and click on SignUp from home page  | PASSED | 0.831 s  |
|   | Click on the User Icon  |        |          |
|   | Click on the signUp Button  |        |          |
| 3 | And - And User enters "javacucumber" and "fg6190323fds@candere.com" and "9099518203"  | PASSED | 0.408 s  |
| 4 | And - And User click on Send Otp  | PASSED | 0.300 s  |
|   | Otp send successful   |        |          |
| 5 | And - And User enter otp  | FAILED | 40.158 s |
|   | org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.130) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-2HTH62H', ip: '192.168.2.138', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Suchita\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <pre>localhost:53691}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b9f3ffd616bdb23882b6ddde3e9fc8     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)     at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:106)     at PageObjects.HomePageObjects.validateRegisterOTP(HomePageObjects.java:345)     at StepDefination.HomeStepDef.user_enter_otp(HomeStepDef.java:789)     at ?.User enter otp(file:///C:/Users/Suchita/eclipse-workspace/CandereProject/src/test/resources/Feature/DailyBasicChecks.feature:155) * Not displayable characters are replaced by '?'.</pre> |         |          |
| 6  | And - And Click on Verify Otp & Register  | SKIPPED | 0.000 s  |
| 7  | And - And User successfully redirected to "Online Jewellery Shopping India   Candere By Kalyan Jewellers   Most Trusted Online Jewellery Store"   | SKIPPED | 0.000 s  |
| 8  | And - And User click on product type ring   | SKIPPED | 0.000 s  |
| 9  | And - And choose to buy the first item in list  | SKIPPED | 0.000 s  |
| 10 | And - And User select the ring size   | SKIPPED | 0.000 s  |
| 11 | And - And User enters "400089" and click on Check button  | SKIPPED | 0.000 s  |
| 12 | And - And User see the Expected Delivery Date   | SKIPPED | 0.001 s  |
| 13 | And - And User click on add to cart and see the cart page   | SKIPPED | 0.000 s  |
| 14 | And - And On cart page user is able to change the product qty and and size  | SKIPPED | 0.000 s  |
| 15 | And - And User click on Checkout Securely   | SKIPPED | 0.001 s  |
| 16 | And - And Fill all details "More" and "9023458934" and "400066" and "flat no 201,sanlkalp chsl dahisar east" and click on continue  | SKIPPED | 0.000 s  |
| 17 | And - And User see the payment page and click on DGRP   | SKIPPED | 0.000 s  |
| 18 | And - And Select the No. of installments in months  | SKIPPED | 0.000 s  |
| 19 | And - And Clikc on accept DGRP Terms and Conditions and click on pay now  | SKIPPED | 0.000 s  |
| 20 | And - And User select the payment method as UPI   | SKIPPED | 0.000 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 21 | And - And User click on pay now  | SKIPPED | 0.000 s  |
| 22 | And - And User mouseover to my account and click on my order   | SKIPPED | 0.000 s  |
| 23 | And - And Click on view details and scroll down  | SKIPPED | 0.000 s  |
| 24 | Then - Then Go back to my orders   | SKIPPED | 0.001 s  |
|    | AFTER - StepDefination.HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)<br><br>Name of failed step is: Order Journey (includes other pdp,plp and cart page functionalities ) till payment page functionality<br>Attach a screenshot as step get failed | PASSED  | 0.328 s  |
|    |   |         |          |
|    | AFTER - StepDefination.HomeStepDef.tearDown(io.cucumber.java.Scenario)   | PASSED  | 0.163 s  |
|    | Browser is quit  |         |          |

(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)

(S) HomePage- Sign Up with OTP

(F) E-Commerce website healthcheck



SIGN UP

## PLAY & WIN

Assured rewards worth up to ₹10K in your wallet

Enter Full Name: cucumber

Email: 447867xdgg3@candere.com

Mobile No.: +91 7906457645

I agree to the [Terms of Use & Privacy Policy](#)

Subscribe me for [notifications](#)

**SEND OTP**

Already a member with us? [LOGIN](#)


An error occurred, please try again later.



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)

(S) HomePage- Login with Email Id -OTP

(F) E-Commerce website healthcheck



**Login**

To enjoy a seamless experience while shopping

Enter E-Mail ID / Mobile number: suchita.tayde@candere.com

**CONTINUE**

OR

**LOGIN USING GOOGLE**

Do not have an account? [SIGN UP](#)

An error occurred, please try again later.



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)



(S) HomePage- Login with Mobile no - OTP



(F) E-Commerce website healthcheck

## Login

To enjoy a seamless experience while shopping

Enter E-Mail ID / Mobile number


+911234444444

CONTINUE


OR

LOGIN USING GOOGLE

Do not have an account? [SIGN UP](#)



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.cucumber.java.Scenario)



(S) CheckoutPage- Sign Up with OTP



(F) E-Commerce website healthcheck

Enter Full Name  
selenium

Email  
d2566565ddgf@candere.com


Mobile No.  
+91 8456805731

I agree to the [Terms of Use & Privacy Policy](#)

Subscribe me for [notifications](#)

SEND OTP

Already a member with us? [LOGIN](#)



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.  
cucumber.java.Scenario)

(S) CheckOutPage- Login with Email Id -  
OTP

(F) E-Commerce website healthcheck



Total Item 1



Shine brighter,  
spend Smarter at

END  
of the  
YEAR  
SALE



! An error occurred, please try again later. X

## Login

To enjoy a seamless experience while shopping


Enter E-Mail ID / Mobile number  
suchita.tayde@candere.com

CONTINUE

OR

G LOGIN USING GOOGLE

Do not have an account? [SIGN UP](#)



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.  
cucumber.java.Scenario)

(S) CheckOutPage- Login with Mobile no  
-OTP

(F) E-Commerce website healthcheck



Total Item 1



Shine brighter,  
spend Smarter at

END  
of the  
YEAR  
SALE



! An error occurred, please try again later. X

## Login

To enjoy a seamless experience while shopping


Enter E-Mail ID / Mobile number  
+911234444444

CONTINUE

OR

G LOGIN USING GOOGLE

Do not have an account? [SIGN UP](#)



(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.  
cucumber.java.Scenario)

**(S) Checkout Login using Google**

**(F) E-Commerce website healthcheck**

The screenshot shows the Candere website's shopping cart page. At the top, there are links for Shopping Bag, Shipping Address, and Payment, along with a 100% Safe & Secure badge. A banner at the top of the page says "A stylish New Year is just a few taps away!" Below the banner, it shows "Total Item(s) 4". The shopping cart contains one item: "Day Flower Diamond Earrings" in 14K Rose Gold (1.33g), quantity 1, with a price of ₹19,973 (₹23,823.00). There is a "REMOVE" button next to the item. To the right, a "CHECKOUT SECURELY" button is visible. On the right side of the page, there is a "CHECK OFFERS" section showing a successful coupon application ("Coupon EOYS23 Applied Successfully") and an option to include insurance. An "ORDER SUMMARY" section is also present.

(Step) AFTER - StepDefination.  
HomeStepDef.captureScreenshot(io.  
cucumber.java.Scenario)

**(S) Order Journey (includes other pdp,plp  
and cart page functionalities ) till payment  
page functionality**

**(F) E-Commerce website healthcheck**

The screenshot shows the Candere website's sign-up and promotional section. It features a "SIGN UP" button and a "PLAY & WIN" section with a wheel of fortune. The wheel offers various rewards like "2 Gram Gold coin", "₹10K in Promo Wallet", "₹5K in Promo Wallet", "₹10K in Promo Wallet", "2 Gram Gold coin", "₹5K in Promo Wallet", "₹10K in Promo Wallet", and "Diamond Pendant". Below the wheel, it says "Assured rewards worth up to ₹10K in your wallet". To the right, there is a sign-up form with fields for "Enter Full Name" (javacucumber), "Email" (fg6190323fds@candere.com), and "Mobile No." (+91 9099518203). There are also checkboxes for "I agree to the Terms of Use & Privacy Policy" and "Subscribe me for notifications". A "SEND OTP" button is at the bottom. At the bottom of the page, there is a message "Already a member with us? LOGIN" and an error message "An error occurred, please try again later." On the right side, there is a user profile with the number 400064, a blog section, and an "OFFERS" section showing the code LCR0395-C024832-C023933.