

Sprint Planning Overview

Example: User Login System Sprint



Sprint Goal

-  Complete the user login system.



Selected User Stories

- 1. User can register with email and password
- 2. User can log in using valid credentials
- 3. User receives error for incorrect login
- 4. User can reset password
- 5. User remains logged in (session management)

Sprint Tasks Breakdown

- - Design login UI
- - Integrate backend API
- - Implement form validation
- - Add success/error handling
- - Write unit tests



Sprint Duration & Capacity

- • Sprint Length: 2 Weeks
- • Team Capacity: 50 hours per member
- • Total Capacity: 200 hours (4 team members)



Expected Outcome

-  A fully functional and tested user login system ready for release.



Velocity (Sprint Performance)

- • Velocity is the average number of story points a team completes per sprint.
- • Used to predict how much work the team can handle in future sprints.
-  Example:
- Sprint 1: 20 pts, Sprint 2: 22 pts, Sprint 3: 18 pts
-  Average Velocity = $(20 + 22 + 18) / 3 = 20$ points/sprint

Team Capacity

- Team Capacity is the total available hours for a sprint.
- Helps plan realistic workload and avoid overcommitment.
-  Example:
 - $4 \text{ members} \times 6 \text{ hrs/day} \times 10 \text{ days} = 240 \text{ hrs}$
 - 1 member on leave for 2 days $\rightarrow$ Subtract 12 hrs
 -  Adjusted Capacity = 228 hours



Sprint Burndown Chart

