

Varieties of sugarcane released and notified from 2009 to 2025 and their salient characteristics

S. No.	Year of Release	Name of Variety	Notification No.	Type	Recommended State Union territories
1	2025	CoS 17231 (Bismil)	S.O. 6123(E)	Early maturity variety	North West Zone- Punjab, Haryana, Rajasthan, Central and western Uttar Pradesh and Uttarakhand.
2	2025	Co 18022 (Karan-18)	S.O. 6123(E)	Mid-late maturity variety	-do-
3	2025	CoPb 18213 (CoPb 100)	S.O. 6123(E)	Mid-late maturity variety	-do-
4	2025	Rudrur Cheruku 81	S.O. 2128 (E)		Telangana
5	2025	CoN- 18071 (GNS-13) (Madhuri)	S.O. 2128 (E)		Gujarat
6	2024	CoVC18061	S.O. 4388(E)	Non flowering, high yielding (70-80 t/acre), better quality, excellent for Jaggery making, better sucrose content and good ratooner..	Karnataka
7	2024	Karan 17 (Co-17018)	S.O. 4388(E)	Suitable for irrigated timely to late sown season, yield 914.8q/ha, maturity (Mid-late) 330-360 days, sucrose 18.38%, CCS 12.78%, tolerant to salinity, resistant to moderately resistant to red rot, resistant to susceptible to smut, mostly resistant to moderately resistant to YLD, least susceptible to shoot borer, stalk borer and top borer	Haryana, Punjab, Rajasthan, Uttarakhand, Central and Western Uttar Pradesh
8	2024	Roshan (CoS-16233)	S.O. 4388(E)	Mid-late maturity, Tall, medium thick, stalks with wax coating, greenish foliage, erect habit, easily detrashing, good ratooner	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western part of Uttar Pradesh
9	2024	IKHSU-16 (CoLk-16202)	S.O. 4388(E)	Suitable for irrigated condition, yield 932q/ha, sucrose(%) 17.74, CCS 114 q/ha, maturity early (10 months), tolerant to drought, moderately resistant to CF08 and CF 13 of red rot pathogen, smut, wilt	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western part of Uttar Pradesh
10	2024	IKHSU-17 (CoLk-16470)	S.O. 4388(E)	Suitable for irrigated condition, yield 825 q/ha, sucrose 17.37%, CCS 95.9 q/ha, maturity 360 days, excellent performance under waterlogged condition, moderately resistant to red rot, smut, least susceptible to major insect-pests	Eastern Part of Uttar Pradesh, Bihar, Jharkhand, West Bengal and Assam
11	2024	CoPb 99 (CoPb-17215)	S.O. 4388(E)	Suitable for growing in medium and high fertile soil under irrigated subtropical climatic conditions during spring season, yield – CCS 112q/ha, mean cane yield 901.4 q/ha, sucrose 18.01%, maturity – mid-late (12 months), moderately resistant/resistant to prevalent races of red rot, less susceptible towards early shoot borer, stalk borer and top borer	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western part of Uttar Pradesh
12	2024	SNK 09211	S.O. 4388(E)		Karnataka

		(CoSnk-15102)			
13	2024	SNK 09227 (CoSnk-15104)	S.O. 4388(E)		Karnataka
14	2024	Sharad SNK 09293 (CoSnk-09293)	S.O. 4388(E)		Karnataka
15	2024	Phule Sugarcane - 15012(MS- 17082)	S.O. 4388(E)		Maharashtra
16	2024	Rajendra Ganna- 1 (CoP-16437)	S.O. 4388(E)	Early maturity	Eastern Uttar Pradesh, West Bengal and Assam
17	2024	Genda (CoSe 11453)	S.O. 1560 (E)	The variety has exhibited cane yield (78.38 t/ha), sucrose (%) in juice (17.21) and CCS (9.59 t/ha). Reaction against red rot was moderately resistant (MR).	Eastern U.P., Assam & W.B.
18	2024	Divyanshi (GNS-12)	S.O. 1560 (E)		Gujarat
19	2023	CoS 15233	State Varietal Release Committee	mid late, easily detrashing, good ratooner, moderately resistant to red rot with low incidence of top borer, stem borer and shoot borer.	Uttar Pradesh
20	2023	CoM 11082	S.O. 1056 (E)	It is a high cane and sugar yielding early maturing variety. It is moderately resistant to red rot, have better ratoonability and no leaf sheath spines. It may be a good substitute for CoC 671. It is suitable for suru and preseason season in Maharashtra.	Maharashtra
21	2023	CoA 17321	S.O. 4222 (E)	The variety has exhibited cane yield (114.37 t/ha), sucrose (%) in juice (16.93), CCS (13.44 t/ha) & Pol (%) in cane (11.72). Reaction against red rot was resistant (R) through plug method and cotton swab methods.	Andhra Pradesh
22	2023	Sugarcane Co 18009	S.O. 4222 (E)	A quality jaggery of golden yellow colour. A non-lodging clone characterized by erect and thick canes	Tamil Nadu
23	2023	Rajendra Ganna-5 (CoP 11438)	S.O. 4222 (E)	The variety has exhibited cane yield by 78.20 t/ha, CCS yield 9.46 t/ha and sucrose 17.37 % in juice. Reaction against red rot was moderately resistant & moderately susceptible through plug method and resistant through cotton swab method. The clone showed less susceptible in reaction of major insect-pests.	U.P., Bihar, W.B. & Assam
24	2023	Ikshu-15 (CoLK 16466)	S.O. 4222 (E)	The variety has exhibited cane yield (85.35 t/ha), sucrose (%) in juice (17.33), CCS (10.27 t/ha) & Pol (%) in cane (13.31). Reaction against red rot was resistant (R) through plug and cotton swab methos. The clone showed less susceptible in reaction of major insect-pests.	U.P., Bihar, W.B. & Assam
25	2023	Ikshu-14 (CoLK 15206)	S.O. 4222 (E)	The variety has exhibited cane yield (89.81 t/ha), sucrose (%) in juice (18.42), CCS (11.64 t/ha) & Pol (%) in cane (14.32). Reaction against red rot was resistant (R) through plug and cotton swab methods. The clone showed less susceptible (LS) in reaction of major insect-pests.	Punjab, Haryana, Rajasthan, Central and Western U.P. & Uttarakhand (North West Zone)

26	2023	Ikshu-10 (CoLK 14201)	S.O. 4222 (E)	The variety has exhibited cane yield (91.65 t/ha), sucrose (%) in juice (18.11), CCS (11.43 t/ha) & Pol (%) in cane (13.69). Reaction against red rot was moderately resistant through plug method and resistant through cotton swab method.	Punjab, Haryana, Rajasthan, Central and Western U.P. & Uttarakhand (North West Zone)
27	2023	CO 16030 (Karan 16)	S.O. 4222 (E)	The variety has exhibited cane yield (94.97 t/ha), sucrose (%) in juice (17.90), CCS (11.96 t/ha) & Pol (%) in cane (13.89). Reaction against red rot was moderately resistant (MR) through plug method and resistant (R) through cotton swab method.	Haryana, Punjab, Rajasthan, Uttarakhand, Central and Western U.P.
28	2023	MS 14082	S.O. 4222 (E)	The variety has exhibited sugarcane cane yield (128.60 t/ha), sucrose (%) in juice (19.47), CCS (17.58 t/ha) & Pol (%) in cane (14.85). Reaction against red rot was moderately susceptible (MS) and the reaction against major insect-pest was also found less susceptible (LS).	Andhra Pradesh, Telangana, Kerala, T.N., Karnataka, Gujarat, Maharashtra & M.P.
29	2023	Co 14005	S.O. 4222 (E)	The variety has exhibited sugarcane cane yield (118.77 t/ha), sucrose (%) in juice (20.15), CCS (16.61 t/ha) & Pol (%) in cane (15.35). Reaction against red rot and other major diseases were resistant (R). The clone showed less susceptible (LS) to moderately susceptible (MS) for major insect-pests.	T.N., Andhra Pradesh, Telangana, Kerala, Karnataka, Gujarat, Maharashtra & M.P.
30	2023	Co 11015	S.O. 4222 (E)	The variety has exhibited sugarcane cane yield (109.29 t/ha), sucrose (%) in juice (21.29), CCS (16.32 t/ha) & Pol (%) in cane (16.31). The clone is marginally superior in CCS (t/ha) by 0.68% over the best check Co 09004. Reaction against red rot and other major disease like smut, wilt and YLD were resistant (R).	Andhra Pradesh, Telangana, Kerala, T.N., Karnataka, Gujarat, Maharashtra & M.P.
31	2023	Phule 11082 (CoM 11082)	S.O. 1056(E)	High cane and sugar yielding early maturing variety, moderately resistant to red rot, Cane yield- Suru season/ spring- 98.91 t/ha, Preseason season - : 118.34 t/ha	Maharashtra
32	2022-23	UP 14234	State Varietal Release Committee	Mid late, for usar conditions, moderately resistant to red rot with low incidence against top borer, stem borer and shoot borer,	Uttar Pradesh
33	2022	CoS 17231	State Varietal Release Committee	Early, very good ratooner, moderately resistant to red rot with low incidence of top borer, stem borer and shoot borer	Uttar Pradesh
34	2022	CoLK 14204 IKSHU-8	S.O. 8(E)	Mid-late maturing variety, cane yield (92.73 t/ ha), moderately resistant to red rot	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western Part of Uttar Pradesh
35	2022	CoPb 98 (CoPb 14185)	S.O. 8(E)	This variety is tall, thick, cylindrical and yellowish green in colour, good ratooner. It is tolerant to the prevalent pathotypes of red rot disease	Punjab, Haryana, Rajasthan, Uttarakhand and Western and Central Uttar Pradesh

36	2022	Phule 10001 (MS 13081)	S.O. 8(E)	It is an early maturing clone having cane yield (118.51 t/ha), sucrose (%) in juice (19.78) and CCS (16.84 t/ha). Reaction against red rot was moderately resistant (MR). This variety has been released & notified by the CVRC during 2021.	Maharashtra, Gujarat, Karnataka, Tamil Nadu, Andhra Pradesh, Madhya Pradesh, Kerala and Chhattisgarh
37	2022	Rajendra Ganna 2 (CoP 09437)	S.O. 8(E)	Mid-late maturing variety, cane yield (98.5 t/ ha),	Uttar Pradesh, Bihar, Assam and West Bengal
38	2022	CoVC 16061	S.O. 8(E)	Early Maturing, high tillering variety, high yielding(60-65 t/acre), good for Jaggery making, Better sucrose content, Good ratooner, Drought tolerant and Suitable for wide row spacing(5 ft).	Karnataka
39	2021	CoPb 96	S.O. 8(E)	early maturing, tolerant to the prevalent pathotypes of red rot disease, yield is about 94 t/ha	Punjab
40	2021	CoPb 95	S.O. 8(E)	resistance to the prevalent pathotypes of red rot disease, moderately resistant to smut and also less susceptible to top borer, good ratooner, non lodging and frost tolerant. yield 104 t/ha	Punjab
41	2022	Kalinga Sugarcane - 346	S.O. 8(E)		Odisha
42	2022	CoVC 16062	S.O. 8(E)	high yielding (70-80 t/acre), high tillering, drought tolerant, Good for Jaggery and suitable for wide row spacing.	Karnataka
43	2022	Phule 09057 (CoM 12085)	S.O. 8(E)	high yielding (130t/ha) in suru season, Midlate, high sugar, high yield, good quality jaggery	Maharashtra
44	2022	Co 14012 (AVANI)	S.O. 4065(E)	More in sugar content and red rot resistance	Tamil Nadu, Kerala, Interior Andhra Pradesh, Telangana, Karnataka, Gujarat, Maharashtra and Madhya Pradesh
45	2022	CoLk 15201 (Ikshu-11)	S.O. 4065(E)	The variety has exhibited cane yield by 93.92 t/ha, CCS yield 11.44 t/ha and sucrose 17.64% in juice. Reaction against red rot was moderately resistant, moderately susceptible through plug method & resistant through cotton swab method. The clone showed less susceptible reaction for major insect-pests.	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western Parts of Uttar Pradesh
46	2022	CoLk 15466 (Ikshu-13)	S.O. 4065(E)	The variety has exhibited cane yield by 85.97 t/ha, CCS yield 10.41 t/ha and sucrose 17.54 % in juice. Reaction against red rot was moderately resistant through plug method and resistant through cotton swab method. The clone showed less susceptible in reaction of major insect-pests	Eastern Part of Uttar Pradesh, Bihar, Jharkhand, West Bengal and Assam
47	2022	CoLk 15207 (Ikshu-12)	S.O. 4065(E)	The variety has exhibited cane yield by 84.53 t/ha, CCS yield 10.97 t/ha and sucrose 18.71% in juice. Reaction against red rot was moderately resistant through plug method and resistant to cotton swab method. The clone showed	Punjab, Haryana, Uttarakhand, Rajasthan, Central and Western Parts of Uttar Pradesh

				less susceptible in reaction of major insect-pests	
48	2021	Co 15023 (Karan 15)	S.O. 500(E)	Tolerant to the prevalent pathotypes of red rot disease. The average cane yield is about 76.5 t/ha.	Uttar Pradesh (central and western), Uttarakhand, Haryana, Punjab, Rajasthan and Delhi.
49	2021	Co 13013 (AKSHAYA)	S.O. 500(E)	It is a mid-late maturing clone having cane yield (121.96 t/ha), sucrose (%) in juice (19.01) & CCS (14.75 t/ha). Reaction against red rot was moderately resistant (MR).	Tamil Nadu, Kerala, Interior Andhra Pradesh, Telangana, Karnataka, Gujarat, Maharashtra and Madhya Pradesh.
50	2021	GNS-11 (Navya) (CoN 13072)	S.O. 500(E)	A new early maturing Sugarcane variety for cultivation in Gujarat State.	Gujarat.
51	2020	CoC 13339	S.O.3482(E)	Mid-late variety, Moderate resistant to Red rot	Tamil Nadu, Andhra Pradesh and Odisha (Coastal areas)
52	2020	Karan 14 (Co 13035)	S.O.3482(E)	Mid-late group variety, tolerant to winter stress of North India.	Haryana, Rajasthan, Punjab, Uttarakhand and Central and Western Uttar Pradesh.
53	2020	Sahaj-3 (CoS 12232)	S.O.3482(E)	Early Maturing, High Sugar Content & Good Ratoonier	Punjab, Haryana, Uttarakhand, Rajasthan and Central and Western Uttar Pradesh.
54	2020	Sankalp (Co 12009)	S.O.3482(E)	Drought tolerant, as a high yielding variety for peninsular zone under optimal and suboptimal conditions.	Tamil Nadu, Kerala, Interior Andhra Pradesh, Telangana, Karnataka, Gujarat, Maharashtra, Madhya Pradesh and Chhattisgarh.
55	2020	Vasista/ Pampavathi {2009A 107 (CoA 14321)}	S.O.3482(E)	Moderate resistant to Red rot, Good Ratoonier	Andhra Pradesh
56	2020	Arundhati/ Naveen {2009 A 252 (Co A 14-323)}	S.O.3482(E)	Midlate duration (Eleven months)	Andhra Pradesh
57	2020	Rajendra Ganna-1 (CoP16437) (CoX 08139)	S.O.3482(E)	Red Rot- Resistant, Wilt- Moderately resistant, Smut- Moderately resistant. Can be growth in moisture stress condition also.	Bihar.
58	2020	Co 11015 (Atulya)	S.O. 99(E)	The variety has exhibited sugarcane cane yield (109.29 t/ha), sucrose (%) in juice (21.29), CCS (16.32 t/ha) & Pol (%) in cane (16.31). The clone is marginally superior in CCS (t/ha) by 0.68% over the best check Co 09004. Reaction against red rot and other major disease like smut, wilt and YLD were resistant (R).	Tamil Nadu
59	2019	CoS 13235	State Varietal Release Committee	Early maturing	Uttar Pradesh
60	2019	Swarnamukhi (2005T16) (CoT 10367)	S.O. 3220(E)	It was found to be moderately resistant to red rot, resistant to smut, moderately resistant to wilt and moderately	Andhra Pradesh.

				susceptible to pokkah boeing diseases. It is a good ratooner yielding good quality jaggery.	
61	2019	Ranga (2009 V 127) (Co V 15-356)	S.O. 3220(E)	Cane yield 120-13 t/ha, Juice sucrose 19.5 -20%, CCS yield : 17.5 t/ha. High yielding, sucrose rich, early maturing, red rot resistant variety with thick canes and good ratoonability. Suitable for irrigated and waterlogged conditions and also in areas with saline irrigation water.	Andhra Pradesh.
62	2019	VSI 12121 (VSI 08005)	S.O. 3220(E)	Greenish yellowish cane with purple tinge, wax on cane, green leaves dropping at middle, green leaf sheath, auricle present, round eye bud.	Maharashtra
63	2019	Uphar (Co 10026)	S.O. 1498(E)	Early maturing variety released for cultivation in peninsular zone	Gujarat, Maharashtra, Kerala, Karnataka, Interior of Tamil Nadu and Andhra Pradesh Madhya Pradesh and Chhattisgarh.
64	2019	Co 12029 (Karan 13)	S.O. 1498(E)	Midlate variety released for commercial cultivation in north west zone of india	Punjab, Haryana, Rajasthan, Uttar Pradesh and Uttarakhand.
65	2019	Ikshu-6 (CoLk 12207)	S.O. 3220(E)/ S.O. 1498(E)	CoLk 12207, Early, yields- 75.42 tonnes per hectare, Moderately resistant to red rot disease; Sugarcane is medium thick and light yellowish green in color; Top is dark green and the leaves are straight	Uttar Pradesh, Bihar, West Bengal, Jharkhand and Assam
66	2019	Ikshu-7 (CoLk 12209)	S.O. 3220(E)/ S.O. 1498(E)	CoLk 12209, Midlate, 77.52 tonnes per hectare, Variety is moderately resistant to red rot disease	Uttar Pradesh, Bihar, West Bengal, Jharkhand and Assam
67	2018	CoVC 99463	S.O. 1379(E)	High yielding (70-80 t/acre), high tillering, better quality, suitable for wide row planting, good ratooner, drought tolerant and good for jaggery making.	Karnataka.
68	2018	CoLK 09204 (Ikshu-3)	S.O. 1379(E)	Midlate and high cane yield variety, average cane yield 82.8 t / ha, which is 10-20% higher than the regional standard varieties. Ratoon of this variety is excellent and its cane is medium thick and green in color. Variety is moderately to high resistant to red rot disease.	Punjab, Haryana, Uttarakhand, Rajasthan and Central and Western parts of Uttar Pradesh
69	2018	CoVSI 03102	S.O. 399(E)	Midlate, high yielding, high sugar, erect growing, suitable for high rainfall zone, sparse flowering, resistant to smut. Moderately resistant to brown spot and red rot.	Maharashtra
70	2018	CoC 25	S.O. 399(E)	An early maturing high-yielding and red rot-resistant	Tamil Nadu
71	2017	Co 09004 (Amritha)	S.O. 2805 (E)	Early,MR to red rot, R to smut & YLD, tolerant to drought and salinity;Yield-109.85 t/ha,sucrose 18.94%.	Gujarat., MS, KN, Kerala, Interior of TN & AP, MP & CG
72	2017	Revathi (2000 A 225 (CoA 05323)	S.O. 1007 (E)	Moderate Resistant to red rot & MS to smut, tolerant to moisture stress suitable for normal irrigated, limited irrigated & Rainfed condition, very	Gujarat., MS, KN, Kerala, Interior of TN & AP, MP & CG

				good ratoon in AP, non-lodging canes	
73	2017	Buddhi 2003 A 255 (CoA 08323)	S.O. 1007 (E)	Early variety, Resistant to red rot & Highly Susceptible to smut, yield-106.30t/ha, sucrose-16.41%	Guj., MS, KN, Kerala, Interior of TN & AP, MP & CG
74	2017	Co 09022 (Karan 12)	S.O. 2805 (E)	Mid-late variety, Moderate Resistant to red rot, suitable for water logging condition, yield-83.56t/ha, Sucrose-17.49%.	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
75	2017	GNS-9 [(2004 N 817) (CoN 09072)]	S.O. 2805 (E)	Early maturity variety, Moderate Resistant to Red rot & wilt, non lodging, yield-129t/ha, sucrose-18%.	Gujarat
76	2017	SNK-632 (CoSnk 03632)	S.O. 2805 (E)	Both normal irrigated and moisture stress prone.	Karnataka
77	2016	Gujarat Sugarcane-5 (CoN 05071)	S.O. 3540 (E)	Early maturity variety, Moderate Resistant to wilt & red rot, tolerant to shoot borer & top borer, susceptible to red rot & scale insect, yield-152t/ha, sucrose-18.76%.	Gujarat, MS, KN, Kerala, Interior of TN & AP, MP & CG
78	2016	Gujarat Sugarcane-6 (CoN 05072)	S.O. 3540 (E)	Mid-late maturity variety, yield-143t/ha, Sucrose-17.78%.	For south Gujarat, MS, KN, Kerala, Interior of TN & AP, MP & CG
79	2016	Gujarat Sugarcane-4 (CoN 03131)	S.O. 3540 (E)	Early maturity variety, yield-147t/ha, Sucrose-18.50%.	For south Gujarat
80	2016	Gujarat Sugarcane-7 (CoN 04131)	S.O. 3540 (E)	Moderate Resistant to Red rot & less susceptible to smut, yield-135t/ha, Sucrose-18.13%.	Gujarat
81	2016	Gujarat Sugarcane-8 (CoN 07072)	S.O. 3540 (E)	Moderate Resistant to Red rot & less susceptible to smut, yield-136t/ha, Sucrose-18.50%.	Gujarat
82	2016	Co Pb 09181 (CoPb 91)	S.O. 3540 (E)	Tolerant to red rot, good ratooner, yield-102t/ha, Sucrose-17%	Punjab
83	2015	Co Or 04152 (Rashunath)	S.O. 1556 (E)	Mid-late variety	Odisha,
84	2015	Co Or 05346 (Neelchakra)	S.O. 1556 (E)	Early variety	Odisha
85	2015	CoP 06436 (CoP 2061)	S.O. 268 (E)	Mid-late maturity variety, Yield - 74.25t/ha, Sucrose-17.35%; Moderate Resistant to red rot, smut & wilt good ratooner & tolerant to lodging	Eastern U.P., Bihar, W.B., Jharkhand.
86	2014	Sankeshwar 049 (Co Snk 05103)	S.O. 1919 (E)	Early maturity variety, yield-105.50 t/ha, Sucrose-17.21%, Moderate Resistant to red rot, smut & wilt, Resistant to sugarcane wooly aphid and tolerant to moisture stress & excellent ratooning ability	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
87	2014	Surkeshwar 814 (Co Snk 05104)	S.O. 1919 (E)	Mid-late maturity variety, yield-106.86 t/ha, Sucrose-17.52%, Moderate Resistant to red rot, smut. Tolerant to sugarcane wooly aphid, tolerant to salinity, water logging & moisture stress	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
88	2013	Co 06027	S.O. 2817 (E)	Mid-late maturity variety, yield-110.56t/ha, Sucrose-19.18%, Moderate Resistant to red rot, tolerant to drought & salinity	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
89	2013	Co 06030	S.O. 2817 (E)	Mid-late maturity variety, yield-103.33t/ha, Sucrose-16.60%, Moderate Resistant to red rot.	Coastal TN & AP and Odisha
90	2013	CoVSI-9805	S.O. 312	Mid-late, erect growing, good	Maharastra

			(E)/314(E)	ratoonability, high yield and high sugar, moderately resistant to smut, susceptible to Pokkah boeng diseases.	
91	2013	CoPK 05191 (Pratap Ganna 1)	S.O. 312 (E)/314(E)	Early maturity variety, yield-81.12t/ha, Sucrose-17.06%, Moderate Resistant to red rot, tolerant to drought & water logging, good ratooner	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
92	2013	Co 05009	S.O. 2817 (E)	Early maturity variety, yield-75.89t/ha, Sucrose-17.44%, Moderate Resistant to red rot, tolerant to water logging and low temperature	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
93	2013	CoSe 01421(Imarti)	S.O. 2817 (E)	Early maturity variety, yield-65.87t/ha, Sucrose-17.36%, Moderate Resistant to red rot, smut & wilt, good ratooner	Eastern U.P., Bihar, W.B., Jharkhand
94	2012	Co 0403(Samriddhi)	S.O. 2125 (E)	Early maturity variety, yield-101.6t/ha, Sucrose-18.16%, Moderate Resistant to red rot, Resistant to smut, tolerant to drought & salinity, good ratooner, good jaggery quality	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
95	2012	CoH 128	S.O. 456 (E)	Mid-late maturity variety, yield-76.23/ha, Sucrose-17.70%, Moderate Resistant to red rot, tolerant to top & early shoot borers	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
96	2012	Co 0237(Karan 8)	S.O. 2125 (E)	Early maturity variety, yield-71.33t/ha, Sucrose-18.78%, Moderate Resistant to red rot, tolerant to water logging, good ratooner	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
97	2012	Co 05011(Karan 9)	S.O. 1708 (E)	Mid-late maturity variety, yield-82.47t/ha, Sucrose-18%, Moderate Resistant to red rot & wilt, suitable for harvesting in winter	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
98	2011	CoOr 03151(Sabita)	S.O. 2326 (E)	Early maturity variety, yield-105.28t/ha, Sucrose-15.53%, Moderate Resistant to red rot & wilt, tolerant to internode, top & early shoot borers and scale insect, tolerant to drought & water logging	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
99	2010	Co 0218 (Shreyas)	S.O. 2137 (E)	Mid-late maturity variety, yield-103.77t/ha, Sucrose-20.79%, Moderate Resistant to red rot, R to smut, tolerant to drought & salinity, good ratooner, good jaggery quality	Gujarat, Maharastra, KN, Kerala, Interior of TN & AP, MP & CG
100	2010	Co 124 (Karan 5)	S.O. 2137 (E)	Mid-late maturity variety, yield-75.71t/ha, Sucrose-18.22%, Moderate Resistant to red rot, tolerant to water stress & water logging	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
101	2010	Co 0239 (Karan 6)	S.O. 2137 (E)	Early maturity variety, yield-79.23t/ha, Sucrose-18.58%, Moderate Resistant to red rot, tolerant to water stress & water logging	Punjab. Haryana. Rajasthan., Central & Western U.P. and UK
102	2010	SNK-004	S.O. 733 (E)	Resistant to Red Rot and moderately resistant to smut.	Karnataka
103	2009	Co-0118 (KARAN-2)	S.O.449(E)	moderately resistant to red rot, water stress condition, gives good ratoon yield.	Haryana, Punjab, Western and Central Uttar Pradesh, Uttarakhand and Rajasthan