

Linear Regression: T-test

• Linear Data


• Linear Data



- Linear Data
- Regression Model




- Linear Data
- Regression Model



- Linear Data
- Regression Model

But how do we formally test?



• True Regression Line:

$$Y = b_0 + b_1 X + \epsilon$$

- True Regression Line: $Y = b_0 + b_1 X + \epsilon$
- Estimated Regression Line: $Y = \beta_0 + \beta_1 X + r$

- True Regression Line: $Y = b_0 + b_1 X + \epsilon$
- Estimated Regression Line: $Y = \beta_0 + \beta_1 X + r$
- H_0 : $\beta_1 = 0$

- True Regression Line: $Y = b_0 + b_1 X + \epsilon$
- Estimated Regression Line: $Y = \beta_0 + \beta_1 X + r$
- H_0 : $\beta_1 = 0$
- H_a : $\beta_1 \neq 0$

T-distribution & T-test

•
$$t = \frac{\beta_1 - E[\beta_1]}{\sigma(\beta_1)} \sim T(n-2)$$

T-distribution & T-test

•
$$t = \frac{\beta_1 - E[\beta_1]}{\sigma(\beta_1)} \sim T(n-2)$$

•
$$|t| < t_{critical} = t \left(1 - \frac{\alpha}{2}, n - 2\right) \Rightarrow fail to reject H_0$$

12

T-distribution & T-test

•
$$t = \frac{\beta_1 - E[\beta_1]}{\sigma(\beta_1)} \sim T(n-2)$$

• $|t| < t_{critical} = t \left(1 - \frac{\alpha}{2}, n - 2\right) \Rightarrow fail \ to \ reject \ H_0$ In other words, $\beta_1 = 0$ is not in our confidence interval!