

# Cucumber Report

Nov 20, 2023, 9:54:20 PM

Start : Nov 20, 9:54:07.156 PM

End : Nov 20, 9:54:18.656 PM

Duration : 11.500 s

Features



Scenarios

Steps

PASSED - 2  
FAILED - 5  
SKIPPED - 0

PASSED - 11  
FAILED - 5  
SKIPPED - 0


PASSED - 43  
FAILED - 5  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>POST REQUEST(User Login)</u>	6.262 s	1	1	0	0	3	3	0	0
<u>Creating new patient</u>	1.268 s	5	5	0	0	15	15	0	0
<u>Title of your feature</u>	0.869 s	2	1	1	0	6	5	1	0
<u>Title of your feature</u>	0.716 s	2	1	1	0	6	5	1	0
<u>Title of your feature</u>	0.745 s	2	1	1	0	6	5	1	0
<u>Creating new patient</u>	0.726 s	2	1	1	0	6	5	1	0
<u>Title of your feature</u>	0.663 s	2	1	1	0	6	5	1	0

#	Feature Name	Scenario Name
1	<u>Title of your feature</u>	<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>
2		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>
3		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>
4	<u>Creating new patient</u>	<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>
5	<u>Title of your feature</u>	<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tag	7	4	3	0	4	1	3	0
@tag1	6	1	5	0	6	1	5	0
@tag2	1	1	0	0	1	1	0	0
@tag3	1	1	0	0	1	1	0	0
@tag4	1	1	0	0	1	1	0	0
@tag5	1	1	0	0	1	1	0	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>POST REQUEST(User Login)</u>	1	1	0	0	6.262 s
2	<u>Creating new patient</u>	5	5	0	0	1.268 s
3	<u>Title of your feature</u>	2	1	1	0	0.869 s
4	<u>Title of your feature</u>	2	1	1	0	0.716 s
5	<u>Title of your feature</u>	2	1	1	0	0.745 s
6	<u>Creating new patient</u>	2	1	1	0	0.726 s
7	<u>Title of your feature</u>	2	1	1	0	0.663 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>POST REQUEST(User Login)</u>	<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	6.252 s
2	<u>Creating new patient</u>	<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.401 s
3		<u>Get all the morbidities with expected response body</u>	3	3	0	0	0.231 s
4		<u>Check User able to get all the morbidities with Valid URL and invalid endpoint</u>	3	3	0	0	0.199 s
5		<u>Check if user is able to get morbidity by valid test name</u>	3	3	0	0	0.188 s
6		<u>Check if user is able to get morbidity by invalid test name</u>	3	3	0	0	0.185 s
7	<u>Title of your feature</u>	<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.324 s
8		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.535 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.326 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Title of your feature</u>	<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.379 s
11		<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.368 s
12		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.364 s
13	<u>Creating new patient</u>	<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.355 s
14		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.359 s
15	<u>Title of your feature</u>	<u>Check if User able to login with valid credentials,valid Url and Valid endpoint</u>	3	3	0	0	0.311 s
16		<u>Check if user able to create a new patient with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.344 s



## POST REQUEST(User Login)



<b>PASSED</b>	<b>DURATION - 6.262 s</b>	Scenarios		Steps	
/ 9:54:07.156 PM // 9:54:13.418 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### Check if User able to login with valid credentials,valid Url and Valid endpoint


<div>PASSED</div> <div>DURATION - 6.252 s</div>	<div></div>	Steps	<div></div>
<div>/ 9:54:07.166 PM // 9:54:13.418 PM /</div>		Total - 3	
<div>POST REQUEST(User Login)</div>		Pass - 3	
<div>@tag @tag1</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	2.302 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	3.400 s
3	Then User is able to login and response status code should be 200	PASSED	0.532 s

## Creating new patient


<b>PASSED</b>	<b>DURATION - 1.268 s</b>	Scenarios		Steps	
/ 9:54:13.560 PM // 9:54:14.828 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### Check if User able to login with valid credentials,valid Url and Valid endpoint





#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 4 for the API endpoint with valid credentials	PASSED	0.095 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.294 s
3	Then User is able to login and response status code should be 200	PASSED	0.010 s

### Get all the morbidities with expected response body





#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint to get all morbidities	PASSED	0.216 s
2	When User sends GET request	PASSED	0.012 s
3	Then Response status code should be 200 OK and response body contains all the morbidities	PASSED	0.001 s

### Check User able to get all the morbidities with Valid URL and invalid endpoint

<b>PASSED</b>	DURATION - 0.199 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:54:14.227 PM // 9:54:14.426 PM /				
Creating new patient				
@tag3				



#	Step / Hook Details	Status	Duration
1	Given User sets valid URL and invalid endpoint	PASSED	0.191 s
2	When User sends GET request for invalid endpoint	PASSED	0.003 s
3	Then Response status code should be 404 Not Found and response body contains error message	PASSED	0.002 s

### Check if user is able to get morbidity by valid test name

<b>PASSED</b>	DURATION - 0.188 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:54:14.441 PM // 9:54:14.629 PM /				
Creating new patient				
@tag4				

#	Step / Hook Details	Status	Duration
1	Given User sets valid URL and valid endpoint	PASSED	0.184 s
2	When User sends GET request with a valid test name	PASSED	0.001 s
3	Then Response status code should be 200 OK and response body contains morbidity searched for	PASSED	0.001 s

### Check if user is able to get morbidity by invalid test name



<div>PASSED</div>	<div>DURATION - 0.185 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:14.643 PM // 9:54:14.828 PM /</div>				
<div>Creating new patient</div>				
<div>@tag5</div>				

#	Step / Hook Details	Status	Duration
1	Given User sets valid URL and valid getallmobidity	PASSED	0.177 s
2	When User sends GET request with an invalid test name	PASSED	0.002 s
3	Then Response status code for invalid test name should be 404 Not Found and response body contains error message	PASSED	0.004 s

### Title of your feature

<div>FAILED</div> <div>DURATION - 0.869 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>2</div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>6</div></div>
/ 9:54:14.843 PM // 9:54:15.712 PM /					



### Check if User able to login with valid credentials,valid Url and Valid endpoint

<div>PASSED</div>	<div>DURATION - 0.324 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:14.843 PM // 9:54:15.167 PM /</div>				
<div>Title of your feature</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	0.042 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.272 s

#	Step / Hook Details	Status	Duration
3	Then User is able to login and response status code should be 200	PASSED	0.008 s



### Check if user able to create a new patient with valid endpoint and request body (non existing values)

<b>FAILED</b> DURATION - 0.535 s / 9:54:15.177 PM // 9:54:15.712 PM / Title of your feature @tag1		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint	PASSED	0.042 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.457 s
3	Then Response status code should be 201 Created and response body contains created patient with details <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;201&gt; but was &lt;400&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)           </pre>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.DieticianSudhaSD. response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:84) at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/senth/git/DieticianAPI/src/test/resources/features/DieticianPranitha.feature:27) * Not displayable characters are replaced by '?'.		

### Title of your feature



<b>FAILED</b>	DURATION - 0.716 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 9:54:15.727 PM // 9:54:16.443 PM /					

### Check if User able to login with valid credentials,valid Url and Valid endpoint

<b>PASSED</b>	DURATION - 0.326 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:54:15.727 PM // 9:54:16.053 PM /				
Title of your feature				
@tag				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	0.045 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.274 s
3	Then User is able to login and response status code should be 200	PASSED	0.005 s

### Check if user able to create a new patient with valid endpoint and request body (non existing values)



<div>FAILED</div> <div>DURATION - 0.379 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:16.064 PM // 9:54:16.443 PM /</div>				
<div>Title of your feature</div>				
<div>@tag @tag1</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint	PASSED	0.034 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.340 s
3	Then Response status code should be 201 Created and response body contains created patient with details <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;201&gt; but was &lt;400&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at StepDefinitions.DieticianSudhaSD. response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:84)   at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/senth/git/ DieticianAPI/src/test/resources/features/DieticianPritee.feature:20) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s

**Title of your feature**



<div>FAILED</div> <div>DURATION - 0.745 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>	
/ 9:54:16.465 PM // 9:54:17.210 PM /									

**Check if User able to login with valid credentials,valid Url and Valid endpoint**

<div>PASSED</div> <div>DURATION - 0.368 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:54:16.466 PM // 9:54:16.834 PM /				
Title of your feature				
@tag				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	0.066 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.287 s
3	Then User is able to login and response status code should be 200	PASSED	0.012 s



**Check if user able to create a new patient with valid endpoint and request body (non existing values)**

<div>FAILED</div> <div>DURATION - 0.364 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:54:16.846 PM // 9:54:17.210 PM /				
Title of your feature				
@tag @tag1				





#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint	PASSED	0.037 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.320 s
3	Then Response status code should be 201 Created and response body contains created patient with details	FAILED	0.004 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;201&gt; but was &lt;400&gt;.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:578)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at StepDefinitions.DieticianSudhaSD. response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:84)     at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/senth/git/DieticianAPI/src/test/resources/features/DieticianReshma.feature:20) * Not displayable characters are replaced by '?'. </pre>		

## Creating new patient



FAILED	DURATION - 0.726 s	Scenarios		Steps	
/ 9:54:17.249 PM // 9:54:17.975 PM /		Total - 2		Total - 6	
		Pass - 1		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### Check if User able to login with valid credentials,valid Url and Valid endpoint

<div>PASSED</div>	<div>DURATION - 0.355 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:17.249 PM // 9:54:17.604 PM /</div>				
<div>Creating new patient</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	0.074 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.270 s
3	Then User is able to login and response status code should be 200	PASSED	0.007 s



### Check if user able to create a new patient with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 0.359 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:17.616 PM // 9:54:17.975 PM /</div>				
<div>Creating new patient</div>				
<div>@tag1</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint	PASSED	0.036 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.319 s
3	Then Response status code should be 201 Created and response body contains created patient with details java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.DieticianSudhaSD.response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:84)   at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/senth/git/DieticianAPI/src/test/resources/features/DieticianSudha.feature:19) * Not displayable characters are replaced by '?'. </pre>		

## Title of your feature



<b>FAILED</b>	<b>DURATION - 0.663 s</b>	Scenarios		Steps	
/ 9:54:17.993 PM // 9:54:18.656 PM /		Total - 2		Total - 6	
		Pass - 1		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if User able to login with valid credentials,valid Url and Valid endpoint

<div>PASSED</div>	<div>DURATION - 0.311 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:17.993 PM // 9:54:18.304 PM /</div>				
<div>Title of your feature</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint with valid credentials	PASSED	0.033 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.271 s
3	Then User is able to login and response status code should be 200	PASSED	0.006 s

### Check if user able to create a new patient with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 0.344 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:54:18.312 PM // 9:54:18.656 PM /</div>				
<div>Title of your feature</div>				
<div>@tag @tag1</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 0 for the API endpoint	PASSED	0.029 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.312 s
3	Then Response status code should be 201 Created and response body contains created patient with details <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;201&gt; but was &lt;400&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>at io.restassured.internal.ResponseSpecificationImpl.validateResponseSelfRequired(ResponseSpecificationImpl.groovy:696)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseSelfRequired(ResponseSpecificationImpl.groovy)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)</p> <p>at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)</p> <p>at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</p> <p>at StepDefinitions.DieticianSudhaSD. response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:84)</p> <p>at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/senth/git/DieticianAPI/src/test/resources/features/DieticianVivien.feature:20)</p> <p>* Not displayable characters are replaced by '?'.</p>		