Cucumber Report

Start : Nov 21, 2:55:26.002 PM	End : Nov 21, 2:55:36.208 PM	Duration : 10.206 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 4 SKIPPED - 0	PASSED - 15 FAILED - 4 SKIPPED - 2

Features: 1 — 0 %

Scenarios: 7 — 42 %

Steps: 21 — 71 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
DieticianPranitha	10.206 s	7	3	4	0	21	15	4	2

#	Feature Name	Scenario Name
1	*DieticianPranitha*	*To check if Dieticien can get all the patient data with Valid URL and InValid EndPoint.*
2		*Check if user able to create a new patient with valid endpoint and request body (non existing values)*
3		*Check if user able to delete a program with valid patient ID*
4		*Check if User able to logout*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@pranitha	7	3	4	0	1	0	1	0
@GetAllPatient_ValidURL_ValidEndPoint	1	1	0	0	1	0	1	0
@GetAllPatient_InvalidURL	1	1	0	0	1	0	1	0
@GetAllPatient_Invalid_EndPoint	1	0	1	0	1	0	1	0
@deletepatient	1	0	1	0	1	0	1	0
@Logout	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	DieticianPranitha	7	3	4	0	10.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DieticianPranitha	Check if User able to login with valid credentials,valid Url and Valid endpoint	3	3	0	0	6.937 s
2		To check if Dieticien can get all the patient data with Valid URL and Valid EndPoint.	3	3	0	0	1.231 s
3		To check if Dieticien can get all the patient data with Valid URL and Valid EndPoint.	3	3	0	0	0.426 s
4		To check if Dieticien can get all the patient data with Valid URL and InValid EndPoint.	3	2	1	0	0.196 s
5		Check if user able to create a new patient with valid endpoint and request body (non existing values)	3	2	1	0	0.683 s
6		Check if user able to delete a program with valid patient ID	3	0	1	2	0.011 s
7		Check if User able to logout	3	2	1	0	0.150 s

DieticianPranitha

FAILED	DURATION - 10.206 s	Scenarios		Steps	
/ 2:55:26.002 PM // 2:55:36.208 PM /		Total - 7 Pass - 3 Fail - 4 Skip - 0	7	Total - 21 Pass - 15 Fail - 4 Skip - 2	21

Check if User able to login with valid credentials,valid Url and Valid endpoint

PASSED	DURATION - 6.937 s		Steps	
/ 2:55:26.086 PM // 2:55:33.023 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
DieticianPranitha				
@pranitha				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet1" and 1 for the API endpoint with valid credentials	PASSED	1.996 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	4.088 s
3	Then User is able to login and response status code should be 200	PASSED	0.759 s

To check if Dieticien can get all the patient data with Valid URL and Valid EndPoint.

PASSED	DURATION - 1.231 s		Steps	
/ 2:55:33.185 PM // 2:55:34.416 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
DieticianPranitha				
@pranitha @GetAllPatient_ValidURL_ValidEndPoint				

#	Step / Hook Details	Status	Duration
1	Given Dieticien create GET Request for the API endpoint	PASSED	1.213 s
2	When Dieticien send HTTPS Request	PASSED	0.014 s
3	Then Dieticien get all Patient details and Response status code should be 200 ok	PASSED	0.002 s

To check if Dieticien can get all the patient data with Valid URL and Valid EndPoint.

PASSED	DURATION - 0.426 s			Steps	
/ 2:55:34.434 PM // 2:55:34.860 PM /				Total - 3	
				Pass - 3	
DieticianPranitha				Fail - 0	
				Skip - 0	
@pranitha @GetAllPatient_InvalidURL					3

#	Step / Hook Details	Status	Duration
1	Given Dieticien create GET Request with Invalid URL	PASSED	0.132 s
2	When Dieticien send HTTPS Request	PASSED	0.276 s
3	Then Dieticien should not be logged-in and Response status code should be 404	PASSED	0.011 s

To check if Dieticien can get all the patient data with Valid URL and InValid EndPoint.

FAILED	DURATION - 0.196 s			Steps	
/ 2:55:34.877 PM // 2:55:35.073 PM /				Total - 3	
				Pass - 2	
DieticianPranitha				Fail - 1	
				Skip - 0	
@pranitha @GetAllPatient_Invalid_EndPoint					3

#	Step / Hook Details	Status	Duration
1	Given Dieticien create GET Request with Invalid EndPoint	PASSED	0.139 s
2	When Dieticien send HTTPS Request	PASSED	0.008 s
3	Then Dieticien should not be logged-in and Response status code should be 404	FAILED	0.041 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>.		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at StepDefinitions.DieticianPranithaSD.dieticien_should_not_be_logged_in_and_response_status_code_should_be(DieticianPranithaSD.java:70)		
	at ?.Dieticien should not be logged-in and Response status code should be 404(file:///C:/Users/yours/git/DieticianAPI/src/test/resources/features/DieticianPranitha.feature:42)		
	* Not displayable characters are replaced by '?'.		

Check if user able to create a new patient with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.683 s

/ 2:55:35.186 PM // 2:55:35.869 PM /

DieticianPranitha

@pranitha

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request "Sheet5" and 0 for the API endpoint	PASSED	0.150 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields.	PASSED	0.515 s
3	Then Response status code should be 201 Created and response body contains created patient with details	FAILED	0.012 s

java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>.
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
 at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
 at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
 at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
 at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
 at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
 at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
 at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:568)
 at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
 at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
 at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
 at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
 at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
 at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
 at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
 at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
 at StepDefinitions.DieticianSudhaSD.

#	Step / Hook Details	Status	Duration
	response_status_code_should_be_created_and_response_body_contains_created_patient_with_details(DieticianSudhaSD.java:92) at ?.Response status code should be 201 Created and response body contains created patient with details(file:///C:/Users/yours/git/ DieticianAPI/src/test/resources/features/DieticianPranitha.feature:47) * Not displayable characters are replaced by '?'.		

Check if user able to delete a program with valid patient ID

FAILED	DURATION - 0.011 s
/ 2:55:36.020 PM // 2:55:36.031 PM /	
DieticianPranitha	
@pranitha @deletepatient	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for valid API endpoint and valid patientID Step undefined	FAILED	0.004 s
2	When User sends HTTPS Request	SKIPPED	0.002 s
3	Then User receives 200 Ok status with message	SKIPPED	0.001 s

Check if User able to logout

FAILED	DURATION - 0.150 s
/ 2:55:36.058 PM // 2:55:36.208 PM /	
DieticianPranitha	
@pranitha @Logout	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint	PASSED	0.141 s
2	When User sends HTTPS Request with valid Url and valid endpoint	PASSED	0.002 s
3	Then User able to logout with response status 200 OK	FAILED	0.005 s

#	Step / Hook Details	Status	Duration

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>.
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at StepDefinitions.LogoutSD.user_able_to_logout_with_response_status_ok(LogoutSD.java:30)
	  at ?.User able to logout with response status 200 OK(file:///C:/Users/yours/git/DieticianAPI/src/test/resources/features/DieticianPranitha.feature:64)
	* Not displayable characters are replaced by '?'.		