Flight Price Prediction

1.Problem Statement:best fit for Flight price Prediction Dataset

In [1]:

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:

```
traindf=pd.read_csv(r"C:\Users\Svijayalakshmi\Downloads\Data_Train new.csv")
traindf
```

Out[2]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Dura
0	IndiGo	24/03/2019	Banglore	New Delhi	BLR ? DEL	22:20	01:10 22 Mar	2h
1	Air India	1/05/2019	Kolkata	Banglore	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h
2	Jet Airways	9/06/2019	Delhi	Cochin	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	
3	IndiGo	12/05/2019	Kolkata	Banglore	CCU ? NAG ? BLR	18:05	23:30	5h
4	IndiGo	01/03/2019	Banglore	New Delhi	BLR ? NAG ? DEL	16:50	21:35	4h
...	...	...	...	...	...	...	...	
10678	Air Asia	9/04/2019	Kolkata	Banglore	CCU ? BLR	19:55	22:25	2h
10679	Air India	27/04/2019	Kolkata	Banglore	CCU ? BLR	20:45	23:20	2h
10680	Jet Airways	27/04/2019	Banglore	Delhi	BLR ? DEL	08:20	11:20	
10681	Vistara	01/03/2019	Banglore	New Delhi	BLR ? DEL	11:30	14:10	2h
10682	Air India	9/05/2019	Delhi	Cochin	DEL ? GOI ? BOM ? COK	10:55	19:15	8h

10683 rows × 11 columns

In [3]:

```
testdf=pd.read_csv(r"C:\Users\Svijayalakshmi\Downloads\Test_set new.csv")
testdf
```

Out[3]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Durat
0	Jet Airways	6/06/2019	Delhi	Cochin	DEL ? BOM ? COK	17:30	04:25 07 Jun	10h 5
1	IndiGo	12/05/2019	Kolkata	Banglore	CCU ? MAA ? BLR	06:20	10:20	
2	Jet Airways	21/05/2019	Delhi	Cochin	DEL ? BOM ? COK	19:15	19:00 22 May	23h 4
3	Multiple carriers	21/05/2019	Delhi	Cochin	DEL ? BOM ? COK	08:00	21:00	
4	Air Asia	24/06/2019	Banglore	Delhi	BLR ? DEL	23:55	02:45 25 Jun	2h 5
...	...	...	...	...	...	...	...	
2666	Air India	6/06/2019	Kolkata	Banglore	CCU ? DEL ? BLR	20:30	20:25 07 Jun	23h 5
2667	IndiGo	27/03/2019	Kolkata	Banglore	CCU ? BLR	14:20	16:55	2h 3
2668	Jet Airways	6/03/2019	Delhi	Cochin	DEL ? BOM ? COK	21:50	04:25 07 Mar	6h 3
2669	Air India	6/03/2019	Delhi	Cochin	DEL ? BOM ? COK	04:00	19:15	15h 1
2670	Multiple carriers	15/06/2019	Delhi	Cochin	DEL ? BOM ? COK	04:55	19:15	14h 2

2671 rows × 10 columns

In [4]:

```
traindf.head()
```

Out[4]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Duration
0	IndiGo	24/03/2019	Banglore	New Delhi	BLR ? DEL	22:20	01:10 22 Mar	2h 50m
1	Air India	1/05/2019	Kolkata	Banglore	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 25m
2	Jet Airways	9/06/2019	Delhi	Cochin	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	19h
3	IndiGo	12/05/2019	Kolkata	Banglore	CCU ? NAG ? BLR	18:05	23:30	5h 25m
4	IndiGo	01/03/2019	Banglore	New Delhi	BLR ? NAG ? DEL	16:50	21:35	4h 45m

In [5]:

```
testdf.head()
```

Out[5]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Duration
0	Jet Airways	6/06/2019	Delhi	Cochin	DEL ? BOM ? COK	17:30	04:25 07 Jun	10h 55m
1	IndiGo	12/05/2019	Kolkata	Banglore	CCU ? MAA ? BLR	06:20	10:20	4h
2	Jet Airways	21/05/2019	Delhi	Cochin	DEL ? BOM ? COK	19:15	19:00 22 May	23h 45m
3	Multiple carriers	21/05/2019	Delhi	Cochin	DEL ? BOM ? COK	08:00	21:00	13h
4	Air Asia	24/06/2019	Banglore	Delhi	BLR ? DEL	23:55	02:45 25 Jun	2h 50m

In [6]:

```
traindf.tail()
```

Out[6]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Dura
10678	Air Asia	9/04/2019	Kolkata	Banglore	CCU ? BLR	19:55	22:25	2h
10679	Air India	27/04/2019	Kolkata	Banglore	CCU ? BLR	20:45	23:20	2h
10680	Jet Airways	27/04/2019	Banglore	Delhi	BLR ? DEL	08:20	11:20	
10681	Vistara	01/03/2019	Banglore	New Delhi	BLR ? DEL	11:30	14:10	2h
10682	Air India	9/05/2019	Delhi	Cochin	DEL ? GOI ? BOM ? COK	10:55	19:15	8h

In [7]:

```
testdf.tail()
```

Out[7]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Duratic
2666	Air India	6/06/2019	Kolkata	Banglore	CCU ? DEL ? BLR	20:30	20:25 07 Jun	23h 55
2667	IndiGo	27/03/2019	Kolkata	Banglore	CCU ? BLR	14:20	16:55	2h 35
2668	Jet Airways	6/03/2019	Delhi	Cochin	DEL ? BOM ? COK	21:50	04:25 07 Mar	6h 35
2669	Air India	6/03/2019	Delhi	Cochin	DEL ? BOM ? COK	04:00	19:15	15h 15
2670	Multiple carriers	15/06/2019	Delhi	Cochin	DEL ? BOM ? COK	04:55	19:15	14h 20

In [8]:

```
traindf.describe
```

Out[8]:

```
<bound method NDFrame.describe of            Airline Date_of_Journey    So
urce Destination
0           IndiGo      24/03/2019  Banglore   New Delhi  \
1        Air India       1/05/2019   Kolkata    Banglore
2      Jet Airways       9/06/2019     Delhi      Cochin
3           IndiGo      12/05/2019   Kolkata    Banglore
4           IndiGo      01/03/2019  Banglore   New Delhi
...            ...             ...       ...         ...
10678     Air Asia       9/04/2019   Kolkata    Banglore
10679    Air India      27/04/2019   Kolkata    Banglore
10680  Jet Airways      27/04/2019  Banglore       Delhi
10681      Vistara      01/03/2019  Banglore   New Delhi
10682    Air India       9/05/2019     Delhi      Cochin

                      Route Dep_Time  Arrival_Time Duration Total_Stops
0                 BLR ? DEL    22:20  01:10 22 Mar   2h 50m    non-stop
\
1      CCU ? IXR ? BBI ? BLR    05:50         13:15   7h 25m     2 stops
2      DEL ? LKO ? BOM ? COK    09:25  04:25 10 Jun      19h     2 stops
3            CCU ? NAG ? BLR    18:05         23:30   5h 25m      1 stop
4            BLR ? NAG ? DEL    16:50         21:35   4h 45m      1 stop
...                      ...      ...           ...      ...         ...
10678             CCU ? BLR    19:55         22:25   2h 30m    non-stop
10679             CCU ? BLR    20:45         23:20   2h 35m    non-stop
10680             BLR ? DEL    08:20         11:20       3h    non-stop
10681             BLR ? DEL    11:30         14:10   2h 40m    non-stop
10682  DEL ? GOI ? BOM ? COK    10:55         19:15   8h 20m     2 stops

      Additional_Info  Price
0             No info   3897
1             No info   7662
2             No info  13882
3             No info   6218
4             No info  13302
...               ...    ...
10678         No info   4107
10679         No info   4145
10680         No info   7229
10681         No info  12648
10682         No info  11753

[10683 rows x 11 columns]>
```

In [9]:

```
testdf.describe
```

Out[9]:

```
<bound method NDFrame.describe of                Airline Date_of_Journey
Source Destination
0           Jet Airways       6/06/2019     Delhi      Cochin  \
1                IndiGo      12/05/2019   Kolkata    Banglore
2           Jet Airways      21/05/2019     Delhi      Cochin
3     Multiple carriers      21/05/2019     Delhi      Cochin
4              Air Asia      24/06/2019  Banglore       Delhi
...                 ...             ...       ...         ...
2666         Air India       6/06/2019   Kolkata    Banglore
2667           IndiGo      27/03/2019   Kolkata    Banglore
2668        Jet Airways       6/03/2019     Delhi      Cochin
2669          Air India       6/03/2019     Delhi      Cochin
2670  Multiple carriers      15/06/2019     Delhi      Cochin

                Route Dep_Time  Arrival_Time Duration Total_Stops
0     DEL ? BOM ? COK    17:30  04:25 07 Jun  10h 55m      1 stop  \
1     CCU ? MAA ? BLR    06:20         10:20       4h      1 stop
2     DEL ? BOM ? COK    19:15  19:00 22 May  23h 45m      1 stop
3     DEL ? BOM ? COK    08:00         21:00      13h      1 stop
4           BLR ? DEL    23:55  02:45 25 Jun   2h 50m    non-stop
...               ...      ...           ...      ...         ...
2666  CCU ? DEL ? BLR    20:30  20:25 07 Jun  23h 55m      1 stop
2667        CCU ? BLR    14:20         16:55   2h 35m    non-stop
2668  DEL ? BOM ? COK    21:50  04:25 07 Mar   6h 35m      1 stop
2669  DEL ? BOM ? COK    04:00         19:15  15h 15m      1 stop
2670  DEL ? BOM ? COK    04:55         19:15  14h 20m      1 stop

                 Additional_Info
0                         No info
1                         No info
2     In-flight meal not included
3                         No info
4                         No info
...                           ...
2666                      No info
2667                      No info
2668                      No info
2669                      No info
2670                      No info

[2671 rows x 10 columns]>
```

In [10]:

```
traindf.shape
```

Out[10]:

```
(10683, 11)
```

In [11]:

```
testdf.shape
```

Out[11]:

```
(2671, 10)
```

In [12]:

```
traindf.info
```

Out[12]:

```
<bound method DataFrame.info of            Airline Date_of_Journey    Sour
ce Destination
0           IndiGo      24/03/2019  Banglore   New Delhi  \
1        Air India       1/05/2019   Kolkata    Banglore
2      Jet Airways       9/06/2019     Delhi      Cochin
3           IndiGo      12/05/2019   Kolkata    Banglore
4           IndiGo      01/03/2019  Banglore   New Delhi
...            ...             ...       ...         ...
10678     Air Asia       9/04/2019   Kolkata    Banglore
10679    Air India      27/04/2019   Kolkata    Banglore
10680  Jet Airways      27/04/2019  Banglore       Delhi
10681      Vistara      01/03/2019  Banglore   New Delhi
10682    Air India       9/05/2019     Delhi      Cochin

                      Route Dep_Time  Arrival_Time Duration Total_Stops
0                  BLR ? DEL    22:20  01:10 22 Mar   2h 50m    non-stop
\
1      CCU ? IXR ? BBI ? BLR    05:50         13:15   7h 25m     2 stops
2      DEL ? LKO ? BOM ? COK    09:25  04:25 10 Jun      19h     2 stops
3            CCU ? NAG ? BLR    18:05         23:30   5h 25m      1 stop
4            BLR ? NAG ? DEL    16:50         21:35   4h 45m      1 stop
...                      ...      ...           ...      ...         ...
10678              CCU ? BLR    19:55         22:25   2h 30m    non-stop
10679              CCU ? BLR    20:45         23:20   2h 35m    non-stop
10680              BLR ? DEL    08:20         11:20       3h    non-stop
10681              BLR ? DEL    11:30         14:10   2h 40m    non-stop
10682  DEL ? GOI ? BOM ? COK    10:55         19:15   8h 20m     2 stops

      Additional_Info  Price
0             No info   3897
1             No info   7662
2             No info  13882
3             No info   6218
4             No info  13302
...               ...    ...
10678         No info   4107
10679         No info   4145
10680         No info   7229
10681         No info  12648
10682         No info  11753

[10683 rows x 11 columns]>
```

In [13]:

```
testdf.info
```

Out[13]:

```
<bound method DataFrame.info of                Airline Date_of_Journey
Source Destination
0           Jet Airways       6/06/2019     Delhi      Cochin  \
1                IndiGo      12/05/2019   Kolkata    Banglore
2           Jet Airways      21/05/2019     Delhi      Cochin
3     Multiple carriers      21/05/2019     Delhi      Cochin
4              Air Asia      24/06/2019  Banglore       Delhi
...                 ...             ...       ...         ...
2666         Air India       6/06/2019   Kolkata    Banglore
2667           IndiGo      27/03/2019   Kolkata    Banglore
2668        Jet Airways       6/03/2019     Delhi      Cochin
2669          Air India       6/03/2019     Delhi      Cochin
2670  Multiple carriers      15/06/2019     Delhi      Cochin

                Route Dep_Time  Arrival_Time Duration Total_Stops
0     DEL ? BOM ? COK    17:30  04:25 07 Jun  10h 55m      1 stop  \
1     CCU ? MAA ? BLR    06:20         10:20       4h      1 stop
2     DEL ? BOM ? COK    19:15  19:00 22 May  23h 45m      1 stop
3     DEL ? BOM ? COK    08:00         21:00      13h      1 stop
4           BLR ? DEL    23:55  02:45 25 Jun   2h 50m    non-stop
...               ...      ...           ...      ...         ...
2666  CCU ? DEL ? BLR    20:30  20:25 07 Jun  23h 55m      1 stop
2667        CCU ? BLR    14:20         16:55   2h 35m    non-stop
2668  DEL ? BOM ? COK    21:50  04:25 07 Mar   6h 35m      1 stop
2669  DEL ? BOM ? COK    04:00         19:15  15h 15m      1 stop
2670  DEL ? BOM ? COK    04:55         19:15  14h 20m      1 stop

                 Additional_Info
0                        No info
1                        No info
2     In-flight meal not included
3                        No info
4                        No info
...                          ...
2666                     No info
2667                     No info
2668                     No info
2669                     No info
2670                     No info

[2671 rows x 10 columns]>
```

In [14]:

```
traindf.duplicated().sum()
```

Out[14]:

```
220
```

In [15]:

```
testdf.duplicated().sum()
```

Out[15]:

```
26
```

In [16]:

```
traindf.columns
```

Out[16]:

```
Index(['Airline', 'Date_of_Journey', 'Source', 'Destination', 'Route',
       'Dep_Time', 'Arrival_Time', 'Duration', 'Total_Stops',
       'Additional_Info', 'Price'],
      dtype='object')
```

In [17]:

```
testdf.columns
```

Out[17]:

```
Index(['Airline', 'Date_of_Journey', 'Source', 'Destination', 'Route',
       'Dep_Time', 'Arrival_Time', 'Duration', 'Total_Stops',
       'Additional_Info'],
      dtype='object')
```

In [18]:

```
traindf.isnull().sum()
```

Out[18]:

```
Airline            0
Date_of_Journey    0
Source             0
Destination        0
Route              1
Dep_Time           0
Arrival_Time       0
Duration           0
Total_Stops        1
Additional_Info    0
Price              0
dtype: int64
```

In [19]:

```
testdf.isnull().sum()
```

Out[19]:

```
Airline            0
Date_of_Journey    0
Source             0
Destination        0
Route              0
Dep_Time           0
Arrival_Time       0
Duration           0
Total_Stops        0
Additional_Info    0
dtype: int64
```

In [20]:

```
traindf.dropna(inplace=True)
```

In [21]:

```
traindf.isnull().sum()
```

Out[21]:

```
Airline            0
Date_of_Journey    0
Source             0
Destination        0
Route              0
Dep_Time           0
Arrival_Time       0
Duration           0
Total_Stops        0
Additional_Info    0
Price              0
dtype: int64
```

In [22]:

```
traindf.shape
```

Out[22]:

```
(10682, 11)
```

In [23]:

```
traindf['Airline'].value_counts()
```

Out[23]:

```
Airline
Jet Airways                          3849
IndiGo                               2053
Air India                            1751
Multiple carriers                    1196
SpiceJet                              818
Vistara                               479
Air Asia                              319
GoAir                                 194
Multiple carriers Premium economy      13
Jet Airways Business                    6
Vistara Premium economy                 3
Trujet                                  1
Name: count, dtype: int64
```

In [24]:

```
traindf['Airline'].value_counts()
```

Out[24]:

```
Airline
Jet Airways                          3849
IndiGo                               2053
Air India                            1751
Multiple carriers                    1196
SpiceJet                              818
Vistara                               479
Air Asia                              319
GoAir                                 194
Multiple carriers Premium economy      13
Jet Airways Business                    6
Vistara Premium economy                 3
Trujet                                  1
Name: count, dtype: int64
```

In [25]:

```
traindf['Destination'].value_counts()
```

Out[25]:

```
Destination
Cochin       4536
Banglore     2871
Delhi        1265
New Delhi     932
Hyderabad     697
Kolkata       381
Name: count, dtype: int64
```

In [26]:

```
traindf['Total_Stops'].value_counts()
```

Out[26]:

```
Total_Stops
1 stop      5625
non-stop    3491
2 stops     1520
3 stops       45
4 stops        1
Name: count, dtype: int64
```

In [27]:

```
airline={"Airline":{"Jet Airways":0,"IndiGo":1,"Air India":2,"Multiple carriers":3,
"SpiceJet":4,"Vistara":5,"Air Asia":6,"GoAir":7,
"Multiple carriers Premium economy":8,
"Jet Airways Business":9,"Vistara Premium economy":10,"Trujet":11}}
traindf=traindf.replace(airline)
traindf
```

Out[27]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Durat
0	1	24/03/2019	Banglore	New Delhi	BLR ? DEL	22:20	01:10 22 Mar	2h 5
1	2	1/05/2019	Kolkata	Banglore	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 2
2	0	9/06/2019	Delhi	Cochin	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	
3	1	12/05/2019	Kolkata	Banglore	CCU ? NAG ? BLR	18:05	23:30	5h 2
4	1	01/03/2019	Banglore	New Delhi	BLR ? NAG ? DEL	16:50	21:35	4h 4
...	...	...	...	...	...	...	...	
10678	6	9/04/2019	Kolkata	Banglore	CCU ? BLR	19:55	22:25	2h 3
10679	2	27/04/2019	Kolkata	Banglore	CCU ? BLR	20:45	23:20	2h 3
10680	0	27/04/2019	Banglore	Delhi	BLR ? DEL	08:20	11:20	
10681	5	01/03/2019	Banglore	New Delhi	BLR ? DEL	11:30	14:10	2h 4
10682	2	9/05/2019	Delhi	Cochin	DEL ? GOI ? BOM ? COK	10:55	19:15	8h 2

10682 rows × 11 columns

In [28]:

```
city={"Source":{"Delhi":0,"Kolkata":1,"Banglore":2,
"Mumbai":3,"Chennai":4}}
traindf=traindf.replace(city)
traindf
```

Out[28]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Durati
0	1	24/03/2019	2	New Delhi	BLR ? DEL	22:20	01:10 22 Mar	2h 50
1	2	1/05/2019	1	Banglore	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 25
2	0	9/06/2019	0	Cochin	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	1
3	1	12/05/2019	1	Banglore	CCU ? NAG ? BLR	18:05	23:30	5h 25
4	1	01/03/2019	2	New Delhi	BLR ? NAG ? DEL	16:50	21:35	4h 45
...	...	...	...	...	...	...	...	
10678	6	9/04/2019	1	Banglore	CCU ? BLR	19:55	22:25	2h 30
10679	2	27/04/2019	1	Banglore	CCU ? BLR	20:45	23:20	2h 35
10680	0	27/04/2019	2	Delhi	BLR ? DEL	08:20	11:20	
10681	5	01/03/2019	2	New Delhi	BLR ? DEL	11:30	14:10	2h 40
10682	2	9/05/2019	0	Cochin	DEL ? GOI ? BOM ? COK	10:55	19:15	8h 20

10682 rows × 11 columns

In [29]:

```
destination={"Destination":{"Cochin":0,"Banglore":1,"Delhi":2,
"New Delhi":3,"Hyderabad":4,"Kolkata":5}}
traindf=traindf.replace(destination)
traindf
```

Out[29]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Durati
0	1	24/03/2019	2	3	BLR ? DEL	22:20	01:10 22 Mar	2h 50
1	2	1/05/2019	1	1	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 25
2	0	9/06/2019	0	0	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	1
3	1	12/05/2019	1	1	CCU ? NAG ? BLR	18:05	23:30	5h 25
4	1	01/03/2019	2	3	BLR ? NAG ? DEL	16:50	21:35	4h 45
...	...	...	...	...	...	...	...	
10678	6	9/04/2019	1	1	CCU ? BLR	19:55	22:25	2h 30
10679	2	27/04/2019	1	1	CCU ? BLR	20:45	23:20	2h 35
10680	0	27/04/2019	2	2	BLR ? DEL	08:20	11:20	
10681	5	01/03/2019	2	3	BLR ? DEL	11:30	14:10	2h 40
10682	2	9/05/2019	0	0	DEL ? GOI ? BOM ? COK	10:55	19:15	8h 20

10682 rows × 11 columns

In [30]:

```
stops={"Total_Stops":{"non-stop":0,"1 stop":1,"2 stops":2,
"3 stops":3,"4 stops":4}}
traindf=traindf.replace(stops)
traindf
```

Out[30]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Durati
0	1	24/03/2019	2	3	BLR ? DEL	22:20	01:10 22 Mar	2h 50
1	2	1/05/2019	1	1	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 25
2	0	9/06/2019	0	0	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	1
3	1	12/05/2019	1	1	CCU ? NAG ? BLR	18:05	23:30	5h 25
4	1	01/03/2019	2	3	BLR ? NAG ? DEL	16:50	21:35	4h 45
...	...	...	...	...	...	...	...	
10678	6	9/04/2019	1	1	CCU ? BLR	19:55	22:25	2h 30
10679	2	27/04/2019	1	1	CCU ? BLR	20:45	23:20	2h 35
10680	0	27/04/2019	2	2	BLR ? DEL	08:20	11:20	
10681	5	01/03/2019	2	3	BLR ? DEL	11:30	14:10	2h 40
10682	2	9/05/2019	0	0	DEL ? GOI ? BOM ? COK	10:55	19:15	8h 20

10682 rows × 11 columns

In [31]:

```
traindf
```

Out[31]:

	Airline	Date_of_Journey	Source	Destination	Route	Dep_Time	Arrival_Time	Duratio
0	1	24/03/2019	2	3	BLR ? DEL	22:20	01:10 22 Mar	2h 50
1	2	1/05/2019	1	1	CCU ? IXR ? BBI ? BLR	05:50	13:15	7h 25
2	0	9/06/2019	0	0	DEL ? LKO ? BOM ? COK	09:25	04:25 10 Jun	19
3	1	12/05/2019	1	1	CCU ? NAG ? BLR	18:05	23:30	5h 25
4	1	01/03/2019	2	3	BLR ? NAG ? DEL	16:50	21:35	4h 45
...	...	...	...	...	...	...	...	
10678	6	9/04/2019	1	1	CCU ? BLR	19:55	22:25	2h 30
10679	2	27/04/2019	1	1	CCU ? BLR	20:45	23:20	2h 35
10680	0	27/04/2019	2	2	BLR ? DEL	08:20	11:20	
10681	5	01/03/2019	2	3	BLR ? DEL	11:30	14:10	2h 40
10682	2	9/05/2019	0	0	DEL ? GOI ? BOM ? COK	10:55	19:15	8h 20

10682 rows × 11 columns

In [32]:

```
fdf=traindf[['Airline','Source','Destination','Total_Stops','Price']]
sns.heatmap(fdf.corr(),annot=True)
```

Out[32]:

<Axes: >

In [33]:

```
x=fdf[['Airline','Source','Destination','Total_Stops']]
y=fdf['Price']
```

Linear Regression

In [34]:

```
from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test=train_test_split(x,y,test_size=0.3,random_state=100)
```

In [35]:

```
from sklearn.linear_model import LinearRegression
regr=LinearRegression()
regr.fit(X_train,y_train)
print(regr.intercept_)
coeff_df=pd.DataFrame(regr.coef_,x.columns,columns=['coefficient'])
coeff_df
```

```
7211.098088897486
```

Out[35]:

	coefficient
Airline	-418.483922
Source	-3275.073380
Destination	2505.480291
Total_Stops	3541.798053

In [36]:

```
#Linear Rgeression
score=regr.score(X_test,y_test)
print(score)
```

```
0.41083048909283504
```

In [37]:

```
predictions=regr.predict(X_test)
```

In [38]:

```
plt.scatter(y_test,predictions)
```

Out[38]:

```
<matplotlib.collections.PathCollection at 0x225ebb51950>
```



In [39]:

```
x=np.array(fdf['Price']).reshape(-1,1)
y=np.array(fdf['Total_Stops']).reshape(-1,1)
fdf.dropna(inplace=True)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Temp\ipykernel_23380\521034954.py:3:
SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-doc
s/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://
pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-
view-versus-a-copy)
  fdf.dropna(inplace=True)
```

In [40]:

```
X_train,X_test,y_train,y_test=train_test_split(x,y,test_size=0.3)
regr.fit(X_train,y_train)
regr.fit(X_train,y_train)
```

Out[40]:

```
LinearRegression
LinearRegression()
```

In [41]:

```
y_pred=regr.predict(X_test)
plt.scatter(X_test,y_test,color='y')
plt.plot(X_test,y_pred,color='b')
plt.show()
```



Logistic Regression

In [42]:

```
x=np.array(fdf['Price']).reshape(-1,1)
y=np.array(fdf['Total_Stops']).reshape(-1,1)
fdf.dropna(inplace=True)
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.3,random_state=1)
from sklearn.linear_model import LogisticRegression
lr=LogisticRegression(max_iter=10000)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Temp\ipykernel_23380\497261869.py:3:
SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-doc
s/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://
pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-
view-versus-a-copy)
  fdf.dropna(inplace=True)
```

In [43]:

```
lr.fit(x_train,y_train)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\site-p
ackages\sklearn\utils\validation.py:1143: DataConversionWarning: A column-
vector y was passed when a 1d array was expected. Please change the shape
of y to (n_samples, ), for example using ravel().
  y = column_or_1d(y, warn=True)
```

Out[43]:

```
LogisticRegression
LogisticRegression(max_iter=10000)
```

In [44]:

```
score=lr.score(x_test,y_test)
print(score)
```

```
0.7160686427457098
```

In [45]:

```
sns.regplot(x=x,y=y,data=fdf,logistic=True,ci=None)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\site-p
ackages\statsmodels\genmod\families\links.py:198: RuntimeWarning: overflow
encountered in exp
  t = np.exp(-z)
```

Out[45]:

```
<Axes: >
```



Decision Tree

In [46]:

```
from sklearn.tree import DecisionTreeClassifier
clf=DecisionTreeClassifier(random_state=0)
clf.fit(x_train,y_train)
```

Out[46]:

```
DecisionTreeClassifier
DecisionTreeClassifier(random_state=0)
```

In [47]:

```
score=clf.score(x_test,y_test)
print(score)
```

```
0.9369734789391576
```

Random Classifier

In [48]:

```
from sklearn.ensemble import RandomForestClassifier
rfc=RandomForestClassifier()
rfc.fit(X_train,y_train)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Temp\ipykernel_23380\4104924521.py:
3: DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples,), for example using
ravel().
  rfc.fit(X_train,y_train)
```

Out[48]:

RandomForestClassifier

RandomForestClassifier()

In [49]:

```
params={'max_depth':[2,3,5,10,20],
'min_samples_leaf':[5,10,20,50,100,200],
'n_estimators':[10,25,30,50,100,200]}
```

In [50]:

```
from sklearn.model_selection import GridSearchCV
grid_search=GridSearchCV(estimator=rfc,param_grid=params,cv=2,scoring="accuracy")
```

In [51]:

```
grid_search.fit(X_train,y_train)
```

```
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\sit
e-packages\sklearn\model_selection\_validation.py:686: DataConversionWa
rning: A column-vector y was passed when a 1d array was expected. Pleas
e change the shape of y to (n_samples,), for example using ravel().
  estimator.fit(X_train, y_train, **fit_params)
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\sit
e-packages\sklearn\model_selection\_validation.py:686: DataConversionWa
rning: A column-vector y was passed when a 1d array was expected. Pleas
e change the shape of y to (n_samples,), for example using ravel().
  estimator.fit(X_train, y_train, **fit_params)
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\sit
e-packages\sklearn\model_selection\_validation.py:686: DataConversionWa
rning: A column-vector y was passed when a 1d array was expected. Pleas
e change the shape of y to (n_samples,), for example using ravel().
  estimator.fit(X_train, y_train, **fit_params)
C:\Users\Svijayalakshmi\AppData\Local\Programs\Python\Python311\Lib\sit
e-packages\sklearn\model_selection\_validation.py:686: DataConversionWa
rning: A column-vector y was passed when a 1d array was expected. Pleas
e change the shape of y to (n_samples,), for example using ravel().
  estimator.fit(X_train, y_train, **fit_params)
```

In [52]:

```
grid_search.best_score_
```

Out[52]:

```
0.5250770907664086
```

In [53]:

```
rf_best=grid_search.best_estimator_
rf_best
```

Out[53]:

```
RandomForestClassifier
RandomForestClassifier(max_depth=20, min_samples_leaf=100, n_estimators=3
0)
```

In [54]:

```
from sklearn.tree import plot_tree
plt.figure(figsize=(80,40))
plot_tree(rf_best.estimators_[4],class_names=['0','1','2','3','4'],filled=True);
```



In [55]:

```
score=rfc.score(x_test,y_test)
print(score)
```

```
0.48081123244929797
```

CONCLUSION

For the above Dataset we use different Types of Models,For that each and every model we get different Types of Accuracies.Based on that accuracies we can conclude which model is best fit for my our Dataset.Here we get different of accuracies For That Different Types of Accuracies Decision Tree is get more accuracy among all the models.So,that we can Conclude that for our Model Decision Tree is Best Fit.

In [ ]:

```

```