DataBase

Database name: lib;

<u>Tables</u>

- 1. admin
- 2. book
- 3. student

Structure:

Admin{

Id int Primary key,

Pass varchar(10) not null,

Name varchar(20),

Contact varchar(20),

Address varchar(10)};

Book{

Sno int primary key,

Author varchar(10) not null,

Name varchar(10) not null,

Tag varchar(4) not null,

Status int(1) default 1,

Rollno int(14) default 0,

issued int(27) default 0};

Student{
Rollno int(15) Primary key,
Name varchar(10) not null,
Father varchar(10) not null,
Pass varchar(10) not null,
Bookissue int(1) default 5}

Student

	rollno	pass	name	father	bookissue	bookfine
е	2016021066	rat	Ratnesh	Ratnesh	5	0
е	2016021087	mmm	Subodh	Subodh	5	0
е	2016021088	mmm	sudhansu	sudhansu	5	0
е	2016021089	mmm	Suyash	suyash	5	0

Admin

	id	pass	name	contact	address
	1234	1234	Subodh	778089	Gkp
1	2524	1234	RAHUL SHARMA	77890912	Lucknow

Book

sno	author	name	tag	status	rollno	issueD
12009	BANJARE	C++	CSE	1	0	0
12671	CORMEN	ALORITHMS	CSE	1	0	0
12871	SK	PYTHON	CSE	1	0	0
12891	MAN	Operating System	CSE	1	0	0
21571	DANIES	С	CSE	1	0	0
21572	HERBLT	JAVA	CSE	1	0	0

Backend PHP & Database code

Connection code

```
<?php
$servername = "localhost:3306";
$username = "root";
$password = "";

// Create connection
$conn = new mysqli($servername, $username, $password, "lib");

// Check connection
if ($conn->connect_error) {
    die("error". PHP_EOL);
}
```

Student.php

```
<?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect_error) {
  die("error". PHP EOL);
}
session_start();
if($ SERVER['REQUEST METHOD']=="POST")
{
       $user=(int)$_POST['id'];
       $pass=$_POST['pass'];
       $sql="SELECT * FROM student WHERE rollno=".$user;
       $result = $conn->query($sql);
       if($result->num rows>0)
  $row=$result->fetch_assoc();
  if($pass!=$row['pass'])
  {
```

```
die("incorrect password");
  }
  $_SESSION['user']=$row['name'];
  $_SESSION['rollno']=$row['rollno'];
      }
       else
      {
             die("error b788");
      }
}
else
{
       die("access denied");
}
?>
<html>
<head>
       <link rel="stylesheet" href="css/student.css">
</head>
<body>
       <div id="top">
             <h2><center>Student Library Portal</center></h2>
             <div style="position: absolute;right:1%; top: 1%; text-align: center;color:</pre>
white;font-weight: bold;"><?php echo$ SESSION['user'];?></div>
       </div>
       <div id="left">
             <a id="adb">SEARCH BOOK </a>
                    <a id="ib">E-BOOK</a>
                    <a id="db">YOUR PAPER</a>
```

```
<a id="st">ACCOUNT </a>
                    <br>
                    <br>
                    <a >LOG OUT </a>
             </div>
      <div id="right">
                    <input id="txt" type="text" placeholder="enter book tag"><label> Book
</label>
                    <BUTTON onclick="showUser()">SS</BUTTON>
                    <div id="selector">
                    <input type="radio" id="tag" name="gender" value="tag"> Tag
<input type="radio" name="gender" id="author" value="author"> Author
 <input type="radio" name="gender" id="name" value="name"> Name </div>
             <div id="booktable">
             </div>
      </div>
      <script>
function showUser() {
   var v= document.getElementById("txt");
   var str=v.value;
   var tt;
    if (document.getElementById('tag').checked) {
   tt = document.getElementById('tag').value;
```

```
}
  if (document.getElementById('author').checked) {
   tt = document.getElementById('author').value;
 }
  if (document.getElementById('name').checked) {
   tt = document.getElementById('name').value;
 }
    if (window.XMLHttpRequest) {
      // code for IE7+, Firefox, Chrome, Opera, Safari
      xmlhttp = new XMLHttpRequest();
    } else {
      // code for IE6, IE5
      xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
    }
    xmlhttp.onreadystatechange = function() {
      if (this.readyState == 4 && this.status == 200) {
        document.getElementById("booktable").innerHTML = this.responseText;
      }
    };
    xmlhttp.open("GET","books.php?q="+str+"&t="+tt,true);
    xmlhttp.send();
 }
</script>
</body>
</html>
```

Admin.php

```
<?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect_error) {
  die("error". PHP_EOL);
}
session_start();
if($ SERVER['REQUEST METHOD']=="POST")
{
       $user=(int)$_POST['id'];
       $pass=$_POST['pass'];
       $sql="SELECT * FROM admin WHERE id=".$user;
       $result = $conn->query($sql);
       if($result->num rows>0)
  $row=$result->fetch_assoc();
  if($pass!=$row['pass'])
  {
```

```
die("incorrect password");
  }
  $_SESSION['user']=$row['name'];
  $_SESSION['id']=$row['id'];
       }
       else
       {
              die("error b788");
       }
}
else if(isset($_SESSION['user']))
{
  if($ SESSION['TYPE']=="adb")
       echo "<script> alert('book added');</script>";
  else if($_SESSION['TYPE']=="ib")
       echo "<script> alert('book issued');</script>";
  elseif($_SESSION['TYPE']=="db") {
       echo "<script> alert('book deposited');</script>";
       # code...
  }
}
else
{
```

```
die("access denied");
}
</style>
</head>
<body>
      <div class="ba">
      <center><h1>Admin Portal </h1></center>
      </div>
      <div class="main">
             <div id="left">
                   <a id="adb">ADD BOOKS </a>
                   <a id="ib">ISSUE </a>
                   <a id="db">Deposite </a>
                   <a id="st">Student </a>
            </div>
                   <div id="right">
                         <div id="addbook" class="f">
                                <form action="addbook.php" method="POST">
                                      <center><h1>Book Detail</h1></center>
                                      <input type="text" name="bname"
placeholder="BOOKS Name">
                                      <input type="text" name="aname"
placeholder="Author Name">
                                      <input type="text" name="sb" placeholder="Serial
Number">
                                      <input type="text" name="sub"
placeholder="Subject Name">
```

```
</form>
                            </div>
                           <div id="issue" class="f" style="display: none;">
                                  <form action="issue.php" method="POST">
                                          <center><h1>Issue Book</h1></center>
                                          <input type="text" name="sno"
placeholder="Serial no of book">
                                          <input type="text" name="rollno"
placeholder="Roll no of Student">
                                  <input type="submit">
                                  </form>
                            </div>
                                  <div id="deposit" class="f" style="display: none;">
                                  <form action="deposite.php" method="POST">
                                          <center><h1>Deposite Book</h1></center>
                                          <input type="text" name="sno"
placeholder="Serial no of book">
                                     <input type="submit">
                                   </form>
                     </div>
       </div>
</div>
```

<input type="submit">

Addbook.php

```
?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect_error) {
  die("error". PHP_EOL);
}
session_start();
if(isset($_SESSION['user']))
{
$sql = "INSERT INTO book
VALUES(".$_POST['sb'].",'".$_POST['aname']."','".$_POST['bname']."','".$_POST['sub']."',1,0,0);";
if ($conn->query($sqI) === TRUE) {
  $ SESSION['TYPE']="adb";
  header("Location: admin.php");
} else {
  echo "Error: " . $sql . "<br>" . $conn->error;
}
$conn->close();
```

```
}
else
{
       die("error session not set");
}
?>
                                    issueBook.php
<?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect_error) {
  die("error". PHP_EOL);
}
session_start();
$sql="UPDATE book SET rollno=".$_POST['rollno'].",issueD=".time().",status=0 WHERE
sno=".$_POST['sno'].";";
if ($conn->query($sqI) === TRUE) {
  $_SESSION['TYPE']="ib";
```

```
header("Location: admin.php");
} else {
  echo "Error: " . $sql . "<br>" . $conn->error;
}
$conn->close();
?>
                                     Deposite.php
<?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect_error) {
  die("error". PHP_EOL);
}
session_start();
$sql="UPDATE book SET rollno=0,issueD=0,status=1 WHERE sno=".$ POST['sno'].";";
if ($conn->query($sql) === TRUE) {
  $_SESSION['TYPE']="db";
  header("Location: admin.php");
```

```
} else {
  echo "Error: " . $sql . "<br>" . $conn->error;
}
$conn->close();
?>
                                  Registration.php
?php
$servername = "localhost:3306";
$username = "root";
$password = "";
// Create connection
$conn = new mysqli($servername, $username, $password, "lib");
// Check connection
if ($conn->connect error) {
  die("error". PHP_EOL);
}
if($_SERVER['REQUEST_METHOD']=="POST"){
$sql = "INSERT INTO student
VALUES(".$_POST['rollno'].",'".$_POST['pass']."','".$_POST['name']."',5,0);
if ($conn->query($sql) === TRUE) {
  echo"<script> alert('Registration Successfull');</script>";
```


```
} else {
  echo "Error: " . $sql . "<br>" . $conn->error;
}
}
$conn->close();
?>
<!DOCTYPE html>
<html>
<head>
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- Meta tag Keywords -->
<!-- css files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all">
</head>
<body>
<!--header-->
       <div class="header-w3l">
              <h1>Library Registration Form</h1>
       </div>
<!--//header-->
<!--main-->
<div class="main-agileits">
```

```
<h2 class="sub-head">Sign Up</h2>
              <div class="sub-main">
                     <form action="<?php echo $_SERVER['PHP_SELF']; ?>" method="post">
                            <input placeholder="First Name" name="name" class="name"
type="text" required="">
                                  <br>
                            <input placeholder="Father Name" name="fname" class="name2"</pre>
type="text" required="">
                                  <br>
                           <input placeholder="Roll Number" name="rollno" class="number"
type="text" required="">
                                  <br>
                            <input placeholder="Password" name="pass" class="pass"
type="password" required="">
                                   <br>
                                   <br>
                            <input type="submit" value="sign up">
                     </form>
             </div>
             <div class="clear"></div>
</div>
<!--//main-->
<!--footer-->
<
<!--//footer--></body>
```

Admin Portal

Book Detail BOOKS Name Author Name Serial Number Subject Name Submit

LIBRARY REGISTRATION FORM



v

Deposite Book

Serial no of book	
	Submit

Issue Book

Serial no of book

Roll no of Student

Submit