## LAB 2 DAY 8 ( FAN CONTROLLER )




FIG: schematic for the connection for fan controller

## Code for the connection

```
import machine
import utime
import dht
# Pin definitions
pir_pin = machine.Pin(15, machine.Pin.IN)
dht22_pin = machine.Pin(14)
servo_pin = machine.Pin(16)
# Initialize DHT22 sensor
dht22 = dht.DHT22(dht22_pin)
# Initialize Servo Motor
servo = machine.PWM(servo_pin)
servo.freq(50)
def set_servo_angle(angle):
    duty = int((angle / 18) + 2)
    servo.duty_u16(duty * 65535 // 100)
def read_dht22():
    try:
        dht22.measure()
        temperature = dht22.temperature()
        humidity = dht22.humidity()
        return temperature, humidity
```

```
except Exception as e:
       print('Failed to read DHT22 sensor:', e)
       return None, None
def main():
   while True:
       if pir_pin.value():
           print("Motion detected! Turning servo on.")
           set servo angle(90) # Move servo to 90 degrees
       else:
           print("No motion detected. Turning servo off.")
           set servo angle(0) # Move servo to 0 degrees
       temperature, humidity = read_dht22()
       if temperature is not None and humidity is not None:
           print("Temperature:", temperature, "C")
           print("Humidity:", humidity, "%")
       utime.sleep(1)
if __name__ == '__main__':
   main()
No motion detected. Turning servo off.
Temperature: 24.0 C
Humidity: 40.0 %
No motion detected. Turning servo off.
Temperature: 24.0 C
Humidity: 40.0 %
No motion detected. Turning servo off.
Temperature: 24.0 C
Humidity: 40.0 %
No motion detected. Turning servo off.
```

Fig: Result motor off

```
o motion detected. Turning servo off.
emperature: 24.0 C
umidity: 40.0 %
otion detected! Turning servo on.
emperature: 24.0 C
umidity: 40.0 %
otion detected! Turning servo on.
emperature: 24.0 C
umidity: 40.0 %
```

Fig: Result motor on