WORKING WITH CURSOR,PROCEDURES AND FUNCTION

Program 1:FACTORIAL OF A NUMBER USING FUNCTION

```
CREATE OR REPLACE FUNCTION itfact (a NUMBER) RETURN NUMBER
   IS fact NUMBER := 1; b NUMBER;
BEGIN b
   := a;
   WHILE b > 0 LOOP
     fact :=
     fact * b; b := b -
     1;
   END LOOP;
   RETURN fact;
END;
/
```

```
Function created.
```

```
DECLARE result NUMBER;
BEGIN
   result := itfact(7); -- Call the function with 7 as input
   DBMS_OUTPUT.PUT_LINE('The factorial of 7 is ' || result);
END;
/
```

```
The factorial of 7 is 5040

Statement processed.
```

Program 2

Write a PL/SQL program using Procedures IN,INOUT,OUT parameters to retrieve the corresponding book information in library

-- Create a simple table for the library books **CREATE**

TABLE library (

```sql
  book_id INT PRIMARY KEY,
  book_name VARCHAR2(100), author_name
  VARCHAR2(100)
);

-- Sample data insertion
INSERT INTO library VALUES (1, 'Introduction to PL/SQL', 'John Doe'); INSERT
INTO library VALUES (2, 'Advanced SQL', 'Jane Smith');

-- Procedure to retrieve book information
CREATE OR REPLACE PROCEDURE
  get_book_info ( p_book_id IN INT, p_book_name
  IN OUT VARCHAR2, p_author_name OUT
  VARCHAR2
) IS
BEGIN
  -- Retrieve book information based on the book_id
  SELECT book_name, author_name
  INTO p_book_name, p_author_name
  FROM library
  WHERE book_id = p_book_id;

  -- Modify book_name if needed (optional, based on INOUT)
p_book_name := p_book_name || ' - Updated'; END;
/

-- Test the procedure
DECLARE v_book_name
  VARCHAR2(100); v_author_name
  VARCHAR2(100);
BEGIN
  v_book_name := 'Sample Book'; -- Initial value
  get_book_info(1, v_book_name, v_author_name); -- Fetch book info for ID 1
  DBMS_OUTPUT.PUT_LINE('Book Name: ' || v_book_name); -- Output modified book
  name
  DBMS_OUTPUT.PUT_LINE('Author Name: ' || v_author_name); -- Output author name
END;
/
```

```
Book Name: Introduction to PL/SQL - Updated
Author Name: John Doe

Statement processed.
```