/v3/api-docs

Explore

OpenAPI definition

v0 OAS 3.0

/v3/api-docs

Servers

http://localhost:8086 - Generated server url

student-controller

POST /api/students/register

Parameters

Cancel Reset

No parameters

Request body required

application/json

```
{
  "name": "Sumathi",
  "email": "sumathi@gmail.com",
  "password": "abcd1234"
}
```

Execute | Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8086/api/students/register' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "name": "Sumathi",
  "email": "sumathi@gmail.com",
  "password": "abcd1234"
}'
```

Request URL

```
http://localhost:8086/api/students/register
```

Server response

Code	Details

200	**Response body**
	`{ "id": 102, "name": "Sumathi", "email": "sumathi@gmail.com" }`
	Download
	Response headers
	`connection: keep-alive`
	`content-type: application/json`
	`date: Mon,16 Mar 2026 04:48:08 GMT`
	`keep-alive: timeout=60`
	`transfer-encoding: chunked`
	`vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers`

Responses

Code	Description	Links

200	OK
	Media type
	`*/*`
	Controls `Accept` header.
	Example Value Schema
	`{ "id": 0,`
		No links

Code	Description	Links

```
  "name": "string",
  "email": "string"
}
```

POST /api/students/login

Parameters Cancel Reset

No parameters

Request body required application/json

```
{
  "email": "sumathi@gmail.com",
  "password": "abcd1234"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8086/api/students/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "email": "sumathi@gmail.com",
  "password": "abcd1234"
}'
```

Request URL

http://localhost:8086/api/students/login

Server response

Code	Details
200	**Response body**

```
{
  "id": 102,
  "name": "Sumathi",
  "email": "sumathi@gmail.com"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon,16 Mar 2026 04:48:42 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls `Accept` header.

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "email": "string"
}
```

GET /api/students/{id}/enrollments

Parameters

Cancel

Name	Description
id * required integer($int64) *(path)*	1

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8086/api/students/1/enrollments' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8086/api/students/1/enrollments
```

Server response

Code	Details
200	**Response body**


```
[
  {
    "courseId": 1,
    "courseName": "Java Programming"
  },
  {
    "courseId": 4,
    "courseName": "HTML & CSS"
  }
]
```


Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon,16 Mar 2026 04:49:10 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls `Accept` header.

Example Value Schema


```
[
  {
    "courseId": 0,
```

Code	Description	Links

```
    "courseName": "string"
  }
]
```

course-controller

POST /api/enroll/{courseId}

Parameters

Cancel

Name	Description
courseId * required integer($int64) *(path)*	3
studentId * required integer($int64) *(query)*	5

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8086/api/enroll/3?studentId=5' \
  -H 'accept: */*' \
  -d ''
```

Request URL

```
http://localhost:8086/api/enroll/3?studentId=5
```

Server response

Code	Details
200	**Response body** `Enrollment Successful`

Download

Code	Details

Response headers

```
connection: keep-alive
content-length: 21
content-type: text/plain;charset=UTF-8
date: Mon,16 Mar 2026 04:49:43 GMT
keep-alive: timeout=60
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
```

Responses

Code	Description	Links

200	OK
	Media type
	`*/*`
	Controls `Accept` header.
	Example Value Schema
	`string`
		No links

DELETE `/api/enroll/{courseId}`

Parameters Cancel

Name	Description
courseId * required `integer($int64)` *(path)*	3
studentId * required `integer($int64)` *(query)*	5

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8086/api/enroll/3?studentId=5' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8086/api/enroll/3?studentId=5
```

Server response

Code	Details

200	**Response body**
	`Unenrolled Successfully`
	Download
	Response headers
	`connection: keep-alive`
	`content-length: 23`
	`content-type: text/plain;charset=UTF-8`
	`date: Mon,16 Mar 2026 04:50:09 GMT`
	`keep-alive: timeout=60`
	`vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers`

Responses

Code	Description	Links

200	OK
	Media type
	`*/*`
	Controls `Accept` header.
	Example Value Schema
	`string`
		No links

GET /api/courses

Parameters Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8086/api/courses' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8086/api/courses
```

Server response

Code	Details
200	

Response body


```
[
  {
    "id": 1,
    "name": "Java Programming",
    "description": "Learn core Java concepts from scratch.",
    "duration": "40 Hours",
    "availableSeats": 29
  },
  {
    "id": 2,
    "name": "Spring Boot Basics",
    "description": "Introduction to Spring Boot framework.",
    "duration": "30 Hours",
    "availableSeats": 25
  },
  {
    "id": 3,
    "name": "Oracle SQL",
    "description": "Fundamentals of Oracle SQL and PL/SQL.",
    "duration": "20 Hours",
    "availableSeats": 19
  },
  {
    "id": 4,
    "name": "HTML & CSS",
    "description": "Web design using HTML5 and CSS3.",
    "duration": "15 Hours",
    "availableSeats": 39
```


Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon,16 Mar 2026 04:51:41 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls `Accept` header.

Example Value Schema


```
[
  {
    "id": 0,
    "name": "string",
    "description": "string",
    "duration": "string",
    "availableSeats": 0
  }
]
```


Schemas

StudentRegisterDTO

```
{
  name*        [...]
  email*       [...]
  password*    [...]
}
```

StudentResponseDTO

```
{
  id           [...]
  name         [...]
  email        [...]
}
```

LoginDTO

```
{
  email*       [...]
  password*    [...]
}
```

EnrollmentDTO

```
{
    courseId                    [...]
    courseName                  [...]
}
```

CourseDTO

```
{
    id                          [...]
    name                        [...]
    description                 [...]
    duration                    [...]
    availableSeats              [...]
}
```