

- 1) Requirement is a process of analyzing, gathering, validating and verifying to build the software application with the requirement document

Types of Requirement

- 1) Functional Requirement
- 2) Non-Functional Requirement
- 3) Domain Requirement

Functional Requirement:

To check the core functionality of the Software Application

User Authentication:

Whether all the user are able to login and navigate to home page or not

Search ability:

If user is search the particular products the product should be displayed and

it should be function properly

Payment Gateway

The Application should allow all the payment gateway like paypal, bpay etc.

Non Functional Requirements

To check the performance of System

Usability → The System should Be user friendly

Performance → The System should Be perform
more than 1000 transaction per
second

Scalability → The System should Be 99.9%
upto date

Security → The data should must encrypted and
Save

2) Boundary Value Analysis:

To check The testing Between the
Boundary range it have Seven Testcase

min-1, min, min+1, max, max+1, Normal value, max-1

min value Analysis → It consists of 2 valid

Input and 1 Invalid output

max value Analysis → It consists of 2 valid

Input and 1 Invalid output

Example:

validation from 18 - 60

min-value $\rightarrow$ min - 1 = 17 Invalid

min value $\rightarrow$ 18 = valid

min value + 1 $\rightarrow$ 19 = valid

Normal $\rightarrow$ 21 = valid

max - 1 = 59 = valid

max = 60 = valid

max + 1 = 61 = Invalid

These are about Boundary value Analysis.