

Cucumber Report

May 8, 2023, 3:41:43 PM

Start : May 08, 3:41:13.433 PM

End : May 08, 3:41:40.595 PM

Duration : 27.162 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>B2B-Login Screen</u>	27.162 s	1	0	1	0	4	3	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@B2BSignInScreen	1	0	1	0	1	0	1	0
@B2B_SignInScreen	1	0	1	0	1	0	1	0
@TC_01-	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>B2B-Login Screen</u>	1	0	1	0	27.162 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>B2B-Login Screen</u>	<u>Verify Sign In or log in at the B2B</u>	4	3	1	0	27.147 s

B2B-Login Screen

FAILED	DURATION - 27.162 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:41:13.433 PM // 3:41:40.595 PM /					

Verify Sign In or log in at the B2B

<div>FAILED</div> <div>DURATION - 27.147 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:41:13.447 PM // 3:41:40.594 PM /</div>				
<div>B2B-Login Screen</div>				
<div>@B2BSignInScreen @B2B_SignInScreen @TC_01-</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on B2B Sign in Screen	PASSED	7.605 s
	AFTER_STEP - com.Membership.Automation.StepsDefinitions.ApplicationHooks.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.264 s
			
2	Then I Enter at the B2B B2b-Email and B2b-Password	PASSED	6.582 s
	AFTER_STEP - com.Membership.Automation.StepsDefinitions.ApplicationHooks.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.220 s
			

#	Step / Hook Details	Status	Duration
			
3	And I Click on Login button(Orange color)	PASSED	0.139 s
	AFTER_STEP - com.Membership.Automation.StepsDefinitions.ApplicationHooks.takeScreenShot(io.cucumber.java.Scenario) image 	PASSED	0.304 s
4	Then Navigate To Dashboard Screen org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of all [Proxy element for: DefaultElementLocator 'By.xpath: //div[h1='Dashboard']'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.Membership.Automation.Screens.B2B_SignInScreenScreen.NavigateToProgramModule(B2B_SignInScreenScreen.java:58) at com.Membership.Automation.StepsDefinitions.B2B_SignInScreenSteps.navigate_to_dashboard_screen(B2B_SignInScreenSteps.java:43) at ?.Navigate To Dashboard Screen(file:///D:/IntelliJ%20IDE%20Workspace/Membership-Web-Automation-Testing/src/test/java/com/Membership/Automation/Features/B2B_SignInScreen.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[h1='Dashboard']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [88c63df2bfa1749a9e0342a4ecd4b278, findElement {using=xpath, value=//div[h1='Dashboard']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir:	FAILED	11.544 s

#	Step / Hook Details	Status	Duration
	<p>C:\Users\sggupta\AppData\Lo..., goog:chromeOptions: {debuggerAddress: localhost:51387}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51387/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 88c63df2bfa1749a9e0342a4ecd4b278</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$9.apply(ExpectedConditions.java:267) at org.openqa.selenium.support.ui.ExpectedConditions\$9.apply(ExpectedConditions.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.Membership.Automation.Screens.B2B_SignInScreenScreen.NavigateToProgramModule(B2B_SignInScreenScreen.java:58) at com.Membership.Automation.StepsDefinitions.B2B_SignInScreenSteps.navigate_to_dashboard_screen(B2B_SignInScreenSteps.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.Membership.Automation.StepsDefinitions.ApplicationHooks.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.180 s

#	Step / Hook Details	Status	Duration
	image		
	