



Deutsch Wortschatz — Install on your iPhone

A step-by-step guide to putting the current app on your own iPhone with Xcode.

Capacitor · iOS · updated for the latest build

CONTENTS — TAP TO JUMP

1. What you need
2. Install steps (1–8)
3. If something goes wrong
4. Good to know
5. Useful links

§1 What you need

- This **Mac** (required by Apple to build iOS apps) with **Xcode** installed.
- Your **iPhone** and a **USB cable**.
- An **Apple ID** — a **free** one works for testing on your own phone. A paid Apple Developer account (\$99/yr) is only needed to publish or to remove the 7-day limit.

Already prepared for you: the iOS project already contains the latest app code (run `npx cap sync ios` after any future edit to refresh it).

§2 Install steps

- 1 **Open the project in Xcode.** In the Terminal app, run:

```
cd ~/Desktop/german && npx cap open ios
```

Xcode opens the project.

- 2 **Sign in to Xcode once.** Xcode menu → Settings → Accounts → “+” → **Apple ID** → sign in.

- 3 **Set signing.** In the left sidebar click the blue “App” → select the **App** target → **Signing & Capabilities** tab → tick “**Automatically manage signing**” → under **Team**, choose your Apple ID (Personal Team).

If it says the bundle ID is taken: change **Bundle Identifier** to something unique, e.g. `com.sudheshna.wortschatz`.

- 4 **Plug in your iPhone.** Unlock it; if asked, tap “**Trust This Computer**” and enter your passcode.
- 5 **Turn on Developer Mode** (iOS 16 or newer). On the iPhone: **Settings** → **Privacy & Security** → **Developer Mode** → **On** → the phone restarts → confirm.
- 6 **Pick your iPhone in Xcode.** In the top toolbar device dropdown, select **your iPhone** (not a simulator).
- 7 **Press ▶ (Run).** The first build to a device takes about a minute.
- 8 **Trust the developer certificate** (first launch only). The launch shows “**Untrusted Developer.**” On the iPhone: **Settings** → **General** → **VPN & Device Management** → tap your Apple ID → **Trust**. Then reopen the app.

Done! The app — with all the latest vocabulary and content fixes — now runs on your phone. 🎉

§3 If something goes wrong

- “**Failed to register bundle identifier**” → the ID is in use; change the Bundle Identifier (Step 3) to a unique one.
- “**Unable to install... / device not eligible**” → make sure Developer Mode (Step 5) is On and the phone is unlocked.
- **Signing errors** → confirm your Apple ID is selected under **Team** and “Automatically manage signing” is ticked.
- Still stuck? Copy the exact red error text from Xcode and send it — it usually points at one fix.

§4 Good to know

- **Free Apple ID = 7-day limit.** The app stops opening after 7 days; just re-run it from Xcode (▶) to refresh it. A paid Apple Developer account removes this and unlocks TestFlight.
- **After any code change,** run `npm run sync ios` in Terminal, then press ▶ again in Xcode. That copies your updated app into the native project.
- **One codebase, three apps.** The whole app lives in `www/index.html`; the same file powers the web, Android, and iOS versions.

§5 Useful links

Your repository	github.com/SudheshnaR/deutsch-wortschatz
iOS project	/tree/main/ios
The app (web)	/tree/main/www
Xcode (Mac App Store)	apps.apple.com/app/xcode
Node.js (if needed)	nodejs.org
Apple: run on a device	developer.apple.com — Running your app on a device
Apple: Developer Mode	developer.apple.com — Enabling Developer Mode
Capacitor workflow	capacitorjs.com/docs/basics/workflow

Deutsch Wortschatz · iPhone install guide · Generated with Claude Code. The commands assume the project is at
~/Desktop/german.